

REFERENCES


1. **Agarwal, K.K., Singh I.B., Sharma, M. and Sharma, S., (2002),** Extensional Tectonic Activity in the Cratonward parts (peripheral bulge), of the Ganga Plain Foreland Basin, India, *International Journal of Earth Sciences*, Vol. 91, No. 5, pp. 897-905
2. **Aggarwal, S., (2003),** Principles of Remote Sensing, Satellite Remote Sensing and GIS Applications in Agricultural Meteorology, Proceedings of the Training Workshop, published by World Meteorological Organization, 7-11 July, Dehradun, pp. 23-38
3. **Anderson R.S., and Anderson, S.P., (2010),** Geomorphology: The Mechanics and Chemistry of Landscapes, 1st edition, Published by Cambridge University Press; 654 p
4. **Arya, A.S., Shah, R.D., Muley, M.V., Desai, A., and Desai, J., (2009),** Atlas on Fluvial Geomorphology of the Ganga river in Bihar, Based on Satellite and Field Observations, Vol. IV, SAC/RESA/MESG/ESHD/ATLAS/69/2009, 127 p.
5. **Arya, A.S., Shah, R.D., Muley, M.V., Desai, A., and Desai, J., (2009),** Report on Fluvial Geomorphology of the Ganga River in Uttar-Pradesh and Bihar, SAC/RESA/MESG/ESHD/PR/67/2009, 94 p.
6. **Bajpai, V.N., (1989),** Surface and Sub-surface Evidences of Neotectonics and the Aquifer Deposition in Central Gangetic Alluvial Terrain of Kanpur-Unnao region in Uttar-Pradesh, India, *Photonirvachak Journal of Indian Society of Remote Sensing*, Vol. 17, No. 2, pp 47-53
7. **Barrett, E.C. and Curtis L.F., (1999),** Introduction to Environmental Remote Sensing, Routledge, 4th edition, Stanley Thorns publication, pp 1-22, 457 p

8. **Bates, R.L., and Jackson. J.A., (1980),** Glossary of Geology, American Geological Institute, 2nd edition, 751 p
9. **Bates, R.L., and Jackson. J.A., (1984),** Dictionary of Geological Terms, 3rd edition, published by Anchor books, American Geological Institute, 576 p.
10. **Bharatdwaj, K., (2006),** Physical Geography: Hydrosphere, Discovery publishing House, pp. 69-73, 356 p.
11. **Bhowmick, P.K.,** Phanerozoic Petroliferous Basins of India, Glimpses of Geoscience research in India, pp 253-268
12. **Bhosle, B., Parkash, B., Awasthi, A.K. and Pati, B., (2009),** Use of Digital Elevation Models and Drainage Patterns for Locating Active Faults in the Upper Gangetic Plains, India, International Journal of Remote Sensing, Vol. 30, Issue.3, pp. 673-691
13. **Bocco, G., Mendoza M. and Velázquez, A., (2001),** Remote Sensing and GIS-Based Regional Geomorphological Mapping-A Tool for Land Use Planning in Developing Countries, Geomorphology, Vol. 39, Issues 3-4, pp 211-219
14. **Bridge, J.S., (2003),** Rivers and floodplains: forms, processes, and sedimentary record, Published by Blackwell Science Ltd, 491 P
15. **Buchroithner, M.F., Kolejka, J. and Kostka, R., (1991),** Mountain Research and Development, published by International Mountain Society, Vol. 11, No. 4,. pp 281-294
16. **Campbell, J .B., (2007),** Guilford Press, Introduction to Remote Sensing, 4th edition, 626 p
17. **Charlton, R., (2008),** Fundamentals of Fluvial Geomorphology, Routledge publication, 234 p

18. **Chorley, R.J., Schumm, S.A., and Sugden, D.E., (1984),** Geomorphology, University Press, Cambridge, pp 3, 605 p.
19. **Coleman, J.M., (1969),** Sedimentary Geology, Brahmaputra River: Channel Processes and Sedimentation, Vol 3, Issues 2-3, pp 129-239
20. **Desai, A., Naik, S.D., and Shah, R.D., (2006),** Study on the Channel Migration Pattern of Jia-Bhareli, Puthimari, and Pagladiya Tributaries of the Brahmaputra River Using Remote Sensing Technology, ISPRS Symposium, September 27-30, Paper published in the proceedings, Goa, Commission: WG-IV/10 , No: WG-410-132
21. **Desai, A., Desai, J., Muley, M.V., and Shah, R.D., (2008),** Multi-Temporal Fluvio-Geomorphological and Bank-line changes of the Ganga river in Bihar State : A Remote Sensing approach, Presented in National conference on Geomatics for planet earth and annual conventions of Indian Society of Geomatics, 18-20 February, Bhopal
22. **Desai, A., Shah, R.D., and Arya, A.S., (2010),** Study on the River Migratory Pattern and Fluvial-Geomorphological Aspects of the Ganga River Near Bhagalpur City in Bihar State Using Remote Sensing Techniques, Paper presented in national conference on climate change, Indian society of Geomatics, 4-6 February, 2010, Ahmedabad
23. **Desai, A., Shah, R.D., and Arya, A.S., (2011),** Fluvio-geomorphological changes in the Ganges over past 70 years around Begusarai and Bhagalpur city in Bihar state, India: A Remote Sensing based Assessment, Journal of Geomatics, Vol. 5, No. 1 pp 31-36
24. **Drury, S.A., (2001),** Image Interpretation in Geology, 3rd edition, Vol 1, published by Nelson Thornes Ltd, 290 p

25. **Elachi, C., and Zyl, J.V., (2006)**, Introduction to the Physics and Techniques of Remote Sensing, 2nd edition, John Wiley and Sons, p 552
26. **Galay, V.J., (1983)**, Water Resource Research, Causes of river bed degradation, Vol. 19, No. 5, pp. 1057-1090
27. **Gibson, P. and Power, C.L., (2000)**, Introductory Remote Sensing: Principles and Concepts, Routledge publications, 184 p
28. **Gordon, N.D., McMahon, T.A., Finlayson, B.L., Gippel, C.J., Nathan, R.J., (2004)**, Stream Hydrology: An Introduction for Ecologists, 2nd edition, John Wiley and Sons, Wiley publications, pp 267, 444 p
29. **Goswami, U., Sarma, J.N. and Patgiri, A. D., (1999)**, River Channel Changes of the Subansiri in Assam, India, Geomorphology, Vol. 30, Issue-3, p 227-244
30. **Goudie, A.S., (2004)**, Encyclopedia of Geomorphology, Vol. 2, Routledge Ltd, p. 1156
31. **Gregory, K.J., (2006)**, The Human Role in Changing River Channels, Geomorphology, Vol. 79, Issues 3-4, p. 172-191
32. **Gupta, R.P., (1993)**, Channel Pattern Transformation of the Burhi-Gandak River, Bihar, India: A Study based on Multidata Sets Geocarto International, Vol. 8, Issue 3 , pp 47 – 51
33. **Gupta, R.P., (2003)**, Remote Sensing Geology, 2nd edition, Springer, p. 655
34. **Gupta, A., (2007)**, Large Rivers: Geomorphology and Management, chapter 2- Geology of large river systems, John Wiley and Sons, p. 689
35. **Harijan, N., Kumar, A., Bhoi, S. and Tare, V., (2003)**, Course of the Ganga River Over a Century Near Kanpur City Based on Remote Sensing Data, Photonirvachak, Journal of the Indian Society of Remote Sensing, Vol. 31, No 1, pp. 1-2

36. **Huggett, R.G., (2003)**, Fundamentals of Geomorphology, Routledge publication, Fundamentals Physical Geography, 386 p
37. **Jain, S.K., and Ahmad, T., (1993)**, On the Migration Behavior of the Ganga River Lying Between Allahabad and Buxar Using Remotely Sensed Data, Journal of the Indian Society of Remote Sensing, Vol. 21, No 1, pp. 37-43
38. **Jain, V. and Sinha, R., (2005)**, Response of Active Tectonics on the Alluvial Bagmati River, Himalayan Foreland Basin, Eastern India., Geomorphology 70, pp. 339-356
39. **Jong S.M.D., Meer, F.V.D., (2004)**, Remote Sensing Image Analysis: Including the Spatial Domain, Springer, Vol. 1, p 359
40. **Joseph, G., (2005)**, Fundamentals of Remote Sensing, 2nd edition, Universities press, 470 p
41. **Kale, V., (2002)**, Progress in Physical Geography, Fluvial Geomorphology of Indian Rivers as Overview, Vol. 26, No 3, pp. 400-433.
42. **Kearey, P., (2001)**, The New Penguin Dictionary of Geology, Published by the Penguin Group, 2nd edition, 336 p.
43. **Kumanan, C.J., and Ramasamy, S.M., (2005)**, Remote Sensing in Geomorphology, Fluvial Anomalies and Neotectonics of Parts of Western Ghats, Tamilnadu, India, Chapter 7, Published by New India Publishing Agency, pp 81-88
44. **Leopold, L.B., Wolman, M.G., (1957)**, River Channel Patterns: Braided, Meandering and straight, Physiographic and Hydraulic Studies of River, Geological survey professional paper 282-B, United States Government printing office, Washington, pp 39-84
45. **Leopold, L.B., Wolman, M.G., Miller, J.P., (1995)**, Fluvial Processes in Geomorphology, 2nd edition, Courier Dover Publications, INC, New York, 522 p



46. **Levin, N., (1999),** Fundamentals of Remote Sensing, 225 p
47. **Liaghat, S. and Balasundram, S.K., (2010),** A Review: The Role of Remote Sensing in Precision Agriculture, American Journal of Agricultural and Biological Sciences, 5 (1), pp 50-55
48. **Lillesand, T.M., and Kiefer, R.W., (2000),** Remote Sensing and Image Interpretation, 4th edition, Wiley Publications, 724 p
49. **Liqian, L.Q., Lu, X.X., and Chen, Z., (2007),** River Channel Change During the Last 50 Years in the Middle Yangtze River, the Jianli Reach, Geomorphology, Vol. 85, Issues 3-4, pp 185-196
50. **Marzluff, .J.M., (2008),** Urban Ecology: an international perspective on the interaction between humans and nature, Springer, p 807
51. **Matsuda, I., (2004),** River Morphology and Channel Processes in Fresh Surface Water, Encyclopedia of Life Support Systems (EOLSS), Eolss Publishers, Oxford, U.K., pp 1-12
52. **Mayer, .L., (1992),** Geomorphology, Proceedings 23rd Binghamton Symposium in Geomorphology, Some Comments on Equilibrium Concepts and Geomorphic systems, Vol. 5, issues 3-5, pp 277-295
53. **Mirza, M.M.Q., Mirjā, M.K., (2004),** The Ganges Water Diversion: Environmental Effects and Implications, Springer, 364 p
54. **Mitra, D., Tangri, A.K. and Singh, I.B., (2005),** Channel Avulsions of the Sarda River System, Ganga Plain, International Journal of Remote Sensing, Vol. 26, Issue 5, pp 929-936
55. **Mohindra, .R., Parkash, .B. and Prasad, .J., (1992),** Earth Surface Processes and Landforms, Historical Geomorphology and Pedology of the Gandak Megafan, Middle Gangetic Plains, India, Vol. 17, issue 7, p 643-662

56. **Mukherjee, P.K., (1984),** A Text Book of Geology, 10th edition, Calcutta, The World Press Private Ltd, pp 119-139, 544 p
57. **Muley, M.V., et al, (2006),** Atlas on Fluvial Geomorphology of the Ganga River in Bihar, Based on Satellite Data, Vol. II, Report No. SAC/RESIPA/MWRG/ESHD/PR/57/2006, June 2006, 73 p
58. **Naqi, M., (2005),** Encyclopedia of Geomorphology, Anmol Publications pvt. Ltd., pp-3, 4, 622 p
59. **Neuendorf, K.E., Mehl, J.P. and Jackson, J.A., (2005),** Glossary of Geology, American Geological Institute , United Book Press, 5th edition, total pp-
60. **Pahuja, S. and Goswami, D.C., (2006),** A fluvial Geomorphological Perspective on the Knowledge Base of the Brahmaputra River, Background Paper no 3, Paper Commissioned as an Input to the Study on Natural Resources, Water and the Environment Nexus for Development and Growth of Northeast India, 51p
61. **Pandey, S.N., (1987),** Principles and Applications of Photogeology, New Age International Publishers, pp 1-4, 366 p
62. **Parua, P.K., (2010),** The Ganga: Water Use in the Indian Subcontinent, Springer, 391 p
63. **Parveen, S., (2005),** Changing Face and Challenges of Urbanization: A Case Study of Uttar Pradesh, Concept publishing company, 256 p
64. **Pati, J.K., Lal, J., Prakash, K. and Bhusan, R., (2008),** Spatio-Temporal Shift of Western Bank of the Ganga River, Allahabad City and its Implications, Photonirvachak, Journal of Indian Society of Remote Sensing, Vol. 36, No. 3, pp 289-297
65. **Peregrine, P. and Ember, M., (2003),** Encyclopedia of Pre-history, South and Southwest Asia, Springer, Vol. 8, pp 128, 415 p

66. **Philip, G., Gupta, R.P. and Bhattacharya, A., (1989),** Channel Migration Studies in the Middle Ganga Basin, India, Using Remote Sensing Data, International Journal of Remote Sensing, Vol. 10, p p. 1141-1149
67. **Philip, G., (1994),** Geomorphic Evolution of A Part of Middle Ganga Plain, Bihar: A Case Study Using Remote Sensing Data, Photonirvachak Journal, Indian Society of Remote Sensing, Vol. 22, No.4, P. 237-245
68. **Pitty, A.F., (1971),** Introduction to Geomorphology, Published Metheun and Co. Ltd, pp 14, 526 p.
69. **Rahaman, W., Singh, S.K., Sinha, R. and Tandon, S.K, (2009),** Geology, Climate Control on Erosion Distributuion over the Himalaya During the Past ~100 Ka, 37, pp 559-562
70. **Rao, M.B.R., (1973),** The Sub-Surface Geology of the Indo-Gangetic Plains, Journal Geological Society, India, 14, pp 217-242
71. **Rao, D.P., (2002),** Remote Sensing Application in Geomorphology, International Society for Tropical Ecology, Vol. 43, No. 1, p. 49-59
72. **Rashid, H.E., and Kabir, B., (1996),** Case Study: Bangladesh, Water Resources and Population Pressures in the Ganges River Basin, Water and Population Dynamics: Case Studies and Policy Implications, Report of a Workshop, Montreal, Canada
73. **Richards, K.S., (1982),** Rivers: forms and Process in Alluvial Channels, Published by Metheun and Co. Ltd, P 358
74. **Roy, N.G, and Sinha, R., (2005),** Alluvial Geomorphology and Confluence Dynamics in the Gangetic Plains, Farrukhabad-Kannauj Area, Uttar-Pradesh, India, Current Science, Vol. 88, No.12, pp. 2000-2006

75. **Sarma, J.N. and Phukan, M.K., (2004),** Origin and Some Geomorphological Changes of Majuli Island of the Brahmaputra River in Assam, India Geomorphology, Vol. 60, Issues 1-2, pp. 1-19
76. **Sarma, J.N., Borah, D. and Goswami, U., (2007),** Change of River Channel and Bank Erosion of the Burhi-Dihing River (Assam), Assessed Using Remote Sensing Data and GIS, Journal of Indian Society of Remote Sensing, Vol. 35, No. 1, pp. 93-100
77. **Sastri, V.V., Bhandari, L.L., Raju, A.T.R., and Dutta, A.K., (1971),** Tectonic Framework and Sub-Surface Stratigraphy of the Ganga Basin, Journal Geological Society, India, 12, pp 222-233
78. **Schowengerdt, R.A., (2007),** Remote Sensing: Models and Methods for Image Processing, Academic Press Publication, 3rd edition, pp 2-10, 515 p
79. **Sharma, Y., (1997),** Water Pollution Control-A Guide to the Use of Water Quality Management Principles, A Case Study-1*- The Ganga, India, pp. 2 12 p
80. **Shen, H.W., (1971),** River Mechanics, Vol. 1, Chapter, 4, pp. 2-5
81. **Shrivastava, P., Sharma, M. and Singhvi, A.K., (2003),** Luminiscence Chronology of Incision and Channel Pattern Changes in the River Ganga, India, Geomorphology, Vol. 51, Issue-4, pp. 259-268
82. **Shukla, U.K., and Raju, N.J., (2008),** Migration of the Ganga River and its Implications on Hydro-Geological Potential of Varanasi Area, U.P., India, Journal of Earth System Science, Vol. 17, No. 4, pp. 489-498
83. **Shukla, S.K., (2009),** Indian River Systems and Pollution, The Encyclopedia of Earth, <http://www.eoearth.org/article/Indian_river_systems_and_pollution

84. **Singh, I.B., and Ghosh, D.K., (1994),** Geomorphology and Neotectonic Features of Indo-Gangetic Plains in India, Geomorphological Diversity, Rawat Publications, Jaipur and New Delhi, pp. 270-286
85. **Singh, I.B., (1996),** Geological Evolution of the Ganga Plain, - An Overview, Journal Palaeontological Society of India, 41, pp. 99-137
86. **Singh, M., Sharma, M., Tobschall, H.J., (2005),** Weathering of the Ganga Alluvial Plains, Northern India: Implications from the Fluvial Geochemistry of the Gomti River, Applied Geochemistry, Vol. 20, Issue 1, pp. 1-21
87. **Singh, S., (2006),** Geomorphology, Publisher: Prayag Pustak Bhavan, 610 p
88. **Singh, M., Singh, I.B., Müller, G., (2007),** Sediment Characteristics and Transportation Dynamics of the Ganga River, Geomorphology, Vol. 86, Issues 1-2, pp. 144-175
89. **Singh, I.B., (2008),** Inception, Sedimentation and Deformation of Ganga Foreland Basin, Himalayan Geology, Vol, 29 (3), pp.103
90. **Sinha, R., and Jain, V., (1998),** Floods Hazards of North Bihar Rivers, Indo-Gangetic Plains, Memoir Geological Society of India, No. 41, pp. 27-52
91. **Sinha, R., (2005),** Why do Gangetic Rivers Aggrade or Degrade?, Current Science, Vol. 89, No. 5, pp. 836-840
92. **Sinha, R., Tandon, S.K., Gibling, M.R., Bhattacharjee, P.S. and Dasgupta, A.S., (2005),** Late Quarternary Geology and Alluvial Stratigraphy of the Ganga Basin, Himalayan Geology, Vol. 26 (1), pp. 223-240
93. **Sinha, R., Jain, V., Babu, G.P., Ghosh, S., (2005),** Geomorphic Characterization and Diversity of the Fluvial Systems of the Gangetic Plains, Geomorphology, Vol. 70, Issues. 3-4, pp. 207-225

94. **Sinha, R., (2009),** The Great Avulsion of Kosi on 18th August 2008, Current Science, Vol. 97, No. 3, pp. 429-433
95. **Sinha, R. and Sarkar, S., (2009),** Climate-Induced Variability in the Late Pleistocene-Holocene Fluvial and Fluvio-Deltaic Successions in the Ganga Plains, India: A Synthesis, Geomorphology 113, pp. 173-188
96. **Sinha, R., Tandon, S.K and Gibling, M.R., (2010),** Shallow Sub-Surface Stratigraphy of the Ganga Basin, Himalayan Foreland: Present Status and Future Perspectives, Quaternary International, Science Direct, article in press
97. **Srivastava, A. and Singh, R.P. (1999),** Surface Manifestation Over a Sub-Surface Ridge, International Journal of Remote Sensing, Vol. 20, Issue 18, pp. 3461-3466.
98. **Status Paper on the River Ganga, (2009),** State of Environment and Water Quality, National River Conservation Directorate, Ministry of Environment and Forests, pp. 4, 38 p.
99. **Subramanian, S.K.,** Geomorphology and Hydrogeology – Classification Systems, NRSA, pp 6, 58 p
100. **Summerfield, M.A., (1991),** Global Geomorphology (An Introduction to the Study of Landforms), Publisher: Prentice Hall, chapter 4, 560 p
101. **Thornbury, W.D., (1985),** Principles of Geomorphology, 2nd edition, John Wiley and Sons, Inc., Printed in Singapore, pp 16-34, 594 p.
102. **Verma, R. N., (1994),** Review of the Work Done by Project-Quaternary Geological Mapping of Ganga (west). Rec. G.S.I., Vol. 127, part-8, pp. 184-185
103. **Warner T.A., Nellis M.D., and Foody G.M, (2009),** The Sage Handbook of Remote Sensing, Sage Publications Ltd, pp 34-46, 504 p.
104. **Worcester, P.G., (1939),** A Textbook of Geomorphology, Braunworth and Company. Inc, pp. 3-5, 571 p