

References:

- Alexander, S.A., and Palmer C.J., 1999. Forest health monitoring in the US: First four years. *Environ. Monit. Assess.* **55**:267-277. Available Online: www.web.net/~fode/tc_report2002.htm.
- Arnon, D.I., 1949, Copper enzyme in isolated chloroplasts polyphenol oxidase in Beta vulgaris. *Plant Physiology*, **24** : 1-15.
- Balzter, H., Talmon, E., Wagner, W., Gaveau, D., Plummer, S., Yu, J.J., Quegan, S., Davidson, M., Le Toan, T., Gluck, M., Shvidenko, A., Nilsson, S., Tansey, K., Luckman, A. and Schmullius, C. 2002, Accuracy assessment of a large-scale forest cover map of central Siberia from synthetic aperture radar. *Canadian Journal of Remote Sensing* **28**, 719–37.
- Banks, J., Brack, C. and James, R. 1999. Modelling changes in dimensions, health status, and arboricultural implications for urban trees. *Urban Ecosystems*. **3**: 35-43.
- Beaubien, E.G. and Freeland, H.J. , 2000, Spring phenology trends in Alberta, Canada: links to ocean temperature. *Int J Biometeorol*, **44**:53–59
- Bechtold, W.A., 2003. Crown-diameter predictions models for 87 species of stand-grown trees in the Eastern United States. *South. J. Appl. For.* **27**:269-278. .
- Begg, J. E. 1980. Morphological adaptation of leaves to water stress. In: N C Turner and J P Kramer (eds.), *Adaptation of Plants to Water and High Temperature Stress*, John Wiley & Sons, New York, Chichester, Brisbane, Toronto. 33-42.
- Blackman, S.A., Obendorf, R.L. and Leopold, A.C., 1995. Desiccation tolerance in developing soybean seeds: The role of stress proteins. *Plant Physiol.*, **93**: 630-638.

- Blokhina, O., Virolainen, E. and Fagerstedt K.V., 2003. Anti-oxidants, oxidative damage and oxygen deprivation stress. *Ann. Bot.*, **91**: 179-194
- Bonan, G. B. 1993, Importance of leaf area index and forest type when estimating photosynthesis in boreal forests. *Remote Sensing of Environment*, **43**, 303–314.
- Boone, R. B., Galvin, K. A., Smith N.M., and Lynn. S.J., 2000. “Generalizing El Nino effects upon Maasai livestock using hierarchical clusters of vegetation patterns” *Photogrammetric Engineering & Remote Sensing*. **66(6)**: 737-744
- Box, E.O. 1996. Plant functional types and climate at global scale. *J. Veg. Sci.* **7**: 309-320.
- Bragg, D.C., 2001, A local basal area adjustment for crown width prediction. *North. J. Appl. For.* **18**:22-28
- Brisco, B., and Brown, R.J., 1999, Multitdate SAR/TM synergism for crop classification in Western Canada, *Photogrammetric Engineering and Remote Sensing*, **61 (8)**: 1009-1014.
- Cajanus, W. 1912. A method for ocular estimation of the growing stock of forests. *Tapio* **6**:77-79.
- Calama, R., Montero G., 2004, Interregional nonlinear height–diameter model with random coefficients for stone pine in Spain. *Canadian Journal of Forest Research*, **34**: 150-163. <http://dx.doi.org/10.1139/x03-199>
- Carlson, T. N., and Ripley, D. A. 1997. On the relation between NDVI, fractional vegetation cover, and leaf area index. *Remote Sensing of Environment*, **62**, 241– 252.

- Ceccato, P., Gobron N., Flasse, S., Pinty, B., and Tarantola, S., 2002. Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 – Theoretical *Remote Sens. Environ.*, **82**, 188 – 197.
- Chavez, P.S., Sides, S.C., and Anderson, J.A., 1991. Comparison of three different methods to merge multiresolution and multispectral data Landsat TM and SPOT Panchromatic, *Photogrammetric Engineering and Remote Sensing*, **57(3)**: 295-303
- Christensen, N., Bartuska, A., Brown, J., Carpenter, S., D'Antonio, C., Francis, R., Franklin, J., MacMahon, J., Noss, R., Parsons, D., Peterson, C., Turner, M. and Woodmansee, R. 1996. The Report of the Ecological Society of America Committee on the Scientific Basis for Ecosystem Management. *Ecological Applications*. **6(3)**: 665-691
- Cloude, S.R. 1986, "Group Theory and Polarization Algebra," *OPTIK*, **75(1)**, 26-36.
- Cohen, W. B., and Spies, T. A., 1992. Estimating Structural Attributes of Douglas Fir Western Hemlock Forest Stands from Landsat and SPOT Imagery. *Remote Sensing of Environment*, **41**: 1-17
- Cohen, W.B., Spies T.A, and Fiorella. M., 1995. Estimating the age and structure of forests in a multi-ownership landscape of western Oregon, USA. *Internat. J. Rem. Sens.* **16**:721–746
- Coleman, T. L, Gudapati, L., and Derrington, J. 1990. Monitoring Forest Plantation Using Landsat Thematic Mapper Data. *Remote Sensing of Environment*, **33**: 131-141
- Conner, W.H., Day Jr., J.W., 1992. Diameter growth of *Rhodium distichum* (L.) Rich. and *Nyssa aquatica* L. from 1979 to 1985 in four Louisiana swamp stands. *Am. Midl. Nat.* **127**, 290–299

- Curtis R.O., 1967. Height-diameter and height-diameter age equations for second-growth Douglas-fir. *Forest Science*, **13**: 365-375.
- Dale, V.H., Joyce, L.A., McNulty, S., Neilson, R.P., Ayres, M.P., Flannigan, M.D., Hanson, P.J., Irland, L.C., Lugo, A.E., Peterson, C.J., Simberloff, D., Swanson, F.J., Stocks, B.J. & Wotton, B.M. 2001. Climate change and forest disturbances. *Bioscience*, **51(9)**: 723–734.
- Danson, F.M., and Curran, P.J., 1993. Factors affecting the remotely sensed response of coniferous forest plantations, *Remote Sensing of Environment*, **43**:55-65.
- Day Jr., F.P., 1985, Tree growth rates in the periodically flooded Great Dismal Swamp, Castanea. In: Keeland, B.D., Sharitz R.R. (Eds.), 1993, Accuracy of Tree Growth Measurements Using Dendrometer Bands, 50, 89–95. *Can. J. For. Res.* **23**: 2454–2457.
- de Groof, H.D., Malingreau, J.P., Sokeland, A. and Achard, F. 1992, A first look at ERS-1 data over the tropical forest of west Africa. World Forest Watch C Conference on Global Forest Monitoring. São Paulo: INPE.
- Disney, M., Lewis, P., & Saich, P. 2006. 3D modeling of forest canopy structure for remote sensing simulations in the optical and microwave domains. *Remote Sensing of Environment*, **100**:114–132
- Dobson, M.C., Ulaby, F.T., Pierce, L.E., Sharik, T.L., Bergen, K.M., Kellndorfer, J., Kendra, J.R., Li, E., Lin, Y.C., Nashashibi, A., Sarabandi, K. and Siqueira, P. 1995, Estimation of forest biophysical characteristics in northern Michigan with SIR-C/XSAR. *IEEE Transactions on Geoscience and Remote Sensing*, **33**: 877-894.
- Doig, I. 1976, When the douglas-firs were counted: the beginning of the forest survey. *Journal of Forest History* **20**:20-27

- Elachi, C. 1987, Introduction to the Physics and Techniques of Remote Sensing, John Wiley and Sons, Inc.: Toronto, 432
- ESA, 2005; <http://www.esa.int> , European Space Agency.
- Fang Z. and Bailey R.L., 1998. Height–diameter models for tropical forests on Hainan Island in southern China. *For. Ecol. Manage.* **110**, 315–327
- Fekedulengn, D., Siurtain, M.P.M .and Colbert, J.J., 1999. Parameter estimation of nonlinear growth models in forestry. *Silv.Fenn.* **33**, 327–336.
- Fiorella, M., and Ripple, W. J. 1993. Analysis of Conifer Forest Regeneration Using Landsat T. M. Data. *Photogramm. Eng. Remote Sensing*, **59**: 1383-1387
- Forest Survey of India, State of Forest Report 2003, Ministry of Environment and Forests, Dehra Dun.
- Franklin, S. E, Peart, R, and McDermid, G., 1992, Variability of Spectral Response in Relation to Forest Species and Canopy Density. Canadian Symposium on Remote Sensing, Toronto, Ont., 125-127.
- Franklin, S.E., 2001, Remote sensing for sustainable forest management. Boca Raton, FL: Lewis. **51**: 291-306.
- Frayer, W.E. and Furnival, G.M. 1999. Forest survey sampling designs. A history. *Journal of Forestry*, **97**:4-10.
- Friend, A.D. 1993. The prediction and physiological significance of tree height. In: *Vegetation Dynamics and Global Change*. A.M. Solomon and H.H. Shugart (Eds). New York: Chapman and Hall. 101-115
- Frison, P. L., and Mougin, E., 1996, Monitoring global vegetation dynamics with ERS-1 wind scatterometer data, *Int. J. Remote Sens.*, **17**:3201– 3218.

- FSI. 2009. State of Forest Report 2009. Forest Survey of India, Ministry of Environment & Forests, Dehradun.691
- Gao, B.C., 1996, NDWI - a Normalized Difference Water Index for Remote Sensing of Vegetation Liquid Water from Space. *Remote Sensing of Environment*, **58**:257-266.
- Gemmell, F. M., 1995, Effect of Forest Cover Terrain and Scale on Timber Volume Estimation with Thematic Mapper Data in Rocky Mountain Site. *Remote Sensing of Environment*, **51**:291–305.
- Genderen, J. L. van, and Pohl, C., 1994, Image fusion: Issues, techniques and applications. Intelligent Image Fusion, *Proceedings EARSeL Workshop*, Strasbourg, France, edited by J. L. van Genderen and V. Cappellini (Enschede: ITC), 18- 26.
- Gibbs, H. K., Brown, S., Niles, J. O. & Foley, J. A. 2007, Monitoring and estimating tropical forest carbon stocks: making REDD a reality”. *Environmental Research Letters*. **2**(4): 1-13
- Gillis, M.D., Leckie, D.G., 1996. Forest inventory update in Canada. *For. Chron.* **72**:138-156
- Givnish, T.J. 2002, Ecological constraints on the evolution of plasticity in plants. *Evolutionary Ecology*. **16**:213 – 242
- Gonzalez Gonzalez-Vilar, 2001. Determination of relative water content. In Handbook of plant ecophysiology techniques. M.I. Reigosa Roger (Ed.), Kluwer Publishers, 207-212.
- Green, G. M. and R. W. Sussman. 1990. Deforestation history of the eastern rainforests of Madagascar from satellite images. *Science* **248**: 212-215

- Gregoire, T. 1992. Roots of Forest inventory in North America. A paper presented at the A1 Inventory Working Group session at the SAF National Convention held at Richmond, VA 25.-28.10.1992
- Hall, D. L., 1992, Mathematical techniques in multisensor data fusion (Norwood: Artech House Inc.).
- Hamilton, G.J., 1969, The dependence of volume increment of individual trees on dominance, crown dimensions, and competition. *Forestry*. **42**: 133-144
- Hardin, P. J., and Jackson M. W., 2003, Investigating SeaWinds terrestrial backscatter: Equatorial savannas of South America, *Photogramm. Eng. Remote Sens.*, **69**:1243– 1254.
- Hardisky, M.A., Klemas, V., and Smart, R.M. 1983, The influence of soilsalinity, growth form, and leaf moisture on the spectral radiance of *Spartina alterniflora* canopies. *Photogramm. Eng. Remote Sens.*, **49**: 77-83.
- Hayat M.S.A, Kudus K. A., 2010 Assessment of Plant Species Diversity at Pasir Tengkorak Forest Reserve, Langkawi Island, Malaysia. *Journal of agriculture science*, **2(1)**: 31-38
- Helms, J. A. ed. 1998. The Dictionary of Forestry. Bethesda, MD: Society of American Foresters, 125.
- Henderson, F., R. Chasan, J. Portolese, and Hart, Jr. T., 2002. Evaluation of SAR-optical imagery synthesis techniques in a complex coastal ecosystem, *Photogrammetric Engineering and Remote Sensing*, **68 (8)**: 839-846.
- Honer, T.G. and Hegyi, F. 1990. Forest inventory – Growth and yield in Canada: Past, present and future. *The Forestry Chronicle*, **66**:112-117.

- Horn, H.S. 1976. *The Adaptive Geometry of Trees*. Princeton Univ. Press, New Jersey, 132.
- Houghton RA, Skole DL, Nobre CA, Hackler JL, Lawrence KT, Chomentowski WH 2000. Annual fluxes of carbon from deforestation and regrowth in the Brazilian Amazon. *Nature*, **403**: 301–304.
- Howard, J. A. 1991. *Remote Sensing of Forest Resources*. Chapman and Hall, London. 420.
- Huang S., Titus S.J., Wiens D.P., 1992. Comparison of nonlinear height-diameter functions for major Alberta tree species. *Canadian Journal of Forest Research*, **22**:1297-1304. <http://dx.doi.org/10.1139/x92-172>
- Hunt E.R., and B.N. Rock. 1989. Detection of changes in leaf water content using near- and middle-infrared reflectances. *Remote Sensing of Environment*, **30**:43–54.
- Hunt, R.E., Rock, B.N., and Park, S.N., 1987. Measurement of leaf relative water content by infrared reflectance. *Remote Sensing of Environment*, **22**: 429-435.
- Hurlbert S.H., 1971, The non-concept of species diversity: A critique and alternative parameters. *Ecol.* **52**: 577-586.
- Huston M.A. 1994, *Biological diversity: The coexistence of species on changing landscapes*. Cambridge University Press. . 708.
- Ibrahim L., Proe M. F., and A. D. Cameron 1997. Main effects of nitrogen supply and drought stress upon whole plant carbon allocation in poplar. *Canadian Journal of Forest Research*, **27(9)**: 1413-1419.

- Ibrahim L., Proe M. F. and Cameron A. D. 1998. Interactive effects of nitrogen and water availability on gas exchange and whole-plant carbon allocation in poplar. *Tree Physiology* **18**: 481-487.
- Ibrahim, L. 1995. Effects of nitrogen supply, water stress, and interaction between water and nitrogen on assimilate partitioning in poplar. A Ph D thesis, University of Aberdeen, UK.
- Ilvessalo Y. 1923. Research into the condition of private forests in the middle part of government district Häme *Acta Forestalia Fennica* 26.
- Imhoff, M. L. 1995. A theoretical analysis of the effect of forest structure on synthetic aperture radar backscatter and the remote sensing of biomass. *IEEE Transactions on Geoscience and Remote Sensing*, **33(2)**: 341 – 352.
- Jayaraman, K. and Zakrzewski, W.T., 2001. Practical approaches to calibrating height–diameter relationships for natural sugar maple stands in Ontario. *For.Ecol. Manage.* **148**:169–177
- Kenney, A. and Puric-Mladenovic, D. 2002. Neighbourwoods Tree Inventory Report. Online: www.web.net/~fode/tc_report2002.htm.
- King, D. A. 1991, The adaptive significance of tree height. *Am. Nat.* **135**: 809–828
- Kitanidis, P. K. 1996. Introduction to Geostatistics. *Applications in Hydrogeology*. Cambridge University Press, New York (USA)
- Kleinn, C., Corrales, L. and Morales, D. 2002: Forest area in Costa Rica: a comparative study of tropical forest cover estimates over time. *Environmental Monitoring and Assessment*, **73**: 17–40.

- Knyazikhin, Y., Kranigk, J., Myneni, R. B., Panferov, O., & Gravenhorst, G. 1998a. Influence of small-scale structure on radiative transfer and photosynthesis in vegetation cover. *Journal of Geophysical Research, D: Atmospheres*, **103**:6133– 6144.
- Knyazikhin, Y., Martonchik, J. V., Myneni, R. B., Diner, D. J., & Running, S. W. 1998b. Synergistic algorithm for estimating vegetation canopy leaf area index and fraction of absorbed photosynthetically active radiation from MODIS and MISR data. *Journal of Geophysical Research, D: Atmospheres*, **103**:32257–32276.
- Kocataş, A.: 1992, Ekoloji ve Çevre Biyolojisi, Ege Üniv. Matbaası, İzmir, 564s.
- Kozłowski T T ,1982. Water supply and tree growth. Part. I. Water deficits (review article). *Forestry Abstracts*. **43(2)**: 57-95
- Kozłowski, T., Kramer, P. and Pallardy, S. 1991: The physiological ecology of woody plants. Toronto: Academic Press.
- Kpyoarissis A, Petropoulou Y, Manetas Y 1995. Summer survival of leaves in a soft-leaved shrub (*Phlomis fruticosa* L., Labiatae) under Mediterranean field conditions: avoidance of photo inhibitory damage through decreased chlorophyll contents. *J. Exp. Bot.*, **46**: 1825-1831.
- Kramer, H. 1966. Crown development in conifer stands in Scotland as influenced by initial spacing and subsequent thinning treatment. *Forestry*. **39**: 40-58
- Kuan, D. T. and. Sawchuk A. A, Strand T. C. and Chavel P., (1987). Adaptive restoration of images with speckle, *IEEE Transaction on Acoustics, Speech, and Signal Processing ASSP*, **35(3)**, 373–383.

- Kumar, N.; Saxena, N.; Alagh, Y.; & Mitra, K. 2000. India: alleviating poverty through forest development. Evaluation Country Case Study Series. Washington, D.C., World Bank.
- Kuntz, S. and Siegert, F. 1999: Monitoring of deforestation and land use in Indonesia with multitemporal ERS data. *International Journal of Remote Sensing* **20**:2835–53.
- Kupperts, M. 1989, Ecological significance of above-ground architectural pattern in woody plants: a question of cost – benefit relationships. *Tree*. **4**:375 – 380.
- Larsen D.R., Hann D.W., 1987 – Height-diameter equations for seventeen tree species in southwest Oregon. Oregon State University. Forest Research Laboratory, Research Paper
- Le Toan, T., Beaudoin, T.A., Riou, J. and Guyon, D. 1992: Relating forest biomass to SAR data. *IEEE Transactions on Geoscience and Remote Sensing* **30**: 403–11.
- Lea, R., Tierson, W.C., Leaf, A.L., 1979. Growth responses of northern hardwoods to fertilization. *For. Sci.* **25**, 597–604.
- Leboeuf A., Beaudoin, A., Fournier, R. A., Guindon, L., Luther, J. E. & Lambin, M. C. 2007. A shadowfraction method for mapping biomass of northern boreal black spruce forests using QuickBird imagery. *Remote Sensing of Environment*. **110**(4): 488-500.
- Leckie, D.G. and Ranson, K.J. 1998. Forestry applications using imaging radar. Principles and Applications of Imaging Radar. In: F. M. Henderson and A. J. Lewis (Eds.). Principles and Applications of Imaging Radar, John Wiley, New York, pp. 435-509
- Lichtenthaler, H.K. 1985. Differences in morphology and composition of leaves grown at different light intensities and qualities. Pages 201-221, In: Baker, N.R., Davies, W.J. and Ong, C.K. (Editors) Control of Leaf Growth. Cambridge University Press, Cambridge.

- Loetsch, F., Zöhrer, F. and Haller, K. 1973. Forest Inventory 2. Verlagsgesellschaft. BLV. Munich. 469 pp.
- Lopes, A., Nezry, E., Touzi, R., and Laur, H., 1990, Maximum a posteriori speckle filtering and first order texture models in SAR images. *Proceedings of IGARSS*, **3**: 2409–2412.
- Magagi, R. D., and Kerr Y. H., 1997, Retrieval of soil moisture and vegetation characteristics by use of ERS-1 wind scatterometer over arid and semi-arid areas, *J. Hydrol.*, 188– 189, 361– 384.
- Margalef, R. 1957. La teoria de la informacion en ecologia. Mem. Real Acad. Cienc. Artes Barcelona **32**: 373-499; transl. by W. Hall, Gen. Syst.
- McIntosh, R.P., 1967: An Index of Diversity and the Relation of Certain Concepts to Diversity. *Ecology*, **48**:392–404.
- McLean, D. 2002. Count Your Trees. *At the Forks*. **9(2)**: 1, 3-5.
- McMahon SM, Parker GG, Miller DR. 2010. Evidence for a recent increase in forest growth. *Proc Natl Acad Sci USA*, **107**:3611–3615.
- Meng, Q. 2006. Geostatistical prediction and mapping for large area forest inventory using remote sensing data.
www.ucgis.org/summer/studentpapers/Mengqm_July03_2006.pdf.
- Mensah, J.K., Obadoni, B.O., Eroutor P.G., and Onome-Irieguna, F., 2006. Simulated flooding and drought effects on germination, growth, and yield parameters of Sesame (*Sesamum indicum* L.). *Afr. J. Biotechnol*, **5**: 1249-1253.

- MoEF 2002 Sustainable development—learning's and perspectives from India. Ministry of Environ-ment and Forest (MoEF), Government of India Available:<http://envfor.nic.in/divisions/ic/wssd/doc4/main.htm>. Accessed 18 April 2010
- Montagu, K.D. and Woo, K.C., 1999. Recovery of tree photosynthetic capacity from seasonal drought in the wet-dry tropics: The role of phyllode and canopy processes in *Acacia auriculiformis*. *Aust. J. Plant Physiol.*, **26**: 135-145.
- Nilsen, E.T. and Orcutt, D.M., 1996. Physiology of Plants Under Stress, Abiotic Factors. 2nd Edn., John Wiley and Sons Inc., New York, ISBN: 0471170089,689.
- Nowak, D., Crane, D., Stevens, J. and Ibarra, M. 2002, Brooklyn's Urban Forest. USDA, *Forest Service Gen. Tech. Rep.* **290**:107
- Oladi J. 2005, Developing Diameter at Breast Height (DBH) and a Height Estimation Model from Remotely Sensed Data, *J. Agric. Sci. Technol.* **7**: 95-102
- Oliver, M.A. and Webster, R. 1990. Kriging: a method of interpolation for geographical information systems. *International Journal of Geographical Information Systems* **4**: 313–332.
- Pal, S.K., Majumdar, T.J. and Bhattachrya, A.K., 2007. ERS-2 SAR and IRS-IC LISS III data fusion: A PCA approach to improve remote sensing based geological interpretation. *Journal of Photogrammetry and Remote Sensing*, **60**: 281-297.
- Pande, P.K. 2006; Regeneration behaviour of important tree species in relation to disturbance in joint forest management adopted village forests in Satpura plateau, Madhya Pradesh, India. *Indian Forester*. **132 (1)**: 91-10
- Panferov, O., Knyazikhin, Y., Myneni, R. B., Szarzynski, J. Engwald, Schnitzler, K. G., & Gravenhorst, G. 2001. The role of canopy structure in the spectral variation of

transmission and absorption of solar radiation in vegetation canopies. *IEEE Transactions on Geoscience and Remote Sensing*, **39**:241–253.

- Pearson R. G., 2007 Species' Distribution Modeling for Conservation Educators and Practitioners. Synthesis. American Museum of Natural History. <http://ncep.amnh.org>.
- Peng C., 1999 – Nonlinear height-diameter models for nine boreal forest tree species in Ontario. Ministry of Natur. Resour. Ontario Forest Research Institute, OFRIR ep. 155.
- Pernar, R., Seletković, A., Ančić, M., 2007b: Primjena ICK aerosnimaka za utvrđivanje oštećenosti šuma na području UŠP Gospić. *Šumarski list* **11-12**: 507-522.
- Pielou, E. C. 1975. Ecological Diversity. New York, Wiley InterScience
- Pierce, R. N, Magee D. B, Saltre, D. F, and Hounsell, S.W. 1992. The use of Digital Forest Resource Data and Landsat Imagery in an Integrated Approach for Forest Cover Classification. *Can. Symposium on Remote Sensing* Toronto, Ont. 91-95.
- Poso, S, Paananen, R, and Simila, M. 1987. Forest Inventory by Compartments using Satellite Imagery. *Silva Fennica*, **21**: 69-94
- Quegan, S., Le Toan, T., Yu, J.J., Ribbes, F. and Floury, N. 2000: Multitemporal ERS SAR analysis applied to forest mapping. *IEEE Transactions on Geoscience and Remote Sensing* **38**:741–53.
- Raghavswamy, V., N.C. Gautam, M. Padmavathi, and K.V. Badarinath, 1996. Studies on microwave remote sensing data in conjunction with optical data for land use/land cover mapping and assessment, *Geocarto International*, **11(4)**: 25-30.
- Ranson, K.J. and Sun, G. 1994: Northern forest classification using temporal multifrequency and multipolarimetric SAR images. *Remote Sensing of Environment* **47**, 142–53. 2000: Effects of environmental conditions on boreal forest classification and

biomass estimates with SAR. *IEEE Transactions on Geoscience and Remote Sensing* **38**: 1242–52.

- Rao P.B. , Kaur A., Tewari A. 2008, Drought resistance in seedlings of five important tree species in Tarai region of Uttarakhand, *Tropical Ecology* **49** (1): 43-52.
- Rao, G.G.; Rao, G.R. 1981. Pigment composition & chlorophyllase activity in pigeon pea (*Cajanus indicus* Spreng) & Gingelley (*Sesamum indicum* L.) under NaCl salinity. *Indian Journal of Experimental Biology*, **19**:768-770.
- Rao, P.B. and Singh, S.P. 1985. Response breadths on environmental gradients on germination and seedling growth in two dominant tree species of central Himalaya. *Annals of Botany* **56**: 783-794.
- Ravindranath, N. H., 1995, Community Forestry: An Ecological, Economic and Institutional Assessment in Western Shiwaliks of J&K, Draft report of Sampark – Centre for Development Interaction, Udhampur,.
- Rede H.N. 2009 Forest resources: its extent and decay in Osmanabad District of Maharashtra State. *An international agriculture journal*, **1**:2
- Robert, J.W., Gebreslasie, M.T., Tesfamichael, S., Van Aardt, J.N. And Ahmed, F.B., 2007, Forest structural assessment using remote sensing technologies: an overview of 465 the current state of the art. *Southern Hemisphere Forestry Journal*, **69**: 183–203.
- Robinson, A.P., Wykoff, W.R., 2004. Imputing missing height measures using amixed-effects modeling strategy. *Can. J. For. Res.* **34**: 2492–2500
- Rosenqvist, A., Shimada, M., Chapman, B., Freeman, A., De Grandi, G., Saatchi, S. and Rauste, Y. 2000: The Global Rain Forest Mappingproject – a review. *International Journal of Remote Sensing* **21**: 1375–87.

- Ross, J. 1981. The radiation regime and architecture of plant stands. The Hague Dr. W. Junk Publishers 391.
- Running, S., Loveland, T. and Pierce, L. 1994: A vegetation classification logic based on remote sensing for use in global biogeochemical models. *Ambio* **23**: 77-81
- Running, Steven W., Ramakrishna R. Nemani, David L. Peterson, Larry E. Band, Donald F. Potts, Lars L. Pierce, and Michael A. Spanner. 1989. Mapping Regional Forest Evapotranspiration and Photosynthesis by Coupling Satellite Data with Ecosystem Simulation. *Ecology* **70**:1090–1101. <http://dx.doi.org/10.2307/1941378>
- Russell M. B. and Honkala B. H., 1990, Silvics Manual, Volume 2, Glossary United States Department of Agriculture (USDA), Forest Service, Agriculture Handbook 654
- Ryan, M. G. & Yoder, B. J. 1997, Hydraulic limits to tree height and tree growth. *Bioscience* **47**:235–242
- Saatchi, S.S. and Rignot, E. 1997: Classification of Boreal forest cover types using SAR images. *Remote Sensing of Environment* **60**: 270–81.
- Sabnis, S. D., and Amin, J. C. 1992. Eco-environmental studies of Sardar Sarovar environs. The M.S. University of Baroda
- Sasaki N and Putz FE, 2009. Critical need for new definitions of “forest” and “forest degradation” in global climate change agreements. *Conserv Lett.* doi:10.1111/j.1755-263x.2009.00067.x
- Schreuder, H.T., Gregoire, T.G. and Wood, G.B. 1993. Sampling Methods for Multiresource *Forest Inventory*. John Wiley & Sons. New York. 446.

- Schwartz, M.D. 2003, Phenology: an integrative environmental science. The Netherlands. Kluwer Academic Publishers.
- Sembiring, H., Raun, W. R., Johnson, G. V., Stone, M. L., Solie, J. B., .and Phillips, S. B. 1998, Detection of nitrogen and phosphorus nutrient status in winter wheat using spectral radiance. *J. Plant Nutrition* **21(6)**: 1207 - 1233.
- Seppälä, R. 1985, Forest Inventories and the Development of Sampling Methods. *Silva Fennica* **3**: 218-219.
- Sestak, Z., Catask and Jarvis, P.G., 1971, Plant Photosynthetic Production: Manual of Methods, Ed., Junk, N.V. The Hague Publishers, 818
- SFR, 1987, 'The State of Forest Report (SFR)', Dehradun: Forest Survey of India.
- Sgrenzaroli, M., De Grandi, G.F., Eva, H. and Achard, F. 2002: Tropical forest monitoring: estimates from the GRFM JERS-1 radar mosaics using wavelet zooming techniques and validation. *International Journal of Remote Sensing* **23**:1329–55.
- Shannon C.E., & Weaver W., 1948, The mathematical theory of communication. University of Illinois Press, Urbana, 125
- Sims, D.A., and Gamon, J.A., 2003. Estimation of vegetation water content and photosynthetic tissue area from spectral reflectance: a comparison of indices based on liquid water and chlorophyll absorption features. *Remote Sensing of Environment*, **84**: 526-537.
- Singh K.P., Kushwaha C.P., 2005b, Emerging paradigms of tree phenology in dry tropics. *Current Science* **89**: 964–975

- Singh, A. K., Dubey, R.S. 1995. Changes in chlorophyll a and b contents and activities of photosystems 1 and 2 in rice seedlings induced by NaCl. *Photosynthetica*, **31**: 489-499.
- Slatyer, R.O., 1967. Plant-water relationships. London, Academic Press, 366.
- Solberg, S. 1999, Forest health monitoring: Evaluation of methods, trends and causes based on a Norwegian nationwide set of monitoring plots, Norwegian Forest Research Institute, ISBN 8271698974, Oslo
- Song, C., and Woodcock, C.E., 2002. The spatial manifestation of forest succession in optical imagery: The potential of multi-resolution imagery, *Remote Sensing of Environment*, 82:271–284.
- Spurr, S. H., and Barnes, B. V., 1980, *Forest ecology*, 3d ed edition. John Wiley and Sons Inc., New York, NY.
- Spurr, S.H. 1960, Photogrammetry and photo-interpretation. The Ronald Press Company, New York, 1960. 472.
- Stoms, D. M., and Estes, J. E., 1993, A remote sensing research agenda for mapping and monitoring biodiversity. *International Journal of Remote Sensing*. **14(10)**:1839-1860
- Sulaimani, K., 2008, State lost 13 pc of its forest cover in two years: FSI report, *Indian Express*
- Suzuki, T. and Shimada, M. 1992, Japanese Earth Observation satellite program and application of JERS-1 sensors data to forest monitoring. World Forest Watch Conference on Global Forest Monitoring, São Paulo: INPE, 47.

- Tausz M. Bytnerowicz A. Weidner. W. Arbaugh M. J. Padgett P. Gril D, 1999, Changes in free radical scavengers describe the Susceptibility of Pinus Ponderosa to ozone in Southern Californian forests. *Water Air and Soil Pollution* **116 (1-2)**: 249-254.
- Ulaby, F. T., Moore, R. K., and Fung, A. K., 1982, Microwave Remote Sensing—Active and Passive, vol. II, Radar Remote Sensing and Surface Scattering and Emission Theory, Addison-Wesley, Boston, Mass. 607
- Ulaby, FT., et al., 1982. Crop classification using airborne radar and Landsat data. *IEEE Transaction on Geoscience and Remote Sensing*, **20 (1)**:42-50.
- Ulrich B. 1991, Folgerungen aus 10 Jahren Waldökosystem und Waldschadensforschung. *Forst und Holz*, **46**: 3–12
- UNFCCC, 2002, Report of the Conference of the Parties on its seventh session, held at Marrakesh from 29 October to 10 November 2001 (FCCC/CP/2001/13/Add.1, UNFCCC, Marrakesh, Morocco, 2001). [WWW document]. URL <http://unfccc.int/resource/docs/cop7/13a01.pdf>. Accessed December 1, 2008.
- Van Hooser, D.D., Cost, N.D. and Lund, H.G., 1992, The history of forest survey program in the United States. pp. 19-27. In: Preto, G and Koch, B. (Eds.) Forest resource inventory and monitoring and remote sensing technology. Proceedings of the IUFRO Centennial Meeting in Berlin 31.8.-4.9.1992.
- Van Zyl, J.J., 1998. Knowledge-based land cover classification using polarimetric SAR data. Notes from a presentation at the PACRIM Workshop, Australasian Remote Sensing and Photogrammetry Conference, Sydney Australia, 23

- Wagner, W., and Scipal K., 2000, Large-scale soil moisture mapping in western Africa using the ERS scatterometer, *IEEE Trans. Geosci. Remote Sens.*, **38**:1777–1782.
- Wagner, W., Noll J., Borgeaud, M. and Rott, H., 1999a, Monitoring soil moisture over the Canadian Prairies with the ERS, *IEEE Trans. Geosci. Remote Sens.*, **37**:206–216.
- Walter, H. 1971, Ecology of tropical and subtropical vegetation. Oliver & Boyd, Edinburgh.
- Wang C.H., Hann D.W., 1988, Height-diameter equations for sixteen tree species in the central western Willamette valley of Oregon. Oregon State University.
- Waring, R. H., and Schlesinger W. H., 1985, Forest ecosystems: concepts and management. Academic Press, Orlando, FL
- West, G. B., Brown, J. H. & Enquist, B. J. 1999, A general model for the structure and allometry of plant vascular systems. *Nature* **400**: 664–667.
- West, P., 2009 Tree and Forest Measurement 2nd ed., XII, 190 p. 29 illus.
- Whittaker R.A. 1972, Evolution and measurement of species diversity, *Taxon*, **21**:213–251.
- Widlowski, J. L., Pinty, B., Gobron, N., Verstraete, M. M., Diner, D. J., & Davis, A. B. 2004. Canopy structure parameters derived from multiangular remote sensing data for terrestrial carbon studies. *Climatic Change*, **67**: 403 – 415.
- Wild A. Schmitt V. Fis U. Strobel P. Wilksch X.V. Wohlfahrt S, 1996, Okulare und biochemische Schadstoffdiagnose bei Fichten und Kieferntannen. Forschungsberichte der Universität Karlsruhe Projekt "Europäisches Forschungsnetzwerk für Maßnahmen zur Luftreinhaltung" 149.

- Wilson, E.H., and Sader. S.A. 2002. Detection of forest type using multiple dates of Landsat TM imagery. *Rem. Sens. Environ.* **80**:385–396.
- Woodwell, G.M.; Houghton, R.A.; Stone, T.A.; Nelson, R.F.; Kovalick, W. 1987. Deforestation in the tropics: new measurements in the Amazon Basin using Landsat and NOAA Very High Resolution Radiometer imagery. *Journal of Geophysical Research*, **92** (2): 2157 -2163.
- Wulder, M. A., and Franklin S.E., 2007, Understanding forest disturbance and spatial pattern: remote sensing and GIS approaches. Boca Raton, FL [etc.], CRC/Taylor & Francis
- Wykoff W.R., Crookston N.L., Stage A.R., 1982 – User's guide to the stand prognosis model. USDA Forest Service. General Technical Report. INT-133.
- Yamasaki S and Dillenburg L.R., 1999, Measurements of leaf relative water content in *araucaria angustifolia*., *Revista Brasileira de Fisiologia Vegetal*, **11**(2):69-75
- Zaghloul M.S., 2008, Diversity in soil seed bank of Sinai and implications for conservation and restoration *Afr. J. Environ. Sci. Technol.*, **2** (7):172–184
- Zhang, L., 1997, Cross-validation of non-linear growth functions for modelling tree height–diameter relationships. *Ann. Bot.* **79**:251–257.