

- Adamidis, T., Riggle, P. and Champness, W.,** (1990). Mutations in a new *Streptomyces coelicolor* locus which globally block antibiotic biosynthesis but not sporulation. *J Bacteriol.*, **172**:2962-2969.
- Alekshun, M. N.,** (2005). New advances in antibiotic development and discovery. *Expert Opin. Investig. Drugs.*, **14**: 117–134.
- Alvarez, M. A., Fu, H., Khosla, C., Hopwood, D. A. and Bailey, J. E.,** (1996). Engineered biosynthesis of novel polyketides: Properties of the *whiE* aromatase/cyclase. *Nature Biotechnol.*, **14**: 335–338.
- Anderson, T. B., Brian, P. and Champness, W. C.,** (2001). Genetic and transcriptional analysis of *absA*, an antibiotic gene cluster-linked two-component system that regulates multiple antibiotics in *Streptomyces coelicolor*. *Mol Microbiol.*, **39**:553-566.
- Arjo, L., de Boer and Schwidt-Dannert, C.,** (2003). Recent efforts in engineering microbial cells to produce new chemical compounds. *Curr Opin Chem Bio* **7**: 273-278.
- Bartel, P. L., Zhu, C. B., Lampel, J. S., Dosch, D. C., Connors, C., Strohl, W. R., Beale, J. M. and Floss, H. G.,** (1990). Biosynthesis of anthraquinones by interspecies cloning of actinorhodin biosynthesis genes in streptomycetes: clarification of actinorhodin gene functions. *J. Bacteriol.*, **172**: 4816-4826
- Baltz, R. H.,** (1998). Genetic manipulation of antibiotic-producing *Streptomyces*. *Trends. Microbiol.*, **6**:76–83.
- Baltz, R. H.,** (2005). Antibiotic discovery from actinomycetes: will a renaissance follow the decline and fall? *SIM News* **55**:186–196.
- Baltz, R. H., Miao, V. and Wrigley, S. K.,** (2005). Natural products to drugs: daptomycin and related lipopeptide antibiotics. *Nat. Prod. Rep.*, **22**:717–741.
- Baltz, R. H., Brian, P., Miao, V. and Wrigley, S. K.,** (2006): Combinatorial biosynthesis of lipopeptide antibiotics in *Streptomyces roseosporus*. *J. Ind. Microbiol. Biotechnol.*, **33**: 66–74.
- Baltz, R. H., and Faber, M.,** (2006), .Roundtable: is our antibiotic pipeline unproductive because of starvation, constipation or lack of inspiration? *J. Ind. Microbiol. Biotechnol.* **33**:507–513.

- Bechthold, A., Sohng J. K., Smith T. M., Chu X., and Floss H. G., (1995). Identification of *Streptomyces violaceoruber* Tu"22 genes involved in the biosynthesis of granaticin. Mol. Gen. Genet., **248**:610–620.
- Ben, S., (2000). Biosynthesis of Aromatic Polyketides. Topics in Current Chemistry. 209, 1-51.
- Bentley, S. D., Brown, S., Murphy, L. D., Harris, D. E., Quail, M. A., Parkhill, J., Barrell, B. G., McCormick, J. R., Santamaria, R. I., and Losick, R., (2004). SCP1, a 356,023 bp linear plasmid adapted to the ecology and developmental biology of its host, *Streptomyces coelicolor* A3(2). Mol Microbiol, **51**:1615-1628.
- Bentley, S. D., Chater, K. F., Cerdeno-Tarraga, A. M., Challis, G. L., Thomson, N. R., James, K. D., Harris, D. E., Quail, M. A., Kieser, H., and Harper, D., (2002). Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2). Nature, **417**:141-147.
- Bibb M. J., (2005). Regulation of secondary metabolism in *Streptomyces* Curr Opin Micro., **8**:208–215
- Bibb, M. J., Ward, J. M. and Hopwood, D. A. (1978) Transformation of plasmid DNA into *Streptomyces* at high frequency. Nature. **274**:398-400
- Bierman, M., Choi, S. U., Lee, C. K., Hwang, Y. I., Kinoshita, H., and Nihira, T., (1992) Plasmid cloning vectors for conjugal transfer from *Escherichia coli* to *Streptomyces ssp*. Gene, **116**:43–49.
- Bischoff, D., Bister, B., Bertazzo, M., Pfeifer, V., Stegmann, E., Nicholson, G. J., Keller, S., Pelzer, S., Wohlleben, W., and Sussmuth, R. D., (2005). The biosynthesis of vancomycin-type antibiotics – a model for oxidative side-chain cross-linking by oxygenases coupled to the action of peptide synthetase. Chem. Bio. Chem., **6**:267–272.
- Bister, B., Bischoff, V., Nicholson, G. J., Stockert, S., Wink, J., Brunati, C., Donadio, S., Pelzer, S., Wohlleben, W., and Sussmuth, R. D., (2003). Bromobalhimycin and chlorobromobalhimycins – illuminating the potential of halogenases in glycopeptide antibiotic biosynthesis. Chem. Bio. Chem., **4**: 658–662.
- Boliver, F., Rodriguez, R. L., Greene, P. J., Betlach, M. C., Heyneker, H. L. and Boyer, H. W. (1977). Construction and characterization of new cloning vehicles. II A multipurpose cloning system. Gene, **2**: 95-113

- Borisova, S.A., Zhang, C., Takahashi, H., Zhang, H., Wong, A. W., Thornson, and J. S., Liu, H.,** (2006). Substrate specificity of the macrolide-glycosylating enzyme pair DesVII/DesVIII: opportunities, limitations, and mechanistic hypothesis. *Angew. Chem Int. Edn. Engl.*, **45**:2748–2753.
- Bradley, S., Moore, B. S., and Hertweck, C.,** (2002). Biosynthesis and attachment of novel bacterial polyketide synthase starter units *Nat. Prod. Rep* , **19**:70–99.
- Brady, S. and Clardy J.,** (2000). Long-chain N-acyl amino acid antibiotics isolated from heterologously expressed environmental DNA. *J. Am. Chem. Soc.*, **122**:12903–12904.
- Cane, D. E., Walsh, C. T., and Khosla, K.,** (1998). Harnessing the biosynthetic code: combinations, permutations, and mutations. *Science*, **282**:63–68.
- Cerdeno, A. M., Bibb, M. J., and Challis, G. L.,** (2001). Analysis of the prodiginine biosynthesis gene cluster of *Streptomyces coelicolor* A3(2): new mechanisms for chain initiation and termination in modular multi-enzymes. *Chem Biol.*, **8**:817-829.
- Chakraborty, R., and Bibb, M. J.,** (1997). The ppGpp synthetase gene (*relA*) of *Streptomyces coelicolor* A3(2) plays a conditional role in antibiotic production and morphological differentiation. *J. Bacteriol.*, **179**:5854-5861.
- Chandran, S. S., Menzella, H. G., Carney, J. R. and Santi, D.V.,** (2006). Activating hybrid modular interfaces in synthetic polyketide synthases by cassette replacement of ketosynthase domains. *Chem. Biol.*, **13**:469–474.
- Cheng, Y. Q., Tang, G. L. and Shen B**(2002) Identification and localization of the antitumor macrolactam Leinamycin biosynthesis gene cluster from *S. atroolivaceus* S-140. *J. Bacteriol.*, **184**: 7013-7024
- Chopra, I., Hesse, L., and O'Neill, A. J.,** (2002). Exploiting current understanding of antibiotic action for discovery of new drugs. *J Appl Microbiol.*, **92**:4S-15S.
- Clardy, J., Fischbach, M, A., and Walsh C. T.,** (2006) New antibiotics from bacterial natural products. *Nature Biotechnol.* **24**:1330-1341.
- Coates, A., Hu, Y., Bax, R., and Page, C.,** (2002). The future challenges facing the development of new Antimicrobial drugs. *Nat Rev Drug Discov.*, **1**:895-910.
- Coëffet-Le Gal, M.-F., Thurson, L., Rich, P., Miao, V., and Baltz, R. H.,** (2006). Complementation of daptomycin *dptA* and *dptD* deletion mutations *in trans* and production of hybrid lipopeptide antibiotics. *Microbiology*, **152**:2993–3001.

- Cox, K. L., and Baltz, R. H., (1984). Restriction of bacteriophage plaque formation in *Streptomyces* spp., J. Bacteriol., 159:499-504.
- Dandliker, P. J., Pratt, S. D., Nilius, A. M., Black-Schaefer, C., Ruan, X., Towne, D. L., Clark, R. F., Englund, E. E., Wagner, R., and Weitzberg, M., (2003). Novel antibacterial class. Antimicrob. Agents. Chemother., 47:3831-3839.
- Davies, J., (1994). Inactivation of antibiotics and dissemination of resistance genes. Science 264:375-82.
- Davis, N. K., and Chater, K. F., (1990). Spore colour in *Streptomyces coelicolor* A3(2) involves the developmentally regulated synthesis of a compound biosynthetically related to polyketide antibiotics. Mol. Microbiol., 4:1679-1691.
- Demain, A. L., (1999). Pharmaceutically active secondary metabolites of microorganisms. Appl. Microbiol. Biotech., 52:455-463.
- Donadio, S., Staver, M. J., McAlpine, J. B., Swanson, S. J., and Katz, L., (1991). Modular organization of genes required for complex polyketide biosynthesis. Science. 252:675-679.
- Donadio, S., Sosio, M., Stegmann, E., Weber, T. and Wohlleben, W., (2005). Comparative analysis and insights into the evolution of gene clusters for glycopeptide antibiotic biosynthesis. Mol. Genet. Genomics. 274:40-50.
- Ensley, B. D., B. J. Ratzkin, T. D. Osslund, M. J. Simon, L. P. Wackett, and D. T. Gibson. (1983). Expression of naphthalene oxidation genes in *Escherichia coli* results in the biosynthesis of indigo. Science, 222:167-169.
- Eustaquio, A. S., Gust, B., Galm, U., Li, S. M., Chater, K. F., and Heide, L., (2005). Heterologous expression of novobiocin and chlorobiocin biosynthetic gene clusters. Appl. Environ. Microbiol. 71:2452-2459.
- Fernandez-Moreno, M. A., Martinez, E., Boto, L., Hopwood, D. A., and Malpartida, F. (1992). Nucleotide sequence and deduced functions of a set of cotranscribed genes of *S. coelicolor* A3(2) including the polyketide synthase for the antibiotic actinorhodin. J. Biol. Chem. 267: 19278-19290
- Flatman, R. H., Eustaquio, A., Li, S.-M., Heide, L. and Maxwell, A., (2006). Structure-activity relationships of aminocoumarin-type gyrase and topoisomerase IV inhibitors obtained by combinatorial biosynthesis. Antimicrob. Agents Chemother. 50:1136-1142.

- Flett, F., Mersinias, V., and Smith, C. P., (1997). High efficiency intergeneric conjugal transfer of plasmid DNA from *Escherichia synercoli* to methyl DNA-restricting *Streptomyces*. FEMS Microbiol. Lett. **155**:223–229.
- Galm, U., Dessoy, A., Schmidt, J., Wessjohann, L. A., and Heide, L., (2004). *In vitro* and *in vivo* production of new aminocoumarins by a combined biochemical, genetic, and synthetic approach. Chem. Biol **11**:173–183.
- Garg, R. P., Ma, Y., Hoyt, J. C., and Parry, R. J., (2002), Molecular characterization and analysis of the biosynthetic gene cluster for the azoxy antibiotic valanimycin. Mol Microbiol, **46**:505-517.
- Gause, G.F. (1975). In Antibiotics III: Mechanism of Action of Antimicrobial Antitumor Agents, J.W. Corcoran and F.E. Hahn, Antonie Van Leeuwenhoek **79**, 127–133. eds. (Berlin: Springer-Verlag), pp. 197–202.
- Gerdes, S.Y, Scholle, M.D, D'Souza, M, Bernal, A, and Baev, M.V., (2002). From genetic footprinting to antimicrobial drug: examples in cofactor biosynthetic pathways. J. Bacteriol. **184**:4555–72.
- Gaisser, S., J. Reather, G. Wirtz, L. Kellenberger, J. Staunton, and P. F. Leadlay. (2000). A defined system for hybrid macrolide biosynthesis in *Saccharopolyspora erythraea*. Mol. Microbiol. **36**:391–401.
- Gerth, K., Bedorf, N., Irschik, H., Hofle, G., and Reichenbach, H., (1994). The soraphens: a family of novel antifungal compounds from *Sorangium cellulosum* (Myxobacteria). I. Soraphen A1 alpha: fermentation, isolation, biological properties. J. Antibiot. **47**:23–31.
- Grünwald, J., and Marahiel, M. A., (2006). Chemoenzymatic and template-directed synthesis of bioactive macrocyclic peptides. Microbiol. Mol. Biol. Rev. **70**:121–146.
- Grünwald, J., Sieber, S. A., Mahlert, C., Linne, U., and Marahiel, M. A., (2004). Synthesis and derivatization of daptomycin: a chemoenzymatic route to acidic lipopeptide antibiotics. J. Am. Chem. Soc. **126**:17025–17031.
- Gust, B., Chandra, G., Jakimowicz, D., Yuqing, T., Bruton, C. J., and Chater, K. F., (2004), Red-mediated genetic manipulation of antibiotic-producing *Streptomyces*. Adv. Appl. Microbiol. **54**:107–128.

- Hahn, D. R., Gustafson, G., Waldron, C., Bullard, B., Jackson, J. D., and Mitchell, J.,** (2006). Butenyl-spinosyns, a natural example of genetic engineering of antibiotic biosynthetic genes. *J. Ind. Microbiol. Biotechnol.* **33**:94–104.
- Hahn, M and Stachelhaus, T.,** (2006). Harnessing the potential of communication-mediating domains for biocombinatorial synthesis of nonribosomal peptides. *Proc. Natl. Acad. Sci. USA* **103**:275–280.
- Haller, T., Buckel, T., Retey, J., and Gerlt, J. A.,** (2000). Discovering new enzymes and metabolic pathways: conversion of succinate to propionate by *Escherichia coli*. *Biochemistry* **39**:4622–4629.
- Hojati, Z., Milne, C., Harvey, B., Gordon, L., Borg, M., Flett, F., Wilkinson, B., Sidebottom P. J., Rudd, B. A. M., Heyes. M. A., Smith, C. P., and Micklefield, J.,** (2002). Structure, biosynthetic origin, and engineered biosynthesis of calcium- dependent antibiotics from *Streptomyces coelicolor*. *Chem. Biol.* **9**:1175–1187.
- Hopwood, D. A., Malpartida, F., Kieser, H. M., Ikeda, H., Duncan, J., Fujii, I., Rudd, B. A. M., Floss, H. G., and Ohmura, S.,** (1985). Production of 'hybrid' antibiotics by genetic engineering. *Nature*, **314**: 642- 644.
- Hopwood, D. A. and Sherman, D. H.,** (1990). Molecular genetics of polyketides and its comparison to fatty acid biosynthesis. *Annu. Rev. Genet.* **24**:37–66.
- Hopwood, D. A.,** (1993). Genetic engineering of *Streptomyces* to create hybrid antibiotics. *Curr. Opin. Biotechnol.* **4**:531–537.
- Hopwood, D. A.,** (1997). Genetic contributions to understand Polyketide Synthases. *Chem. Rev.* **97**:2465–2497.
- Hopwood, D. A.,** (1999). Forty years of genetics with *Streptomyces*: from in vivo through in vitro to in silico. *Microbiology* **145**:2183–2202.
- Hopwood, D. A.,** (2003). The *Streptomyces* genome – be prepared. *Nat Biotechnol.* **21**:505–506.
- Hopwood, D. A., Bibb, M. J., Chater, K. F., Kieser, T., Bruton, C. J., Kieser, H. M., Lydiate, D. J., Smith, C. P., Ward, J. M., and Schrempf, H.,** (1985). Genetic Manipulation of *Streptomyces*: a Laboratory Manual (Norwich, UK: The John Innes Foundation).

- Hutchinson, C. R.**, (1998). Combinatorial biosynthesis for new discovery. *Curr. Opin. Microbiol.* 1: 319–329.
- Hutchinson, C. R.**, (1999). Microbial polyketide synthases: more and more prolific. *Proc. Natl. Acad. Sci. USA.* **96**:3336–3338.
- Hutchinson, C. R.**, (1999), Microbial polyketide synthases: More and more prolific. *Proc. Natl. Acad. Sci. USA.* **96**:3336–3338.
- Ichinose, K., Ozawa, M., Itou, K., Kunieda, K., and Ebizuka, Y.**, (2003), Cloning, sequencing and heterologous expression of the medermycin biosynthetic gene cluster of *Streptomyces* sp. AM-7161: towards comparative analysis of the benzoisochromanequinone gene clusters. *Microbiology.* **149**:1633–1645.
- Ichinose, K., Bedford, J.B., Tornus, D., Bechthold, A., Bibb, M. J., Revill, W. P., Floss, H. G., and Hopwood, D. A.**, (1998). The granatic biosynthetic gene cluster of *Streptomyces violaceoruber* Tü22: sequence analysis and expression in a heterologous host. *Chemistry & Biology*, **5**:647–659.
- Ikemura, T.**, (1981). Correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons in its protein genes: a proposal for a synonymous codon choice that is optimal for the *E. coli* translational system. *J Mol Biol*, **151**:389–409.
- Katz, L.**, (1997). Manipulation of modular polyketide synthases. *Chem. Rev* **97**:2557–2576.
- Kealey, J., Liu, L., Santi, D. V., Betlach, M., and Barr, P. J.**, (1998). Production of a polyketide natural product in non-polyketide producing prokaryotic and eukaryotic hosts. *Proc. Natl. Acad. Sci. USA* **95**:505–509.
- Kawano, T., Hidaka, T., Furihata, K., Mochizuki, J., Nakayama, H., Hayakawa, Y., and Seto, H.**, (1990). Isolation and structures of mono- and di-deacetyl chromomycin antibiotics 02-3D and 02-3G from *Streptomyces avellaneus*. *J Antibiot*, **43**:110–113.
- Khosla, C.**, (1994). Engineered Biosynthesis of Novel Polyketides: actVII and actIV Genes Encode Aromatase and Cyclase Enzymes, Respectively. *J. Am. Chem. Soc.*, **116**: 10855–10859
- Khosla, C., Gokhale, R., Jacobsen, J. R., and Cane, D. E.**, (1999). Tolerance and specificity of polyketide synthases. *Annu. Rev. Biochem.* **68**:219–253.

- Kieser, T., and Melton, R. E., (1988). Plasmid pIJ699, a multi-copy positive selection vector for *Streptomyces*. *Gene*. **65**:83-91.
- Kieser, T., and Hopwood, D. A., (1991). Genetic manipulation of *Streptomyces*: integrating vectors and gene replacement. *Methods in Enzymol.*, **204**:430-458.
- Kim, E. S., Cramer, K. D., Sherve, A. L., and Sherman, D. H., (1995). Heterologous expression of an engineered biosynthetic pathway: functional dissection of type II polyketide synthase components in *Streptomyces* species. *J.Bacteriol.* **177**:1202-1207.
- Kinashi, H., and Murayama, M. S., (1991). Physical characterization of SCP1, a giant linear plasmid from *Streptomyces coelicolor*. *J. Bacteriol.* **173**:1523-152.
- Klarsfeld, A. D., Goossens, P. L., and Cossart, P., (1994). Five *Listeria monocytogenes* genes preferentially expressed in infected mammalian cells: *plcA*, *purH*, *purD*, *pyr* E and an arginine ABC transporter gene, *arpJ*. *Mol. Microbiol.* **13**:585-97.
- Knight, R. D., Freeland, S. J., and Landweber, L. F., (2001). A simple model based on mutation and selection explains trends in codon and amino-acid usage and GC composition within and across genomes. *Genome Biol*, **13**: 10.1-10.13
- Kopp, F., Grünewald, J., Mahlert, C. and Marahiel, M.A., (2006). Chemoenzymatic design of acidic lipopeptide hybrids: new insights into the structure-activity relationship of daptomycin and A54145. *Biochemistry* **45**:10474-10481.
- Labischinski H., (2001). New Antibiotics. *Int J Med Microbiol* **291**:317-318.
- Lamrani, S., Ranquet, C., Gama, M. J., Nakai, H., Shapiro, J. A., Toussaint, A., Lazzarini A., Cavaletti, L., Toppo, G., and Marinelli, F., (2000). Rare genera of actinomycetes as potential producers of new antibiotics. *Antonie van Leeuwenhoek* **78**: 399-405.
- Lanoot, B., Vancanneyt, M., Schoor, A. V., Liu, Z., and Swings, J., (2005). Reclassification of *Streptomyces nigrifaciens* as a later synonym of *Streptomyces flavovirens*; *Streptomyces citreofluorescens*, *Streptomyces chrysomallus* subsp. *chrysomallus* and *Streptomyces fluorescens* as later synonyms of *Streptomyces anulatus*; *Streptomyces chibaensis* as a later synonym of *Streptomyces corchorusii*; *Streptomyces flaviscleroticus* as a later synonym of *Streptomyces minutiscleroticus*; and *Streptomyces lipmanii*, *Streptomyces griseus* subsp. *alpha*, *Streptomyces griseus* subsp. *cretosus* and *Streptomyces willmorei* as later synonyms of *Streptomyces microflavus*

- Int J Syst Evol Microbiol. **55**:729-731.
- Lechevalier, M. P., and Lechevalier H.,** (1970). Chemical composition as a criterion in the classification of aerobic actinomycetes. International Journal of Systematic Bacteriology **20**:435-443.
- Li, K., and Frost, W. J.,** (1998). Synthesis of vanillin from glucose. J. Am.Chem. Soc. **120**:10545–10546.
- Li, S.-M. and Heide, L.,** (2005). New aminocoumarin antibiotics from genetically engineered *Streptomyces* strains. Curr. Med. Chem. **12**:419–427.
- Malpartida, F., Hallam, S. E., Kieser, H. M., Motamedi, H., Hutchinson, C. R., Butler M. J., Sugden, D. A., Warren, M., McKillop, C., Bailey, C. R., Humphreys, G.O., and Hopwood, D.A.,** (1987), Homology between *Streptomyces* genes coding for synthesis of different polyketides used to clone antibiotic biosynthetic genes, Nature. **325**:818–821.
- Martin, J. F.,** (2004), Phosphate control of the biosynthesis of antibiotics and other secondary metabolites is mediated by the PhoR-PhoP system: an unfinished story. J Bacteriol. **186**:5197-5201.
- McDaniel, R, Ebert-Khosla, S., Hopwood, D. A., and Khosla, C.,** (1993). Engineered biosynthesis of novel polyketides. Science. **262**:1546–1550.
- McDaniel, R., Ebert-Khosla, S., Hopwood, D. A., and Khosla, C.,** (1995). Rational design of aromatic polyketide natural products by recombinant assembly of enzymatic subunits. Nature. **375**:549– 554.
- McDaniel, R., Thamchaipenet, A., Gustafson, C., Fu, H., Betlach, M., Betlach, M., and Ashley, G.,** (1999), Multiple genetic modifications of the erythromycin polyketide synthase to produce a library of novel “unnatural” natural products. Proc. Natl. Acad. Sci. USA. **96**:1846–1851.
- McDaniel, R., Ebert-Khosla, S., Fu, H., Hopwood,D. A. and Khosla, C.,** (1994). Engineered biosynthesis of novel polyketides: influence of a downstream enzyme on the catalytic specificity of a minimal aromatic polyketide synthase. Proc. Natl Acad. Sci. USA. **91**:11542-11546.
- McDaniel, R., Ebert-Khosla, S., Hopwood, D. A. and Khosla, C.,** (1995). Rational design of aromatic polyketide natural products by recombinant assembly of enzymatic subunits. Nature. **375**:549-554.

- McDaniel, R., Welch, M. and Hutchinson, C.R.,** (2005). Genetic approaches to polyketide antibiotics. *Chem. Rev.* **105**:543–558.
- McDevitt D, and Rosenberg, M.,** (2001). Exploiting genomics to discover new antibiotics. *Trends Microbiol*, **9**:611-617.
- Metsa-Ketela, M., Halo, L., Munukka, E., Hakala, J., Mantsala, P., and Ylihonko, K.** (2002). Molecular evolution of aromatic polyketides and comparative sequence analysis of polyketide ketosynthase and 16S- ribosomal RNA genes from various *Streptomyces spp.* *Appl. Environ. Microbiol.* **68**:4479-4479.
- Menzella, H. G., Reid, R., Carney, J. R., Chandran, S. S., Resinger, S. J., Patel, K. G., Hopwood, D. A., and Santi, D. V.,** (2005). Combinatorial polyketide biosynthesis by *de novo* design and rearrangement of modular polyketide synthase genes. *Nat. Biotechnol.* **23**:1171–1176.
- Menzella, H. G., Resinger, S. J., Welch, M., Lealey, J. T., Kennedy, J., Reid, R., Tran C. Q., and Santi, D. V.,** (2006). Redesign, synthesis and functional expression of the 6-deoxyerythronolide B polyketide synthase gene cluster. *J. Ind. Microbiol. Biotechnol.* **33**: 22–28.
- Miao, V., Brost, R., Chappel, J., She, K., Le Gal, M. F. C., and Baltz, R. H.,** (2006). The lipopeptide antibiotic A54145 biosynthetic gene cluster from *Streptomyces fradiae*. *J. Ind. Microbiol. Biotechnol* **33**:129–140.
- Moore, B. S.,** (1999). Biosynthesis of marine natural products: microorganisms and macroalgae. *Nat. Prod. Rep.* **16**:653–674.
- Moore, B. S., and Piel, J.,** (2000). Engineering biodiversity with type II polyketide synthase genes. *Antonie van Leeuwenhoek* **78**:391–398.
- Muth, G., Nussbaumer, B., Wohlleben, W., and Puhler, A.,** (1989). A vector system with temperature- sensitive replicon for gene disruption and mutational cloning in streptomyces. *Mol. Gen. Genet.*, **219**:341-348.
- Mutka, S. C., Carney, J. R., Liu, Y. and Kennedy, J.,** (2006), Heterologous production of epothilone C and D in *Escherichia coli*. *Biochemistry* **45**:1321–1330
- Menendez, N., Nur-e-Alam, M., Bran, A. F., Rohr, J., Salas, J. A., and Mendez, C.,** (2004). Biosynthesis of the Antitumor Chromomycin A3 in *Streptomyces griseus*:

- Analysis of the Gene Cluster and Rational Design of Novel Chromomycin Analogs, *Chem & Biol.* **11**:21–32.
- O'Hare, H. M., Baerga-Ortiz, A., Popovic, B., Spencer, J. B., and Leadley, P. F., (2006).** High-throughput mutagenesis to evaluate models of stereochemical control in ketoreductase domains from the erythromycin polyketide synthase. *Chem. Biol.* **13**:287–296.
- O'Hare, M. H., Baerga-Ortiz, A., Popovic, V., Spencer, J. V., and Leadley, P. F., (2006)** Directed mutagenesis alters the stereochemistry of catalysis by isolated ketoreductase domains from the erythromycin polyketide synthase. *Chem. Biol.* **13**:277–285.
- Pace, J. L., and Yang, G., (2006).** Glycopeptides: update on as old successful antibiotic class. *Biochem. Pharmacol.* **71**:968–980.
- Peiru, S., Menzella, H. G., Rodriguez, E., Carney, J. and Gramajo, H., (2005).** Production of the potent antibacterial polyketide erythromycin C in *Escherichia coli*. *Appl. Environ. Microbiol.* **71**:2539–2547.
- Pelzer, S., Reichert, W., Huppert, M., Heckmann, D., and Wohl-leben, W. (1997).** Cloning and analysis of a peptide synthetase gene of the balhimycin producer *Amycolatopsis mediterranei* DSM5908 and development of a gene disruption/replacement system. *J. Biotechnol.* **56**:115–128.
- Pfeifer, B. A. and Khosla, C., (2001).** Biosynthesis of Polyketides in Heterologous Hosts. *Microbiology and molecular biology reviews*, **65**:106–118.
- Pfeifer, B. A., Admiraal, S. J., Gramajo, H., Cane, D. E. and Khosla, C., (2001).** Biosynthesis of complex polyketides in a metabolically engineered strain of *E. coli*. *Science.* **291**:1790–1792.
- Pigac, J., and Schrempf, H., (1995).** A simple and rapid method of transformation of *Streptomyces rimosus* R6 and other *Streptomyces* by electroporation. *Appl. Environ. Microbiol.*, **61**:352–356.
- Powers, J. H., (2003).** Development of drugs for antimicrobial-resistant pathogens. *Curr Opin Infect Dis.* **16**:547–551.
- Rawlings B. J., (1999)** Biosynthesis of polyketides (other than *actinomycete* macrolides). *Nat. Prod. Rep.* **16**:425–484.

- Süssmuth, R. D., and Wohlleben, W.,** (2004). The biosynthesis of glycopeptide antibiotics—a model for complex, non-ribosomally synthesized, peptidic secondary metabolites. *Appl. Microbiol. Biotechnol.*, **63**:344–350.
- Thompson, C. J, Ward, J. M., and Hopwood, D. A.,** (1982). Cloning of antibiotic resistance and nutritional genes in *Streptomyces*. *J. Bacteriol.*, **151**:668-677.
- Tobias, K., Mervyn, J. B., Buttner, M. J., Chater, K. F., and Hopwood, D. A.,** (1996). Practical *Streptomyces* genetics, John Innes Centre, N, Colney, Norwich nr4 7uh, England.
- Tsoi, C.J and Khosla, C.,** (1995) Combinatorial biosynthesis of 'unnatural' natural products: the polyketide example. *Chem. & Biol.*, **2**:355-362.
- Tyurin, M., Starodubtseva, L., Kudryavtseva, H., Voeykova, T., and Livshits, V.,** (1995). Electrotransformation of germinating spores of *Streptomyces* Spp. *Bio.Techniques*, **9**:737-740.
- Van Lanen, S. G., and Shen, B.,** (2006). Microbial genomics for the improvement of natural product discovery. *Curr. Opin. Microbiol.*, **9**:252–260.
- Vining, L .C.,** (1990). Functions of secondary metabolites. *Annual Review of Microbiol.*, **44**: 395-427.
- Vinogradova K. A., Vasileva, L. S., Tkhan'Dat, N., and Silaev, A. B.,** (1975). Polymorphism of a culture of the chromomycin producer, *Actinomyces aburaviensis var verrucosus*; *Antibiotiki*; **20**:397 – 403.
- Walsh, C., Freel-Meyers, C. L. and Losey, H. C.,** (2003). Antibiotic glycosyltransferases: antibiotic maturation and prospects for reprogramming. *J. Med. Chem* **46**:3425–3436.
- Wang, G.Y.S., Graziani, F., Waters, B., Pan, W., Li, X., McDermott, J . Meurer, G., Saxena, G., Anderson, R. J. and Davis, J.,** (2000). Novel natural products from soil DNA libraries in a *Streptomyces* host. *Org. Lett.* **2**:2401–2404.
- Wang, L., and Vining, L. C.,** (2003). Control of growth, secondary metabolism and sporulation in *Streptomyces venezuelae* ISP5230 by *jadW(1)*, a member of the *afsA* family of g-butyrolactone regulatory genes. *Microbiology*, **149**:1991-2004.
- Watve, M. G., Tickoo, R., Jog, M. M., and Bhole, B. D.,** (2001). How many antibiotics are produced by the genus *Streptomyces*? *Arch. Microbiol.* **176**:386–390.