

BIBLIOGRAPHY

Agarwal, G.C. (1977). Khajanaur fault, A geomorphic feature in the Terai area south-west of Mohand, Dist. Saharanpur, Uttar Pradesh India. Pub. Centre Adv. Study No.11, Punjab Univ., Chandigarh, 105-109.

_____ (1979). Geomorphic High Around Halwating, Upper Assam, India. Bull. ONGC, Vol.16, No.2, Dec., 1979.

_____ (1983a). Structural elements along Narmada river in Gujarat. Proc.Sym.Quat.Epis.Ind.,M.S.U. Baroda (in press).

_____ (1983b). Structure and tectonics of south Cambay basin with special reference to deeper prospects. Symp.Petroliferous Basins of India, ONGC, Abstract volume; p.12, (Presented at the symposium).

_____ (1984). Late Cenozoic tectonism along Narmada rift basin of Indian plate. Presented at Seminar on Cenozoic Crustal Evolution of the Indian Plate margins, Patna University, September, 1984.

Auden, J.B. (1949). Dykes in W.India, Trans.Nat.Instt. of Science, India, V.3, p. 123-157.

Babu, P.V.L.P. (1977). Geomorphology of the Cambay basin.

Photonirvachik, Jour. Ind. Soc. Photo Int., V.5, no.1, p.9-17.

Biswas, S.K. (1982). Rift Basins in Western margin of India and their hydrocarbon prospects with special reference to Kutch Basin. Bull., AAPG, V.66, No.10.

Blanford, W.T. (1869). Geology of the Taptee and lower Narmada valleys and some adjoining districts. Mem.G.S.I., Vol.6, pt.3.

Bose, P.N. (1908). Notes on the Geology and Mineral resources of Rajpipla State. Rec. G.S.I. Vol.37, pt.2.

Chandra, P.K. & Chowdhary, L.R. (1969). Stratigraphy of the Cambay Basin. Bull. ONGC, Vol.6, No.2

Cushman, J.A. (1958). Foraminifera their classification and economic use. Cambridge Massachusetts, Harvard Uni. Press.

Das, S.R. & Ray, A.K. (1977). Fracture pattern within Deccan Trap West Coast of India. GSI, Misc. Publication, No.31.

Datta, A.K. (1964). Foraminifera from the outcrop and sub-crop samples of the Cambay Basin with special reference to the Cambay structure, India. Bull. ONGC, Vol.1.

Dietz, R.S. & Holden, J.C. (1970). The break-up of Pangea.
Scientific Am., v. 223, p. 30-41

Eremanko, N.A., Negi, B.S., Kasianov, M.V., Seregin, A.M.,
 Deshpande, B.G., Sengupta, S.N., Talukdar, S.N.,
 Sastri, V.V., Sokolov, I.P., Pavlenkov, A.I., Datta, A.K.
 & Raju, A.T.R. (1969). Tectonic Map of India (1968) by
 the Oil and Natural Gas Commission - Principles of
 Preparation. Bull. ONGC Vol. 6, no. 1.

Gadekar, D.R. (1976). Particle size determinations of Tertiary
 rocks from South Gujarat and their significance in the
 reconstruction of depositional environment. Bull. Ind.
Geol. Assoc., Chandigarh, Vol. 10, no. 2, p. 45-56.

_____ (1976). Geology of the Tertiary rocks of South
 Gujarat with special reference to their stratigraphy and
 sedimentation. M.S. Univ., Baroda, unpublished Ph.D. thesis,
 p. 225.

_____ (1978). Heavy Mineral Analysis of Tertiary Sedimentary
 Rocks around Jhagadia, District Broach, Gujarat and its
 significance in the Inference of Provenance. Bull. Earth
Science, No. 6, p. 7-12.

_____ (1980a). Petrography of the Tertiary rocks around
 Jhagadia, district Broach, Gujarat and its significance
 in the inference of provenance and depositional environment
Jour., Indian Assoc. Sediment., p. 29-23.

- _____ (1980b). Some aspects of diagenesis of the Broach group of Tertiary sediments around Jhagadia, district Broach, Gujarat. Jour., G.S.I., Vol.21, p. 440-445.
- Ganapati, S., Desai, S.J. & Merh, S.S. (1983). Significance of Narmada geofracture in Quaternary history of Gujarat coast. Proc.Sym.Quat.Epis.Ind., M.S.U. Baroda, (in press).
- Gazetteer of India (1961). Gujarat State Gazettars, Broach District, Second Edition, Ahmedabad.
- Guha, D.K. & Pandey, J. (1980). Paleontology, sedimentation and paleoenvironment of Oligocene sediments in south-west Gujarat. Jour. Pal. Soc. Ind., V.23 and 24, p.156-165.
- Gupta, Harish, K., Indra Mohan & Hari Narain (1972). The Broach Earthquake of March 23, 1970. Bull. Seismological Society of America, Vol.62, No.1, p.47-61.
- Halbouty, Michel T. (1976). Application of Landsat Imagery to petroleum and mineral exploration. AAPG Bull., V.60, No.5
- _____ (1979). Geologic significance of Landsat data on some known giant fields. AAPG Bull., V.63/41, p.698.
- Jones, J.D. (1956). Introduction of Microfossils. University of Utah, Hipper & Brothers Publications, New York.

- Kaila, K.L., Krishna, V.G. & Mali, M.D. (1981). Crustal structure along Mehmadabad-Billimora profile in the Cambay basin, India from Deep Seismic Soundings. Tectonophysics, 76, p.99-130.
- Kaila, K.L. (1982). Deep seismic sounding studies in India. Geophysical Research Bulletin, Vol.20, No.3 (special issue).
- Mathur, L.P. & Evans, P. (1964). Oil in India. Int. Geol. Cong. 22nd Session, New Delhi.
- Mathur, L.P., Rao, K.L.N. & Chaube, A.N. (1968). Tectonic Framework of Cambay Basin India. Bull. ONGC, Vol.5, No.1.
- Mehta, R.N. (1972). Rhyolite mines of Kadia-Dungar. Jour. M.S. Univ., Baroda, v. XX and XXI, p.1-4.
- Medlicott, J.G. (1860). Tertiary and alluvial deposits of central portions of Narmada valley. Mem. G.S.I., V.2, pt.2.
- Mukherjee, M.K. (1981). Evolution of Ankleshwar anticline, Cambay Basin, India. AAPG Bull., V.65-2, p. 336-343.
- Narayan Rao, S.R. (1939a). On some foraminifera from the Tertiary beds near Surat and Broach, Western India with special reference to the occurrence of siderolites. Current Science, V.8 (2), p. 78-79.

_____ (1939b). *Lepidocyclina* from agate conglomerates near Surat and Broach. Current Science, Vol.8(4), p.167.

_____ (1941). The Tertiary sequence near Surat and Broach (Western India) with description of foraminifera genus *Pellatispira* from Upper Eocene of this region. Jour.Mysore Univ., V.II, pt.2.

Pascoe (1964). A Manual of the Geology of India and Burma. Published by order of Government of India. Published by Manager of Publication, Delhi.

Raju,A.T.R. (1966). Geological evolution of Assam and Cambay Tertiary basins of India. Bull. AAPG, Vol.52, No.12.

Raju,A.T.R., Chaube,A.N. & Chowdhary,L.R. (1971). Deccan Trap and Geological Framework of Cambay Basin. Bull. Volcanologique Tome, Vol.35, No.3, p.521-538.

Raju,A.T.R. & Rao,M.R. (1975). Depositional environment of oil bearing Eocene Sands in Ankleshwar, Cambay basin, India. Jour.GSI, Vol.16, No.2, p.165-175.

Rao,K.L.N. (1969). Lithostratigraphy of Paleogene succession of southern Cambay basin. ONGC, V.6, No.1, p.24-37.

- Rao, R.P. & Talukdar, S.N. (1981). Petroleum Geology of Bombay High Field, India. Mem. AAPG, No.30.
- Sengupta, S.N. (1967). Structure of the Gulf of Cambay. Proc.Sym. Upper Mantle Project, Geoph.Res.Board and Nat.Geoph. Res. Instt.Hyderabad, India.
- Singh, S.K. (1972). Genus Anomalinella from the Upper Eocene rocks of Surat, Western India. Proc.II Indian Collo. Micropaleon. and Stratigraphy.
- Sudhakar, R. & Basu, D.N. (1973). A reappraisal of the Paleogene stratigraphy of southern Cambay Basin. Bull. ONGC, V.10, No.1-2.
- Sudhakar, R., Khan, S. & Ahmad Elias, A. (1970). Deformation of Tertiary and Quaternary Sediments of Cambay Basin, South of Mahi Sagar river. Bull. ONGC, V.7, No.1, p.33-40.