



CONTENTS

Chapter	Title	Page No.
1	Introduction and Review of Literature	
1.1	Metabolic engineering	1
1.1.1	Modern metabolic engineering: converting microbes to a chemical factory	1
1.1.2	Strategies of Metabolic engineering for Strain improvement	3
1.1.3	Physiological engineering: New evolving technology for strain improvement	5
1.1.4	Successful examples of metabolic engineering: Recent reports	6
1.2	Engineering the central carbon metabolism	6
1.2.1	<i>Escherichia coli</i>	7
1.2.2	<i>Bacillus subtilis</i>	11
1.2.3	<i>Corynebacterium glutamicum</i>	15
1.2.4	<i>Streptomyces</i> spp.	17
1.2.5	<i>Lactococcus lactis</i> and other lactic acid bacteria	19
1.2.6	<i>Pseudomonas</i> spp.	20
1.2.6.1	Glucose metabolism in <i>Pseudomonas</i> sp.	20
1.2.6.2	Growth of fluorescent pseudomonads on PTS <i>versus</i> non-PTS sugars	24
1.2.6.3	Anaplerotic node in fluorescent pseudomonads.	26
1.3	Global phosphate resources and the potential of fluorescent pseudomonads as P biofertilizers	28
1.3.1	Depleting global P resources	29
1.3.2	Phosphate solubilization by fluorescent pseudomonads	31
1.3.3	Role of citric acid in P solubilization	35
1.3.4	Metabolic engineering strategies in fluorescent pseudomonads for P solubilization by citric acid.	36
1.4	Rationale of thesis	37
1.5	Objectives	39

Chapter	Title	Page No.
2	Materials and Methods	
2.1	Bacterial strains / Plasmids	40
2.2	Media and Culture conditions	47
2.2.1	Koser's Citrate medium	48
2.2.2	M9 minimal medium	49
2.2.3	Tris buffered medium	49
2.2.4	Pikovskaya's (PVK) Agar	49
2.3	Morphological characterization and antibiotic sensitivity profile	50
2.4	Molecular biology tools and techniques	50
2.4.1	Isolation of plasmid and genomic DNA	50
2.4.1.1	Plasmid DNA isolation from <i>E. coli</i> and <i>P. fluorescens</i> 13525	50
2.4.1.2	Isolation of large size plasmid DNA from native pseudomonads	50
2.4.1.3	Genomic DNA isolation from Pseudomonas	51
2.4.2	Transformation of plasmid DNA	51
2.4.2.1	Transformation of plasmid DNA in <i>E. coli</i>	51
2.4.2.2	Transformation of plasmid DNA in <i>P. fluorescens</i> 13525	52
2.4.3	Transfer of plasmid DNA by conjugation	52
2.4.4	Agarose gel electrophoresis	53
2.4.5	Restriction enzyme digestion analysis	53
2.4.6	Gel elution and purification	53
2.4.7	Ligation	54
2.4.8	SDS-PAGE	54
2.4.9	Polymerase Chain Reaction (PCR)	56
2.4.10	DNA sequencing	57
2.4.11	BLAST Search	57
2.5	P-solubilization phenotype	58

Chapter	Title	Page No.
2.6	Mutant Complementation Phenotype	58
2.7	Physiological experiments	59
2.7.1	Inoculum preparation	59
2.7.2	Growth characteristics and pH profile	59
2.7.3	Analytical techniques	60
2.8	Enzyme assays	62
2.8.1	Preparation of cells and cell free extracts	62
2.8.2	Enzyme Assay Protocols	63
2.8.2.1	PPC assay	63
2.8.2.2	PYC assay	63
2.8.2.3	G-6-PDH assay	64
2.8.2.4	GDH assay	64
2.8.2.5	ICL assay	64
2.8.2.6	ICDH assay	65
2.8.2.7	CS assay	65
2.9	Enzymatic estimation of organic acids	66
2.9.1	Pyruvic acid	66
2.9.2	Extracellular citric acid	66
2.9.3	Intracellular citric acid	67
2.10	Inoculation of mung beans (<i>Vigna radiata</i>)	68
2.11	Pot experiments- Interaction with mung beans (<i>Vigna radiata</i> GM4)	69
2.11.1	Preparation of inoculums:	69
2.11.2	Growth Analysis: Above ground parts	69
2.11.3	Growth Analysis: Below ground parts	70
2.11.4	Antioxidant Enzymes / ROS scavenging enzyme activity:	70
2.11.5	Acid phosphatase	73
2.11.6	Nitrate assimilating enzyme	74

Chapter	Title	Page No.
2.11.7	Estimation of water soluble protein content	74
3	Effect of constitutive heterologous overexpression of <i>E. coli</i> NADH insensitive <i>cs</i> on physiology and glucose metabolism of <i>P. fluorescens</i> PfO-1	
3.1	INTRODUCTION	76
3.1.1	Citrate synthase and NADH sensitivity	76
3.1.2	Homology between <i>E. coli</i> and <i>P. fluorescens</i> CS	78
3.1.3	Citrate overproduction through <i>cs</i> gene overexpression:	78
3.1.4	Rational of the present study	81
3.2	WORK PLAN	82
3.2.1	Bacterial strains used in this study	82
3.2.2	Cloning and Expression of NADH insensitive <i>E. coli</i> <i>cs</i> gene in <i>Pseudomonas fluorescens</i> PfO-1	83
3.2.2.1	Construction of <i>Pseudomonas</i> stable plasmid containing <i>E. coli</i> NADH insensitive <i>cs</i> gene under <i>lac</i> promoter.	83
3.2.2.1.1	Incorporation of NADH insensitive <i>E. coli</i> <i>cs</i> gene in pUCPM18:	84
3.2.2.1.2	Functional confirmation of <i>cs</i> gene expressed from pR163L, pK167A and pY145F	84
3.2.2.1.3	Development of <i>P. fluorescens</i> PfO-1 harboring NADH insensitive <i>E. coli</i> <i>cs</i> gene.	85
3.2.3	Effect of NADH insensitive <i>E. coli</i> <i>cs</i> gene expression on the physiology and glucose metabolism of <i>P. fluorescens</i> PfO-1.	85
3.3	RESULTS	85
3.3.1	Construction of <i>Pseudomonas</i> stable plasmid containing NADH insensitive <i>E. coli</i> <i>cs</i> gene under <i>lac</i> promoter	85
3.3.2	<i>E. coli</i> <i>cs</i> mutant complementation	89
3.3.3	Partial sequencing of pY145F plasmid	90
3.3.4	Heterologous overexpression of <i>E. coli</i> NADH insensitive <i>cs</i> gene in <i>P. fluorescens</i> PfO-1	92
3.3.5	Biochemical effects of <i>E. coli</i> <i>cs</i> gene overexpression in <i>P. fluorescens</i> PfO-1	93
3.3.5.1	Alterations in CS activity	93

Chapter	Title	Page No.
3.3.5.2	Alterations in G-6-PDH, ICDH, ICL, PYC, and GDH activities	94
3.3.5.3	Organic acid secretion	96
3.3.6	Effect of NADH insensitive <i>E. coli</i> <i>cs</i> overexpression on growth, biomass and glucose utilization of <i>P. fluorescens</i> PfO-1	99
3.4	DISCUSSION	100
4	Metabolic characterization of engineered <i>P. fluorescens</i> PfO-1 coexpressing <i>E. coli</i> NADH insensitive <i>cs</i> and <i>S. typhimurium</i> sodium citrate transporter or <i>B. subtilis</i> magnesium citrate transporter operon	
4.1	Citrate transport in plants, fungi, and bacteria	104
4.1.1	Structural Model of 2-HCT transporters	108
4.1.2	Factors contributing to the low efficiency of the native transporter in fluorescent pseudomonads	110
4.2	Rationale of the present work	112
4.3	WORK PLAN	113
4.3.1	Bacterial strains used in the study	113
4.3.2	Construction of <i>Pseudomonas</i> stable plasmid containing <i>S. typhimurium</i> Na ⁺ citrate transporter (<i>citC</i>) and <i>B. subtilis</i> Mg ²⁺ citrate transporter (<i>citM</i>) genes under <i>lac</i> promoter.	116
4.3.3	Functional confirmation of <i>citC</i> and <i>citM</i> genes expressed from pCitC and pCitM plasmids.	118
4.3.4	Development of <i>P. fluorescens</i> PfO-1 harboring pYF-pCitC and pYF-pCitM plasmid.	118
4.3.5	Effect of citrate transporter gene expression on the citric acid secretion and overall physiology and glucose metabolism of <i>P. fluorescens</i> PfO-1.	119
4.3.6	Construction of <i>Pseudomonas</i> stable plasmid containing <i>cs</i> Y145F and <i>citC/citM</i> genes under <i>lac</i> promoter as operon.	119
4.4	RESULTS	119
4.4.1	<i>Cloning of S. typhimurium</i> Na ⁺ citrate transporter (<i>citC</i>) and <i>B. subtilis</i> Mg ²⁺ citrate transporter (<i>citM</i>) gene.	119

Chapter	Title	Page No.
4.4.2	Construction of <i>Pseudomonas</i> stable vector containing NADH insensitive <i>cs</i> Y145F and <i>S. typhimurium citC</i> genes under <i>lac</i> promoter of pUCPM18 Gm ^r plasmid:	124
4.4.3	Confirmation by sequencing	124
4.4.3.1	16s rRNA gene partial sequence of <i>Salmonella</i> sp. WT	124
4.4.3.2	Partial SPA sequencing of <i>citC</i> and <i>citM</i> genes	126
4.4.4	Functional complementation of pCitC, pCitM and pYC plasmids in <i>E. coli</i> .	130
4.4.5	Effect of <i>citC</i> and <i>citM</i> genes overexpression on citric acid secretion in <i>P. fluorescens</i> Pfo-1 harbouring NADH insensitive <i>cs</i> gene.	131
4.4.6	Alterations in G-6-PDH, CS, ICDH, ICL, PYC, and GDH activities	133
4.4.7	Effect of <i>citC</i> gene overexpression on growth, biomass and glucose utilization of <i>P. fluorescens</i> Pfo-1.	134
4.4.8	Phosphate solubilization phenotype by <i>P. fluorescens</i> Pfo-1 transformants harboring pYC plasmid expressing NADH insensitive <i>cs</i> and <i>S. typhimurium citC</i> genes under <i>plac</i> .	135
4.5	Discussion	136
5	Genomic integration of <i>E. coli</i> NADH insensitive <i>cs</i> and <i>S. typhimurium</i> Na⁺ dependent citrate transporter operon in fluorescent pseudomonads using Mini-Tn7 transposon site specific integration system and study their effects on glucose metabolism.	
5.1	INTRODUCTION	139
5.1.1	Low copy number plasmid Vs high copy number plasmid based expression	139
5.1.2	Genomic integration: single copy gene insertion using mini Tn7 transposon	140
5.2	WORK PLAN	144
5.2.1	Bacterial strains used in the study	144
5.2.2	Recombinant plasmid construction and genomic integration	147

Chapter	Title	Page No.
5.2.3	Effect of genomic integration on physiology, biochemical properties and overall glucose catabolism of fluorescent pseudomonads	149
5.3	RESULTS	150
5.3.1	Construction of integration delivery plasmid containing NADH insensitive <i>cs</i> Y145F and <i>S. tphimurium citC</i> operon under <i>lac</i> promoter:	150
5.3.2	Characterization of <i>lacYC</i> operon genomic integrants of <i>P. fluorescens</i> strains.	151
5.3.3	Physiological characterization of <i>P. fluorescens</i> <i>yc</i> operon genomic integrants.	153
5.3.4	Effect of <i>yc</i> operon genomic integration on citric acid biosynthesis and secretion in fluorescent pseudomonads.	158
5.3.5	Alterations in G-6-PDH, CS, ICDH, ICL, PYC, and GDH activities	162
5.4	Discussion	168
6	Evaluating the effect of engineered genetic modifications on P-solubilization and plant growth promotion ability of fluorescent pseudomonads	
6.1	INTRODUCTION	170
6.2	WORK PLAN	173
6.2.1	Bacterial strains	173
6.2.2	<i>In vitro</i> characterization of genomic integrants for P-solubilization ability	174
6.2.3	Soil preparation	175
6.2.4	Seed surface sterilization and seed bacterization	175
6.2.5	Greenhouse experiment	176
6.2.6	Growth parameter assessment	176
6.2.7	Biochemical characterization	176
6.2.8	Statistical analysis	176
6.3	RESULTS	176

Chapter	Title	Page No.
6.3.1	P solubilization phenotype characterization of <i>P. fluorescens</i> yc operon genomic integrant strains in buffered and unbuffered media.	176
6.3.1.1	P solubilization activity on buffered broth medium	181
6.3.2	Greenhouse experiments	181
6.3.2.1	Growth parameters	182
6.3.2.1.1	Leaf number	182
6.3.2.1.2	Shoot and root length and dry matter accumulation	199
6.3.2.1.3	Dry matter accumulation	185
6.3.2.2	Nodulation	186
6.3.2.3	Enzyme activities	187
6.3.2.4	P content in shoot and root	190
6.3.2.5	Available Soil P	191
6.4	Discussion	191
	Summary	195
	Bibliography	200
	Appendix	