



TABLE OF CONTENTS

Chapters	Title	Page No
Chapter 1	Review of literature and Introduction	
1	Introduction	1
1.1	Global phosphorus status	2
1.2	Status of phosphorus in soil	2
1.3	Status of Microorganism in Phosphate Mobilization	3
1.3.1	Phosphate solubilizing microorganisms	4
1.3.2	Factors influencing the efficacy of PSMs in field conditions	5
1.3.2.1	Root colonization ability	5
1.3.2.2	Soil Properties	7
1.3.2.3	Nutrient Availability	7
1.3.3	Phosphate solubilization	9
1.3.3.1	Acidification	9
1.3.3.2	Chelation	9
1.3.3.3	H ⁺ excretion	10
1.3.4	Phytate mineralization	11
1.3.4.1	Phytase expressing transgenic plants to improved P nutrition	15
1.3.4.2	Cloning and overexpression of different phytases	15
1.3.4.3	Role of organic acids in P mobilization organic phosphates	17
1.4	Genetic modifications for developing P solubilizing ability	19
1.5	Ovrexpression of Phytase genes for improved mineralization	22
1.6	Importance of <i>Vitreoscilla</i> hemoglobin for enhancing the efficacy of bioremediation and biofertilizers.	22
1.7	Objectives of the present study	31
Chapter 2	Materials and Methods	
2.1	Media and Culture conditions	32
2.1.1	Koser's Citrate medium	33
2.1.2	M9 minimal medium	33
2.1.3	Tris rock phosphate buffered medium	34
2.1.4	Tris buffered phytate	34
2.1.5	Murashige-Skoog's Medium	34
2.2	Molecular biology tools and techniques	34
2.2.1	Isolation of plasmid and genomic DNA	34
2.2.1.1	Plasmid DNA isolation from <i>E. coli</i> and <i>E. asburiae</i> PSI3	34

2.2.1.2	Genomic DNA isolation from <i>Pseudomonas putida</i> KT2440	35
2.2.2	Transformation of plasmid DNA	35
2.2.2.1	Transformation of plasmid DNA in <i>E.coli</i>	35
2.2.2.2	Transformation of plasmid DNA in <i>E. asburiae</i> PSI3	35
2.2.3	Transfer of plasmid DNA by conjugation	36
2.2.4	Agarose gel electrophoresis	36
2.2.5	Restriction enzyme digestion analysis	37
2.2.6	Polymerase Chain Reaction (PCR)	37
2.2.7	Gel elution and purification	39
2.2.8	Ligation	39
2.2.9	SDS-PAGE	40
2.3	P-solubilization phenotype	41
2.4	Physiological experiments	41
2.4.1	Inoculum preparation	41
2.4.2	Growth characteristics and pH profile	42
2.4.3	Analytical techniques	42
2.5	Enzyme assays	43
2.5.1	Preparation of cells and cell free extracts	43
2.5.2	Enzyme Assay Protocols	43
2.5.2.1	Invertase assay	43
2.5.2.2	GDH assay	44
2.5.2.3	GAD assay	44
2.5.2.4	Phytase assay	45
2.5.2.5	Acid Phosphatase assay	45
2.6	Inoculation of Mung bean (<i>Vigna radiata</i>)	46
2.7	Root colonization study	46
Chapter 3	Characterization of MPS abilities of <i>E. asburiae</i> PSI3 containing Gluconate dehydrogenase operon (<i>gad</i>) from <i>Pseudomonas putida</i> KT2440	
3.1	Introduction	48
3.2	Material and Methods	51
3.2.1	Bacterial strains, plasmids and media	51
3.2.2	Cloning of gluconate dehydrogenase (<i>gad</i>) operon in blunt end cloning vector pJET2.1	53
3.2.3	Cloning of <i>aacC3</i> gene confer for gentamycin in pTTQ18	53
3.2.4	Construction of pCNK14 containing gluconate dehydrogenase (<i>gad</i>) operon of <i>Pseudomonas putida</i> KT2440 under control of <i>tac</i> promoter	54
3.2.5	Physiological experiments	54
3.2.6	Monitoring of MPS ability of recombinant <i>E. asburiae</i> PSI3	54
3.2.7	Measurement of GDH and GAD activities	55
3.2.8	Analytical methods	56
3.2.9	Plant inoculation study	56
3.2.10	Data analysis	57
3.3	Results	58
3.3.1	Cloning and heterologous overexpression of <i>gad</i> operon of <i>P. putida</i> KT	58

	2440 in <i>E. asburiae</i> PSI3	
3.3.2	Effect of <i>gad</i> overexpression on mineral phosphate solubilizing ability of <i>E. asburiae</i> PSI3	59
3.3.3	Effect of <i>gad</i> overexpression <i>E. asburiae</i> PSI3 transformant on <i>Vigna radiate</i>	62
3.4	Discussion	
Chapter 4	Characterization of MPS ability of <i>E. asburiae</i> PSI3 containing periplasmic invertases	
4.1	Introduction	66
4.2	Material and Methods	69
4.2.1	Bacterial strains, plasmids and media	69
4.2.2	Media and culture condition	70
4.2.3	Description of plasmid used in this study	71
4.2.4	Cloning of <i>Anabaena</i> neutral invertase (<i>invB</i>) in pBluescript KS(+)	73
4.2.5	Construction of pCNK2 to express neutral invertase (<i>invB</i>) in periplasm under the control of constitutive <i>tac</i> promoter	73
4.2.6	Cloning and expression of <i>Zymomonas mobilis</i> acidic invertase in broad host range expression vector pBBR1MCS-2	75
4.2.7	Cloning and expression of <i>Saccharomyces cerevisiae</i> periplasmic invertase gene <i>suc2</i> in expression vector pTTQGm ^r	75
4.2.8	Sucrose utilization study in <i>E. coli</i>	76
4.2.9	Invertase activity	76
4.2.10	Glucose dehydrogenase activity	76
4.2.11	Invertase activity staining	76
4.2.12	Physiological study	77
4.2.13	Analytical method	78
4.3	Results	
4.3.1	Cloning of <i>Anabaena</i> PCC 7120 neutral invertase (<i>invB</i>) gene in cloning vector pBluescript KS(+)	79
4.3.2	Cloning and expression of PCC 7120 neutral invertase (<i>invB</i>) with <i>malE</i> signal sequence in periplasmic under control of constitutive <i>tac</i> promoter.	80
4.3.3	Cloning of <i>invB</i> with <i>pelB</i> signal sequence in pBBR1MCS-2	82
4.3.4	Cloning of <i>S. cerevisiae</i> extracellular invertase <i>suc2</i> in pTTQGm ^r	84
4.3.5	Different substrate utilization of <i>E. coli</i> containing invertase gene.	85
	Effect of overexpression of periplasmic invertases on mineral phosphate solubilization of <i>E. asburiae</i> PSI3	88
4.4	Discussion	92
Chapter 5	Phosphate mineralization and solubilisation abilities of <i>E. asburiae</i> PSI3 containing <i>Aspergillus fumigatus</i> phytase (<i>phyA</i>) gene and <i>C. braakii</i> Phytase (<i>appA</i>).	

5.1	Introduction	95
5.2	Material and Methods	98
5.2.1	Bacterial strains, plasmids and media	98
5.2.2	Incorporation of <i>Aspergillus fumigatus</i> phytase (<i>phyA</i>) gene under <i>tac</i> promoter vector pTTQKan ^r	98
5.2.3	Incorporation of <i>Citrobacter braakii</i> phytase (<i>appA</i>) gene under <i>tac</i> promoter vector pTTQKan ^r	99
5.2.4	Incorporation of <i>Citrobacter braakii</i> phytase (<i>appA</i>) gene under constitutive <i>tac</i> promoter in pUC18T-mini-Tn7T-Gm- <i>eyfp</i>	99
5.2.5	Functional confirmation of phytase gene expressed from pCNK9 and pCNK10	101
5.2.6	Phytase and phosphatase activity	101
5.2.7	Phytate mineralization ability of <i>E. asburiae</i> PSI3 (pCNK9, pCNK10 and pCNK11) transformants	101
5.2.8	Root colonization study	102
5.3	Results	103
5.3.1	Construction of plasmid pCNK9 containing <i>phyA</i> gene of <i>A. fumigatus</i> under <i>tac</i> promoter	103
5.3.2	Enzyme activity	104
5.3.3	Construction of plasmid pCNK10 containing <i>appA</i> gene of <i>Citrobacter braakii</i> in pTTQKan under <i>tac</i> promoter	105
5.3.4	Construction of plasmid pCNK11 containing <i>appA</i> gene of <i>Citrobacter braakii</i> in pUC18T-mini-Tn7T-Gm- <i>eyfp</i> under constitutive <i>tac</i> promoter	105
5.3.5	Effect of <i>A. fumigatus</i> and <i>C. braakii</i> <i>appA</i> overexpression on organic phosphate mineralization ability of <i>E. asburiae</i> PSI3	107
5.3.6	Root colonization ability of <i>E. asburiae</i> PSI3 (pCNK13) in non sterile soil	109
5.4	Discussion	110
Chapter 6	Phosphate mobilization ability of <i>E. asburiae</i> PSI3 containing extracellular <i>Uromyces viciae-fabae</i> invertase (<i>inv1</i>), <i>C. braakii</i> phytase (<i>appA</i>) and <i>Vitreoscilla</i> haemoglobin (<i>vgb</i>) genes.	
6.1	Introduction	112
6.2	Material and Methods	116
6.2.1	Bacterial strains, plasmids and media	116
6.2.2	Construction of <i>Vitreoscilla</i> haemoglobin gene <i>vgb</i> in expression vector pTTQGm ^r	117
6.2.3	Construction of <i>Vitreoscilla</i> haemoglobin gene <i>vgb</i> and <i>C. braakii</i> phytase gene <i>appA</i> in expression vector pTTQGm ^r	117
6.2.4	Construction of <i>Vitreoscilla</i> haemoglobin gene (<i>vgb</i>), <i>Uromyces fabae</i> invertase (<i>Uinv</i>) and <i>C. braakii</i> phytase gene (<i>appA</i>) in expression vector pTTQGm ^r	117
6.2.5	Physiological experiments	118
6.2.6	Expression of <i>vgb</i> gene under oxygen sensitive promoter	118

6.2.7	Development of <i>Vitreoscilla</i> haemoglobin (<i>vgb</i>), <i>appA-vgb</i> and <i>Uinv-appA-vgb</i> expressing <i>E. asburiae</i> PSI3	119
6.2.8	Growth and MPS phenotype of <i>E. asburiae</i> PSI3 transformant	119
6.2.9	Analytical method	119
6.2.10	Data Analysis	120
6.3.	Results	121
6.3.1	Construction of <i>vgb</i> gene with its native oxygen sensitive promoter in expression vector pTTQGm ^r	121
6.3.2	Construction of coexpressing <i>vgb</i> and <i>appA</i> gene in pTTQGm ^r	122
6.3.3	Construction of <i>Uinv</i> , <i>appA</i> and <i>vgb</i> gene cluster in pTTQGm ^r	123
6.3.4	Growth and MPS ability of <i>E. a.</i> PSI3 (pCNK15) in buffered TRP medium	124
6.3.5	Growth and MPS ability of pCNK21 unbuffered and Tris buffered phytate minimal medium.	126
6.3.6	Growth and phytate mineralization of pCNK22 in Tris buffered phytate minimal medium containing sucrose and mixture of sugar	130
6.4.	Discussion	132
Summary		
Bibliography		