

## LIST OF FIGURES

	Page No.	
<b>Fig. 1.1</b>	Global tectonic map showing various plates and plate boundaries	2
<b>Fig. 1.2</b>	Sr and Nd isotopic ratios plot for various tectonic setting magma with different island arc volcanics	5
<b>Fig. 1.3</b>	Pb isotopic ratios plot for various tectonic setting magma with different island arc volcanics and sediments	6
<b>Fig. 1.4</b>	A schematic diagram showing various components of a subduction zone	10
<b>Fig. 1.5</b>	Model for formation of suprasubduction ophiolite	12
<b>Fig. 1.6</b>	MORB-normalized multi-elements diagram for ophiolites in different setting	15
<b>Fig. 1.7</b>	Comparative Sr and Nd isotopic plot for ophiolites, oceanic Sediments, OIB and volcanic arc	16
<b>Fig. 1.8</b>	N-MORB normalized trace elements patterns for arc lavas	18
<b>Fig. 1.9</b>	Sr and Nd isotopic plot for arc magmas and sediments	19
<b>Fig. 1.10</b>	Geological and tectonic map of Southeast Asia and Northeastern Indian Ocean	21
<b>Fig. 1.11</b>	A schematic diagram showing various components of an Andaman subduction zone	23
<b>Fig. 2.1</b>	A geological map of the Andaman Islands and a schematic section of the Ophiolite Group	29
<b>Fig. 2.2</b>	Field photographs of various Ophiolite Group members	32
<b>Fig. 2.3</b>	Location of mud volcanoes of Andaman Islands and major	

	fault systems in the Andaman Sea	43
<b>Fig. 2.4</b>	Schematic diagrams of a cone shaped mud volcano with its various components	44
<b>Fig. 2.5</b>	Cross-sectional views of mud volcanoes of Andaman Islands, based on author's identification and interpretation	46
<b>Fig. 2.6</b>	Field photographs of mud volcanoes of Andaman Islands	47
<b>Fig. 3.1</b>	Panoramic views (in 2008 and 2009) of Barren Island showing general morphological and geological features	51
<b>Fig. 3.2</b>	Recent lava flows (of 2008-09) on Barren Island volcano	53
<b>Fig. 3.3</b>	Geological map of Barren Island volcano based on our observations	55
<b>Fig. 3.4</b>	Prehistoric, pre-caldera tuff breccias and lava flows exposed on the inner caldera wall	56
<b>Fig. 3.5</b>	Lithologs for the six locations examined on Barren Island in the present study	57
<b>Fig. 3.6</b>	Pyroclastic surge and fall deposits on the Barren Island	59
<b>Fig. 3.7</b>	Features observed on the beach section at landing site 2 on the western side of the island	62
<b>Fig. 3.8</b>	Uppermost prehistoric deposits representative of caldera forming eruption at landing site 1	63
<b>Fig. 3.9</b>	Panoramic view of recent aa and toothpaste lava flows	66
<b>Fig. 3.10</b>	Recent ash blanket (2010-2011) on Barren Island volcano	74
<b>Fig. 4.1</b>	Geological map of the Barren Island volcano with sampling location	80
<b>Fig. 4.2</b>	Geological map of Andaman Islands with sampling locations	82

<b>Fig. 4.3</b>	Calibration curves generated using XRF for major element oxides (wt%) and trace elements (ppm)	96
<b>Fig. 4.4</b>	Comparison of measured and reported concentration of various major element oxides in BHVO-2 and BCR-2 USGS rock standards	97
<b>Fig. 4.5</b>	Calibration curves for various trace elements generated on ICP-MS using USGS rock standard BHVO-2	101
<b>Fig. 4.6</b>	Temporal variation of measured $^{87}\text{Sr}/^{86}\text{Sr}$ in NBS-987 and $^{143}\text{Nd}/^{144}\text{Nd}$ in JNdi-1	107
<b>Fig. 4.7</b>	Temporal variation of $^{87}\text{Sr}/^{86}\text{Sr}$ and $^{143}\text{Nd}/^{144}\text{Nd}$ in USGS rock standard BHVO-2	108
<b>Fig. 5.1</b>	Photomicrograph of rocks from Ophiolite Group	114
<b>Fig. 5.2</b>	Photomicrograph of lavas of the Barren Island volcano	116
<b>Fig. 5.3</b>	XRD spectra of mud breccias from mud volcanoes	117
<b>Fig. 5.4</b>	XRD spectra of serpentinite clast from mud volcanoes	118
<b>Fig. 6.1</b>	Classification of rocks from Andaman ophiolites based on total alkali vs. Silica variation	145
<b>Fig. 6.2</b>	Comparative plot between $\text{SiO}_2/\text{MgO}$ and $\text{Al}_2\text{O}_3$ for rocks of Andaman ophiolites and Oman ophiolites	146
<b>Fig. 6.3</b>	$\text{TiO}_2$ vs. $\text{MgO}$ plot for the Andaman ophiolite rocks	146
<b>Fig. 6.4</b>	Chondrite normalized REE patterns for Andaman ophiolite, Barren Island lavas, N-MORB and Oman ophiolite field	147
<b>Fig. 6.5</b>	Ti – V discrimination plot for rocks from Ophiolite Group of Andaman Islands	148
<b>Fig. 6.6</b>	$\epsilon_{\text{Nd}}(t)$ versus $\text{SiO}_2$ plot for Ophiolite Group of rocks of Andaman Islands	149

<b>Fig. 6.7</b>	Comparative Sr and Nd isotopic field for Andaman ophiolite, Oman ophiolite and Barren Island lavas	150
<b>Fig. 6.8</b>	Schematic cross-section of lithostratigraphic units of Andaman Islands and the origin of mud volcanoes	151
<b>Fig. 6.9</b>	$\epsilon_{Nd}$ versus $^{87}Sr/^{86}Sr$ plot for mud matrix, HCl- residue Fraction of mud matrix and serpentinite clast samples from mud volcanoes of Andaman Islands	155
<b>Fig. 6.10</b>	Chemical classification of mud breccias, rock clasts from mud volcanoes of Andaman Islands	159
<b>Fig. 6.11</b>	A-CN-K diagram of mud breccias and rock clasts and ophiolites from mud volcanoes of Andaman Islands	160
<b>Fig. 6.12</b>	Major element variation diagram of mud breccias and rock clasts mud volcanoes of Andaman Islands	161
<b>Fig. 6.13</b>	Chondrite normalized REE patterns of mud breccias and serpentinite clasts from mud volcanoes of Andamans	162
<b>Fig. 6.14</b>	N-MORB normalized trace elements patterns of mud breccias serpentinite clasts and ophiolite from Andamans	163
<b>Fig. 6.15</b>	Nd and Sr isotopic plot for mud breccias, serpentinite clasts and ophiolites from Andamans	165
<b>Fig. 6.16</b>	Classification of rocks from Barren Island based on total alkali vs. Silica variation	169
<b>Fig. 6.17</b>	AFM diagram for Barren Island lavas and ash beds	170
<b>Fig. 6.18</b>	FeO <sup>T</sup> vs. Silica variation diagram of lavas and ash beds from Barren Island volcano	171
<b>Fig. 6.19</b>	Classification of lavas and ash beds from Barren Island based on K <sub>2</sub> O vs. Silica variation	172
<b>Fig. 6.20</b>	Variation diagrams of major oxide vs. MgO content in Barren Island lavas and ash beds	173

<b>Fig. 6.21</b>	Variation diagrams of trace element concentration vs. MgO contents in Barren Island lavas and ash beds	174
<b>Fig. 6.22</b>	Variation diagrams of trace element concentration vs. MgO contents in Barren Island lavas and ash beds	175
<b>Fig. 6.23</b>	N-MORB normalized compatible trace elements patterns of Barren Island lavas and ash beds with OIB, PM, E-MORB	176
<b>Fig. 6.24</b>	Chondrite normalized REE patterns of Barren Island lavas with Sunda Banda arc, OIB, N -MORB and E-MORB	178
<b>Fig. 6.25</b>	$\epsilon_{Nd}(0)$ vs. $^{87}Sr/^{86}Sr$ plot for Barren Island volcanics with fields for mantle derived rocks, arc lavas and ocean sediments	179
<b>Fig. 6.26</b>	a) $^{143}Nd/^{144}Nd$ versus Ba/Th and b) Th/Ce versus $^{143}Nd/^{144}Nd$ for Barren Island lavas and ash beds	182
<b>Fig. 6.27</b>	a) Two components b) Three components mixing models for Barren Island lavas and ash beds	183
<b>Fig. 6.28</b>	(a) Plot of $^{208}Pb/^{204}Pb$ vs. $^{207}Pb/^{204}Pb$ (b) Plot of $^{208}Pb/^{204}Pb$ vs. $^{207}Pb/^{204}Pb$ of Barren Island lavas	186
<b>Fig. 6.29</b>	Primitive mantle normalized fractional melting model for Barren Island lavas and ash beds	187
<b>Fig. 6.30</b>	Chondrite normalized (Tb/Yb) versus (Yb/Sm) depth of melting model for Barren Island lavas and ash beds	189