

## List of Figures

<b>Fig. 1.1:</b>	<i>A schematic diagram showing various morphological components of an ocean-ocean plate subduction zone.</i>	4
<b>Fig. 1.2:</b>	<i>Map showing northeastern Indian Ocean with major geological and tectonic features.</i>	10
<b>Fig. 1.3:</b>	<i>A schematic cross-sectional profile of the Andaman Subduction Zone (along A-B in Fig 1.2).</i>	12
<b>Fig. 1.4:</b>	<i>A schematic diagram showing tectono-sedimentary events of Andaman Subduction Zone in different time periods.</i>	14
<b>Fig. 1.5:</b>	<i>Bathymetric map of the Andaman Sea showing the islands, continents, seaways and prominent ocean-bottom ridges/highs and basins.</i>	17
<b>Fig. 2.1:</b>	<i>Map of the northeastern Indian Ocean showing major geological and tectonic features.</i>	24
<b>Fig. 2.2:</b>	<i>Stratigraphic litholog showing different rock units exposed on the Andaman Islands.</i>	28
<b>Fig. 2.3:</b>	<i>Field photographs of various formations of the Mithkhari Group.</i>	31
<b>Fig. 2.4:</b>	<i>Field photographs showing formations of the Andaman Flysch Group, Archipelago Group and exposed coral reefs.</i>	32
<b>Fig. 2.5:</b>	<i>Field photographs showing uplifted coral bed; mangroove swamp deposits; Narcondam Island volcanics; volcanic deposits of the Barren Island Volcano.</i>	34
<b>Fig. 2.6:</b>	<i>The geological maps of the Andaman archipelago; North Andamans; Middle Andamans and South Andamans.</i>	37
<b>Fig. 2.7:</b>	<i>Map of the northeastern Indian Ocean showing the locations of Andaman Islands, Barren Island and the studied core SK-234-60 in the Andaman Sea.</i>	41
<b>Fig. 2.8:</b>	<i>Photograph and litholog of the core showing volcanic ash layers in normal ocean sediments.</i>	43
<b>Fig. 2.9:</b>	<i>Typical calibration curves for various major element oxides generated on XRF using multiple international rock standards.</i>	47
<b>Fig. 2.10:</b>	<i>Typical calibration curves for different trace elements generated on ICP-MS using various dilutions of BHVO-2.</i>	48
<b>Fig. 3.1:</b>	<i>Map of Southeast Asia showing major tectonic features and eruptive centres including the Barren Island Volcano and other volcanoes of the Indonesian Arc.</i>	53
<b>Fig. 3.2:</b>	<i>Field photographs showing pyroclastic sandstones of Namunagarh Grit Formation and tuff in the Archipelago Group.</i>	54
<b>Fig. 3.3:</b>	<i>Litholog of core SK-234-60 showing ash layers (AL-1 to 7) with calibrated AMS <sup>14</sup>C ages.</i>	58

<b>Fig. 3.4:</b>	<i>Depth versus age plot for the studied core.</i>	60
<b>Fig. 3.5:</b>	<i>Backscattered X-ray images of lithic fragments and mineral grains from the ash layers of the studied core.</i>	61
<b>Fig. 3.6:</b>	<i>Classification of feldspars and pyroxenes found in the ash layers of the core.</i>	62
<b>Fig. 3.7:</b>	<i>Plot of <math>\epsilon_{Nd}</math> versus <math>^{87}Sr/^{86}Sr</math> for the ash layers in the core, ash deposits on Barren Island and volcanics from some major volcanoes of Indonesia</i>	64
<b>Fig. 3.8:</b>	<i><math>SiO_2</math> vs. <math>K_2O</math> and <math>Al_2O_3</math> vs. <math>TiO_2</math> cross plots diagram showing the compositions of the marine ash-layers in the core SK-234-60.</i>	65
<b>Fig. 3.9:</b>	<i>Figure showing ash cloud from 2010 eruption of Barren Island Volcano and map of Barren Island.</i>	66
<b>Fig. 3.10:</b>	<i>Total Alkalis-Silica (TAS) classification for glass matrix from lithic fragments for ash layers in the core SK-234-60.</i>	73
<b>Fig. 3.11:</b>	<i>Various major element oxides vs. MgO plots for glass matrix of lithic fragments from the ash layers in the core SK-234-60.</i>	74
<b>Fig. 4.1:</b>	<i>Schematic map showing the potential source regions for sediments deposited in the Andaman forearc basin during the Paleogene.</i>	80
<b>Fig. 4.2:</b>	<i>Photomicrographs of thin sections of the Mithakhari Group.</i>	84
<b>Fig. 4.3:</b>	<i>Photomicrographs of thin section of the Andaman Flysch Group and the Archipelago Group.</i>	85
<b>Fig. 4.4:</b>	<i>Major element oxide versus <math>SiO_2</math> for samples from the Mithakhari and the Andaman Flysch Groups.</i>	92
<b>Fig. 4.5:</b>	<i>Primitive Mantle (PM) normalized multi element spidergrams (a&amp;b) and chondrite normalized REE patterns (c&amp;d) for the Mithakhari Group and the Andaman Flysch Group rocks.</i>	93
<b>Fig. 4.6:</b>	<i>Stacked histograms of <math>^{87}Sr/^{86}Sr</math> and <math>\epsilon_{Nd}(0)</math> distributions in the sedimentary rocks of the Andaman Islands.</i>	95
<b>Fig. 4.7:</b>	<i>Stacked histogram showing frequency distributions of <math>T_{DM}</math> ages for the sedimentary sequences of the Andaman Islands.</i>	96
<b>Fig. 4.8:</b>	<i>A-CN-K diagram with the Chemical Index of Alteration (CIA) for the Andaman sedimentary rock samples.</i>	97
<b>Fig. 4.9:</b>	<i>Plot of Th/Sc versus Zr/Sc for Andaman Island samples.</i>	98
<b>Fig. 4.10:</b>	<i><math>K_2O/Na_2O</math> versus <math>SiO_2</math> and La-Th-Sc discrimination diagram for sediments of the Mithakhari Group and the Andaman Flysch Group.</i>	99
<b>Fig. 4.11:</b>	<i>La/Th and Th/Yb variations in sandstones and shales from the Mithakhari Group and the Andaman Flysch Group.</i>	100

<b>Fig. 4.12:</b>	<i>Plots of <math>\epsilon_{Nd}(0)</math> ranges and <math>\epsilon_{Nd}(0)</math> versus <math>^{87}Sr/^{86}Sr</math> observed in the Mithakhari Group and the Andaman Flysch Group</i>	102
<b>Fig. 4.13:</b>	<i>Schematic maps showing the Paleogene configuration of the Indian Plate and other tectonic blocks of SE Asia at 50 Ma and 30 Ma.</i>	105
<b>Fig. 4.14:</b>	<i>Map showing (sediment) source regions and major rivers of Myanmar.</i>	108
<b>Fig. 4.15:</b>	<i>Map of the Andaman Sea showing bathymetry and location of sediment cores and directions of monsoon currents.</i>	109
<b>Fig. 4.16:</b>	<i>Primitive mantle (PM) normalized multi element spidergrams for the sediments in the core.</i>	119
<b>Fig. 4.17:</b>	<i>Chondrite normalized REE patterns for the sediments in the core.</i>	120
<b>Fig. 4.18:</b>	<i>Histograms showing frequency distributions of <math>^{87}Sr/^{86}Sr</math>, (b) <math>\epsilon_{Nd}</math> and <math>T_{DM}</math> ages for siliciclastic sediment layers in the core SK-234-60.</i>	122
<b>Fig. 4.19:</b>	<i>A-CN-K diagram with the Chemical Index of Alteration (CIA) for core sediments.</i>	123
<b>Fig. 4.20:</b>	<i>Plot of Th/U versus Th for the core sediment samples.</i>	124
<b>Fig. 4.21:</b>	<i>Plot of <math>\epsilon_{Nd}</math> versus <math>^{87}Sr/^{86}Sr</math> for sediments from core.</i>	125
<b>Fig. 4.22:</b>	<i>Plot of <math>\epsilon_{Nd}</math> vs. <math>^{87}Sr/^{86}Sr</math> of sediments from our core compared with model curves of a three components mixing.</i>	126
<b>Fig. 4.23:</b>	<i>Depth profiles of Sr-Nd isotopic compositions, trace element ratios and CIA values of sediments in core.</i>	128
<b>Fig. 4.24:</b>	<i>Temporal variations of Sr and Nd isotopic compositions of sediments in core SK-234-60 compared with other cores from the Andaman Sea.</i>	131
<b>Fig. 4.25:</b>	<i>Present-day N-S bathymetric profile of Andaman and Nicobar ridge and the coastlines around the Andaman Sea during the LGM.</i>	132
<b>Fig. 5.1:</b>	<i>Map of the Andaman Islands showing locations of study areas and map showing known historic large magnitude earthquakes in the Andaman region.</i>	136
<b>Fig. 5.2:</b>	<i>Photographs showing submerged forest and uplifted beach with dead coral reefs.</i>	137
<b>Fig. 5.3:</b>	<i>Elevation profiles of coral terraces showing sample locations and calibrated radiocarbon ages.</i>	139
<b>Fig. 5.4:</b>	<i>Photographs of the studied terraces.</i>	141
<b>Fig. 5.5:</b>	<i>Stacked histogram of number of uplift and subsidence events as a function of time and relative probability density plot of the same events.</i>	146