



REFERENCES

- Abbey S. (1983) Studies in "Standard Samples" of Silicate Rocks and Minerals 1969-1982, *Canadian Geological Survey paper* 83-15, p-114.
- Acharyya S. K. (2003) The nature of Mesoproterozoic Central Indian tectonic zone with exhumed and reworked older sediments, *Gond. Res.* 6, 197-214.
- Ahmad T, Deb M., Tarney J. and Raza M. (2008a) Proterozoic mafic volcanism in the Aravalli-Delhi Orogen, Northwestern India: Geochemistry and tectonic framework, *Jour. Geol. Soc. India* 72, 93-111.
- Ahmad T, Dragusanu C. and Tanaka T. (2008b) Provenance of Late Archean Aravalli mafic rocks from Rajasthan, Northwestern India: Nd isotopes, evidence for enriched mantle reservoirs, *Precam. Res.* 162, 150-159.
- Anbarasu K. (2001) Acritarch from Mesoproterozoic Chitrakoot Formation, Semri group, Chitrakoot Area, Central India, *Jour. Geol. Soc. India* 57, 179-183.
- Andersen C. B. and Samson S. D. (1995) Temporal changes in Nd isotopic composition of sedimentary rocks in the Sevier and Taconic foreland basins: Increasing influence of juvenile sources, *Geology* 23, 983-986.
- Azmi R. J., Joshi D., Tiwari B. N., Joshi M. N., Mohan K. and Srivastava S. S. (2006) Age of the Vindhyan Supergroup of Central India: An exposition of biochronology vs. radiochronology, *In: Micropalaeontology: Application in Stratigraphy and Palaeoceanography* (Ed. D.K. Sinha), Narosa Publishing House, New Delhi, India, 29-62.
- Azmi, R. J. (1998) Discovery of Lower Cambrian Small Shelly Fossils and Brachiopods from the Lower Vindhyan of Son Valley, Central India, *Jour. Geol. Soc. of India* 52, 381-389.
- Banerjee A. and Banerjee D. M. (2010) Modal analysis and geochemistry of two sandstones of the Bhandar Group (Late Neoproterozoic) in parts of the Central Indian Vindhyan basin and their bearing on the provenance and tectonics, *J. Earth Syst. Sci.* 119, 825-839.
- Banerjee A. K. and Singh H. J. M. (1981) Paleogeography and sedimentation of Vindhyan in eastern Rajasthan, *Misc. Publ. Geol. Surv. India* 50, 89-94.
- Banerjee I. (1974) Barrier coastline sedimentation model and Vindhyan example, *Geol. Min. Metal. Soc. India* 46, 101-127.
- Basu A. R., Sharma M. and DeCelles P. G. (1990) Nd, Sr-isotopic provenance and trace element geochemistry of Amazonian Foreland Basin Fluvial Sands, Bolivia and Peru: implications for Andean Orogeny, *Earth Planet. Sci. Lett.* 105, 149-169.
- Bengtson S., Belivanova V., Rasmussen B. and Whitehouse M. (2009) The controversial "Cambrian" fossils of the Vindhyan are real but more than a billion years older, *Proc. National Acad. Sci.* 106, 7729-7734.
- Berner R. A. and R. Raiswell (1983) Burial of organic carbon and pyrite sulphur in sediments over Phanerozoic time: A new theory, *Geochim. Cosmochim. Acta* 47, 855-862.

- Bhatia M. R. (1983) Plate Tectonics and geochemical composition of sandstone, *J. Geology* 91, 611-627.
- Bhatia M. R. and Crook K. A. W. (1986) Trace element characteristics of graywackes and tectonic discrimination of sedimentary basins, *Contrib. Mineral. Petrol.* 92, 181-193.
- Bhattacharyya A. (1996) *Recent advances in Vindhyan Geology*, *Mem. Geol. Soc. India* 36, 331p.
- Blatt H. (1985) Provenance studies and mudrocks, *Jour. Sedi. Petrol.* 55, 69-75.
- Bock B., McLennan S. M. and Hanson G. N. (1994) Rare earth element redistribution and its effects on the neodymium isotope system in the Austin Glen Member of the Normanskill Formation, New York, USA, *Geochim. Cosmochim. Acta* 58, 5245-5253.
- Bose P. K., Banerjee S. and Sarkar S. (1997) Slope-controlled seismic deformation and tectonic framework of deposition, Koldaha Shale, India. *Tectonophysics* 269, 151-169
- Bose P.K., Sarkar S., Chakraborty S. and Banerjee S. (2001) Overview of the Meso-to-Neoproterozoic evolution of the Vindhyan basin, central India. *Sedimentary Geology* 141-142, 395-419.
- Burke W.H., Denison R.E., Hetherington E.A., Koepnick R.B., Nelson H.F. and Otto, J.B. (1982) Variation of seawater $^{87}\text{Sr}/^{86}\text{Sr}$ throughout Phanerozoic time, *Geology* 10, 516-519.
- Catling D.C., and Claire M.W. (2005) How Earth's atmosphere evolved to an oxic state: A status report, *Earth Planet. Sci. Lett.* 237, 1-20.
- Chakrabarti R., Basu A.R. and Chakrabarti A. (2007) Trace element and Nd-isotopic for sediment sources in the mid-Proterozoic Vindhyan Basin, central India, *Precam. Res.* 159, 260-274.
- Chakraborty C. (2006) Proterozoic intracontinental basin: The Vindhyan example. *J. Earth Sys. Sci.* 115(1), 3-22.
- Chakraborty C. and Bhattacharyya A. (1996) The Vindhyan Basin: An overview in the light of current perspectives, *Mem. Geol. Soc. India* 36, 301-312.
- Chakraborty P. P., Dey S. and Mohanti S. P. (2010) Proterozoic platform sequences of Peninsular India: Implications towards basin evolution and supercontinent assembly, *J. Asian Earth Sci.* 39, 589-607.
- Chanda S. K. and Bhattacharyya A. (1982) Vindhyan sedimentation and paleogeography: Post-Auden developments, In K. S. Valdiya, S.B. Bhatia and V. K. Gaur (Eds.) *Geology of Vindhya*, Hindustan Pub. Corp. Delhi, 88-101.
- Condie K. C. (1982) Plate Tectonics and crustal evolution, 2nd edition, Pergamon Press.
- Condie K. C. (1993) Chemical composition and evolution of the Upper continental crust: contrasting results from surface samples and shales, *Chem. Geol.* 104, 1-37.
- Condie K. C. (1991) Another look at rare earth elements in shales, *Geochim. Cosmochim. Acta* 55, 2527-2531.
- Crawford, A.R., and Compston, W. (1970) Age of Vindhyan System of peninsular India, *J. Geol. Soc. London* 125, 351-372.
- Daly R. A. (1909) First calcareous fossils and the evolution of limestones, *Geol. Soc. Am. Bull.* 20, 153-170.
- Das L. K., Mishra D. C., Ghosh D. and Banerjee B. (1990) Geomorphotectonics of the basement in a part of upper Son Valley of the Vindhyan Basin, *J. Geol. Soc. India* 35, 445-458.

- De C (2003) Possible organisms similar to Ediacaran forms from the Bhander Group, Vindhyan Supergroup, Late Neoproterozoic of India, *J. Asian Earth Sci.* 21, 387–395.
- De C (2006) Ediacaran Fossil assemblage in the Upper Vindhyan of Central India and its significance, *J. Asian Earth Sci.* 27, 660–683.
- Deb M., Thorpe R. and Krstic D. (2002) Hindoli Group of Rocks in the Eastern Fringe of the Aravalli-Delhi Orogenic Belt-Archean Secondary Greenstone Belt or Proterozoic Supracrustals? *Gond. Res.* 5(4), 879–883.
- DePaolo D. J. and Wasserburg G. J. (1976) Nd isotopic variations and petrogenetic models, *Gephys. Res. Letters* 3, 249–252.
- DePaolo D. J. (1988) Age dependence of the composition of continental crust as determined from Nd isotopic variations in igneous rocks, *Earth Planet. Sci. Lett.* 59, 263–271.
- Des Marais D. J. (1994) The Archean atmosphere: its composition and fate. In: K.D. Condie, Editor, *Archean Crustal Evolution*, Elsevier, Amsterdam (1994), 505–523.
- Dia A., Dupre B., Gariepy C., and Allegre C. J. (1990) Sm-Nd and trace element characterization of shales from the Abitibi Belt, Labrador Trough, and Appalachian Belt: Consequences for crustal evolution through time, *Canad. J. Earth Sci.* 27, 758–766.
- Dickinson W. R. (1970) Interpreting detrital modes of greywacke and arkose, *J. Sediment. Petrol.* 40, 695–707.
- Evans D. A. D. (2000) Stratigraphic, geochronological, and paleomagnetic constraints upon the Neoproterozoic climatic paradox, *Am. J. Sci.* 300, 347–433.
- Evans D. A. D. (2009) The palaeomagnetically viable, long-lived and all-inclusive Rodinia supercontinent reconstruction, In Murphy J. B., Keppie J. D. & Hynes A. J. (eds.) *Ancient Orogens and Modern Analogues*, Geol. Soc. London, Sp. Publ. 327, 371–404.
- Faure G. (1986) *Principles of isotope geology*, 2nd edition, John Wiley & Sons, Singapore, 589p.
- Fedo C. M., Nesbitt H. W. and Young, G. M. (1995) Unraveling the effects of K-metasomatism in sedimentary rocks and paleosols, with implications for paleoweathering conditions and provenance, *Geology* 23, 921–924.
- Fermor L. L. (1930) On the age of the Aravalli Range, *Record Geol. Surv. India*, 62, 391–409.
- Flanagan F.J. (1976) 1972 Compilation of data on USGS, *U.S. Geol. Surv. Prof. Paper* 840, 131–183.
- Foley S., Tiepolo M. and Vannucci R. (2002) Growth of early continental crust controlled by melting of amphibolite in subduction zones, *Nature*, 417, 837–840.
- Folk R.L. and Ferm J. C. (1966) A portrait of Paul D. Krynine, *J. Sediment. Petrol.* 36, 851–863.
- Frank T. D., Lyons T. W. and Lohmann K. C. (1997) Isotopic evidence for the paleoenvironmental evolution of the Mesoproterozoic Helena Formation, Belt Supergroup, Montana, USA, *Geochim. Cosmochim. Acta* 61, 5023–5041.
- Friedman I. and O'Neil J. R. (1977) Compilation of stable isotope fractionation factors of geochemical interest, *U.S. Geol. Surv. Prof. Pap.* 440-KK, 49.
- Gao S., Liu X. M., Yuan H. L., Hattendorf B., Gunther D., Chen L. and Hu S. H. (2002) Determination of forty two major and trace elements in USGS and NIST SRM glasses by laser ablation-inductively coupled plasma-mass spectrometry, *Geostand. Newsl.* 26, 181–196.
- Ghosh A. and Bose A. (1950) Microfossils from the Vindhyan, *Science and Culture* 15, 330–331.

- Gladney E. S. and Roelandts I. (1988) 1987 Compilation of Elemental Concentration Data for USGS BHVO-1, MAG-1, QLO-1, RGM-1, SCo-1, SDC-1, SGR-1, and STM-1, *Geostand. Newsl.* 12, 253-362.
- Gleason J. D., Patchett P. J. and Ruiz W. R. D. (1994) Nd isotopes link Ouachita turbidites to Appalachian sources, *Geology* 22, 347-350.
- Gokaran S. G., Rao C. K. and Singh B. P. (1995) Crustal structure in southeast Rajasthan using magneto-telluric technique, *Mem. Geol. Soc. India* 31, 373-383.
- Goldstein S. J. and Jacobsen S. B. (1988) Nd and Sr isotope systematics of river water suspended material: Implications for crustal evolution, *Earth Planet. Sci. Lett* 87, 249-265.
- Govindaraju K. (1994) 1994 Compilation of Working Values and sample Descriptions for 383 Geostandards, *Geostand. Newsl.* 18, 1-158.
- Graver J. I. and Scott T. J. (1995) Trace elements in shale as indicators of crustal province and terrain accretion in the southern Canadian Cordillera, *Geol. Soc. Am. Bull.* 107, 440-453.
- Gregory L. C. (2008) India in the Proterozoic : two key spatial and temporal constraints, *A MS Thesis University of Florida*. 78p.
- Gupta B. C. (1934) The geology of central Mewar, *Mem. Geol. Surv. India* 65, 107-168.
- Hacket C. A. (1881) On the geology of Aravalli region Central and Eastern Rajputana, *Rec. Geol. Surv. India* 44, 97-102.
- Hall S.M. and Veizer J. (1996) Geochemistry of Precambrian carbonates. VII. Belt Supergroup, Montana and Idaho, USA, *Geochim. Cosmochim. Acta* 60, 667-977.
- Hannigan R. E. and Basu A. R. (1998) late diagenetic trace element remobilization in organic-rich Black Shales of the Taconic Foreland basin Quebec, Ontario and New York, *In: Jurgen W. Z. S. and Sethi P. S. (eds.), Shales and Mudstones II*, 209-233.
- Heron A. M. (1936) Geology of south-eastern Rajputana, *Mem. Geol. Surv. India*, 68, 1-120.
- Herron M. M. (1988) Geochemical classification of terrigenous sands and shales from core or log data, *Jour. of Sed. Pet.* 30, 841-883.
- Hoffman H. J. (2005) Paleoproterozoic dubiofossils from India revisited-Vindhyan *Triploblastic* animal burrows or pseudofossils, *J. Palaeont. Soc. India*, Golden Jubilee Volume 50(2), 113-120.
- Hoffman P.F., and Schrag D.P. (2002) The snowball Earth hypothesis: testing the limits of global change, *Terra Nova* 14, 129-155.
- Hoffman P.F., Kaufman A.J., Halverson G.P., and Schrag D.P. (1998) A Neoproterozoic snowball earth, *Science*, 281, 1342-1346.
- Holser W.T. (1984) Gradual and abrupt shifts in ocean chemistry during Phanerozoic time. *In: Holland, H.D., Trendall, A.F. (Eds.), Patterns of Change in Earth Evolution*. Springer, Berlin, 123-143.
- Hussain M. F., Mondal M. E. A. and Ahmad T. (2004) Geodynamic evolution and crustal growth of the central Indian Shield: Evidence from geochemistry of gneisses and granitoids, *Proc. Indian Acad. Sci. (Earth Planet. Sci.)* 113(4), 699-714.
- Iqbaluddin, Pasad B., Sharma S. B., Mathur R. K., Gupta S. N. and Sahai T. N. (1978) Genesis of the Great Boundary Fault of Rajasthan, India, *Proc. 3rd Reg. Conf. Geol. Min. Resour. South East Asia*, Bangkok, 145-149.

- Jacobsen S. B. and Kaufman A. J. (1999) The Sr, C and O isotopic evolution of Neoproterozoic seawater, *Chemical Geology* 161, 37-57.
- Jain S. C., Yedekar D. B. and Nair K. K. K. (1991) Central Indian Shear Zone: A major Precambrian crustal boundary, *J. Geol. Soc. India* 37, 521-532.
- Jarvis K. E. (1988) Inductively coupled plasma mass spectrometry; a new technique for the rapid or ultra-trace level determination of the rare-earth elements in geological materials, *Chem. Geol.* 68, 31-39.
- Javaux E. J., Knoll A. H., and Walter M. R. (2001) Morphological and ecological complexity in early eukaryotic ecosystems, *Nature* 412, 66-69.
- Jokhan Ram, Shukla S. N., Pramanik A. G., Varma B. K., Chandra G. and Murthy M. S. N. (1996) Recent Investigations in the Vindhyan Basin: Implications for Basin Tectonics, *Mem. Geol. Soc. India* 36, 267-286.
- Kaila K. L. and Krishna V. G. (1992) Deep Seismic sounding studies in India and major discoveries, *Curr. Sci.*, 62, 117-154.
- Kaila K. L., Murty P. R. K. and Mall D. M. (1989) The evolution of the Vindhyan Basin vis-à-vis the Narmada-Son Lineament, central India, from deep seismic soundings, *Tectonophysics* 162 (3/4), 277-289.
- Kaufman A. J., Corsetti F. A. and Varni M. A. (2007) The effect of atmospheric oxygen on carbon and sulphur isotope anomalies in the Neoproterozoic Johnnie Formation, *Chem. Geol.* 237, 47-63.
- Kent A. J. R., Jacobsen B., Peate D. W., Waight T. E. and Baker J.A. (2004) isotope dilution MC-ICPMS-Ms Rare Earth Element analysis of Geochemical Reference Materials NIST SRM610, NIST SRM 612, NIST SRM614, BHVO-2G, BHVO-2, BCR-2G, JB-2, WS-E, W-2, AGV-1 and AGV-2, *Geostand. Geoanalyt. Res.* 28 (3), 417-429.
- Klootwijk C.T., Nazirullah R. and de Jong K.A. (1986) Paleomagnetic constraints on formation of the Mianwali reentrant, Trans-Indus and western Salt range, Pakistan, *Earth Planet. Sci. Lett.* 80, 394-414.
- Kopp R. E., Kirschvink J. L., Hilburn I. A., and Nash C. Z. (2005) The paleoproterozoic snowball Earth: A climate disaster triggered by the evolution of oxygenic photosynthesis: *Proc. Nat. Acad. Sci. USA* 102, 11131-11136.
- Krishnan M. S. (1968) *Geology of India and Burma*. Tata McGraw Hill Publication, New Delhi.
- Krumbein W. C. and Pettijohn F. J. (1938) *Manual of Sedimentary Petrography*. Appleton-Century-Crofts, New York. 549 pp.
- Kulkarni K. G. and Borakar V. D. (1996) A significant stage of metazoan evolution from the Proterozoic rocks of the Vindhyan Supergroup, *Curr. Sci.* 70, 1096-1100.
- Kumar A., Gopalan K. and Rajgopalan G. (2001) Age of the Lower Vindhyan sediments, Central India. *Curr. Sci.* 81, 806-809.
- Kumar A., Kumari P., Dayal A.M., Murthy D.S.N. and Gopalan K. (1993) Rb-Sr ages of Proterozoic kimberlites of India: evidence for contemporaneous emplacements. *Precam. Res.* 62, 227-237.
- Kumar B. Das sharma S., Sreenivas B., Dayal A. M., Rao M. N., Dubey N and Chawla B. R. (2002) Carbon oxygen and strontium isotope geochemistry of Proterozoic carbonate rocks of the Vindhyan Basin, central India. *Precam. Res.* 113, 43-63.
- Kumar S. (1995) Megafossils from the Mesoproterozoic Rohtas Formation (the Vindhyan Supergroup), Katni area, Central India, *Precam. Res.* 72, 171-184.

- Kumar S. (1999) Siliceous sponge spicule-like forms from the Neoproterozoic Bhandar Limestone, Maihar area, Madhya Pradesh. *J. Palaeon. Soc. India* 44, 141-148.
- Kumar S. (2001) Mesoproterozoic megafossils *Chuaria-Tawuia* association may represent parts of a multicellular plant, Vindhyan Supergroup, Central India, *Precam. Res.* 106, 187-211.
- Kumar S. and Pandey S. K. (2008) Discovery of organic-walled microbiota from the black-bedded chert, Balwan Limestone, the Bhandar Group, Lakheri area, Rajasthan. *Curr. Sci.* 94, 797-800.
- Kumar S., Schidlowski M. and Joachi M. M. (2005) Carbon isotope stratigraphy of the palaeo-Neoproterozoic Vindhyan Super group, Central India: implications for basin evolution and intrabasinal correlation, *J. Palaeont. Soc. India* 50, 65-81.
- Kumar S. and Srivastava P. (1997) A note on the carbonaceous megafossils from Neoproterozoic Bhandar Group, Maihar area, Madhya Pradesh, *Jour. Paleo. Soc. India* 42, 141-146.
- Kumar S. and Srivastava P. (2003) Carbonaceous megafossils from the Neoproterozoic Bhandar Group, central India, *Jour. Paleo. Soc. India* 48, 139-154
- Kumar S. and Srivastava P. (1992) Microfossils from the black chert of Bhagwanpura Limestone (Middle Proterozoic), Vindhyan Supergroup, Chittorgarh area, Rajasthan, West India, *Curr. Sci.* 62, 371-372.
- Kump L. R. and Arthur M. A. (1999) Interpreting carbon-isotope excursions: carbonates and organic matter, *Chemical Geology* 161, 181-198.
- Le Bas M. J., LeMaitre R. W., Streckeisen A. and Zanettin P. (1986) A chemical classification of volcanic rocks based on the total alkali-silica diagram. *Jour. Petrol.* 27, 745-750
- Leelanandam C., Burke K., Ashwal L.D. and Webb S.J. (2006) Proterozoic mountain building in Peninsular India: an analysis based primarily on alkaline distribution, *Geol. Mag.* 143 (2), 195-212.
- Lev S. M. and Filer J. K. (2004) Assessing the impact of black shale processes on REE and the U-Pb isotope system in the southern Appalachian Basin, *Chem. Geol.* 206, 393-406.
- Lev S. M., McLennan S. M. and Hanson G. N. (1999) Mineralogic controls on REE mobility during black shale diagenesis, *Jour. Sed. Res.* 69, 1071-1082.
- Lichte F. E., Meier A. L., and Crock J. G. (1987) Determination of the rare-earth elements in geological materials by inductively coupled plasma mass spectrometry, *Anal. Chem.* 59, 1150-1157.
- Longerich H. P., Jenner G.A., Fryer B. J. and Jackson S. E. (1990) Inductively coupled plasma-mass spectrometric analysis of geological samples: A critical evaluation based on case studies, *Chemical Geology* 83, 105-118.
- Ludwig K. R. (2003) User's Manual for Isoplot/Ex. 3.00: A Geochronological Toolkit for Microsoft Excel. *Berkeley Geochronology Centre (Special Publication 1a)*, 55 p.
- Luhr J. F. and Haldar D. (2006) Barren Island Volcano (NE Indian Ocean): Island-arc high-alumina basalts produced by troctolite contamination, *J. Volcano. Geothermal Res.* 149, 177-212.
- Mackie W. (1899a) The sands and sandstones of eastern Moray, *Trans. Edinb. Geol. Soc.* 7, 148-172.
- Mackie W. (1899b) The feldspars present in sedimentary rocks as indicators of the conditions of contemporaneous climates, *Trans. Edinb. Geol. Soc.* 7, 443-468

- Maithy P. K. and Babu R. (1988) The mid-Proterozoic Vindhyan macrobiota from Chopan, south-east, Uttar Pradesh, *J. Geol. Soc. India* 31, 584-590.
- Maitra A. K. and De C. (1998) Primitive trace fossils from Vindhyan. *Geol. Surv. India News*, 29, 47-48.
- Mallet F. R. (1869) The Vindhyan Series as exhibited in north-western and central provinces of India, *Mem. Geol. Surv. of India*, 7, (1), 1-129.
- Malone S. J., Meert J. G., Banerjee D. M., Pandit M. K., Tamrat E., Kamenov G. D., Pradhan V. R. and Sohl L. E. (2008) Paleomagnetism and Detrital Zircon Geochronology of the Upper Vindhyan Sequence, Son Valley and Rajasthan, Indian: A ca. 1000 Ma Closure age for the Purana Basins?, *Precam. Res.* 164, 137-159.
- Mathur S. M., Narian K. and Srivastava J. P. (1958) Algal structure from Fawn Limestone, Semri Series (Lower Vindhyan) in the Mirzapur district, *Rec. Geol. Surv. India* 87, 819-822.
- McArthur J. M. (1994) Recent trends in strontium isotope stratigraphy, *Terra Nova* 6, 331-358.
- McCulloch M. T. and Wasserburg G. (1978) Sm-Nd and Rb-Sr chronology of continental crust formation, *Science* 200, 1003-1011.
- McDonough W. F. and Sun S-s. (1995) The composition of the Earth, *Chem. Geol.* 120, 223-253.
- McLennan S. M., Nance W. B. and Taylor S. R. (1980) Rare earth element-thorium correlations in sedimentary rocks, and the composition of the continental crust, *Geochim. Cosmochim. Acta* 44, 1833-1839.
- McLennan S. M. and Hemming S. (1992) Samarium/neodymium elemental and isotopic systematics in sedimentary rocks, *Geochim. Cosmochim. Acta* 56, 887-898.
- McLennan S. M., Bock B., Hemming R., Hurowitz J. A., Lev S. M. and McDaniel D. K. (2003) The roles of provenance and sedimentary processes in the geochemistry of sedimentary rocks. In: Lenz, D.R. (Ed.), *Geochemistry of Sediments and Sedimentary Rocks*, Geological Association of Canada, Newfoundland (Geotext4.), 7-31.
- McLennan S. M., Hemming S., Taylor S. R. and Erikson (1995) Early Proterozoic crustal evolution: Geochemical and Nd-Pb isotopic evidence from metasedimentary rocks southwestern North America, *Geochim. Cosmochim. Acta* 59, 1153-1177.
- McLennan S. M. and Hemming S. (1992) Samarium/neodymium elemental and isotopic systematics in sedimentary rocks, *Geochim. Cosmochim. Acta* 56, 887-898.
- McLennan S. M., Hemming S., McDaniel D. K. and Hanson G. N. (1993) Geochemical approaches to sedimentation, provenance and tectonics, *Geol. Soc. Am. Sp. Paper* 284, 21-40.
- McLennan S. M. (1989) Rare Earth Elements in sedimentary rocks: influence of provenance and sedimentary processes, In: B. R. Lipin and G. A. McKay (eds.), *Geochemistry and mineralogy of rare earth elements*, *Reviews in Mineralogy* 21, 169-200.
- McElhinny M.W., Cowley J.A. and Edwards D.J. (1978) Paleomagnetism of some rocks from Peninsular India and Kashmir, *Tectonophysics* 50, 41-54.
- Medlicott H. B. (1859) Vindhyan rocks and their associates in Bundelkhand, *Mem. Geol. Surv. India* 2, part 1.
- Meert J.G. and Torsvik T.H. (2003) The making and unmaking of a supercontinent: Rodinia revisited, *Tectonophysics* 375, 261-288

- Michard A., Gurriet P., Soudant M. and Albarede F. (1985) Nd isotopes in French Phanerozoic shales: External and internal aspects of crustal evolution, *Geochim. Cosmochim. Acta* 49, 601-610.
- Milodowski A. E., Zalasiewicz J. A. (1991) The origin and sedimentary, diagenetic and metamorphic evolution of chlorite-mica stacks in Llandovery sediments of central Wales, U.K. *Geol. Mag.*, 128 (3), 263-278
- Miller D. M., Goldstein S. L. and Langmuir C. H. (1994) Cerium/lead and lead isotope ratios in arc magmas and the enrichment of lead in the continents. *Nature* 368, 514-520.
- Miller R. G. and O'Nions R. K. (1984) The provenance and crustal residence ages of British sediments in relation to palaeogeographic reconstructions. *Earth Planet. Sci. Lett.* 68, 459-470.
- Mishra D. C., Singh B., Tiwari V. M., Gupta S. B. and Rao M.B.S.V. (2000) Two cases of continental collisions and related tectonics during the Proterozoic period in India — insights from gravity modeling constrained by seismic and magnetotelluric studies, *Precam. Res.* 99, 149-169.
- Mishra M. and Sen S. (2010) Geochemical signatures of Mesoproterozoic siliciclastic rocks of the Kaimur Group of the Vindhyan Supergroup, *Central India, Chin. J. Geoch.* 29, 21-32.
- Mishra R. C. (1969) The Vindhyan System, Presidential Address 56th Indian science Congress, Kolkata, 1-32.
- Mondal M. E. A., Goswami J. N., Deomurari M. P. and Sharma K. K. (2002) Ion microprobe $^{207}\text{Pb}/^{206}\text{Pb}$ ages of zircons from the Bundelkhand massif, northern India: implications for crustal evolution of the Bundelkhand-Aravalli protocontinent, *Precam. Res.* 117, 85-100.
- Murthy T. V. V. G. R. K. and Mishra S. K. (1981) The Narmada-Son lineament and structure of the Narmada rift system, *Jour. Geol. Soc. India*, 22, 112-120.
- Naqvi S. M. and Rogers J. J. W. (1987) *Precambrian Geology of India*. Oxford University Press, Oxford, 223 pp.
- Naqvi S. M., Sawkar R. H., Subbarao D. V., Govil P. K. and Rao T. G. (1988) Geology, geochemistry and tectonic setting of Archean Greywacke from Karnataka nucleus, India, *Precam. Res.* 39, 193-216.
- Narian H. (1987) Geophysical constraints on the evolution of Purana basins of India with special reference to Cuddapah, Godavari and Vindhyan basins, *Mem. Geol. Soc. India* 6, 5-12.
- Nelson B. K. and DePaolo D. J. (1988) Application of Sm-Nd and Rb-Sr isotope systematics to studies of provenance and basin analysis. *Jour. Sed. Petrol.* 58, 348-357.
- Nesbitt H.W. and Young G. M. (1982) early Proterozoic climates and plate motions inferred from major element chemistry of lutites, *Nature* 299, 715-717.
- Nesbitt H.W. and Young G.M. (1984) Prediction of some weathering trends of plutonic and volcanic rocks based on thermodynamic and kinetic considerations, *Geochim. Cosmochim. Acta* 48, 1523-1534.
- Ohr M., Halliday A. N. and Peacor D. R. (1994) Mobility and fractionation of rare earth elements in argillaceous sediments: Implications for dating diagenesis and low-grade metamorphism, *Geochim. Cosmochim. Acta* 58, 289-312.

- O'Nions R.K., Hamilton P. J. and Hooker P. J. (1983) A Nd isotope investigation of sediments related to crustal development in the British Isles, *Earth Planet. Sci. Lett.* 63, 229-240.
- Oldham T. (1856) Remarks on the classification of the rocks of central India resulting from investigations of Geological Survey, *Jour. Asiatic. Soc. Bengal*, 25, 224-256.
- Oldham T. (1893) *Manual of Geology of India*, 2nd edition, Govt. Printing Press, 543p.
- Paikaray S., Banerjee S. and Mukherji S. (2008) Geochemistry of shales from the Paleoproterozoic to Neoproterozoic Vindhyan Supergroup: implications on provenance, tectonics and paleoweathering, *J. Asian Earth Sci.* 32, 34-48.
- Patranabis-Deb, S., Bickford, M.E., Hill, B., Chaudhuri, A.K. and Basu, A. (2007) SHRIMP Ages of Zircon in the Uppermost Tuff in Chattisgarh Basin in Central India Require ~500-Ma Adjustment in Indian Proterozoic Stratigraphy, *J. Geol.* 115, 407-415.
- Popp B. N., Parekh P., Tilbrook B., Bidigare R. R. and Laws E. A. (1997) Organic carbon $\delta^{13}\text{C}$ variations in sedimentary rocks as chemostratigraphic and paleoenvironmental tools, *Palaeogeogr. Palaeoclimat. Palaeoecology* 132, 119-132.
- Prasad B. (1980) Vindhyan stromatolites stratigraphy in SE Rajasthan, *Misc. Pub. Geol. Surv. India* 44, 201-206.
- Prasad B. (1981) A review of the Vindhyan Supergroup in southeastern Rajasthan, *Misc. Pub. Geol. Surv. India* 50, 31-40.
- Prasad B. (1984) Geology, sedimentation and paleogeography of the Vindhyan Supergroup, S.W. Rajasthan, *Mem. Geol. Surv. India* 116 (1), 1-107.
- Prasad B. R. and Rao V. V. (2006) Deep seismic reflection study over the Vindhyan of Rajasthan: Implications for geophysical setting of the basin, *J. Earth Syst. Sci.* 115 (1), 135-147.
- Raczek L., Jochum K. P. and Hofmann A. W. (2003) Neodymium and Strontium Isotope Data for USGS Reference Materials BCR-1, BCR-2, BHVO-1, BHVO-2, AGV-1, AGV-2, GSP-1, GSP-2 and Eight MPI-DING Reference Glasses, *Geostand. Newsl.* 27(2), 173-179.
- Radhakrishna B. P. and Naqvi S. M. (1986) Precambrian continental crust of India and its evolution, *J. Geology* 94, 145-166.
- Rai V. and Singh V. K. (2004) Discovery of *Obruchevella* Reitlinger, 1948 from the Late Palaeoproterozoic Lower Vindhyan succession and its significance, *Jour. Palaeont. Soc. India*, 49, 189-196.
- Rai V., Shukla M. and Gautam R. (1997) Discovery of carbonaceous megafossils (*Chuaria-Tawuia* assemblage) from the Neoproterozoic Vindhyan succession (Rewa Group), Allahabad-Rewa area, India, *Curr. Sci.* 73, 783-788.
- Ramakrishnan M. and Vaidyanadhan R. (2008) *Geology of India*, Volume 1, Bangalore, India, Geological Society of India, 556 p.
- Rasmussen B., Bose P. K., Sarkar S., Banerjee S., Fletcher I. R., and McNaughton N. J. (2002) 1.6 Ga U-Pb zircon age for the Chorhat Sandstone, lower Vindhyan, India: Possible implications for early evolution of animals, *Geology* 30, 103-106.
- Ray J. S., Davis W. J. and Shukla A. D. (2007) Age of lower Vindhyan of Rajasthan, Presented at *International Conference on Precambrian Sedimentation and Tectonics*, December 10-12, 2007, IIT Bombay, India.

- Ray J. S. (2006) Age of the Vindhyan Supergroup: A review of recent findings. *J. Earth Sys. Sci.* 115(1,) 149-160.
- Ray J. S., Martin M. W., Veizer J., and Bowring S. A. (2002) U-Pb zircon dating and Sr isotope systematics of the Vindhyan Supergroup, India, *Geology* 30, 131-134.
- Ray J. S., Veizer J. and Davis W. J. (2003) C, O, Sr and Pb isotope systematics of carbonate sequences of the Vindhyan Supergroup, India: age, diagenesis, correlations and implications for global events, *Precam. Res.* 132, 103-140.
- Ray R., Shukla A. D., Sheth H. C., Ray J. S., Duraiswami R. A., Vanderkluysen L., Rautela C.S. and Mallik J. (2008) Highly heterogeneous Precambrian basement under the central Deccan Traps, India: Direct evidence from xenoliths in dykes, *Gond. Res.* 13, 375-385.
- Raza M., Jafari S. G., Alvi S. H. and Khan A. (1993) Geodynamic evolution of Indian shield during Proterozoic: Evidence from mafic volcanic rocks, *J. Geol. Soc. India* 41, 455-469.
- Raza M., Casshyap S. M. and Khan A. (2002) Geochemistry of Mesoproterozoic Lower Vindhyan Shales from Chittaurgarh, Rajasthan and its Bearing on Source Rock Composition, Palaeoweathering Conditions and Tectono-sedimentary Environments, *Jour. Geol. Soc. India*, 60, 505-518.
- Raza M., Dayal A. M., Khan A., Bhardwaj V. R. and Rais S. (2010) Geochemistry of lower Vindhyan clastic sedimentary rocks of Northwestern India shield: Implications for composition and weathering history of Proterozoic continental crust, *J. Asian Earth Sci.* 39, 51-61.
- Raza M., Khan A. and Khan M. S. (2009) Origin of Late Palaeoproterozoic Great Vindhyan basin of North Indian shield: Geochemical evidence from mafic volcanic rocks, *J. Asian Earth Sci.* 34, 716-730.
- Richter F.M., Rowley D.B. and DePaolo D.J. (1992) Sr isotope evolution of seawater: the role of tectonics, *Earth Planet. Sci. Lett.* 109, 11-23.
- Rogers J. J. W. (1986) The Dharwar craton and the assembly of the Peninsular India, *J. Geol.* 94, 145-166.
- Rosenbaum J. and Sheppard S. M. F. (1986) An isotopic study of siderites, dolomites and ankerites at high temperatures, *Geochim. Cosmochim. Acta* 50, 1147-1150
- Roser B. P. and Korsch R. J. (1986) Determination of tectonic settings of sandstone-mudstone suits using SiO₂ content and K₂O/Na₂O ratio. *J. Geol.* 94, 635-650.
- Roy A. and Bandyopadhyay B. K. (1990) Cleavage development in Mahakoshal Group of rocks of Sleemanabad-Sihora area, Jabalpur District, Madhya Pradesh. *Indian Mineral* 44, 111-128.
- Roy A. B. and Jakhar S. R. (2002) *Geology of Rajasthan (Northwest India) Precambrian to recent*, Scientific Publishers (India), Jodhpur, 421p.
- Roy A. B. (1988) Framework of the Aravalli mountain range. In: Roy, A.B. (Ed.), *Precambrian of the Aravalli Mountain Rajasthan, India. Mem. Geol. Soc. India* 7, 3-31.
- Rye R., and Holland H.D. (1998) Paleosols and the evolution of atmospheric oxygen: A critical review, *American Journal of Science* 298, 621-672.
- Sahay A. and Srivastava D. C. (2005) Ductile shearing along the Great Boundary Fault: An example from the Berach river section, Chittaurgarh, Rajasthan, *Curr. Sci.* 88, 557-560.

- Sahni M. R. (1936) *Fermoria minima*: A revised classification of the organic remains from Vindhyan of India, *M. Rec. Geol. Surv. India*, 458-468.
- Sarangi S., Gopalan K. and Kumar S. (2004) Pb-Pb age of earliest megascopic, eukaryotic alga bearing Rhotas Formation, Vindhyan Supergroup, India: implications for Precambrian atmospheric oxygen evolution. *Precam. Res.* 132, 107-121.
- Sarkar A., Chakraborty P.P., Mishra B., Bera M. K., Sanyal P. and Paul S. (2009) Mesoproterozoic sulphidic ocean, delayed oxygenation and evolution of early life: sulphur isotope clues from Indian Proterozoic basins, *Geol. Mag.* 147 (2), 1-13.
- Sarkar G., Barman T.R. and Corfu F. (1989) Timing of Continental Arc-Type Magmatism In Northwest India; Evidence from U-Pb Zircon Geochronology, *J. Geol.* 97, 607-612.
- Sarkar S., Banerjee S. and Bose P. K. (1996) Trace fossils in the Mesoproterozoic Koldaha Shale, central India and their implications, *N. Jb. Geol. Paleont. Mh.* 7, 425-436.
- Sarkar S., Chakraborty P.P., Bhattacharya, S.K. and Banerjee S. (1998) C¹² enrichment along intraformational unconformities within Proterozoic Bhander limestone, Son valley, India and its implication. *Carbonates and Evaporites* 13, 108-114.
- Sastry M. V. A. and Moitra A. K. (1984) Vindhyan Stratigraphy-A review, *Mem. Geol. Surv. India* 116(2), 109-148.
- Schieber J. (1992) A combined petrographical-geochemical provenance study of the Newland formation, Mid-Proterozoic of Montana, *Geological Magazine* 129, 223-237.
- Schopf J. W. and Klein C. (1992) *The Proterozoic Biosphere – A Multidisciplinary Study*. Cambridge University Press, 1348p.
- Seilacher A., Bose P.K., and Pflüger F., (1998) Triploblastic animals more than 1 Billion years ago: trace fossil evidence from India, *Science* 282, 80-83.
- Sharma M. (1996) Microbiolites (stromatolites) from the Mesoproterozoic Salkhan Limestone, Semri Group, Rohtas, Bihar: their systematics and significance, *Geol. Soc. India, Mem.* 36, 167-196.
- Sharma M. (2006) Paleobiology of Mesoproterozoic Salkhan Limestone, Semri group, Rohtas, Bihar, India, Synthesis and significance, *J. Earth Syst. Sci.* 115 (1), 67-98.
- Shield G. and Veizer J. (2002) Precambrian marine carbonate isotope database version 1.1, G³, doi: 10.1029/2001GC/000266.
- Sinha-Roy S., Malhotra G. and Mohanty M. (1998) *Geology of Rajasthan*, Geological Society of India, Bangalore, 278p.
- Sinha-Roy S. and Mohanti M. (1988) Blue schist facies metamorphism in ophiolitic mélange of the late Proterozoic Delhi belt, Rajasthan, India, *Precam. Res.* 42, 97-105.
- Sinha-Roy S., Kirmani I. R., Reddy B. V. R., Sahu R. L. And Patel S. N. (1986) Fold pattern in the Vindhyan sequence in relation to the Great Boundary Fault: Example from Chittaurgarh area, Rajasthan, *Quart. Jour. Geol. Min. Metal. Soc. India* 558(4), 241-251.
- Sircombe K.N. (2004) Age Display: an EXCEL workbook to evaluate and display univariate geochronological data using binned frequency histograms and probability density distributions, *Comp. & Geosci.* 30, 21-31.
- Soni M. K., Chakraborty S. and Jain V. K. (1987) Vindhyan Super Group- A Review, *Mem. Geol. Soc. India* 6, 87-138.
- Sorby, H.C., 1880. On the structure and origin of non-calcareous stratified rocks. *Proc. Geol. Soc. Lond.* 36, 46- 92.

- Srivastava A. K. and Rajgopalan G. (1986) F-T Dating of Precambrian deposits of Vindhyan Group at Chitrakut, Banda district (U.P.-M.P.), In K. K. Sharma (ed.) *Nuclear Tracks*, 41-52.
- Srivastava D. C. and Sahay A. (2003) Brittle tectonics and pore-fluid conditions in the evolution of the Great Boundary Fault around Chittaurgarh, Northwestern India. *Struc. Geol.* 25, 1713-1733.
- Srivastava, P. (2002) Carbonaceous megafossils from the Dholpura Shale, Uppermost Vindhyan Supergroup, Rajasthan: An age implication, *J. Palaeontol. Soc. India* 47, 97-105.
- Srivastava P. (2009) *Trachyhystriochshaera*: An age-marker acanthomorph from the Bhandar group, upper Vindhyan, Rajasthan, *J. Earth Sys. Sci.* 118, 575-582.
- Srivastava H. B. and Gyanchand (1984) Geological and sedimentological studies of rocks, south of Chittaurgarh, Rajasthan, *Rec. Geol. Surv. India* 114(2), 1-14.
- Stern R. A. (1997) The GSC Sensitive High Resolution Ion Microprobe (SHRIMP): analytical techniques of zircon U-Th-Pb age determinations and performance evaluation. In: *Age and Isotopic Studies: Report 10. Geol. Surv. Canada (Current Research 1997-F*, 1-31.
- Stern R. A. and Amelin Y. (2003) Assessment of errors in SIMS zircon U-Pb geochronology using a natural zircon standard and NIST SRM 610 glass, *Chem. Geol.* 197 (1-4), 111-146.
- Strauss H. (1997) The isotopic composition of sedimentary sulfur through time. *Paleo. Paleo. Paleo.* 132, 97-118.
- Sudgen T. J., Deb M. and Windley B. E. (1990) Tectonic setting of mineralization in the Proterozoic Aravalli-Delhi orogenic belt, NW India, In : *Developments in Precambrian Geology*, 8, Elsevier, Amsterdam, 367-390.
- Tanaka T., Togashi S., Kamioka H., Amakawa H., Kagami H., Hamamoto T., Yuhara M., Orihashi Y., Yoneda S., Shimizu H., Kunimaru T., Takahashi K., Yanagi T., Nakano T., Fujimaki H., Shinjo R., Asahara Y., Tanimizu M., Dragusanu C. (2000) JNdi-1: a neodymium isotopic reference in consistency with La Jolla neodymium, *Chem. Geol.* 168, 279-281.
- Tandon S. K., Pant C. C. and Casshyap S.M. (1991) *Sedimentary basins of India – Tectonic context*. Gyanodaya Prakashan, Nainital.
- Taylor S. R. and McLennan S. M. (1985) *The Continental Crust: its Composition and Evolution*. Blackwell scientific publications, 312 pp.
- Tewari A. P. (1968) A new concept of paleotectonic setup of a part of a part of northern peninsular India with special reference to the great boundary faults. *Geol. Mijnbouw* 47, 21-27.
- Thurach H. (1884) Uⁿ ber das Vorkommen mikroskopischer Zirkoneund Titanmineralien in den, *Gesteinen. Verh. Phys. Med. Ges. Wurzburg.* 18, 203- 284.
- Tucker M., Wright V. P. and Dickson J. A. D. (1990) *Carbonate Sedimentology*, Wiley Blackwell, 482p
- Turner C. C., Meert J. G., Kamenov G.D., and Pandit M.K. (2010) A Detrital zircon transect across the Son Valley sector of the Vindhyan Basin, India: Further constraints on Basin Evolution Geological Society of America *Abstracts with Programs*, 42, # 5, p. 195.

- Valdiya K. S. (1969) Stromatolites of Lesser Himalayan carbonate formations and Vindhyan, *J. Geol. Soc. India* 10, 1-25.
- Veizer J., Ala D., Azmy K., Bruckschen P., Buhl D., Bruhn F., Carden G.A.F., Diener A., Ebner S., Godderis Y., Jasper T., Korte C., Pawellek F., Podlaha O.G. and Strauss H. (1999) $^{87}\text{Sr}/^{86}\text{Sr}$, $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ evolution of Phanerozoic seawater, *Chem. Geol.* 161, 59-88.
- Veizer J., Holser W. T. and Wilgus C. K. (1980) Correlation of $^{13}\text{C}/^{12}\text{C}$ and $^{34}\text{S}/^{32}\text{S}$ secular variations. *Geochim. Cosmochim. Acta* 44, 579-587.
- Venkatachala B. S., Sharma M., Shukla M. (1996) Age and life of the Vindhyan-facts and conjecture. In: Bhattacharyya, A. (Ed.), *Recent Advances in Vindhyan Geology*, *Mem. Geol. Soc. India* 36, 137-165.
- Verma P. K. (1996) Evolution and Age of the Great Boundary fault of Rajasthan, *Mem. Geol. Soc. India*, 36, 197-212.
- Verma, P. K. and Greiling, R. O. (1995) Tectonic evolution of the Aravalli orogen (NW India): an inverted Proterozoic rift basin? *Geol. Rundsch.* 84, 683-696.
- Verma R. K (1991) *Geodynamics of the Indian Peninsula and the Indian Plate Margin*, Oxford and IBH, 357p.
- Vinogradov A., Tugarinov A., Zhykov C., Stapnikova N., Bibikova E., and Khorre K. (1964) Geochronology of Indian Precambrian: New Delhi, *International Geological Congress*, 10, 553-567.
- Vredenburg E. (1906) Suggestions for a classification of the Vindhyan system, *Rec. Geol. Surv. India* 23, 254-260.
- Wang Y. L., Liu Y. G. and Schmitt R. A. (1986) Rare earth element geochemistry of south Atlantic deep sea sediments: Ce anomaly change at -54 My, *Geochim. Cosmochim. Acta* 50, 1337-1355.
- Weltje G. J and Eynatten H. V. (2004) Quantitative provenance analysis of sediments: review and outlook, *Sed. Geol.* 171, 1-11.
- Weidenbeck M., Goswami J.N. and Roy A.B. (1996) Stabilization of the Aravalli craton of the northwestern India at 2.5 Ga, an ion microprobe zircon study, *Chem. Geol.* 129, 325-340.
- Winter J. D. (2001) *An Introduction to Igneous and Metamorphic Petrology*, Printice Hall, New Jersey, USA, 697p.
- Wronkiewicz D. J. and Condie K. C. (1987) Geochemistry of archean shales from the Witwatersand supergroup, South Africa: source-area weathering and provenance, *Geochim. Cosmochim. Acta* 51, 2401-2416.
- Yedekar D. B., Jain S. C., Nair K. K. K. and Dutta K. K. (1990) The Central Indian collision suture, *Spec. Pub. Geol. Surv. India* 28, 1-43.
- Yin L. M., Zhu M. Y., Knoll A. H., Yuan X.L., Zhang J.M. and Hu J. (2007) Doushantuo embryos preserved inside diapauses egg cysts, *Nature* 446, 661-663.