

BIBLIOGRAPHY

- ANON, (1971) Code of stratigraphic nomenclature of India.
Geol. Surv. Ind. Publ. No:20, pp.22.
- ASHWORTH,J.R. (1985) Introduction; In Migmatites ed.
J.R. ASHWORTH. Blackie and Son Limited, Glasgow,
pp.302.
- AUDEN,J.B. (1931). General Report - 1930; Record Geol. Surv
Ind., LXV Part - I pp. 133-144.
- BARKER,A.J. (1990).Introduction to metamorphic textures and
microstructures. Publ. Blackie Glasgow and London.
pp.162
- BASU,K.K. (1961) Nature of the mafic rocks of Kishangarh
and Sitamba Areas, Ajmer dist., Rajasthan; Geol.
Surv. Ind. unpubl. Report.
- BASU,K.K. (1966). Stratigraphy and structure of the rocks
around Bhilwara, Bhilwara dist. Raj. Jour. Geol.
Soc. Ind. V : 3. pp. 65-67.
- BECKE,F (1909). Uber diaphorite, Tscherm. Min. Pet. Mitt.,
V : 28, pp.369.
- BERTHE,D. CHOUKROUNE,P. AND JEGOUZO,P. (1979) :
Orthogneiss, Mylonite and non-coaxial deformation of
granites : the example of the South Armorican shear
zone : Jour. struc. Geol. V : 1, pp. 31-42.
- BELL,T.H. and JOHNSON,S.E. (1992) Shear sense : A new
approach that resolves conflicts between criteria in
metamorphic rocks. Jour. metam. geol. V : 10,
pp. 99-124.

- CHOUBEY,V.D. (1971). Superposed folding in transition rocks Precambrian and its influence on the structure of the Southeastern margin of the Vindhyan basin, Jabalpur, M.P. Jour. Geol. Soc. Ind. V : 12 pp. 142-151.
- CHRISTIE,J.M. (1963). The moine thrust zone in the Assynt region north west Scotland. Univ. Calf. Publ. Geol. Sci. V : 40(6). pp. 345-440.
- COORAY,P.G. (1960). Khondalites and charnockites of the Laggala-Pallegama area, Ceylon. Bull. Mysore Geol. Assoc. No:18. pp. 1-32.
- COORAY,P.G. (1962). Charnockites and their associated gneisses in pre-cambrians of Ceylon. Quart. Jour. Geol. Soc. Lond. V : CXVIII, pp. 239-273.
- COTILLON,P. (1992). Stratigraphy. Springer-Verlag. pp.187.
- COULSON,A.L. (1933). The geology of Sirohi state Rajasthan: Mem. Geol. Surv. Ind., V : LX III., Part-I.
- CROOKSHANK,H. (1948). Western margin of eastern Ghats in southern Jaipur; record Geol. Surv. Ind., V : 73, pp. 208-434.
- DEB,M. and SARKAR,S.C. (1990) Proterozoic tectonic evolution and metallogenesis in the Aravalli-Delhi orogenic complex North western India. Precam. Res., V : 46. pp. 115-137.
- DESAI,S.J., PATEL,M.P. and MERH,S.S., (1978) : Polymetamorphites of Balaram-Abu Road area,North Gujarat and South Rajasthan. Jour. Geol. Soc. Ind. V:19, pp. 383-394.

BELL,T.H., JOHNSON,S.E., DAVIS,B., FORDE,A., HAYWARD,N.
and WILKINE,C. (1992). Porphyroblast inclusion
trail orientation data : eppure non son girate : J.
metam Geol. V : 10, pp. 295-307.

BELL,T.H. and JOHNSON,S.E. (1989) Porphyroblast inclusion
trails : the key to orogenesis. J. metam. Geol. V :
7, pp.279-310.

BELL,T.H. and ETHERIDGE,M.A. (1973). Microstructures of
mylonites and their descriptive terminology. Lithos.
V : 6. pp. 337-348.

BLUMENFELD,P.(1983). Le "tuilage des megacristaux" uncritere
decoulement rotational pour les fluidalites des
reaches magmatiques: Application au granite de
Barbey. Bulletin de la Societe geologique de France,
V:25. pp.309-318.

BLUMENFELD,P. and BOUCHEZ,J.L. (1988). Shear criteria in
granite and migmatite deformed in the magmatic and
solid states : Jour. Struc. Geol. V : 10 pp.361-372.

BURKE,K., DEWEY,J.F. and KIDD,W.S. (1976). Precambrian
paleomagnetic results compatible with contemporary
orientation of the wilson cycle : Tectonophysics,
V : 34. pp. 29-36.

CHANDAK,G.J. (1965-66). Structure and stratigraphy of the
rocks around Mavli-Pipalkunt area, Udaipur dist.,
Rajasthan: Unpubl. Geol. Surv. Ind. report.

CHATTOPADHYAY,N.K.(1968). On the structure and stratigraphy
of the Delhi rocks around Barr. Ajmer dist.
Rajasthan : Unpubl. Geol. Surv. Ind. report.

DRURY,S.A. (1990). Spot Image data as an aid to structural mapping in the southern Aravalli Hills of Rajasthan, India. Geol. Mag. V:127(3), pp. 195-207.

EISBACHER,G.H. (1970). Deformation mechanics of mylonitic rocks and fractured granites in Cobequid mountains, Nova Scotia, Canada; Geol. Soc. Am. Bull. V:81, pp. 2009-2020.

ESKOLA,P. (1957). On the mineral facies of charnockites. Jour. Madras. Univ. V:27, pp. 101-119.

FERMOR,L.L. (1936). On the age of Aravalli range. Rec. Geol Surv. Ind. V:62, Part-IV, pp. 391-409.

FOSSEN,H. and RYKKELID,E.(1990). Shear zone structure in the Oygarden area, west Norway. Tectonophysics, V:174, pp. 385-397.

GANGOPADHYAY,P.K. (1967). Structural frame-work of Alwar region with special reference to the occurrence of some rock types; Proc. Symposium Upper mantle Proj., Hyderabad. India. pp.420-429.

GANGOPADHYAY,P.K. (1970). Structure and tectonic of Alwar region in Rajasthan with special reference to the emplacement of basic and acidic Igneous rocks in Delhi system; Proc. 2nd symp. upper mantle Proj., Hyderabad.

GANGOPADHYAY,P.K. (1972). Structure and tectonics of Alwar region in North-Eastern Raj., India with special reference to Pre-cambrian stratigraphy; Intern. Geol. Cong. Sec. 1, pp. 118-125.

GANGOPADHYAY,P.K. and LAHIRI,A. (1983). Barr conglomerate: Its recognition and significance in relation to the stratigraphy of the Delhi supergroup. Jour. Geol. Soc. Ind. V:24, pp. 262-270.

GANGOPADHYAY,P.K. and SEN,R. (1968). Evidence of refolding in Delhi system of rocks near Bairawas, Alwar dist; Raj., J. Geol. Soc. Ind., V:5, pp.22-35.

GANGOPADHAYAY,P.K. and SEN,R. (1971). Trend of regional metamorphism : An example from "Delhi system" of rocks occurring around Bairawas, North-Eastern Rajasthan. ProC.Ind. Sci.Cong.

GANGOPADHYAY,P.K. and SEN,R. (1972). Trend of regional metamorphism: An example from Delhi system of rocks occurring around Bairawas, Northeastern Rajasthan, India, Geol. Runds, V:61. pp. 270-281.

GANGOPADHYAY,P.K. and SEN,R. (1975). Structural framework in Delhi group of rocks with special reference of Interference patterns: A study around Kushalgarh, Northeastern Rajasthan : Jour. Geol. Soc. Ind. V:16. pp. 317-325.

GHOSH,P.K. (1933). The Talc-serpentine-chlorite rocks of southern Mewar and Dungarpur. Rec. Geol. Surv. Ind, V:LXVI.

GHOSH,S.K. (1985). Ductile shear zones - A review of recent studies. Quart. Jour. Geol. Min. Met. Soc. Ind. V: 57, No:3, pp. 183-202.

GUPTA,B.C. (1934). The Geology of Central Mewar. Mem. Geol. Surv. Ind. LXV. Part II, pp.169.

GUPTA,B.C. and MUKHERJEE,P.N. (1938). The Geology of Gujarat and Southern Rajputana Rec. Geol. Surv. Ind. LXXIII, Part II, pp. 163-208.

GUPTA,S.N. (1965-67). Stratigraphy and structure of the rocks around Amet-Raj. unpubl. Geol Surv. Ind. Report.

GUPTA,S.N., Y.K,MATHUR., IQBALUDDIN,R.K., PRASAD,B., SAHAI,T.N. and SHARMA,S.B.(1980). Lithostratigraphic map of Aravalli region, southern Raj. and northern, Guj. Geol. Surv. Ind. Calcutta.

GUPTA,S.N., MATHUR,R.K. and ARORA,Y.K. (1992). Lithostratigraphy of proterozoic rocks of Rajasthan and Gujarat - A review Records Geol. Surv. Ind. V:115. pp.63-85.

HACKET,C.A. (1881). Geology of Aravalli region, central and Eastern : Rec. Geol. Surv. Ind., XIV, Part IV, pp.279-303.

HANMER,S. and PASSCHIER,C.W.(1991). Shear sense indicators: A review. Geol. Surv. Can. Paper. 90-17, pp.72.

HEINRICH,E.W.M. (1956). Microscopic petrography. Mc.Graw Hill book Company. Inc. pp.296.

HERON,A.M. (1917).The geology of North-east Rajasthan and adjacent districts : Mem. Geol. Surv. Ind. V : 45, Part.I.

HERON,A.M. (1936).Geology of south east Mewar, Rajputana; Mem. Geol. Surv. Ind. V:68.

HERON,A.M. and GHOSH,P.K. (1938). The geology of Palanpur Danta and Part of Idar state; Rec. Geol. Surv. Ind., V:72, pp.367-411.

HIGGINS,M.W. (1971). Cataclastic rocks. Prof. pap. U.S. Geol. Surv. V:687, pp.1-97.

HILLS,E.S. (1963). Elements of structural geology. Methuen. London.

HOBBS,B.E., MEANS,W.D. and WILLIAMS,P.F. (1976) : An outline of structural geology. wiley and sons., pp.571.

IQBALLUDIN and MATHUR,R.K. (1966). Systematic geological mapping in parts of lead-Zinc belt of Zawar. Udaipur district. Rajasthan. unpubl. Geol.Surv. Ind. Report.

JOHNSON,S.E.(1990_a). Lack of porphyroblast rotation in the otago schists, New-Zealand : implications for crenulation cleavage development, folding and deformation partitioning. J. metm. Geol. V:8, pp.13-80.

JOHNSON,S.E. (1990_b). Deformation history of the otago schists, New-Zealand, from progressively developed porphyroblast-matrix microstructures : uplift - collapse orogenesis and its implications. J. struc. Geol. V:12, pp. 727-746.

JOHNSON,S.E.(1992). Sequential porphyroblast growth during progressive deformation and Low-P. High-T. (LPHT) metamorphism, Cooma complex, Australia. The use of microstructural analysis to better understand deformation and metamorphic histories. Tectono-physics, V:214, pp. 311-339.

KARUNAKARAN,C. (1952-63). On the geology of Ajmer and Gogunda area. unpubl. Geol. Surv. Ind. Report.

KNOPF,E.B. and INGERSON,E. (1938). Structural Petrology, Mem.GeoL Soc. Am. V:6.

KRISHNAN,M.S. (1968). Geology of India and Burma.
Higginbothams, Madras.

KRUMBEIN,W.C. and SLOSS,L.L. (1963). Stratigraphy and
sedimentation. Freeman, San Francisco. pp. 660

KURIEN,T.K. (1951-52). Structure and stratigraphy of the
rocks around Gogunda area, Rajasthan; unpubl. Geol.
Surv. Ind. Report.

LA TOUCHE,T.D. (1902). Geology of western Rajputana; Mem.
Geol. Surv. Ind. XXV, Part I.

LAL,R.K. and SHUKLA,R.S. (1975). Low pressure regional
metamorphism in northern portion of Khetri copper
belt of Rajasthan, India. NJb. Miner. Abh., V:124,
pp.294-325.

LAPWORTH,C. (1885). The highland controversy in British
geology. Its causes and consequences. Nature. Oct.8,
pp. 558-559.

LISTER,G.S. and SNOKE,A.W. (1984) : S-C Mylonites. Jour.
Struc. Geol. V:6, pp. 617-638.

MATHUR,R.K. (1963-64). Structural characteristics of the
rocks around Gurali area, Udaipur dist., Rajasthan;
unpubl. Geol. Surv. Ind. Report.

MATHUR,R.K. (1964). Systematic geological mapping in parts
of Udaipur district, Rajasthan. unpubl. Geol. Surv.
Ind. Report.

MATHUR,R.K., IQBALUDDIN, BHATTACHARJEE,N.B. and JAYARAM.B.N
(1973). Stratigraphy and classification of Aravalli
supergroup in parts of Udaipur district, Rajasthan.
Sem. Recent Adv. in geology of Raj and Guj. Jaipur.
Abs. p.2.

Mc WILLIAMS,M.O. (1981). Palaeomagnetism and precambrian tectonic evolution of Gondwana. In : Precambrian plate tectonics. ed : A. Kröner, Elsevier, Amsterdam. pp. 649-688.

MERH,S.S.(1950). On the geology of the area around Ambamata (Danta state) N. Gujarat. Quart. Jour. Geol. Min. Met. Soc. Ind. XXII, No.3.

MERH,S.S. (1967). Mafic and ultramafic rocks of the pre-cambrian terrain of Gujarat; Proc. Symp. upper mantle proj. Session VI, Hyderabad.

MIDDLE MISS,C.S. (1931). Geology of Idar state; Mem. Geol. Surv. Ind., XLIV, Part-I.

MISRA,R.C. (1949). Correlation of Bundelkhand granites and associated rocks from Mahoba area; Proc. 36th Ind. Sci. Cong. Part-III (Abst). pp.112.

MISRA,R.C. (1969). The Vindhyan system; Press. add. 56th session, Ind. Sci.Cong., Bombay (Powai).

MIYASHIRO,A. (1973). Metamorphism and metamorphic belts, George Allen and Unwin Ltd. London. pp.492.

MOHANTY,M., GUPTA,G.P. and SAHU,R.L. (1993). Occurrence of ultramafic breccia in the Aravalli fold belt. Raj. Curr. Sci. V:64, pp.679-681.

MUKTINATH and SANT,V.N. (1967). Occurrence of algal phosphorites in the precambrian rocks of Rajasthan. Curr. Sci. V:36. pp.630.

NAHA et.al. (1966). The Geometry of the Hammer Head Syncline and Hook Syncline in central Rajasthan : An example of axial plane folding : Geol. Min. Met. Quart. Jour. V:38, pp. 71-75.

NAHA et.al. (1969). Upright folding of varying intensity on Isoclinal folds of diverse orientation : A study from the early precambrian of western India; Geol. Runds. V:58, pp. 929-950.

NAHA,K. and HALYBURTON,R.V. (1971). Significance of small scale deformation structure around Jawad, Udaipur dist., Raj. Jour. Geol. Soc. Ind., V:12. pp.69-75.

NAHA,K. and HALYBURTON,R.V. (1974_a). Early precambrian stratigraphy of central and southern Rajasthan, India; Precam. Res., V:1. pp. 55-73.

NAHA,K. and HALYBURTON,R.V. (1974_b). Late stress system from conjugate folds and Kink bands in the main Raialo syncline, Udaipur, dist., Raj. Ind. Geol. Soc. Am. Bull. V:85. pp. 251-256.

NAHA,K. and MAJUMDAR,A. (1971_a). Reinterpretation of the Aravalli Basal conglomerate at Marchana, Udaipur dist., Raj., Ind. Geol. Mag. V:108. pp. 111-114.

NAHA,K. and MAJUMDAR,A. (1971_b). Structure of the Rajanagar marble band and its bearing on the early precambrian stratigraphy of central Raj., western India; Geol. Runds. V:60, pp. 1556-1571.

NAHA,K. and MOHANTY,S. (1988). Response of basement and cover rocks to multiple deformations. A study from the precambrians of Rajasthan, western India. Precam Res. V:42. pp. 77-96.

NAHA,K., MUKHOPADHYAY,D.K., MOHANTY,R., MITRA,S.K. and BISWAL,T.K. (1984). Significance of contrast in the early stages of the structural history of the Delhi and the Pre-Delhi rock groups in the proterozoic of Rajasthan, western India: Tectonophysics, V:105, pp.193-206.

NAHA,K. and ROY,A.B.(1983). The problem of the precambrian basement in Rajasthan, western India. V:19, pp.217-223.

NAGORI,D.K. (1988). Paleogeography and depositional environment of the phosphorite bearing early proterozoic carbonate rocks around Udaipur, Rajasthan. In : Pre Cambrian of the Aravalli mountain, Raj. India. (ED) A.B. ROY. pp. 139-152.

NIYOGI,D. (1952). Preliminary structural and tectonic studies of Kishangarh alkaline rocks. Sci Calcutta. V:17, pp.433.

NIYOGI,D. (1960). Structural pattern of the Kishangarh alkaline rocks. Quart. J.M.S.I. V:32, pp.37.

NOLD,I.N. and CARL,P. (1967). Changes in K-feldspar staining methods and adoption for field use. Am. Min. V:52.

OLDHAM,R.D. (1893). Manual of Geology of India; Govt of Ind, Press Nasik.

PANDYA,M.K. and GYANI,K.G. (1970). Granulitic rocks from the Banded Gneissic Complex of Bandwara Region Ajmer dist., Raj. Proc. Symp. upper mantle proj. Hyderabad, pp. 339-348.

PASCOE,E.(1950). A Manual of the geology of India and Burma; Govt. Ind. Press. Calcutta, V:1. pp.483.

PASSCHIER,C.W., TROUW,R.A.J., ZWART,H.J., VISSERS,R.L.M. (1992). Porphyroclasts rotation; eppur Si muove ? J. metm. Geol. V:10, pp.283-294.

PATEL,M.P.(1975). On the structural characteristics of the rocks of Bhiloda-Shamlaji area of Sabarkantha, Guj. Miner. wealth, V:11. pp.13-16.

PATEL,P.P. (1971). A detailed study of the rocks of Bhatana and Kapasia area of Sirohi-Palanpur (N. Guj-Raj) with special reference to their structural and metamorphic history and Igneous activities.

PLOTNIKOV,L.M. (1994). Shear structures in layered geological bodies. Publ. Oxford and IBH Co. Ltd. pp.171.

PODDAR,B.C. (1965). Stratigraphic position of the Banded Gneissic Complex of Raj. Curr. Sci. V:34, pp.483-484

PODDAR,B.C. (1966). An example of contrasted tectonic Regimes from the pre-cambrian of Udaipur dist. Raj. Ind. Miner. V:20, pp. 192-194.

POWAR,K.B. and PATWARDHAN,A.M. (1984). Tectonic evolution and base metal mineralisation in the Aravalli-Delhi belt, India. Pre-cambrian Res. V:25, pp.309-323.

POWELL,C. Mc A. and VERNON,R.H.(1979). Growth and rotation history of garnet porphyroblasts with inclusion spirals in a Karakoran schist; Tectonophysics, V:54, pp.25-43.

PRASADA RAO,C.S. et.al. (1965). Structure and Stratigraphy of the Delhi rocks around Khed-Brahma, Sabarkantha dist. N. Guj. unpubl. Geol. Surv. Ind. Report.

RAJA RAO,C.S. (1967). On the age of pre-cambrian groups of Rajasthan. J. Mines. Met. Fuels. V:15. pp.309-319.

RAJA RAO,C.S. (1976). Precambrian sequence of Raj. Geol. Surv. Ind. Misc. Publ. V:23, pp.497-516.

RAJA RAO,C.S. et. al. (1971). Precambrian stratigraphy of Rajasthan : A Review ; Geol. Surv. Ind. Rec. V:101, pp.60-79.

RAMSAY,J.G. (1962). The geometry of conjugate fold systems. Geol. Mag. V:98, pp.324-332.

RAMSAY,J.G. (1967).Folding and Fracturing of rocks; Mc Graw-Hill Book Co. New York, pp.568.

RAMSAY,J.G. (1980). Shear zone geometry: A Review : J.Struc. Geol. V:2, pp.83-99.

RAMSAY,J.G. and GRAHAM,R.H. (1970) : Strain variation in shear belts; Canadian J. Earth. Sci., V:7,pp.786-813.

RAMSAY,J.G. and HUBER,M.I.(1983). The techniques of modern structural geology, V:1 : strain analysis ; Academic press London, pp.307.

RAMSAY,J.G. and HUBER,M.I. (1987) : The techniques of modern structural geology. V:2. Folds and Fractures; Academic Press, London. pp.391.

RAY,S.K. (1974). Structural history of the Saladipura pyrite-pyrhotite deposit and associated rocks. Khetri copper belt, Raj. J. Geol. Soc. Ind. V:15. pp. 227-238.

RAZA,M. and KHAN,S.M. (1993). Basal Aravalli volcanism : Evidence for an abortive attempt to form proterozoic greenstone belt in northwestern part of Indian shield. J. Geol. Soc. Ind. V:42. pp. 493-512.

READ,H.H. (1957). The granite controversy. Thomas Murby and Co. London.

RICHARDSON,S.W. (1969). Experimental determination of kyanite-Andalusite and Andalusite-Sillimanite equilibria : The Alumininium silicate triple point: Am.J. Sci. V:267, pp. 259-372.

RICHARDSON,S.W. et.al(1968). Kyanite-sillimanite equilibrium between 700°C and 1500°C; Am.J.Sci. V:266,pp.513-541

RODE,P.K. et.al. (1967). On the charnockite and other Granulite rocks of the Bhimkaura region; Symp. plat. Compl. Ind. Osmania Univ.

ROY,A.B. (1991). Evolution of early proterozoic Aravalli depositional basin. In: Sedimentary basins of India: Tectonic context. (eds). Tandon,S.K., Pant,C.C. and Casshyap,S.M. pp. 1-11.

ROY,A.B. (1990). Evolution of the precambrian crust of the Aravalli mountain range. In: Precambrian continental crust and its economic resources (ed) S.M. Naqvi, Elsevier, Amsterdam. pp.329-347.

ROY. A.B. (1973). Nature and evolution of subhorizontal crenulation cleavage in the Aravalli rocks around Udaipur, Raj.Proc.Ind.Nat.Sci.Acad. V:39, pp.119-131

ROY,A.B. (1978). Modification of flexural folds by flattening process: examples from the Aravalli rocks of Zawar mine area. Raj. J. G.S.I. V:29, pp.21-25.

ROY. A.B. (1985). Tectonic and stratigraphic framework of the early precambrian rocks of Raj. & N^{en} Guj. Bull. Geol. Min. Met. Soc. Ind. V:53, pp.100-114.

ROY, et.al.(1993). Lithostratigraphy and tectonic evolution of the Aravalli supergroup - A protogeosynclinal sequence. In : Rift basins and Aulacogens (ed) S.M.Cassyap. pp.73-90.

ROY,A.B. and A.K.JAIN. (1974). Polyphase deformation in the lead-Zinc-bearing precambrian rocks of Zawarmala, Udaipur district, Southern Rajasthan, Geol. Min. Met. Soc. Ind. Golden Jubilee vol. pp.81-86.

ROY,A.B., B.S.PALIWAL and B.R. BEJARNIA (1984). The Aravalli rocks: An evolutionary model and metallogenetic trends. Proc. Sem- on crustal evolution of the Indian shield and its bearing on metallogeny, Ind. J. Earth.Sci. pp. 73-83.

ROY,A.B. and BEJARNIYA,B.R. (1990). A tectonic model for the early proterozoic Aravalli (supergroup) rocks from north of Udaipur, Raj. In: crustal evolution and Orogeny, (ed) S.P.Sychanthavong. pp.249-274.

ROY,A.B. and DAS,A.R. (1985). A study of time relations between movements, metamorphism and granite emplacement in the middle proterozoic Delhi Supergroup of Raj.J.Geol.Soc.Ind. V:26, pp.726-773.

ROY,A.B., GOLANI,P.R. and BEJARNIYA,B.R. (1985). The Ahar river granite. Its stratigraphic and structural relations with the early proterozoic rocks of south-eastern Raj. J. Geol. Soc. Ind. V:26, pp.315-325.

ROY,A.B., NAGORI,D.K.,GOLANI, P.R., DHAKAR,S.P. and CHAUDHARI,R. (1980). Structural geometry of the rock phosphate-bearing Aravalli rocks around Jhamarkotra mines area, Udaipur dist. Raj. Ind. J. Earth-Sci.V:7 pp.191-202.

ROY,A.B. and NAGORI,D.K. (1990). Influence of differential basement mobility on contrasting structural styles in the cover rocks : An example from early precambrian rocks, east of Udaipur, Raj. Proc. Ind. Acad. Sci. (Earth Planet. Sci) V:99, pp.291-308.

ROY,A.B., PALIWAL,B.S. and GOEL,O.P. (1971). Superposed folding in the Aravalli rocks of the type area around Udaipur. Raj. J. Geol. Soc. Ind. V:12, pp.342-348.

ROY,A.B. and PALIWAL,B.S. (1981): Evolution of lower proterozoic epicontinental deposits : Stromatolite bearing Aravalli rocks of Udaipur, Raj.Ind. Precam. Res. V:14, pp.49-74.

ROY,A.B., PALIWAL,B.S., SHEKHAWAT,S.S., NAGORI,D.K. GOLANI,P.R. and BEJARNIYA,B.R. (1988). Stratigraphy of the Aravalli mountain, Raj.Ind.(ed) A.B,Roy- Geol Soc. Ind. Mem.7. pp.121-138.

ROY,A.B., SOMANI,M.K. and SHARMA,N.K. (1981). Aravalli, Pre-Arvalli relationship : A study from the Bhinder region, southern Raj. Ind. J. Earth.Sci. V:8, pp.119-130.

ROY CHAUDHURI,M.K. and DAS GUPTA,S.D. (1965). Ore localisation in the Khetri copper belt, Raj. India. Econ. Geol. V:60, pp.69-88.

RYKKELID,E. and FOSSEN,H. (1992). Composite fabrics in mid-crustal gneisses : observations from the Oygarden Complex, west Norway Caledonides. J. Struc. Geol. V:114, pp.1-9.

SARKAR,S.N. (1968). Precambrian stratigraphy and Geochronology of peninsular India : Dhanbad publ. Ind. pp.33

SCHONEVELD,C. (1977). A study of some typical inclusion patterns in strongly paracrystalline rotated garnets Tectonophysics. V:39, pp. 453-471.

- SCHREYER,W. (1969). High pressure phases in the system MgO-Al₂O₃-SiO₂-H₂O; Am.J.Sci. V:267.(ed) A.Schrairer pp. 407-443.
- SCHREYER,W. and SEIFERT,F. (1969). Compatibility relations of the aluminium silicates in the system MgO-Al₂O₃-SiO₂-H₂O at high pressures; Am. J. Sci. V:267. pp.271-368.
- SCHREYER,W. and SEIFERT,F. (1970). Pressure dependence of crystal structures in the system. MgO-Al₂O₃-SiO₂-H₂O at pressures up to 30 kbs. Physics Earth Planit. Inter. V:3. pp.422-430.
- SEN,S. (1970) Some problem of precambrian Geology of the central and southern Aravalli range, Raj. J. Geol. Soc. Ind. V:11, pp.317-331.
- SEN,S. (1980). Precambrian stratigraphic sequence in a part of the Aravalli Range, Raj : A re-evaluation. Quart. J. Geol. Min. Metall. Soc. Ind. V:52. pp.63-76.
- SEN,S.(1981). Proterozoic palaeo-tectonics in the evolution of crust and location of metalliferous deposits, Rajasthan. Quart. Jour. Geol. Min. Met. Soc. Ind. V:52, pp.162-185.
- SHARMA,B.L., CHAUHAN,N.K. and BHU,H. (1988). Structural geometry and deformation history of the early proterozoic Aravalli rocks from Bagdunda, dist. Udaipur, Raj. In : Precambrian of the Aravalli mountain, Raj. India. (ed) A.B.Roy. pp.169-191.
- SHARMA,N.L. (1931). A preliminary note on the geology of Danta state (N. Guj.) Quart. Jour. Geol. Min. Met. Soc. Ind. V:3, pp.17-38.

SHARMA,N.L. (1953). Problems in the correlation of the pre-Vindhyan Igneous rocks of Rajasthan. Press. Add. Ind. Sci. Cong. Part IX. pp.30.

SHARMA,N.L.and NANDY,N.C.(1938). Petrological classification of the basic Intrusions of Danta state; Proc. Ind. Acad. Sci. V:3, pp.366-376.

SHARMA,R.S. (1977). Deformation and recrystallization of the precambrian rocks in north-central Aravalli mountains, Raj. Ind. Precam. Res. V:4, pp.133-162.

SHARMA,R.S. (1983_a). On the polymineralic parageneisses from Karera, district Bhilwara, Rajasthan., Metamorphic conditions and petrogenesis. Ind. J. Earth.Sci., V:10, pp. 152-169.

SHARMA,R.S. (1983_b). Basement-cover rocks relations in north central Aravalli Range : A tectonic and metamorphic synthesis. In : Recent researches in Geology (ed) S. Sinha Roy. V:10, structure and tectonics of the precambrian rocks. Hindustan Publ. Corp. Delhi. pp.52-71.

SHARMA,R.S. (1983_c). Pressure, temperature and time indicators in granulites from Rajasthan, NW India. Geophys. J.R. Astr. Soc. V:73, pp.291.

SHARMA,R. and NARAYANA,V. (1975). Petrology of polymetamorphic schists from an Archean complex terrain. South east of Beawar, Rajasthan, India. W.Jb Miner. Abh. V:134, pp.190-222.

SHARMA,R.S.and MAC RAC,N.D.(1981). Paragenetic relation in gedrite-Cordierite-staurolite-biotite-sillimanite-kyanite gneisses at Ajitpura, Raj. Ind. Contr. Min. Pet. V:78, pp. 46-60.

SHARMA,R.S., SILLS,J.D. and JOSHI,M. (1987). Mineralogy and Metamorphic history of norite dykes within granulite facies gneisses from Sand Mata, Raj. NW.Ind. Min. Mag. V:51, pp.207-215.

SHARMA et.al. (1984). Petrochemistry and Petrogenesis of amphibolites of Bagdunda, dist. Udaipur, Raj. Proc.V IGC. pp. 263-270.

SIMPSON,C. and SCHMID,S.M. (1983). An evaluation criteria to deduce the sense of movement in sheared rocks: Geol. Soc. Am. Bull. V:94, pp.1281-1288.

SINHA-ROY,S. (1984). Precambrian crustal interaction in Rajasthan, NW India. Ind. Jour. Earth Sci. CEISM, Seminar vol. pp.84-91.

SINHA ROY,S. (1986). Precambrian wilson cycle in Raj.(abs.) Proc. Sem. on Evolution of the precambrian crust in the Aravalli mountain belt, Udaipur. pp.65-66.

SINHA ROY,S. and MOHANTY,M. (1988). Blue-schist facies metamorphism in the ophiolitic melange of the late-proterozoic Delhi fold belt, Raj, Ind. Precamb.Res. V:42, pp. 97-105.

SINHA ROY,S., MOHANTY,M. and GUHA,D.B. (1993). Banas dislocation zone in Nathdwara-Khamnor area, Udaipur dist. Raj. and its significance on the basement-cover relations in the Aravalli fold belt. Current Sci. V:65.

SINHA ROY et.al. (1992). Polymetamorphic granulite facies pelitic gneisses of the precambrian Sandmata complex. Raj. Ind. Ind.Min. V:46, pp.1-12.

SMITH,A.G. (1976). Plate tectonics and orogeny : A Review. In:J.G.Briden (ed). Tectonophysics, V:33, pp.215-285

SOMAYAJULU,P.V. (1975). A Komatiite from the precambrian basement complex of Raj., Proc. Sem. on Pre-cambrian. Geol. (Abs) univ. of Raj. Geol. Dept. Udaipur. pp.35

SPRY ALAN.(1969) Metamorphic texture. Pergamon Press. pp.350

SRIVASTAVA,R.P. (1966-67). Geology around Barr, Ajmer dist. Raj. unpubl. Geol. Surv. Ind. Report.

SUGDEN,T.J. and WINDLEY,B.F. (1984). Geotectonic framework of the early-mid proterozoic Aravalli-Delhi orogenic belt. N.W. India. Geo.Assoc. Canada. (Abs).

SUGDEN,T.J., DEB,M. and WINDLEY,B.F. (1990): Tectonic setting of mineralisation in the proterozoic Aravalli-Delhi orogenic belt, N.W. India. In : Pre-cambrian continental crust and its economic resources. (ed.) S.M. Naqvi, Elsevier, Amsterdam, pp. 367-390.

SYCHANTHAVONG,S.P.H. (1975). The Delhi synclinorium and the significance of protoplate tectonics. Proc. Sem. on precamb. Geol. (Abs.) univ of Raj., Udaipur. Dept. of Geol. pp.15.

SYCHANTHAVONG,S.P.H.(1978). Studies in the precambrian rocks around Posina and Kherod in north Gujarat, unpubl. Ph.D.Thesis. M.S.Univ. Baroda. pp.425.

SYCHANTHAVONG,S.P.H. and DESAI,S.D. (1977). Protoplate tectonics controlling the precambrian deformations and metallogenetic-epochs of northwestern Peninsular India. Miner. Sci. Engngs. V:9, pp.218-237.

SYCHANTHAVONG,S.P.H. and MERH,S.S (1985). Role of protoplate movement in the geological evolution of the precambrian terrain of northwest peninsular India. Proc. Symp. Megastuctures and plate Tectonics and their role as a guide to ore mineralisation. Geol. Min. Met. Soc. Ind. Jour. V:53, pp.124-146.

SYCHANTHAVONG,S.P.H. and MERH,S.S (1981). Proto-plate tectonics : The energetic model for the structural, metamorphic and Igneous evolution of the pre-cambrian rocks. NW peninsular India. Proceedings of SYMPET. Sp. publ. Geol.Surv.Ind. pp.419-457.

SYCHANTHAVONG,S.P.H. and PRATIBHA SINGH (in Press). Tectonic evolution of the Kotra-Jharol area. Udaipur dist. Raj. M.S. Univ. Jour.

TOTEU,S.F. and J.MACAUDIERE. (1984). Complex synkinematic and Post-kinematic garnet porphyroblast growth in polymetamorphic rocks. J. Struc. Geol. V:6. pp. 669-677.

TULLIS JAN, ARTHUR W. SNOKE, VICTORIA R.TODD. (1982). Significance and petrogenesis of mylonitic rocks. Geology V:10, pp. 227-230.

TURNER,F.J. (1968). Metamorphic petrology, Mineralogical and field aspects. Mc Graw-Hill, New York.

TURNER,F.J. and VERHOOGEN,J. (1960). Igneous and metamorphic petrology Mc.Graw-Hill, New York.

TURNER,F.J. and VERHOOGEN,J. (1962). Igneous and metamorphic petrology. Mc Graw-Hill Book Company. pp.694.

VENKOBA RAO (1958-59). Nature of the mafic rocks of Sitam Bhim area, Udaipur dist. Raj. unpubl. Geol. Surv. Ind. Rep.

- VERNON,R.H. (1987). A microstructural indicator of shear sense in volcanic rocks and its relationship to porphyroblast rotation in metamorphic rocks. Jour. of Geol. V:95, pp. 127-133.
- VISSEER,P. and MANCKTELOW,N.S (1992). The rotation of garnet porphyroblast around a single fold. Lukmanier Pass central Alps. J. Struc. Geol. V:14, pp.1193-1202.
- WHEELER,J. (1987). The determination of true shear senses from the deflection of passive markers in shear zones. J. Geol. Soc. London. V:144, pp.73-77.
- WHITE,S.H.(1975). Tectonic deformation and recrystallization of oligoclase. Contr. Miner. Petro. V:50. pp.287-304.
- WHITE,S.H. (1976). The effects of strain on microstructures, fabrics and deformation mechanisms in quartzites : Philosophical Transactions of the Royal Society of London. V:A283, pp. 69-86.
- WHITE,S.H.(1979). Grain and subgrain variations across a mylonite zone. contr. Miner. Petro. V:70, pp.193-202
- WINKLER,N.G. (1975). Petrogenesis of metamorphic rocks. 2nd ed Springer Verlag. Berlin. New York.
- YARDLEY,B.W.D. (1989). An Introduction to metamorphic petrology. Longman Earth Science series. pp.248.
- YELLUR,D.D. and GOPINATH (1966). Geology around Ghodra and Chota Udaipur, Panchmahal dist. Guj. unpubl. Geol. Surv. Ind. Report.

ZWART,H.J. (1960). The chronological succession of folding and metamorphism in the central pyrenees. Geol. Rdsch. V:50, pp.203-218.

Z.S.H. ABU-HAMATTEH, M.RAZA and T.AHMAD (1994). Geochemistry of early proterozoic mafic and ultramafic rocks of Jharol group. Raj. NWⁿ India. Geol. Soc. Ind. V:44, pp.141-156.