

REFERENCES

- Allison, A. (1939) cit. in, Arkel's Jurassic geology of India, Oliver and Boyd Ltd, London, 392 pp.
- Arkel, W.J. (1956) Jurassic geology of the World. Oliver and Boyd Ltd, London., 806 pp.
- Bagnold, R.A., (1956) The flow of cohesionless grains in fluids, Royal society. London, Phil. trans. Ser., A.V. 246, 235-297.
- Bagnold, R.A., (1966) An approach to the sediment transport (sic) problem from general physics; U.S. Geol. survey. Prof. Paper., 11-137.
- Bathurst, R.G.C., (1971) Carbonate sediments and their diagenesis; New York, Elsevier publishing co., 231-194.
- Becher, J.W, and Moore, C.H., (1979) The Walker Creek Field A smack over diagenetic trap in geology of carbonate porosity, AAPG, CECN. Series, 11, 24-46.
- Berner, R.A. and Holdyen. G.R. (Jr), (1979) Mechanism of feldspar weathering. II. Observations of feldspars from soils, *Geochimica et cosmochimica Acta.*, 43, 1173-1186.
- Bhatia, S.B. and Mannikeri, M.S. (1976) on the occurrence of the foraminifera *sporobulimina* in the Callovian (Middle Jurassic) of Jaisalmer area, Rajasthan. VI. Indian. Coll. Micropal. Strat. Proc., 6-10.

- Blandford, W.T. (1877) Geological notes On Great Indian desert between Sind and Rajputana. Rec. G.S.I., 10(1), 1-54.
- Blatt, H., Middleton, G.V., and Murray, R.C. (1972) Origin of Sedimentary rocks. Englewood Cliffs, N.J. Prentice Hall., 634 pp.
- Blatt, H., (1966) Diagenesis of sandstones; Processes and problems. Wyoming Geol. Ass. Am. Conf., 65,
- Blatt, H., (1979) Diagenetic process in sandstones. In; Scholte P.A. & Schluger, P.R. (eds) Aspects of Diagenesis, spec. publ. Soc. econ, Minor, Paleont. Tulsa, 26, 14-57.
- Bostrom, K. (1970) Submarine volcanism as sources for iron, Earth planet sec, lett, 9.
- Caroll, D. (1978) Clay minerals; a guide to the X-ray identification, Geol. Soc. Amer, Sp. Pap., 126 P.
- Chester, R (1965) Geochemical criteria for differentiating reef from non reef facies in carbonate rocks. Amer. Assoc. Pet. Geol. Bull. 49.
- Chilingar, G.V., (1955) Review of Soviet literature on petroleum source rocks, Bull. Am. Assoc. Petrol. Geol., 39, 764-767
- Chilingar, G.V. (1956) Relationship between Ca/Mg ratio and geologic age; Bull. Amer. Assoc. petrol. Geol. 40, 225-226.

- Condie, K.C. (1967) Geochemistry of early precambrian Grey wackes from Wyoming, *Geo.Chem. Cosmochim. Acta.*, **31**, 2136-2147.
- Colignon, (1964) Unpublished report, IPE, ONGC.
- Curtis, C.D. and Spears, D.A. (1968) The formation of sedimentary iron minerals, *Econ. Geol.*, **63**, 257-270.
- Curtis, C.D. (1964) Studies on the use of boron as paleoenvironmental indicator. *Geochem. et. Cosmochim. Acta.*, **28**, 1125-1137.
- Dasgupta, S.K. (1973) Hydrocarbon accumulation on the shelf sediments of Rajasthan. *Proc. Indosoviet. symp. Ind, Nat. Sci, Acad. New Delhi.*
- Dasgupta, S.K. (1974) The revision of Mesozoic Stratigraphy of the West, Rajasthan Shelf. *4th Collaq. Ind. Micropalaeontol. Start.*, 219-233.
- Dasgupta, S.K. (1975) A revision of Mesozoic-Tertiary stratigraphy of the Jaisalmer Basin, Rajasthan. *Ind. Jour. Earth, Sci.*, **2(1)**, 77-94.
- Datta, A.K. (1983) Geological evolution and hydrocarbon prospects of Rajasthan Basin, in *Petroliferous basins of India, Petrol, Asia, Jour, Dehradun*, 93-99.
- Doeglas, D.J., (1946) Interpretation of the results of mechanical analysis, *Jour. Sed. Petrol.*, **16(1)**, 19P.

- Degens, E.T., William, E.G. and Keith. M.L (1957) Environmental studies of carboniferous sediments. Part I, Geochemical criteria, for differentiation marine and fresh water shales, Bull. Amer. Assoc. petrol. Geol., 41, 2427-2455.
- Dott, R.H., Jr, (1964) Wacke, greywacke, and matrix approach to immature sandstone classification: Jour. Sed. Petrology, 34, 625-632.
- Dunane, D.S., (1964) Significance of skewness in recent sediments, Western Pamlico sound, North carolina Jour, Sed. Petrology., 34, 864-875.
- Dunham, R.J. (1969) Early Vadose Silt in Townsend mount (reef) New Mexico, 139-181, in Friedman, G.M ed.. Depositional environments in carbonate rocks, A sym. Tulsa, Okla, Soc. Eco. palae. min. spl. publ. No.14, 209.
- Dunham, R.J. (1962), Classification of carbonate rocks to depositional texture, in Ham. W.E. ed. classification of carbonate, mem. Amer. Asso. Petrol. Geol. a, 108-121.
- Friedman, G.M. (1961) Distinction between (Sic) dune, beach and river sands from their textural characteristics, Jour. Sed, Petrol, 31, 514-529.
- Friedman, G.M. (1967) Dynamic processes and statistical parameters compared for size frequency distribution of beach and river sands,. Jour. Sed. Petrol., 37.

- Friedman, G.M.(1969) Trace elements as possible environmental indicators in carbonate rocks, in Depositional environments in carbonate rocks, SEPM special publication, No. 14.
- Friedman, G.M. and Sanders J.E. (1978). Principles of sedimentology, New York. NY. John Wiley and Sons. 7, 92P.
- Friedman, G.M. and Johnson, K.G. (1982) Exercises in sedimentology, John Wiley & Sons, New York.
- Folk, R.L., (1954; The distinction between grain size and mineral composition in sedimentary rock (sic) nomenclature, Jour. Geol., 62, 344-359.
- Folk, R.L., (1956) The role of texture and composition in sandstone classification: Jour. Sed. Petrol., 26, 166-171.
- Folk, R.L. and Ward, W.E. (1957) Brazos River Bar; a study of the significance of grain size parameters, Jour. Sed. Petrol., 27, 3-26.
- Folk, R.L. (1959) Practical petrographic classification of Limestone. Bull. Amer. Assoc. Petrol. Geol. Tulsa. 43(1), 1-38.
- Folk, R.L. (1965) A review of grain size parameters, sedimentology, 6, 73-93.
- Folk, R.L. (1968) Petrology of sedimentary rocks, Austin Texas, 170 pp.

- Fanning, D.S. & Keramides, V.Z. (1977) Micas In : Dixon, J.N & Weed, S.B. (eds) Minerals in Soil Environments, 195-258 Soil Science Society of America, Madison, Wisconsin,
- Garole, D. (1970) Rock weathering New York and London, Plenum press, 203 p.
- Glaister, R.P., and Nelson, H.W. (1974) Grain size distribution: an aid in facies identification, Bull, Canadian Petrol. Geol., **22**, 203-240.
- Grim, R.E. (1953) Clay mineralogy. Mc Gram Hill. company Inc. New York.
- Harder, H. (1970) Boron content of sediments as a tool in facies analysis. sedimentary Geol. **4**.
- Harris, S.A., (1959) The mechanical composition of some intertidal sands. Jour. Sed, Petrol., **29**, 412-424.
- Huang, P.M. (1977) Feldspar, Olivines, pyroxenes and Amphiboles In : Dixon, J.B. & Beed, S.B (eds) Minerals in Soil Environments, 553-602, Soil Society of America, Madison, Wisconsin.
- Hitermann, (1957) as referred in, Narayanan, K. et.al. (1961), Geology of Jaisalmer basin; unpublished report, ONGC.
- Inman, D. (1949) Sorting of sediments in the light of fluid mechanics, Jour. Sed. Petrol, **19**, 51-70.

- Jaikrishna, (1980) Uncoiled Ammonites of Middle Albian (Lr. Cretaceous) age from Habour series, Jaisalmer, Rajasthan, Palaeont. Soc. India. Jour., 23-24, 49-54.
- Kachhara, R.P and Jodhawat. R.L. (1981) On the age of Jaisalmer Formation, Rajasthan, India. Proc. IX. Indian coll. Micropal. Strat., 235-247.
- Kalia, P. and Chaudhary, S. (1983) Foraminiferal biostratigraphy, biogeography and environment of Callovian sequence, Rajasthan, North Western India. Micropalaeontology; 29(3), 223-254.
- Keith, M.L and Degens, E.T. (1959) Geochemical indicators of marine and fresh water sediments. In 'Researches in Geochemistry' Willeg, M.W.
- Klein, G. dev. (1963) Analysis and review of Sandstone classifications in the North American geological literature, 1940-1960; Geol. Soc. Am. Bull., 74, 555-576.
- Krishnan, M.S. (1982) Geology of India and Burma. 6th edition, CBS. publishers and Distributors. (India) 361-362.
- Krinsley, D. and Takahashi, T. (1962) The surface texture and sands grains, and application of electron microscopy. Science. 135, 923-925.
- Krinsley, D. and Donahus, J. (1968) Environmental interpretation of sand

grain surface textures by electron microscopy. Bull. Geol. Soc. Am; 79, 743-748.

Krumbein, W.C., Garrels, R.M. (1952) Origin and classification of chemical sediments in terms of pH and oxidation-Reduction Potentials. Jour. Geol., 60.

Krynine, P.D., (1948) The megascopic study and field classification of sedimentary rocks : Jour Geol., 56, 130-165.

La Touche, T.H.D. (1902) The geology of western Rajputana. Mem. G.S.I. 35, 1-116.

Larsen, G. and Chilingar, G.K. (1985) Diagenesis in sediments and sedimentary rocks; Dev. in Sed. 25A, Elsevier, 1-535 pp.

Lucose, N.G. (1972) unpublished report, ONGC.

Lucose, N.G (1977) Palynological evidence of Paleoclimate of Jaisalmer basin desertification of Thar desert. An Arid Zone., 16(3), 342-348.

Lin, F.F. & Clemency, C.V (1981) The Kinetics of dissolution of muscovite at 25°C and 1 atm CO₂ Partial pressure Geochem. Acta, 45, 571-6.

Leighton, W.M. and Pendexter, C. (1962) Carbonate rock type in Ham, W.E., ed (1962) Classification of carbonate rocks; Tulsa, Okla., Am. Assoc. Petrol. Geol., Mem 1. 279 p.

- Lubimova, P.S., Guha, D.K. and Mohan, M. (1960) Ostracoda of Jurassic and Tertiary deposits from Kutch and Rajasthan. (Jaisalmer), Indian. Geol. Min. met. Soc. India, Bull., 22. 1-601.
- Morgan, J.T. and Gordon, D.T. (1970) Influence of Pore geometry on water oil relative permeability, Jour. of pet. technology, October, 1199-1208.
- Mason, B. (1949) Oxidation and reduction in geochemistry Jour. Geol, 570, 62-72.
- Manson, C.C. and Folk, R.L. (1958). Differentiation of beach, dune, and aeolian flat environments by size analysis, Texas, Jour. Sed. Petrol. 28, 211-226.
- Mathur, U.B. Pant, S.C., Mehra, S. and Mathur, A.K. (1985) Discovery of dinosaurian remains in Middle Jurassic of Jaisalmer. Rajasthan, W. India, Bull. Ind. Geol. Assoc. 18, 59-65.
- Moiola, R.J., and Weiser, D. (1968) Textural parameters; An evaluation; Jour. Sed. Petrology, 38, 46-53.
- Moore, B.R., and Dennen, W.H. (1978) A geochemical trend in Si-Al-Fe ratio and classification of clastic sediments, Jour. Sed. Petrol., 40(4), 1147-1152.
- Moss, A.J., (1962) The physical nature of common sandy and pebbly deposits, part I, Am. J. Sci. 260. 337-373.

- Moss, A.J., (1963) The physical nature of common sandy and pebbly deposits, part II. Am. J.Sci 261. 297-343.
- Narayanan, K. (1964) Problem of stratigraphy of the Rajasthan shelf. Proc. symp, problems of Indian Arid zone, Jodhpur, (Govt. of India Pub.) 92-100.
- Narayanan, K. et. al. (1961) Geology of Jaisalmer; unpublished report, ONGC.
- Narayanan, K. et. al. (1960) Progress report on Geological work in Jaisalmer, unpublished report, ONGC.
- Nelson, R.A. (1981) Significance of fracture sets associated with stylolite zones, Bull. Am. Assoc. petrol. Geol. 65, 2417-25.
- Oldham, R.D. (1986) Preliminary notes on the Geology of North Jaisalmer, Rec. G.S.I., 19(13).
- Oldham, R.D. (1988) Memorandum on the results of an exploration of Jaisalmer with a view to discovery of coal, Rec. Geol. Surv. India, 21, pt I, 30-33.
- Pandey, A.N. et. al. (1987) Microfacies, Depositional environments and Reservoir characteristics of Jaisalmer Formation, Rajasthan, Unpublished report, ONGC.
- Pandey, A.N. and Upadhyay, H. (1988) Depositional environments and microfacies of Middle Jurassic carbonate sediments in Jaisalmer

microfacies of Middle Jurassic carbonate sediments in Jaisalmer Basin, Rajasthan, India, XII, Symp. strat. Micropal. Lucknow, India.

Pandey, A.N. et. al (1974) unpublished report, ONGC.

Pandey, A.N. & Upadhyay, H. (1990) Depositional environments. Sedimentary dynamics and reservoir characteristics of Cretaceous Sediments in sub surface section, Jaisalmer basin, Rajasthan, VIII Convention of Indian Geological Congress and National Seminar, Ujjain, (abstracts).

Pareek, H.S. (1981) Basin configuration and sedimentary stratigraphy of Western Rajasthan. Geol. Soc. India. Jour., 22, 517-227.

Passega, R. (1957) Texture as characteristics of clastic deposition, Am. Assoc. Petrol. Geol. Bull. 41, 152-184.

Passega, R. (1964) Grain size representation by CM Patterns as a geological tool, Jour. Sed. Petro. 34, 830-847.

Passega, R., Rizzini, A., and Borchetti, G. (1967) Transport of sediments by waves of driafi coastal shelf Itals, Bull. Am. Assoc. Petrol. Geol. 51(7), 1304-1319.

Passega, R. and Byramjee, R. (1969) Grain size image of clastic deposits, sedimentology, 13, 233-252.

- Perry. E.A., (1972) Diagenesis and validity of Boron paleosalinity Technique. Am. Jour. Sci.. 272, 150-160.
- Pettijohn, F.J. (1957) Sedimentary rocks. Barper and Row publ, New York.
- Powers, M.C., (1953) A new roundness scale for sedimentary particles. Jour. Petrol. 23, 117-119.
- Puri, G.S. et. al. (1959) Flora of Rajasthan west of the Aravallis, Proc. Indian Sci. Cong. Part III, Abstracts.
- Saproo. M.K. et. al., (1981) Geological report on Jaisalmer Basin, Unpublished report, ONGC.
- Schmidt V.Mc. Donald, D.A., & Platt, R.I. (1977) Pore geometry and reservoir aspects of secondary porosity in sandstones. Bull of canadian Petrol. Geol. 25, 271-290.
- Singh, S.N. and Jaikrishna. (1969) A preminary note on the Mesozoic Stratigraphy of Jaisalmer area. Rajasthan, palaeont. Soc. India. Jour., 41-44.
- Singh B.P., Fotedar, B.K. and Rao, A.S. (1990) Petrography and Geochemistry of Sandstones of Muree Group around Laron Udhampur, Jammu Himalaya, Jour. Geol. Soc. India, 36, 502-511.
- Singh and Khanna, (1959) Unpublished report, ONGC.

- Shelton, J.W. (1959) Authigenic Kaolinite in Sandstone, Jour. Sed. Petrol. 34., 102-114.
- Slass, L.L. (1953) The Significance of evaporites, Jour. Sed. Petrology, 23, 143-161.
- Spath, L.F. (1927-1933) Revision of the Jurassic cephalopod fauna of Kutch (cutch). G.S.I. Palae. Indica. N.ser. 9(2)., 1-6.
- Spath. L.F. (1933) Revision of the Jurassic chephalopod fauna of Kutch (Cutch) G.S.I. Palaeont. Indica N.ser., 9(2): 1-945.
- Srivastava, S.K. (1966) Jurassic microflora from Rajasthan India. Micropalaeontology, 12, 87-103.
- Srivastava, B.N. et. al., (1960) Progress report of Geological work carried out in Jodhpur-Barmer-Jaisalmer Districts, Rajasthan, unpublished report, ONGC.
- Stanton, G.D., and Mc Bridge, E.F (1976) Factors influencing porosity and permeability of Lower Wileox (Eocener) sandstone, Karner country, Texas, (abst) Amer. Assoc. Petrol. Geol. & Soc. of Eco. Paleo. Min. annual. met. (abst), 1. 129P.
- Subbotina, N.N. Datta, A.K. and Srivastava, B.N. (1960) Foraminifera from the upper Jurassic deposits of Rajasthan (Jaisalmer) and Kutch, India. Geol. Min. Met. India. Bull.23, 1-48.

- Varma, et. al. (1960) unpublished report, ONGC.
- Visher, G.S.(1969) Grain size distribution and depositional processes; Jour. Sed. Petrol. 39(3). 1074-1106
- Wilson, M.D. and Pittman, E.D.(1977) Authigenic clays in sandstone, recognition and influence of reservoir properties and paleoenvironmental analysis : Jour. Sed. Petrol. 47, 3-31.
- Willing, (1964) Referred in Narayanan, K. et. al. (1961) unpublished report, ONGC.
- Williams, H., Turner, F.J., and Gilbert, C.M; (1954) Petrography: An Introduction to the Study of rocks in thin section, pub. W.H. Freeman, and co. inc. Sanfransisco.
- Wilson, J.L. Microfacies and sedimentary structure in "Deeper Water" lime mudstone, 4-19, in Friedman, G.M. ed. Depositional environments in carbonate rocks, symp. tuls., Soc. Econ. Palal. Min. spe. pub. No. 14, 209 P.