

LIST OF PLATES

<u>PLATE</u>		<u>Between pages</u>
I	A. Basal conglomerate with pebbles of jasper and quartz.	40-41
	B. Basal conglomerate showing weak graded bedding.	
II	A. Gneiss from Intvada showing feldspar porphyroblasts.	47-48
	B. Augen-gneiss from Intvada showing augens of feldspars.	
III	A. Prismatic andalusite in hornfels.	52-53
	B. Andalusite showing concentric rims of muscovite and chlorite.	
IV	A. Oscillation ripple marks in Poyelli Quartzites.	58-59
	B. Linguoid ripple marks in Poyelli Quartzites.	
V	A. Tremolite-bearing Gandhra Dolomite	63-64
	B. Talc bearing Gandhra Dolomite	
VI	A. Flattening of pebbles along cleavages in Narukot Quartzites.	68-69
	B. Pebbly sandstone (Narukot Quartzites).	
VII	A. Cross-bedding in Narukot Quartzites	71-72
	B. Current ripple marks in Narukot Quartzites.	

<u>PLATE</u>		<u>Between pages</u>
XV	A. Dendritic structure in phyllites of Shivarajpur Quartzites and Phyllites.	94-95
XVI	Manganese-filled criss-cross joints in Shivarajpur Quartzites and Phyllites.	94-95
XVII	A. 'S' shaped fold in Bamankua Limestone.	95-96
	B. Bamankua Limestone showing slipping of beds along axial planes.	
XVIII	A. Cross-bedding in Rajgad Slates.	98-99
	B. Rajgad Slates showing pene-contemporaneous folding.	
XIX	A. Massive granite	99-100
	B. Tourmaline pegmatite in granites.	
XX	A. Photomicrograph of Basal Conglomeratic Quartzite showing closely welded quartz grains.	104-105
	B. Photomicrograph showing texture of Chhota Udepur Dolomites.	
XXI	A. Photomicrograph showing textural characters of phyllites.	106-107
	B. Photomicrograph showing textural characters of mica schists of Gandhra Pelitic Group.	

<u>PLATE</u>		<u>Between pages</u>
VIII	A. Oscillation ripple marks in Narukot Quartzites.	72-73
	B. Current ripple marks in Narukot Quartzites.	
IX	A. Flaser bedding in Jaban Slates.	74-75
	B. Groove-cast in Jaban Slates	
X	A. Pebbly and bouldary lenses in graywackes.	80-81
	B. Pebbles of different rock types showing varying degree of flattening.	
XI	A. Pebbles showing slipping along fractures in graywackes.	84-85
	B. Vertical bedding in graywackes at Undhanian.	
XII	A. Graded bedding in Undhanian Graywackes showing coarse and fine couplets.	86-87
	B. Slump structures in the graywackes at Undhanian.	
XIII	A. Deflection of bedding due to manganese nodules, in Bhat Slates.	91-92
	B. Stratification in Bhat Slates	
XIV	A. Folds in Shivarajpur Quartzites and Phyllites.	92-93
	B. Photograph showing oblique relation between bedding and cleavage in Shivarajpur Quartzites and Phyllites.	

<u>PLATE</u>		<u>Between pages</u>
XXII	A. Photomicrograph showing inclusions in andalusite porphyroblasts.	107-108
	B. Photomicrograph showing textural characters of hornfels.	
XXIII	A. Photomicrograph showing textural characters of transitional varieties of hornfels.	108-109
	B. Photomicrograph showing biotite porphyroblasts in hornfels.	
XXIV	A. Photomicrograph showing well developed andalusite porphyroblasts in hornfels.	110-111
	B. Photomicrograph of cordierite in hornfels showing twinning.	
XXV	A. Photomicrograph showing a clear-rim of albite around plagioclase in migmatitic gneisses.	122-123
	B. Photomicrograph showing decussate arrangement of biotite in migmatitic gneisses.	
XXVI	A. Photomicrograph showing textural characters of Poyelli Quartzites.	125-126
	B. Photomicrograph showing textural characters of argillites from Gandhra Pelitic Group.	
XXVII	A. Photomicrograph showing textural characters of chlorite schist from Gandhra Pelitic Group.	130-131
	B. Photomicrograph showing textural characters of Gandhra Dolomites.	

<u>PLATE</u>		<u>Between pages</u>
XXVIII	A. Photomicrograph showing blades of tremolite in Gandhra Dolomites.	133-134
	B. Photomicrograph showing scaly aggregates of talc with dolomites in Gandhra dolomites.	
XXIX	A. Photomicrograph showing sieved crystal of wollastonite from skarn rocks of Jothwad.	135-136
	B. Photomicrograph showing quartz-pebble in Narukot Quartzites.	
XXX	A. Photomicrograph showing textural characters of Narukot Quartzites with siliceous matrix.	141-142
	B. Photomicrograph showing textural characters of Narukot Quartzites with argillaceous matrix.	
XXXI	A. Photomicrograph showing oblique relation between cleavage and bedding in Jaban Slates.	154-155
	B. Photomicrograph showing textural characters in graywackes.	
XXXII	A. Photomicrograph showing textural characters of protoquartzites.	161-162
	B. Photomicrograph showing textural characters of Bamankua Limestones.	
XXXIII	A. Photomicrograph showing textural characters of Rajgad Slates.	165-166
	B. Photomicrograph showing textural characters of potash granite.	

<u>PLATE</u>		<u>Between pages</u>
XXXIV	Photomicrograph of protoquartzites showing slipping along the metamorphic cleavage.	209-210
XXXV	AKF Diagram for Hornfelses.	234-235
