

BIBLIOGRAPHY

Allen, V.T. (1935).

Mineral Composition and Origin of Missouri Flint and
Diaspore Clays. Missouri Geol. Survey, 58th Biennial
Rept. App. IV.

Andrews, A.K. (1928).

"Ceramic Tests and Calculations", John Wiley and Sons,
Inc., New York, pp. 172.

Arens, P.L. (1951).

A study of the differential thermal analysis of clays
and clay minerals. Diss. Univ. Wageningen (Nieder-
lande.) Photodruk Excelsior-offset, S' Gravenhage.

Arogyaswamy, R.N.P. (1968).

Clays, Economic Geology Bull-29, Series, A, Geological
Survey of India.

Badger, A.E. and A. Ally (1935).

Note on the Formation of Kaolin Minerals from:
Feldspar, Jour. Geol., 40 : 745-747.

Bates, R.L. (1960).

"Geology of Industrial Minerals and Rocks",
Harper and Row.

Bates, T.F. (1952).

Structure and Genesis in the Kaolinite Group,
Problems of Clay and Laterite Genesis, American
Institute of Mining and Metallurgical Engineers.

Bates, T.F. (1955).

Electronic Microscopy as a Method of Identifying
clays, Proc. 1st Nat. Conf. Clays and Clay Tech.
Calif. Dept. Res. Bull. 169, pp. 130.

Bates, W.H. (1953).

Indian earths, Pottery clays and Refractory materials, Trans. Min. Geol. Met. Ind. Vol. 28, Pt. 2.

Beecher, M.F. (1915).

Investigation of Iowa Fireclays, Iowa State College Agric. Mech. Art. Experimental Station Bull, 40, pp. 115.

Bhandari, L.L. and Suresh Kumar (1970).

Palaeocurrent analysis of Dhrangadhra Formation. Bull. O.N.G.C. No. 2.

Bhattasali, (1964).

Utility of Testing Refractories, Indian Ceramics.

Bishui, B.M. and Prashed, J. (1957).

X-Ray study of some Indian Clays. Gen. Glass and Ceramics Res. Inst. Bull. 4(4) pp. 193-97.

Bishui, B.M., and Prasad, J. (1964).

"Physio-chemical properties of some Indian Clays," Indian Ceramics, Part-III, Vol. 11, No. 4.

Boersma, S.L. (1955).

A Theory of Differential Thermal Analysis and New Methods of Measurement and Interpretation, J. Am. Ceramic Soc. Vol. 38, pp. 281-284.

Bolger, R.C. and Weitz, J.H. (1952).

Mineralogy and origin of Mercer Fireclay of N-central Pennsylvania; Problems of Clay and Laterite genesis, AIME, New York.

Bose, H.N. (1942).

Modern Pottary Manufacture Chap. 11. "Refractories"
pp. 311-356, Ceramic Pub. House, Calcutta.

Boswell, P.G.R. (1952).

The contribution of clay mineralogy to the study of
the Diagenesis of sediments. Clay Min. Bull. 1,
pp. 246.

Brindley, G.W. and K. Robinson, (1946).

Randomness in the structures of Kaolinitic clay
Minerals, Trans. Faraday Soc., 42B, 198-205.

Brindley, G.W. and K. Robinson (1946).

"Structure of Kaolinite", Min. Mag. 27, pp. 242-253.

Brindley, G.W. and K. Robinson (1947).

An X-ray study of some kaolinitic Fireclays, Trans.
British Ceramic Soc. Vol. 46(2) :pp. 49-62.

Brindley, G.W. (1948).

Structural Relationships in the Kaolin Group of
Minerals, Presented before International Geological
Congress, London,

Brindley, G.W., and D.M.C. Muehlan, (1953).

Structural Aspects of the Mineralogy of Clays,
Ceramics, A Symposium, British Ceramics Society,
pp. 15-59.
(1955).

Brindley, G.W./X-ray identification and Crystal structures
of clay minerals (Russian Translation). II, Moscow.

Brindley, G.W. (1955).

Structural Mineralogy of clays, Calif. Dept. of Natural
Resources, Div. of Mines Bull. 169.

Brindley, G.W. and M. Nakahira (1958).

Further considerations of the crystal structure of Kaolinite Mineral, Mineral Mag. 31 : 240.

Brindley, G.W. and M. Nakahira (1958)

A kinetic study of the Dehydroxylation of kaolinite, Natl. Acad. Sci. Publ. 556, pp. 266-278.

Brindley, G.W. (1961).

The kaolin minerals in X-ray identification and crystal structures of clay minerals. Brown, G. (ed.), London, Chapter 2, pp. 51-131.

Brindley, G.W. and C. De Kimpe (1961).

Identification of clay minerals by single crystal electron diffraction. Am. Mineralogist, 46(9.10),

Brindley, R.S. and B.K. Miller (1942).

Prospecting, developing and Mining semiplastic fireclay in Missouri, Trans., Am. Inst. Mining Met. Engrs; Vol. 148, pp. 249-257.

Brown, G. and D.M.C. McEwan (1951).

Identification and structures of clay Minerals, Chap XI, Mineralogical Society of Great Britain Monograph, pp. 266-284.

Brown, G. (1961).

The X-ray identification and crystal structures of clay minerals, Min. Soc. London, pp. 544.

Brust, J.F. (1952).

New clay mineral evidence concerning the diagenesis of some Missouri Fireclays in Problems of clay and Laterite Genesis, AIIME, New York, pp. 135-143.

Budnikov, P.P. (1964).

The technology of ceramics and refractories Part 2,
Chap. I, Edward Arnold (Pub.) Ltd.

Chelikowsky, J.R. (1935).

Geological distribution of Fireclay in the U.S.
Jour. Am. Ceram. Soc. Vol. 18, pp. 367.

Chesters, J.H. (1963).

Steel Plant Refractories. Percy Lund, Humphries and
Co. Ltd. London.

Clark, C.B. and McDowell, J.S. (1969).

Industrial Minerals and Rocks, "Refractories",
Seeley W. Mudd. Series AIME; New York.

Creaves-Walkar, A.F. (1939).

The Origin, Mineralogy and Distribution of the
Refractory clays of the United States, N. Carolina
State Coll. Eng. Expt. Stan., Bull. 19, pp. 87.

Crookshank, H. (1939).

Indian Refractory Clays, Bull. Ind. Indus. Res.
No. 14.

Crookshank, H. (1941).

Clays, Bull. Econ. Min. Rec. Geol. Surv. Ind.
Vol. 76, No. 8.

Crooksto, J.A. (1949).

The Effect of Exchangeable Bases on the Fired
Properties of Fireclays, Ph.D. thesis, University
of Illinois.

Crozier, (1933).

Fireclays, Missinabi, Ont. Bur. Min. XLII, pt. 3.

C. S. I. R. (1958).

Indian clays, their occurrence and characteristics
Part I. Samples examined during 1950-52, New Delhi.

C. S. I. R. (1958).

Wealth of India, Raw Materials, Fireclay. Vol. II p.323.

Das Gupta, R.C. (1944).

"Indian Fireclays", Jour. Sci. Industrial Res. III,
pp. 178-82.

Davis, N.B. (1915).

The Plasticity of Clay and Its Relation to Mode of
Origin, Trans. Am. Inst. Mining Met. Engrs., 51:
451-480.

Degns, E.T., E.G. Williams, and M.L. Keith (1957).

Environmental studies of Carboniferous sediments,
Part I, Geochemical criteria for differentiating
marine from fresh water shales, Amer. Assoc. Petro.
Geologists, Bull., V 41, p. 2427-2455.

Drifts, V.A. and A.A. Kashaev, (1960).

An X-ray study of kaolinite single crystal,
Kristallografiya, 5(2).

Drits, V.A. and A.L. Kashaev (1960).

Structural Peculiarities of Kaolinite Minerals, Dokl.
K. Sobraniya Mezhdunar, Komis, p. Izuchen. alin,
Akad. Nauk SSSR, pp. 15-18.

Drits, V.A. (1961).

The nature of defects in the structure of kaolinite
minerals, Application of X-ray to the study of minerals
(Summary of Reports), Izd. Akad. Nauk, USSR, Moscow, P.142.

Eckhardt, F.J. (1963).

Effect of Temperature on the crystallographic classification of Kaolinite, Proc. Intern. Clay Conf., Stockholm, 2nd, pp. 137-145.

Eitel, W. (1943).

Electron Microscope and its Application to Problems in Ceramics, Ber. deut. Keram. Ges. 24, 37-53.

Evans, J.L. and J. White, (1958)

The Thermal Decomposition (Dehydroxylation), of clays, kinetic High Temperature Processes, Conference, Dedham, Mass., pp. 301-308.

Fedden, F. (1884).

The Geology of Kathiawad Peninsula in Gujarat, Memor. GSI Vol. 21.

Folk, R.L., and W.C., Ward. (1957).

"Brazo River Bar: A Study in the Significance of grain-size parameters." Jour. Sedi. Petrology, Vol.27, pp.3-26.

Frank-Kamenetskii, V.A. (1958).

X-ray methods of studying clays, in collection: Study and Uses of clays, Izd. L'vov. p. 713.

Friedman, G.M. (1967).

Dynamic Processes and statistical parameters, compared for size Frequency Distribution of Beach and River Sands, Jour. Sedi. Petrology, Vol. 37, No.2, pp.327-354.

Galpin, S.L. (1935).

Fireclay Horizons of West Verginic, proc. West Virginia Acad. Sci. Vol. 8, pp. 235.

Greeves Walker, A.F. (1939).

The Origin Minerology and distribution of the Refrac-
tory clays of the United States; No. Carol. State Coll.,
Expt. Sta. Bull 19, Raleigh, No. Car. pp. 87.

Grim, R.E. (1935).

Recent findings on relation of the constituents of
clays and shale to their ceramic properties, Ceramic
Age 25, pp. 194-95.

Grim, R.E. (1936).

The constitution of various ceramic clays. J. Am.
Ceram. Soc., 19 : 307-315.

Grim, R.E. and V.T. Allen (1938).

Petrology of the Pennsylvanian Underclays of Illinois,
Illinoise Geol. Surv. Dept. of Investigations, Vol. 42,
pp.29,

Grim, R.E. (1939).

Properties of clay, Geol. Survey Illinois, Circ. 49,
pp. 466-495, 1939.

Grim, R.E. (1939).

Relation of the composition to the Properties of clays,
Jour. Amer. Ceram. Soc. 22, pp. 141-151.

Grim, R.E. and R.A. Rowland (1942).

D.T.A. of clay minerals and other Hydrous minerals.
Amer. Mineral Vol. 27, pp. 4746-761.

Grim, R.E., and R.A. Rowland (1944).

D.T.A. of clays and shales, a control and prospecting
method. Jour. Am. Ceram. Soc. 27, 65-76.

Grim, R.E. and R.A. Rowland (1944).

Differential Thermal Analysis of clays and shales,
a control and prospecting Method. J. Am. Ceram. Soc.
Vol. 27, No.3 pp. 65-76.

Grim, R.E., Allaway, W.H. and F.L. Cuthbert (1947).

Reaction of clays with Organic cations in producing
Refractory Insulation, J. Am. Ceram. Soc. Vol. 30,
No.5, pp. 142-145.

Grim, R.E., Brandley, W.F. (1948).

Rehydration and dehydration of the Clay minerals.
Am. Mineralogist, 33, pp. 50-59.

Grim, R.E. (1953).

Clay Mineralogy, McGraw Hill Book Co. Inc. New York.

Grim, R.E. (1962).

Applied Clay Mineralogy. McGraw Hill Book Co. Inc.
New York.

Grimshaw, R.W. Heaten, E. and A.L. Roberts (1945).

The constitution of refractory clays II, Thermal
Analysis Methods, Trans. Brit. Ceram. Soc. Vol. 44,
pp. 76-92.

Grimshaw, R.W., Westerman, A and A.L. Roberts (1948).

The mineral constitution of some Fireclay and influence
on their Properties. Trans. Internal. Ceram. Cong.
pp. 407, 15.

Grimshaw, R.W. and A.L. Roberts (1952).

The Constitution of refractory clays III. The determi-
nation of Minerals Constitution. Trans. Brit. Cer. Soc.
5L,

- Grimshaw, R.W. (1957)
Fundamental aspects of Fireclay research and technology, Refrac. Jour. 33, pp. 528-35.
- Gruner, J.W., (1939).
Formation and Stability of muscovite in Acid solutions at Elevated Temperatures. Am. Mineralogist, 24: 624-628.
- Harman, C.G. and Fraulini, Felix. (1940).
Properties of Kaolinite as a Function of its particle size. J. Am. Ceram. Soc. Vol.23, No.9, pp.252-259.
- Herman, C.G. and C.W. Parmelee (1945).
Fundamental properties of raw clays influencing their use. Jour. Amer. Cer. Soc. 28(4) 110.
- Harrison, J.L. and Murray, H.H. (1959).
Clay mineral stability and formation during weathering. Clays and Clay Min. 6, 144-153.
- Harvey, F.A. (1935).
Problems in the utilization of Pennsylvania Fireclay; Am. Ceram. Soc. Bull. Vol. 14, No.1, pp.1-7.
- Hauser, E.A. and A.L. Johnson (1942).
Plasticity of clays, J. Am. Ceram. Soc., Vol.25, pp. 223-227.
- Hauser, E.A. (1945).
Colloid chemistry of Clays. Chem. Reviews, 37,287-321.
- Heindl, R.A., Pendergast, W.L. and L.E. Mong (1932).
Kaolins, Effect of firing temperature on some of their physical properties", B. Stds. J. Res., Vol. 8, pp. 199-215.

Hendricks, S.B. (1942).

Lattice structure of Clay Minerals and some properties of Clays, J. Geol. 50: 276-290.

Hendricks, S.B. and E. Teller (1942).

X-ray Interference in partially ordered layer Lattices, J. Chem. Phys. 10 : 147-167.

Henry, E.C. and Siefert, A.C. (1941).

Plasticity and Drying Properties of Certain Clays as Influenced by Electrolyte content, J. Am. Ceram. Soc. 281-285.

Holdridge, D.A. (1963).

"The Mineralogy of some American (U.S.) Ball Clays", Trans. Brit. Ceram. Soc., V.62, pp. 857-75.

Honjo, G., Kitumura, N. and K. Mihama (1954).

Study of Clay Minerals by single-crystal Electron Diffraction Diagrams, Clay Minerals Bull. 2(12) : 133-141.

Huddle, J.W. and S.H. Patterson (1961).

Origin of Pennsylvanian Underclay and Related Seat Rocks, Bull. Geol. Soc. Am. V. 72, pp. 1643-1660.

Insley, H. and R.H. Ewell (1935).

Thermal Behavior of the Kaolin minerals Bureau of Standard Research, Paper 792, pp. 615-627.

Johns, E.C. and R.E. Grim (1957).

"The Differential Thermal Investigation of Clays", Chap. XV, pp. 389-403, Mineralogical Society, London.

Johns, W.D., Grim, R.E. and W.F. Bradley (1954).

Quantitative Estimations of Clay Minerals. J. Sediment Petrol. 24, pp. 245-251.

- Johnson, A.L., Norton, F.H. and W.G. Lawrence (1942).
 "Fundamental Study of Clay" American Cer. Soc.
Vol.25, No.12, : 336-344, 344-346.
- Johnson, A.L., Norton, F.H., and W.G. Lawrence, (1946).
 Effect of particle size on properties of casting
 Slips., Vol. 9, No.4, pp. 99-107.
- Johnstone, S.J. and Johnston, M.G. (1961).
 Minerals for Chemicals and Allied Industries,
Chapman and Hall Publication, pp. 75-82.
- Kathiara, R.S. and D.B. Desai (1970).
 A review on coal exploration in Upper Gondwana of
 Saurashtra. Mineral Wealth, Vol. 6, No.4, Div.
Geol. and Min. Dept., Ahmedabad.
- Kathiara, R.S. and B.K. Bhatt (1971).
 Sedimentology of the Dhrangadhra Formation,
 Khakhrathal area, Surendranagar district;
Mineral Wealth, Vol. 7, No.2, Div. Geo. and Min.
Dept., Ahmedabad.
- Keeling, P.S. (1954).
 The Geology of Fireclays, Trans. Brit. Cer. Soc.
53, pp. 362,
- Keiser, H.D. (1931).
 Mining Flint Clay, Eng. Mining J., Vol. 131, No.1,
pp. 13-16.
- Keller, W.D. (1946).
 Evidence of Texture on the origin of the Cheltenham
 Fireclay of Missouri and Associated Shales,
J. Sediment. Petro. 16, pp. 63-71.

Keller, W.D. and J.F. Westcott (1948).

Differential Thermal Analysis of some Missouri Fireclays, J. Am. Ceram. Soc., Vol. 31, No. 4
pp. 100-105.

Keller, W.D. (1952).

Observation on the origin of the Missouri high alumina clays: In Problems of clay and laterite genesis, Symposium Vol. AIME pp. 115-134.

Keller, W.D. and Frederickson (1952).

'Role of plants and colloidal acids in the mechanism of weathering'. Am. Jour. Sci. V. 250,
pp. 594-608.

Keller, W.D., Westcott, J.F. and A.O. Bledsoe (1952).

Origin of Missouri Fireclays, clays and clay minerals Proc. 2nd Nat. Conf. clays and clay min.
(Pub. 327 Nat. Acad. Sci. Nat. Res. Council),
Washington, pp. 7-44.

Keller, W.D. (1956).

Clay minerals as influenced by environments of their formation. Amer. Assoc. Petroleum Geologist Bull.
Vol. No.40 pp. 2689-2710.

Keller, W.D. (1964).

Processes of Origin and alteration of clay minerals;
Soil clay mineralogy, Uni. No. Carol. Press, Raleigh.
N.C. pp. 3-16.

Keller, W.D. (1968).

Flint clay and flint clay facies, clays and clay minerals. Kaoline Symp. 23rd Int. Geol. Cong.
Acta Universitatis Carolinae, Vol. 16, pp. 113-128.

Keller, W.D. (1970).

"Environmental aspect of Clay Minerals". Jour. of Sedi. Petrology, Vol. 40, No.3.

Kelley, W.P. (1945).

Calculating Formulas for Fine Grained Minerals on the Basis of Chemical Analysis; Am. Mineralogist, 30 : 1-26.

Kenneth, Shaw (1972).

Refractories and Their Uses: John Wiley and Sons, Inc. New York, Chap. 3.

Kerr, Paul, F. (1938).

A Decade of Research on the nature of clays; Jour. Amer. Cera. Soc. Vol. 21, pp. 276.

Klinefelter, T.A. and H.P. Hamlin, (1957).

Syllabus of Clay Testing. U.S. Bureau of Mines Bull. pp. 565.

Kruson, J.H. (1922).

Refractory Clays of Texas, Jour. Amer. Cer. Soc. Vol. 5, No. 9, pp. 643-645.

Kulbicki, G. and R.E. Grim (1959).

A New Method for the Thermal Dehydration. Study of Clay Minerals, Mineral Mag., 32: 53-62.

Ladoo, R.B. and W.M. Myres (1951).

Industrial Minerals and Rocks, McGraw Hill Book Co. Inc. New York.

Langer, A.M. and P.F. Kerr (1967).

Evaluation of Kaolinite and quartz DTA curves with a new high temp. Cell, Am. Mineralogist Vol. 52, pp. 508-523.

Leskevich, I. Ye and S.V. Sauchuk, (1962).

Kaolinite in the lower carboniferous coals of the western Donbass, Dokl. Acad. Sci. USSR, Earth Sci. Sect. 137: 424-426.

Lines, E.H. (1917).

Pennsylvania Fireclays of Illinois. Illinois Geol. Surv. Bull. 30, pp. 61-73.

Logan, W.E. (1842).

On the character of beds of clay lying immediately below the coal seams of south Wales: Geol. Soc. London. Proc. V.3, pp. 275-277.

MacEwan, D.M.C., Asnil, A.R., and G. Brown (1961).

Interstratified clay Minerals. "The X-ray Identification and Crystal structures of Clay Minerals". Chap. XI, Mineralogical Society of Great Britain, Monograph, pp. 393-445.

Mackenzie, R.C. (1957).

Thermal Methods, "The Differential Thermal Investigations of Clays. Mineralogical Society, London, Chap. I, pp. 1-22.

Marel, H.W., Vander (1956).

Quantitative d.t.a. of Clay and other minerals. Am. Mineralogist, 41: 222-244.

Marshall, C.E. (1949).

Colloidal Chemistry of the Silicate Minerals. I. Agronomy. Inc. Academic Press, N.Y.

Marshall, C.E., (1950).

The Electrochemistry of the Clay Minerals in
Relation to Pedology, Trans. 4th Intern. Congr.
Soil Sci. 1: pp. 71-82.

Mason, C.C. and R.L. Folk, (1958).

Differentiation of beach, Dune and aeolian flat
environments by size analysis. Jour. Sedi. Petrology
Vol. 28, pp. 211-226.

McMillan, N.J. (1956).

Petrology of the Nodaway Underclay (Pennsylvanian)
Kansas, State Geol. Surv. Kansas, Bull. 19, pt. 6,
pp. 191-247.

Mc Namara, E.P., (1940).

"Ceramics"Penna State Coll. School of Mineral Indus.
Vols. I, II, & III.

Mc Queen, H.S. (1929).

Geologic Relations of the Diaspore and Flint clays
of Missouri. J. Am. Ceramic Soc. 12: 687-697.

Mc Queen, H.S. (1943).

Geology of the Fireclay Districts of East Central
Missouri, Missouri Geol. Survey and Water Resources
(2) : 28.

Mc Vay, T.N. and L.D. Toulmin (1945).

Alabama shales and Fireclays, Geol. Surv. Alabama,
Bull. 55, pp. 155.

Mehta, D.R.S. (1947).

Fireclay deposits in the eastern part of the Bokaro
coal field, Bihar, Prog. Rept. Geol. Surv. Ind. 48.

Mehta, D.R.S. (1948)

Fireclay deposits of Ranigung and Jaria coal fields,
Bengal and Bihar, Indian Minerals, Vol. 2 No.2.
pp. 103-111.

Mielenz, R.C. and M.E. King, (1955).

Physical Chemical Properties and Engineering
Performance of clays, Calif. Deptt. of Natural
Mines Bull. 169, pp. 196-254.

Millot, G., Lucas, J. and R. Wey, (1951).

Some researches on the evolution of clay minerals
and argillaceous and alliccoas neoformation,
Proc. 10th Nat. Conf. Clay and Clay Mins. Pergamon,
N.Y. pp. 399-412.

Millot Georges, (1970).

Geology of Clays, Chapman and Hall, London; 1970.

Milne, I.H. and J.W. Earley (1958).

Effect of source and environment on clay minerals.
Bull. Am. Assoc. Petrol. Geol., 42: 328-338.

Mishra, M.L. and E.C. Henry (1949).

Nature of Some Indian Clays. Amer. Ceram. Soc.
Soc. Bull. 28(5), pp. 187-92.

Mishra, M.L. and F.A. Hummel (1949).

Some Properties of Indian Clays and Indian White-
ware bodies. Amer. Ceram. Soc. Bull. 28(6),
pp. 235-39.

Mishra, M.L. (1950).

A detailed study of Indian and certain American
clays. Trans. Indian Ceramic Soc. Bull. 9: 97-191.

Mishra, M.L. (1961).

'Clays' Their Properties, Uses, and Occurrences
in India.

Mukherjee, J.N. and R.P. Mitra (1946).

Some Aspects of the Electrochemistry of the Clays.
J. Colloid Sci. I: 141-159.

Murray, Hayda, H. (1960).

Industrial Minerals and Rocks. Seeley W. Mudd.
Series AIME, New York.

Nahin, P.G. (1952).

Infra-red analysis of clays and some associated
minerals. Cer. A84 60(3): 32.

Neuton, Joseph (1969).

'Clays' Its Composition, Properties and uses.
Idaho Bureau of Mines and Geology, Idaho.

Norton, F.H. (1939).

Critical study of the Differential Thermal Method
for the identification of the clay minerals.
Jour. Amer. Cera. Soc. Vol. 22 No.2:254-263.

Norton, F.H. (1948).

Fundamental Study of Clay, VIII. A New Theory For
Plasticity of Clay Water Masses. Jour. Amer. Cera.
Soc. 31:236.

Norton, F.H. (1968).

Refractories. McGraw Hill Book Co. Inc. New York.

Norton, F.H. (1970).

Fine Ceramics, Technology and Applications.
Chapters 4 and 5. McGraw Hill, Inc. New York.

Oberlin, A., Tehoubar, M.C., Schiller, C., Pezerat, H. and
S. Kovacevic (1962).

Fireclay Produced by Alteration of Kaolinite and Some
Natural Fireclays. Colloq. Intern. Centre Natl.
Rech. Sci. (Paris), 105: 45-55.

Oden, S., (1916).

General Introduction to the Chemistry and Physical
Chemistry of Clays. Bull. Geol. Inst. Univ. Upsala.
5 : 175-194.

Odom, I.E. (1963).

Clay Mineralogy and Clay Mineral Orientation of Shales
and Claystones overlying coal seams in Illinois.
Ph.D. thesis, University of Illinois.

Orcel, J. (1935).

D.T.A. in the determination of the consistents of
clays, laterites and bauxites. Congr. Intern. d.
Mines. Met. Geol., Applic. VII. Session, Paris.
pp. 359-373.

Parmelee, C.W. and C.R. Shroyer (1922).

Further Investigation of the Illinois Fireclays.
Illinois Geol. Surv. Bull. 38: 273-417.

Parmelee, C.W. (1946).

Clays and some other Ceramic Materials. Edward Bros.,
Inc. Ann. Arbor, Mich.

Passega, R., (1957).

Texture as characteristic of elastic deposition.
Am. Assoc. Petroleum Geologists, Bull. Vol.41.
pp. 1952-1984.

Passega, R. (1964).

Grain size representation by CM patterns as a geological tool. Jour. Soc. Petrology. Vol.34, No.4,
pp. 830-847.

Patterson, S.H., and J.W. Hosterman, (1962).

Geology and Refractory Clay Deposits of the Haldeman and Wringley-Quadrangles, Kentucky, U.S. Geol. Surv., Bull. 1122-F.

Paulik, F. et al. (1966).

Derivatography, a complex method in Thermal Analysis, Talanta (London) 13, 1405-1430.

Pettijohn, F.J. (1957).

Sedimentary rock. Harper and Brothers, New York.
pp. 588-647.

Phelps, G.W. (1950).

The Roll of Organic matter in Slip Casting.
Am. Ceram. Soc. Bull. V.29, pp.55-58.

Phelps, G.W. (1959).

"A note on casting properties of English China Clay".
Amer. Ceram. Soc. Bull. V.38, pp. 411-414.

Pinsker, Z.G., Lapidus, E.L. and L.I. Tatarinova, (1948).

An electron diffraction study of the structure of kaolinite, 24. Fiz. Khim, 22 (9).

Pinsker, Z.G., (1954).

Study of Clay Minerals by Electron Diffraction and Electron Microscope, Tr. Biogeokhim, Lab., Akad. Nauk, SSSR, Vol.10: 116-141.

Purdy and De Wolf (1907).

Fireclays. Ill. Geol. Surv., Bull. 4 : 131.

Rao B. Rama and S.Z., Ali, (1935).

X-ray studies of some Indian clays. Jour. Sci. Indus. Res. 14B, pp. 231-35.

Reineck and I.B. Singh. (1973).

Depositional Sedimentary Environments. Springer-Verlag, Berlin-New York.

Ries, H., (1925).

Bibliography of Clays (World). Amer. Ceram. Soc. Bull. IV.:428.

Ries, Heinrich. (1927).

Clays, properties Occurrence and Uses. John Wiley and Sons. New York. pp.554.

Ries, H., (1935).

Geology, Clay Research. Amer. Ceram. Soc. Bull. XIV. 279.

Ross and Shannon, (1926).

Clay minerals. Jour. Amer. Ceram. Soc. IX. 77.

Robert, A.L. (1945).

The constitution of refractory clays. Trans. Brit. Cer. Soc. 44 (20).

Roberts, A.L. and R.W. Grimshaw (1948).

The Principal Clay Mineral in Certain Refractory and Bond Clays. Presented before International Geological Congress, London.

Robertson, R.H.S. (1957).

The Differential Thermal Investigation of clays
(R.C. Mackenzie ed.) Mineralogical Society, London,
pp. 418-425.

Ross, D.W. (1927).

Nature and Origin of Refractory Clays. J. Am. Ceramic Soc. 10, 704-720.

Roy, B.C. (1953).

Economic Geology and Mineral Resources of Saurashtra.
Govt. Press Pub.

Ryan, W. (1968).

Properties of Ceramics raw materials, Pergamon Press.

Schofield, R.K. (1940).

Clay Mineral Structures and Their Physical Significance. Trans. Brit. Ceram. Soc. 39:147-158.

Schultz, L.G. (1958).

Petrology of Underclays. Geol. Soc. America Bull. V. 69, pp. 303-402.

Searle, A.B. (1924).

The Chemistry and Physics of clays and other ceramic minerals. D. Van Nostrand Co., Inc. New York.

Searle, A.B. (1924).

Refractory materials, their manufacture and uses.
J.B. Lippincott Co., Philadelphia.

Searle, A.B. and R.W. Grimshaw (1960).

The Chemistry and Physics of Clays. Ernest Bern. Ltd.

Sewell, E.C. and D.B. Honeyborne (1957).

Theory and Quantitative Use. "The Differential Thermal Investigation of Clays," Chap.III, Mineralogical Soc. London. pp. 65-97.

Shina, R.K. (1967).

Treatise on Industrial Minerals of India. Allied
Publish. Pvt. Ltd.,

Shrivastava, P.K. (1973).

Stratigraphy of the Mesozoic sediments of Saurashtra.
Bull. ONGC Vol. 10. No. 132.

Singer Felix and Sonja. (1971).

Industrial Ceramics. Chapman and Hall Ltd., London.

Slatkine, A. and L. Heller. (1961).

A petrological study of the Flint clay from Makhtesh
Ramon, Israel, Intern. Geol., Congr., 21st Rept.
Session, Norden, pt. 24, pp. 88-107.

Smith, W.H. and N.R. O'Brien (1965).

Middle and Late Pennsylvanian Flint Clays.
Jour. Sed. Petro. Vol. 35, pp. 610-618.

Snykatz-Kloss (1974).

"Differential Thermal Analysis", Application and
Results in Mineralogy. Springer-Verlag, Berlin-
New York.

Snyder, E.B. and R.M. King (1941).

Increasing Plasticity and Dry Strength of Flint and
Semiflint clays by Treatment with Electrolytes.
Am. Ceram. Soc. Bull. Vol. 20, No.5, pp. 151-153.

Spiel, S; Berkelheimer, C.H., Pask, I.A. and B. Davies, (1945).

D.t.a. Its application to clays and other aluminous
materials. U.S.Dept.,Inst. Bur. Mines, Tech. Paper 664,
pp. 81.

Stout, W. (1923).

Origin of coal formation clays. Ohio Geol. Surv. Bull. V. 26, Ser. 4, pp. 533-568.

Sudo, T.H., Takahashi, and H. Matsui. (1954).

Fireclay from Kurata Mine, Japan. J. Geol. Geography, 24 : 71-85.

Sullivan, J.D. (1939).

Physical, Chemical control of Properties of clays. Trans. Electro-chem. Soc. 75:71-98.

Taggart, M.S., Jr. and A.D. Kaiser, Jr. (1960).

Clay Mineralogy of the Mississippi River Deltaic Sediments. Bull. Geol. Soc. Am. 71 : 521-530.

Terzazhi, K. (1928).

The Physical Properties of Clays. M.I.T. Tech. Eng. News. 9:10,11,36.

Trostel, L.J. and D.J. Wynne (1940).

Determination of Quartz (Free silica) in Refractory Clays. J. Am. Ceram. Soc. 23: 18-22.

Ukikulova, M.F. (1957).

Systematic Manual on Petrographic and Mineralogical Study of Clays. Gosgeoltekhizdat.

Visher, G.S. (1965).

Fluvial processes on interpreted from ancient and recent fluvial deposits in Middleton G.V., Ed. Primary Sedimentary structures and their Hydrodynamic Interpretation. Soc. Econ. Palaeontologists and Mineralogists, Special Publication 12, pp. 116-132.

Visher, G.S. (1969).

Grain Size Distributions and Depositional Processes.
Jour. Sed. Petrology. Vol. 39, No.3, pp. 1074-1106.

Visher, G.S. (1972).

Physical Characteristics of fluvial deposits in
Rigby J.K. and W.K. Hamblin (Eds.). Recognition of
ancient Sedimentary environments S.E.P.M., Sepc. Publ.
No.16, pp. 84-97.

Waage, K.M. (1950).

Refractory Clays of the Maryland Coal Measures.
Maryland Dept. Geol., Min. and Water Res. Bull. 9.

Wahl, F.M. (1958).

"Reactions in kaolin-type Minerals at Elevated
Temperatures as Investigated by continuous X-ray
Diffraction, "Ph.D. thesis, University of Illinois.

Wahl, F.M. (1962).

Effect of Impurities on kaolinite Transformations as
examined by High Temperature X-ray Diffraction.
Advances in X-ray Analysis. 10th Conf. pp. 264-275.
Plenum Press, New York.

Weaver, C.E. (1958).

A Discussion on the Origin of Clay Minerals in Sedi-
mentary Rocks. Natl. Acad. Sci. Pub. 566, pp.159-173.

Weitz, J.H. and R.C. Bolger, (1951).

Mineralogy and Nomenclature of the Mercer Fireclay
in North-central Pennsylvania, Proc. Penna. Acad.
Sci. 25, 124-130.

West, R.R. (1972).

Differential Thermal Analysis, (Edited by R.C.
Machenzie). Vol. 2. Academic Press, London and New York.

Weyl, W.A. and N.A. Terhune, (1953).

"Crystal Chemistry Applied to 'Foreign Ions' in Titanate Ceramics". Ceramic Age, V. 62, pp.23-27.

White, W.A. and E. Pichler (1959).

Water sorption Characteristics of Clay Minerals. Circ. 266, III State Geol. Surv. Urbana, III.

Whittatch, G.I. (1933).

Commercial Underclay of Indiana. Jour. Amer. Cera. Soc. Vol. 16 No.1 pp. 4553.

Whittatch, G.I. (1935).

Underclays of commercial coal of Tennessee, Acad. Sci. Vol. 10, No.3 pp. 205.

Wiegner, G. (1931).

Some Physio-chemical Properties of Clays. J. Soc. Chem. Ind. (London). 59:65-71.

Wilson, Hewitt (1927).

Ceramics, Clay Technology. McGraw Hill Book Co. Inc. New York pp. 296.

Wilson, H. and R.C. Treasher (1938).

Preliminary Report of Refractory Clays, Western Oregon. Deptt. Geol. and Min. Indus. Bull. 6, pp. 95.

Worrall, W.E., Grimshaw, R.E. and A.L. Roberts (1958).

Structural significance of cation exchange in Fire-clays. Trans. Birt. Cer. Soc. 57(e).

Worrall, W.E. (1959).

"The Rational Analysis of Fireclays". Trans. Brit. Cer. Soc. Vol. 58, pp. 146-157.

Young, G.J. (1932).

Mining and Processing Fireclay. Eng. Mining.
J. Vol. 133, No.4 pp. 215-218.

Zuyagin, B.B. (1955).

Some diffraction properties of clay minerals as
shown by electron-diffraction oblique texture
Patterns. Tr. Inst. Kristallogr. No.11.

Zuyarin, B.B. (1957).

Principles of mineral diagnosis by electron diffraction, Methods of Investigating Sedimentary Rocks,
Vol.1. Gosgeoltekhizdat. Mosvow.

Zvyagin, B.B. (1958).

New possibilities in the structural study of clay
minerals by electron diffraction Materials on the
Geology, Mineralogy and Use of Clays in the USSR.
Proc. of the Internl. Conf. on Clay, Brussel. Izd.
Akad. Nauk. SSSR. Moscow.(

Zvyagin, B.B. (1959).

The contribution of electron diffraction to the
crystal chemistry of clay minerals (Fedorov Session
on Crystallography, Leningrad. May 21-27, 1959).
Summary of Papers. Izd. Akad. Nauk, SSSR. pp. 80.
Moscow.

Zvyagin, B.B. (1960).

The Structures of Clay minerals in the light of
electron diffraction data. Reports to the Assembly
of the Internl. Commission on the Study of Clays.
Izdd Akad. Nauk, SSSR, p. 5 Moscow.

Zvyagin, B.B. (1960).

Electron-diffraction determination of the structure of Kaolinite. Kristallografiya, 5(1). Dokl. Akad. Nauk. SSSR. 130(5).

Zvyagin, B.B., Shakhora, R.A. and V.A. Shitor. (1962).

Some rules for the classification of clay substances according to structural and mineralogical criteria dependent on electron-diffraction results, in collection: Materials on Palaeogeography and Lithology. Oldel Nauchno. Tekh. Inf. VSEGEI. Vol. 72.