

## LIST OF FIGURES

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
Figure 2.1	Sasanian Lineage part 1.	26
Figure 2.2	Sasanian Lineage part 2.	27
Figure 3.1	NRN Trench 1. Section facing North	44
Figure 3.2	Trench 2. Section facing East. Furnace 22 is the latest, followed by 28, and then 44	46
Figure 4.1	Torpedo Jar base and rim from Vallabhipur	66
Figure 4.2	Torpedo Jar rim from Vallabhipur with high ribbing	67
Figure 4.3	Amphora Handle from Nagara. (Courtesy: Department of Archaeology and Ancient History, The Maharaja Sayajirao University of Baroda	68
Figure 4.4	Torpedo Jar body sherds from Nagara	69
Figure 4.5	Torpedo Jar from Lothal	71
Figure 4.6	Sasanian Glazed Ware from Kanmer. (Courtesy: Jeewan Kharakwal)	71
Figure 4.7	Torpedo Jar rims (1-5 sub-rounded and 6-triangular) and base (7) from Kanmer (all PWWS fabric)	72
Figure 4.8	Reconstructed and refitted Torpedo Jar from Kanmer (PWWS fabric)	72
Figure 4.9	Torpedo Jars from Nagardhan with inner bitumen lining	75
Figure 4.10	Illustration of Torpedo Jar from Nagardhan sub-rounded rim with a shallow groove under the rim, with some ribbing on the shoulder.	76
Figure 4.11	Structures from the excavations at Nagardhan from locality 3 (XM Qd1). The marker in blue indicates the Torpedo Jar yielding levels dated to around 5 <sup>th</sup> century A.D. relatively.	76

Figure 4.12	Tin Glazed Ware (Samarran) rim from Nagardhan (Courtsey: Virag Sontakke)	78
Figure 4.13	Sherds of Sasanian Glazed Ware from Chaul	80
Figure 4.14	Torpedo Jar sherds from Chaul. Broken part of base (top) and a body sherd with cross-hatched incisions (bottom)	82
Figure 4.15	Turquoise Glazed Ware from Chaul	83
Figure 4.16	Flat White Eggshell Ware base from Chaul	83
Figure 4.17	White Eggshell Ware with leaf-like designs from Chaul	84
Figure 4.18	Grey Eggshell Ware rim and base from Chaul	84
Figure 4.19	Grey Eggshell Ware with different types of designs	85
Figure 4.20	Buff Incised Ware rims from Chaul with handle (broken off) and another with wavy incised designs and horizontal incisions close to the rim	85
Figure 4.21	White Opaque Tin Opacified Glazed Ware bowls from Chaul	86
Figure 4.22	Champlevé Sgraffiato rim sherd from Chaul	87
Figure 4.23	Green Monochrome Sgraffiato sherd from Chaul	88
Figure 4.24	Hatched Sgraffiato from Chaul. Bi-chrome variety on top with green-yellow splashes and with playing white glaze in the lower right sherd	89
Figure 4.25	Illustration of Sasanian and Early Islamic Ceramics from Chaul.	90
Figure 4.26	Illustration of Sasanian and Early Islamic Ceramics from Chaul	92
Figure 4.27	Illustration of Sasanian and Early Islamic Ceramics from Chaul	92
Figure 4.28	Torpedo Jar Body Sherds from Vadnagar, (Courtesy: IAR 2009-2010, Figure 41: 41)	94

Figure 4.29	Torpedo Jar and Sasanian Glazed Ware Illustrations from the ASI Excavations. (Courtesy: The Archaeological Survey of India). (1-2 - from Amba Ghat Area; 3-6 - from Valmiyo no Mahad Area)	96
Figure 4.30	Sasanian Glazed Ware from Vadnagar from the Directorate of Archaeology and Museums, Government of Gujarat	97
Figure 4.31	Illustration of Sasanian Glazed Ware rims and base from Vadnagar - the Directorate of Archaeology & Museums, Government of Gujarat	97
Figure 4.32	Glazed Ware Handled Jar from Vadnagar with an Iridescent Remnant of Glaze - the Directorate of Archaeology & Museums, Government of Gujarat	98
Figure 4.33	Pots and Globular Pots (GP) from Vadnagar ASI Excavations, 2018 season. (Courtesy: ASI, Vadodara Excavation Branch V)	98
Figure 4.34	Red Polished Ware Sprinkler from Vadnagar ASI Excavations, 2018 season. (Courtesy: ASI, Vadodara Excavation Branch V)	99
Figure 4.35	Torpedo Jar diagnostic rims from Siyot (Modified from Tomber 2007: Figure 3: 975)	100
Figure 4.36	Torpedo Jar from the Excavations at Siyot 2018. (Courtesy Y S Rawat, Directorate of Archaeology and Museums, Government of Gujarat)	100
Figure 4.37	Sasanian Glazed Ware from Siyot Surface Collections	101
Figure 4.38	NRN 1 Trench 1. Section facing North	105
Figure 4.39	Trench 2. Section Facing East. Furnace 22 is the latest, followed by 28, and then 44	106
Figure 4.40	Torpedo Jar Rim (1) and Base (2) from Nani Rayan Excavations (2019)	107
Figure 4.41	Glass vessel from Nani Rayan 2019	107
Figure 4.42	Body sherds of Torpedo Jars from Paliyad (Paliyat Timbo)	109

Figure 4.43	Torpedo Jars found from the current survey. (1-3 - Hadiyana I, 4 - Bharana I, 5 Vasai, and 6 - Kota II)	112
Figure 4.44	Part of the higher mound with Late Medieval <i>Paliyas</i> and modern temple	113
Figure 4.45	Torpedo Jar sherd from the surface at Vasai	114
Figure 4.46	Row of <i>Paliyas</i> Hero Stones and a Sati Stone from the higher mound area	115
Figure 4.47	View of the mound at Hadiyana from north-east looking towards south-west	116
Figure 4.48	Torpedo Jar sherd from Hadiyana II. The bitumen on the inner wall can be seen	117
Figure 4.49	Kota I flattened due to agricultural activities	118
Figure 4.50	A mature Harappan bowl from Kota I	118
Figure 4.51	The mound of Kota II flattened due to ploughing	119
Figure 4.52	View of the 'slag hill 'under the Banyan tree at Bharana I	120
Figure 4.53	General view of the site Bharana, photo taken from the north facing south	121
Figure 4.54	Torpedo Jar sherd with bitumen on the inner wall from Bharana I	122
Figure 4.55	The photograph of the inlet and fisherman with their sail boats coming ashore after a day's catch at Bharana I	122
Figure 4.56	Illustration of Diagnostic ceramics from the Jamnagar exploration. Sorath Harappan (1-2,5-8), Micaceous Red Ware (Early historic-medieval) (3) and Rangmahal Ware (5)	124
Figure 4.57	Torpedo Jar from Kamrej discovered from the researcher's exploration	125
Figure 4.58	Buff Ware (Storage Vessel)	128
Figure 4.59	Torpedo Jar (PWWS) from Sanjan Surface Exploration	129
Figure 4.60	Turquoise Glazed Ware from Sanjan Surface Exploration	129

Figure 4.61	White Opaque Tin Opacified Glazed Ware (Samarran) from Sanjan, Surface context	130
Figure 4.62	Turquoise Splashed Tin Glazed Ware	131
Figure 4.63	Hatched Sgraffiato	132
Figure 4.64	Late Sgraffiato Wares - Champlevé? top right corner and Late Sgraffiato type? Base below	132
Figure 4.65	Illustrations of West Asian ceramics found from the survey. (1 and 3 - Sgraffiato, 2 - Champlevé, 4 and 5 - Turquoise Splashed Tin Glazed Ware - Samarran)	133
Figure 4.66	Late-Parthian/Early Sasanian Torpedo Jar from Susiana (Courtesy: Prof. Henry Wright)	136
Figure 4.67	Illustrations of Torpedo Jar rims from South-Western Iran (3-8), and related Wares (1-2) with gritty fabric	136
Figure 4.68	Sasanian-Early Islamic Glazed Wares from Jundeshapur with gritty fabric	137
Figure 4.69	PWWS fabric Torpedo Jar base from Ewan-i-Karkheh (Courtesy: Esmaili Jelodar, University of Tehran)	137
Figure 4.70	Representative sample of Torpedo Jar from Nagardhan viewed Plain Polarised Light (PPL) showing a non-pleochroic matrix with angular to sub angular grains. No preferred orientation is seen. Petro-Fabric Group 1. Field of view is 0.18mm <sup>2</sup>	141
Figure 4.71	Representative sample of Torpedo Jar from Nagardhan viewed in (Cross Polarised Light (XPL) showing a ferruginous matrix with angular to sub angular grains of quartz, plagioclase feldspar, crypto-crystalline silica, mica (in red) and sandstone. Petro-Fabric Group 1. Field of view is 0.18mm <sup>2</sup>	141
Figure 4.72	Photomicrograph of a Torpedo Jar from Paliyad 3 in Cross Polarised Light (XPL). The dominant minerals are Crypto-	142

	Crystalline Calcite and Quartz. Other minerals present are mica. Petro-Fabric Group 2. Field of view: 0.18 mm <sup>2</sup>	
Figure 4.73	Photomicrograph of a Torpedo Jar from Paliyad 3 in Plain Polarised Light (PPL). Petro-Fabric Group 2 .Field of view: 0.18 mm <sup>2</sup>	142
Figure 4.74	Photomicrograph of a Sasanian Glazed Ware in Cross Polarised Light (XPL) from Kanmer (4)– (5Y 7/2) Trench Y31, Layer 5, Lot No. 128. Petro-Fabric Group 3. Field of view: 0.18 mm <sup>2</sup>	143
Figure 4.75	Photomicrograph of a Torpedo Jar from Kanmer in Plain Polarised Light (PPL). Petro-Fabric Group 3. Field of view: 0.18 mm <sup>2</sup>	143
Figure 4.76	Photomicrograph of a Torpedo Jar sample 7 from Iran in Plain Polarised Light (PPL). Petro Fabric Group 4. Field of view: 0.18 mm <sup>2</sup>	144
Figure 4.77	Photomicrograph of a Torpedo Jar sample 7 from Iran in Cross Polarised Light (XPL). The dominant minerals are Crypto-Crystalline silica (angular) and Crypto-Crystalline Calcite (secondary deposition) Petro Fabric Group 4. Field of view: 0.18 mm <sup>2</sup>	144
Figure 4.78	Photomicrograph of a Torpedo Jar Susiana 1 from Iran in Plain Polarised Light (PPL) from the site KS 139. Petro Fabric Group 4a. Field of view: 0.18 mm <sup>2</sup>	145
Figure 4.79	Photomicrograph of a Torpedo Jar Susiana 1 from Iran in Cross Polarised Light (XPL) from the site KS 139. Grog seen along with major minerals such as crypto-crystalline silica, feldspar, quartz, and mica. Petro Fabric Group 4. Field of view: 0.18 mm <sup>2</sup>	145
Figure 4.80	Photomicrograph of a GEGG (CHL EXP 5) in Plain Polarised Light (PPL). Petro-Fabric Group 5. Field of view: 0.18 mm <sup>2</sup>	146

Figure 4.81	Photomicrograph of a GEGG (CHL EXP 5) in Cross Polarised Light (XPL). Petro-Fabric Group 5. Field of view: 0.18 mm <sup>2</sup>	146
Figure 4.82	Photomicrograph of a WEGG (CHL 39) in Plain Polarised Light (PPL). Petro-Fabric Group 6. Field of view: 0.18 mm <sup>2</sup>	147
Figure 4.83	Photomicrograph of a WEGG (CHL 39) in Cross Polarised Light (XPL). Petro-Fabric Group 6. Field of view: 0.18 mm <sup>2</sup>	147
Figure 4.84	Photomicrograph of CHL 26 in Plain Polarised Light (PPL) with no pleochroism seen. Petro-Fabric Group 7. Field of view: 0.18 mm <sup>2</sup>	148
Figure 4.85	Photomicrograph of CHL 26 in Cross Polarised Light (XPL) with more of plagioclase feldspar and less of quartz. Petro-Fabric Group 7. Field of view: 0.18 mm <sup>2</sup>	148
Figure 4.86	Photomicrograph of sample S-LS2 in Cross Polarised Light (XPL). Petro-Fabric Group 8. Field of view: 0.18 mm <sup>2</sup>	149
Figure 4.87	Photomicrograph of sample S-LS2 in Plain Polarised Light (PPL). Petro-Fabric Group 8. Field of view: 0.18 mm <sup>2</sup>	149
Figure 4.88	Photomicrograph of a Sgraffiato Ware S-LS4 in Plain Polarised Light (PPL). Petro-Fabric Group 8a. Field of view: 0.18 mm <sup>2</sup>	150
Figure 4.89	Photomicrograph of a Sgraffiato Ware S-LS4 in Cross Polarised Light (XPL). Petro-Fabric Group 8a. Field of view: 0.18 mm <sup>2</sup> . Note the lack of Quartz compared to the earlier fabric.	150
Figure 4.90	Photomicrograph of a Turquoise Splashed Tin Glazed Ware (sample no. S-TS3) from Sanjan in Plain Polarised Light (PPL) and bubbly glaze at the bottom. Petro-Fabric Group 9. Field of view: 0.18 mm <sup>2</sup>	151
Figure 4.91	Photomicrograph of a Turquoise Splashed Tin Glazed Ware (sample no. S-TS3) from Sanjan in Cross Polarised Light	151

	(XPL) with sub rounded - rounded quartz inclusions. Petro-Fabric Group 9. Field of view: 0.18 mm <sup>2</sup>	
Figure 4.92	Photomicrograph of a Turquoise Glazed Ware (sample no. S-TGP 1) from Sanjan in Plain Polarised Light (PPL). Petro-Fabric Group 10. Field of view: 0.18 mm <sup>2</sup>	152
Figure 4.93	Photomicrograph of a Turquoise Glazed Ware (sample no. S-TGP 1) from Sanjan in Cross Polarised Light (XPL) with both sub rounded quartz, poly crystalline quartz and feldspar along with finer quartz. Petro-Fabric Group 10. Field of view: 0.18 mm <sup>2</sup>	152
Figure 4.94	Photomicrograph of a Tin Glazed Ware from Chaul (CHL 24) in Plain Polarised Light (PPL). Petro-Fabric Group 11. Field of view: 0.18 mm <sup>2</sup>	153
Figure 4.95	Photomicrograph of a Turquoise Glazed Ware from Chaul (CHL 24) in Cross Polarised Light (XPL) showing majority finer quartz and feldspar. Petro-Fabric Group 11. Field of view: 0.18 mm <sup>2</sup>	153
Figure 4.96	Photomicrograph of a Turquoise Glazed Ware (sample no. S-TGP 3) from Sanjan in Plain Polarised Light (PPL). Petro-Fabric Group 12. Field of view: 0.18 mm <sup>2</sup>	154
Figure 4.97	Photomicrograph of a Turquoise Glazed Ware (sample no. S-TGP 3) from Sanjan in Cross Polarised Light (XPL) with a micaceous matrix and highly fine and well sorted quartz petro-fabric. Petro-Fabric Group 12. Field of view: 0.18 mm <sup>2</sup>	154
Figure 4.98	Distribution Chart of Major and other Non-Plastic inclusions in Petro-Fabric Groups 1, 2 and 3	156
Figure 4.99	Grain Size Distribution of Petro-Fabric Groups 1, 2 and 3	156
Figure 4.100	Distribution Chart of Major Minerals and other Non-Plastic inclusions in Petro-Fabric Groups 4, 4a, and 5	157
Figure 4.101	Grain Size Distribution of Petro-Fabric Groups 4, 4a, and 5	157

Figure 4.102	Distribution Chart of Major Minerals and other Non-Plastic inclusions in Petro-Fabric Groups 6, 7, and 8	158
Figure 4.103	Grain Size Distribution of Petro-Fabric Groups 6, 7, and 8	158
Figure 4.104	Distribution Chart of Major Minerals and other Non-Plastic inclusions in Petro-Fabric Groups 6, 7, and 8	159
Figure 4.105	Grain Size Distribution of Petro-Fabric Groups 8a, 9, and 10	159
Figure 4.106	Distribution Chart of Major Minerals and other Non-Plastic inclusions in Petro-Fabric Groups 11, and 12	160
Figure 4.107	Grain Size Distribution of Petro-Fabric Groups 11, and 12	160
Figure 4.108	Ternary Diagram Textural Data of Petro Fabric Groups as derived from the Point Counting	161
Figure 5.1	Overall Distribution of minerals in Petro-Fabric Groups and Sub-Groups	169
Figure 5.2	Overall Grain Size Distribution of Petro-Fabric Groups and Sub-Groups	171
Figure 5.3	Ternary Diagram of the four distinct Textural Groups encircled	172
Figure 5.4	Sasanian Metal Wine Ewer at display in the Reza Abbasi Museum, Tehran (Courtesy: Trustees, Reza Abbasi Museum, Tehran)	176