

Bibliography

- Abu-Shanab, A., & Quigley, E. M. M. (2010). The role of the gut microbiota in nonalcoholic fatty liver disease. *Nature Reviews Gastroenterology & Hepatology*, 7(12), 691–701.
- Abulmeaty, M. M. A., Almajwal, A. M., Alnumair, K. S., Razak, S., Hasan, M. M., Fawzy, A., Farraj, A. I., Abudawood, M., & Aljuraiban, G. S. (2021). Effect of long-term continuous light exposure and western diet on adropin expression, lipid metabolism, and energy homeostasis in rats. *Biology*, 10(5), 413.
- Adamovich, Y., Roussio-Noori, L., Zwihaft, Z., Neufeld-Cohen, A., Golik, M., Kraut-Cohen, J., Wang, M., Han, X., & Asher, G. (2014). Circadian clocks and feeding time regulate the oscillations and levels of hepatic triglycerides. *Cell Metabolism*, 19(2), 319–330.
- Adams, L. A., & Talwalkar, J. A. (2006). Diagnostic evaluation of nonalcoholic fatty liver disease. *Journal of Clinical Gastroenterology*, 40, S34–S38.
- Agus, A., Clément, K., & Sokol, H. (2021). Gut microbiota-derived metabolites as central regulators in metabolic disorders. *Gut*, 70(6), 1174–1182.
- Ahmed, Faiza, Kerna, N. A., & Tulp, O. L. (2019). Managing the F: B ratio in DM; a review of the role of firmicutes and bacteroidetes in diabetes mellitus. *Adv. Complement. Altern. Med*, 4, 295–298.
- Ahmed, Fozia, Paul, M. D., & Hristova, K. (2020). The biophysical basis of receptor tyrosine kinase ligand functional selectivity: Trk-B case study. *Biochemical Journal*, 477(23), 4515–4526.
- Ahmed, L. A., Salem, M. B., El-Din, S. H. S., El-Lakkany, N. M., Ahmed, H. O., Nasr, S. M., Hammam, O. A., Botros, S. S., & Saleh, S. (2020). Gut microbiota modulation as a promising therapy with metformin in rats with non-alcoholic steatohepatitis: Role of LPS/TLR4 and autophagy pathways. *European Journal of Pharmacology*, 173461.
- Akhtar, R. A., Reddy, A. B., Maywood, E. S., Clayton, J. D., King, V. M., Smith, A. G.,

- Gant, T. W., Hastings, M. H., & Kyriacou, C. P. (2002). Circadian cycling of the mouse liver transcriptome, as revealed by cDNA microarray, is driven by the suprachiasmatic nucleus. *Current Biology*, 12(7), 540–550.
- Alghamdi, B. S. (2022). The Effect of Melatonin and Exercise on Social Isolation-Related Behavioural Changes in Aged Rats. *Frontiers in Aging Neuroscience*, 22.
- Alkhouiri, N., Dixon, L. J., & Feldstein, A. E. (2009). Lipotoxicity in nonalcoholic fatty liver disease: not all lipids are created equal. *Expert Review of Gastroenterology & Hepatology*, 3(4), 445–451.
- Alkhouiri, N., Morris-Stiff, G., Campbell, C., Lopez, R., Tamimi, T. A., Yerian, L., Zein, N. N., & Feldstein, A. E. (2012). Neutrophil to lymphocyte ratio: a new marker for predicting steatohepatitis and fibrosis in patients with nonalcoholic fatty liver disease. *Liver International*, 32(2), 297–302.
- Almeida-Suhett, C. P., Graham, A., Chen, Y., & Deuster, P. (2017). Behavioral changes in male mice fed a high-fat diet are associated with IL-1 β expression in specific brain regions. *Physiology & Behavior*, 169, 130–140.
- Alzoubi, K. H., Khabour, O. F., Salah, H. A., & Hasan, Z. (2013). Vitamin E prevents high-fat high-carbohydrates diet-induced memory impairment: the role of oxidative stress. *Physiology & Behavior*, 119, 72–78.
- Alzoubi, K. H., Mayyas, F. A., Mahafzah, R., & Khabour, O. F. (2018). Melatonin prevents memory impairment induced by high-fat diet: Role of oxidative stress. *Behavioural Brain Research*, 336, 93–98.
- Amarapurkar, D. N., Hashimoto, E., Lesmana, L. A., Sollano, J. D., Chen, P., Goh, K., & NAFLD1, A. W. P. on. (2007). How common is non-alcoholic fatty liver disease in the Asia–Pacific region and are there local differences? *Journal of Gastroenterology and Hepatology*, 22(6), 788–793.
- Amoroso, C., Perillo, F., Strati, F., Fantini, M., Caprioli, F., & Facciotti, F. (2020). The role of gut microbiota biomodulators on mucosal immunity and intestinal inflammation. *Cells*, 9(5), 1234.

- Anderson, R. J., Freedland, K. E., Clouse, R. E., & Lustman, P. J. (2001). The prevalence of comorbid depression in adults with diabetes: a meta-analysis. *Diabetes Care*, 24(6), 1069–1078.
- Andrews, R. C., Herlihy, O., Livingstone, D. E. W., Andrew, R., & Walker, B. R. (2002). Abnormal cortisol metabolism and tissue sensitivity to cortisol in patients with glucose intolerance. *The Journal of Clinical Endocrinology & Metabolism*, 87(12), 5587–5593.
- Annamneedi, V. P., Park, J. W., Lee, G. S., & Kang, T. J. (2021). Cell autonomous circadian systems and their relation to inflammation. *Biomolecules & Therapeutics*, 29(1), 31.
- Anstee, Q. M., Targher, G., & Day, C. P. (2013). Progression of NAFLD to diabetes mellitus, cardiovascular disease or cirrhosis. *Nature Reviews Gastroenterology & Hepatology*, 10(6), 330–344.
- Antolín, I., Mayo, J. C., Sainz, R. M., del Brío, M. de los A., Herrera, F., Martín, V., & Rodríguez, C. (2002). Protective effect of melatonin in a chronic experimental model of Parkinson's disease. *Brain Research*, 943(2), 163–173.
- Appiakannan, H. S., Kestyus, D. R., & Weber, E. T. (2019). Effects of high fat diet and chronic circadian challenge on glucocorticoid regulation in C57BL/6J mice. *Physiology & Behavior*, 204, 100–105.
- Arab, J. P., Arrese, M., & Trauner, M. (2018). Recent insights into the pathogenesis of nonalcoholic fatty liver disease. *Annual Review of Pathology: Mechanisms of Disease*, 13, 321–350.
- Arcego, D. M., Krolow, R., Lampert, C., Toniazzo, A. P., Berlitz, C., Lazzaretti, C., Schmitz, F., Rodrigues, A. F., Wyse, A. T. S., & Dalmaz, C. (2016). Early life adversities or high fat diet intake reduce cognitive function and alter BDNF signaling in adult rats: Interplay of these factors changes these effects. *International Journal of Developmental Neuroscience*, 50, 16–25.
- Arcego, D. M., Toniazzo, A. P., Krolow, R., Lampert, C., Berlitz, C., dos Santos Garcia,

- E., do Couto Nicola, F., Hoppe, J. B., Gaelzer, M. M., & Klein, C. P. (2018). Impact of high-fat diet and early stress on depressive-like behavior and hippocampal plasticity in adult male rats. *Molecular Neurobiology*, 55(4), 2740–2753.
- Arioz, B. I., Tastan, B., Tarakcioglu, E., Tufekci, K. U., Olcum, M., Ersoy, N., Bagriyanik, A., Genc, K., & Genc, S. (2019). Melatonin attenuates LPS-induced acute depressive-like behaviors and microglial NLRP3 inflammasome activation through the SIRT1/Nrf2 pathway. *Frontiers in Immunology*, 10, 1511.
- Armstrong, M. J., Houlihan, D. D., Bentham, L., Shaw, J. C., Cramb, R., Olliff, S., Gill, P. S., Neuberger, J. M., Lilford, R. J., & Newsome, P. N. (2012). Presence and severity of non-alcoholic fatty liver disease in a large prospective primary care cohort. *Journal of Hepatology*, 56(1), 234–240.
- Armstrong, S. M. (1989). Melatonin and circadian control in mammals. *Experientia*, 45(10), 932–938.
- Aron-Wisnewsky, J., Gaborit, B., Dutour, A., & Clement, K. (2013). Gut microbiota and non-alcoholic fatty liver disease: new insights. *Clinical Microbiology and Infection*, 19(4), 338–348.
- Ashkenazy, T., Einat, H., & Kronfeld-Schor, N. (2009). We are in the dark here: induction of depression-and anxiety-like behaviours in the diurnal fat sand rat, by short daylight or melatonin injections. *International Journal of Neuropsychopharmacology*, 12(1), 83–93.
- Aydin, M., Canpolat, S., Kuloğlu, T., Yasar, A., Colakoglu, N., & Kelestimur, H. (2008). Effects of pinealectomy and exogenous melatonin on ghrelin and peptide YY in gastrointestinal system and neuropeptide Y in hypothalamic arcuate nucleus: immunohistochemical studies in male rats. *Regulatory Peptides*, 146(1–3), 197–203.
- Baek, H. K., Shim, H., Lim, H., Shim, M., Kim, C.-K., Park, S.-K., Lee, Y. S., Song, K.-D., Kim, S.-J., & Yi, S. S. (2015). Anti-adipogenic effect of *Artemisia annua* in diet-induced-obesity mice model. *Journal of Veterinary Science*, 16(4), 389–396.
- Banasr, M., Dwyer, J. M., & Duman, R. S. (2011). Cell atrophy and loss in depression:

- reversal by antidepressant treatment. *Current Opinion in Cell Biology*, 23(6), 730–737.
- Banerjee, A., Jana, A. K., Praharaj, S. K., Mukherjee, D., & Chakraborty, S. (2020). Depression and anxiety in patients with chronic liver disease and their relationship with quality of life. *Annals of Indian Psychiatry*, 4(1), 28.
- Barbuio, R., Milanski, M., Bertolo, M. B., Saad, M. J., & Velloso, L. A. (2007). Infliximab reverses steatosis and improves insulin signal transduction in liver of rats fed a high-fat diet. *Journal of Endocrinology*, 194(3), 539–550.
- Baron, K. G., & Reid, K. J. (2014). Circadian misalignment and health. *International Review of Psychiatry*, 26(2), 139–154.
- Barra de la Tremblaye, P. (2016). *A role for CRH and HPA activation in the regulation of plasticity signaling, neuroinflammation and emotional/mnesic behavior following global cerebral ischemia in rats*. Université d'Ottawa/University of Ottawa.
- Bass, J., & Takahashi, J. S. (2010). Circadian integration of metabolism and energetics. *Science*, 330(6009), 1349–1354.
- Basso, A. M., Spina, M., Rivier, J., Vale, W., & Koob, G. F. (1999). Corticotropin-releasing factor antagonist attenuates the “anxiogenic-like” effect in the defensive burying paradigm but not in the elevated plus-maze following chronic cocaine in rats. *Psychopharmacology*, 145(1), 21–30.
- Baxi, D. B., Singh, P. K., Vachhrajani, K. D., & Ramachandran, A. V. (2013). Melatonin supplementation in rat ameliorates ovariectomy-induced oxidative stress. *Climacteric*, 16(2), 274–283.
- Bedrosian, T. A., Weil, Z. M., & Nelson, R. J. (2013). Chronic dim light at night provokes reversible depression-like phenotype: possible role for TNF. *Molecular Psychiatry*, 18(8), 930–936.
- Bell, C. C. (1994). DSM-IV: diagnostic and statistical manual of mental disorders. *Jama*, 272(10), 828–829.

- Berger, H. R., Nyman, A. K. G., Morken, T. S., & Widerøe, M. (2019). Transient effect of melatonin treatment after neonatal hypoxic-ischemic brain injury in rats. *PloS One*, 14(12), e0225788.
- Besedovsky, H. O., Del Rey, A., Klusman, I., Furukawa, H., Ardit, G. M., & Kabiersch, A. (1991). Cytokines as modulators of the hypothalamus-pituitary-adrenal axis. *The Journal of Steroid Biochemistry and Molecular Biology*, 40(4–6), 613–618.
- Bicknell, B., Liebert, A., McLachlan, C. S., & Kiat, H. (2022). Microbiome Changes in Humans with Parkinson's Disease after Photobiomodulation Therapy: A Retrospective Study. *Journal of Personalized Medicine*, 12(1), 49.
- Bieghs, V., & Trautwein, C. (2014). Innate immune signaling and gut-liver interactions in non-alcoholic fatty liver disease. *Hepatobiliary Surgery and Nutrition*, 3(6), 377.
- Björkhem, I., & Eggertsen, G. (2001). Genes involved in initial steps of bile acid synthesis. *Current Opinion in Lipidology*, 12(2), 97–103.
- Boden-Albala, B., & Sacco, R. L. (2000). Lifestyle factors and stroke risk: exercise, alcohol, diet, obesity, smoking, drug use, and stress. *Current Atherosclerosis Reports*, 2(2), 160–166.
- Bourin, M., Mocaër, E., & Porsolt, R. (2004). Antidepressant-like activity of S 20098 (agomelatine) in the forced swimming test in rodents: involvement of melatonin and serotonin receptors. *Journal of Psychiatry and Neuroscience*, 29(2), 126–133.
- Boyer, J. L., Trauner, M., Mennone, A., Soroka, C. J., Cai, S.-Y., Moustafa, T., Zollner, G., Lee, J. Y., & Ballatori, N. (2006). Upregulation of a basolateral FXR-dependent bile acid efflux transporter OST α -OST β in cholestasis in humans and rodents. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 290(6), G1124–G1130.
- Bramham, C. R., & Messaoudi, E. (2005). BDNF function in adult synaptic plasticity: the synaptic consolidation hypothesis. *Progress in Neurobiology*, 76(2), 99–125.
- Brandl, K., & Schnabl, B. (2017). The intestinal microbiota and NASH. *Current Opinion in Gastroenterology*, 33(3), 128.

- Bravo, R., Cubero, J., Franco, L., Mesa, M., Galán, C., Rodríguez, A. B., Jarne, C., & Barriga, C. (2014). Body weight gain in rats by a high-fat diet produces chronodisruption in activity/inactivity circadian rhythm. *Chronobiology International*, 31(3), 363–370.
- Briançon-Marjollet, A., Weiszenstein, M., Henri, M., Thomas, A., Godin-Ribuot, D., & Polak, J. (2015). The impact of sleep disorders on glucose metabolism: endocrine and molecular mechanisms. *Diabetology & Metabolic Syndrome*, 7(1), 1–16.
- Briand, F., Heymes, C., Bonada, L., Angles, T., Charpentier, J., Branchereau, M., Brousseau, E., Quinsat, M., Fazilleau, N., & Burcelin, R. (2020). A 3-week nonalcoholic steatohepatitis mouse model shows elafibranor benefits on hepatic inflammation and cell death. *Clinical and Translational Science*, 13(3), 529–538.
- Brotto, L. A., Barr, A. M., & Gorzalka, B. B. (2000). Sex differences in forced-swim and open-field test behaviours after chronic administration of melatonin. *European Journal of Pharmacology*, 402(1–2), 87–93.
- Brunt, E. M. (2017). Nonalcoholic fatty liver disease and the ongoing role of liver biopsy evaluation. *Hepatology Communications*, 1(5), 370–378.
- Bubenik, G. A. (2002). Gastrointestinal melatonin: localization, function, and clinical relevance. *Digestive Diseases and Sciences*, 47(10), 2336–2348.
- Bugge, A., Feng, D., Everett, L. J., Briggs, E. R., Mullican, S. E., Wang, F., Jager, J., & Lazar, M. A. (2012). Rev-erb α and Rev-erb β coordinately protect the circadian clock and normal metabolic function. *Genes & Development*, 26(7), 657–667.
- Bunney, B. G., Li, J. Z., Walsh, D. M., Stein, R., Vawter, M. P., Cartagena, P., Barchas, J. D., Schatzberg, A. F., Myers, R. M., & Watson, S. J. (2015). Circadian dysregulation of clock genes: clues to rapid treatments in major depressive disorder. *Molecular Psychiatry*, 20(1), 48–55.
- Butterworth, R. F. (2013). The liver–brain axis in liver failure: neuroinflammation and encephalopathy. *Nature Reviews Gastroenterology & Hepatology*, 10(9), 522–528.
- Buzzetti, E., Pinzani, M., & Tsochatzis, E. A. (2016). The multiple-hit pathogenesis of

- non-alcoholic fatty liver disease (NAFLD). *Metabolism*, 65(8), 1038–1048.
- Canet, M. J., Merrell, M. D., Hardwick, R. N., Bataille, A. M., Campion, S. N., Ferreira, D. W., Xanthakos, S. A., Manautou, J. E., A-Kader, H. H., & Erickson, R. P. (2015). Altered regulation of hepatic efflux transporters disrupts acetaminophen disposition in pediatric nonalcoholic steatohepatitis. *Drug Metabolism and Disposition*, 43(6), 829–835.
- Cani, P D, Delzenne, N. M., Amar, J., & Burcelin, R. (2008). Role of gut microflora in the development of obesity and insulin resistance following high-fat diet feeding. *Pathologie Biologie*, 56(5), 305–309.
- Cani, Patrice D, Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A. M., Delzenne, N. M., & Burcelin, R. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*, 57(6), 1470–1481.
- Cani, Patrice D, Neyrinck, A. M., Fava, F., Knauf, C., Burcelin, R. G., Tuohy, K. M., Gibson, G. R., & Delzenne, N. M. (2007). Selective increases of bifidobacteria in gut microflora improve high-fat-diet-induced diabetes in mice through a mechanism associated with endotoxaemia. *Diabetologia*, 50(11), 2374–2383.
- Cano, P., Jiménez-Ortega, V., Larrad, A., Toso, C. F. R., Cardinali, D. P., & Esquifino, A. I. (2008). Effect of a high-fat diet on 24-h pattern of circulating levels of prolactin, luteinizing hormone, testosterone, corticosterone, thyroid-stimulating hormone and glucose, and pineal melatonin content, in rats. *Endocrine*, 33(2), 118–125.
- Carabotti, M., Scirocco, A., Maselli, M. A., & Severi, C. (2015). The gut-brain axis: interactions between enteric microbiota, central and enteric nervous systems. *Annals of Gastroenterology: Quarterly Publication of the Hellenic Society of Gastroenterology*, 28(2), 203.
- Cassell, T. (2020). *Investigating the role of the food-entrainable oscillator and the effect of light manipulations on hippocampal-dependent and hippocampal-independent tasks*. Memorial University of Newfoundland.

- Castanon, N., Luheshi, G., & Layé, S. (2015). Role of neuroinflammation in the emotional and cognitive alterations displayed by animal models of obesity. *Frontiers in Neuroscience*, 9, 229.
- Cavaliere, G., Trinchese, G., Penna, E., Cimmino, F., Pirozzi, C., Lama, A., Annunziata, C., Catapano, A., Mattace Raso, G., & Meli, R. (2019). High-fat diet induces neuroinflammation and mitochondrial impairment in mice cerebral cortex and synaptic fraction. *Frontiers in Cellular Neuroscience*, 509.
- Chalfant, J. M., Howatt, D. A., Tannock, L. R., Daugherty, A., & Pendergast, J. S. (2020). Circadian disruption with constant light exposure exacerbates atherosclerosis in male ApolipoproteinE-deficient mice. *Scientific Reports*, 10(1), 1–11.
- Chan, H. C., Lui, K. M., Wong, W. S., & Poon, A. M. S. (1998). Effect of melatonin on chloride secretion by human colonic T84 cells. *Life Sciences*, 62(23), 2151–2158.
- Chan, T. Y., & Tang, P. L. (1995). Effect of melatonin on the maintenance of cholesterol homeostasis in the rat. *Endocrine Research*, 21(3), 681–696.
- Chang, C.-J., Lin, C.-S., Lu, C.-C., Martel, J., Ko, Y.-F., Ojcius, D. M., Tseng, S.-F., Wu, T.-R., Chen, Y.-Y. M., & Young, J. D. (2015). Ganoderma lucidum reduces obesity in mice by modulating the composition of the gut microbiota. *Nature Communications*, 6(1), 1–19.
- Chang, L., Wei, Y., & Hashimoto, K. (2022). Brain-gut-microbiota axis in depression: A historical overview and future directions. *Brain Research Bulletin*, 182, 44–56.
- Chapman, R. W., & Lynch, K. D. (2020). Obeticholic acid—a new therapy in PBC and NASH. *British Medical Bulletin*, 133(1), 95–104.
- Chaudhari, A., Gupta, R., Patel, S., Velingkaar, N., & Kondratov, R. (2017). Cryptochromes regulate IGF-1 production and signaling through control of JAK2-dependent STAT5B phosphorylation. *Molecular Biology of the Cell*, 28(6), 834–842.
- Chen, B. H., Park, J. H., Lee, T.-K., Song, M., Kim, H., Lee, J. C., Kim, Y.-M., Lee, C.-

- H., Hwang, I. K., & Kang, I. J. (2018). Melatonin attenuates scopolamine-induced cognitive impairment via protecting against demyelination through BDNF-TrkB signaling in the mouse dentate gyrus. *Chemico-Biological Interactions*, 285, 8–13.
- Chen, J.-J., He, S., Fang, L., Wang, B., Bai, S.-J., Xie, J., Zhou, C.-J., Wang, W., & Xie, P. (2020). Age-specific differential changes on gut microbiota composition in patients with major depressive disorder. *Aging (Albany NY)*, 12(3), 2764.
- Chen, X., Yan, L., Guo, Z., Chen, Y., Li, M., Huang, C., Chen, Z., & Meng, X. (2017). Chenodeoxycholic acid attenuates high-fat diet-induced obesity and hyperglycemia via the G protein-coupled bile acid receptor 1 and proliferator-activated receptor γ pathway. *Experimental and Therapeutic Medicine*, 14(6), 5305–5312.
- Chen, Y., Qing, W., Sun, M., Lv, L., Guo, D., & Jiang, Y. (2015). Melatonin protects hepatocytes against bile acid-induced mitochondrial oxidative stress via the AMPK-SIRT3-SOD2 pathway. *Free Radical Research*, 49(10), 1275–1284.
- Chen, Yongyan, & Tian, Z. (2020). Roles of hepatic innate and innate-like lymphocytes in nonalcoholic steatohepatitis. *Frontiers in Immunology*, 11, 1500.
- Cheng, W.-Y., Lam, K.-L., Li, X., Kong, A. P.-S., & Cheung, P. C.-K. (2021). Circadian disruption-induced metabolic syndrome in mice is ameliorated by oat β -glucan mediated by gut microbiota. *Carbohydrate Polymers*, 267, 118216.
- Chiang, J. Y. L. (2009). Bile acids: regulation of synthesis: thematic review series: bile acids. *Journal of Lipid Research*, 50(10), 1955–1966.
- Chirala, S. S., Chang, H., Matzuk, M., Abu-Elheiga, L., Mao, J., Mahon, K., Finegold, M., & Wakil, S. J. (2003). Fatty acid synthesis is essential in embryonic development: fatty acid synthase null mutants and most of the heterozygotes die in utero. *Proceedings of the National Academy of Sciences*, 100(11), 6358–6363.
- Choi, J. M., Chung, G. E., Kang, S. J., Kwak, M.-S., Yang, J. I., Park, B., & Yim, J. Y. (2021). Association between anxiety and depression and nonalcoholic fatty liver disease. *Frontiers in Medicine*, 1068.
- Choi, S., & Diehl, A. M. (2005). Role of inflammation in nonalcoholic steatohepatitis.

- Current Opinion in Gastroenterology*, 21(6), 702–707.
- Chu, W., Zhai, J., Xu, J., Li, S., Li, W., Chen, Z.-J., & Du, Y. (2020). Continuous light-induced PCOS-like changes in reproduction, metabolism, and gut microbiota in Sprague-Dawley rats. *Frontiers in Microbiology*, 10, 3145.
- Cleary-Gaffney, M., & Coogan, A. N. (2018). Limited evidence for affective and diurnal rhythm responses to dim light-at-night in male and female C57Bl/6 mice. *Physiology & Behavior*, 189, 78–85.
- Colognesi, M., Gabbia, D., & De Martin, S. (2020). Depression and cognitive impairment—extrahepatic manifestations of NAFLD and NASH. *Biomedicines*, 8(7), 229.
- Cooke, N. C. A., Bala, A., Allard, J. P., Hota, S., Poutanen, S., & Taylor, V. H. (2021). The safety and efficacy of fecal microbiota transplantation in a population with bipolar disorder during depressive episodes: study protocol for a pilot randomized controlled trial. *Pilot and Feasibility Studies*, 7(1), 1–10.
- Corrales, A., Martínez, P., García, S., Vidal, V., García, E., Flórez, J., Sanchez-Barceló, E. J., Martínez-Cué, C., & Rueda, N. (2013). Long-term oral administration of melatonin improves spatial learning and memory and protects against cholinergic degeneration in middle-aged T s65 D n mice, a model of D own syndrome. *Journal of Pineal Research*, 54(3), 346–358.
- Courtet, P., & Olié, E. (2012). Circadian dimension and severity of depression. *European Neuropsychopharmacology*, 22, S476–S481.
- Cuzzocrea, S., Mazzon, E., Serraino, I., Lepore, V., Luisa Terranova, M., Ciccolo, A., & Caputi, A. P. (2001). Melatonin reduces dinitrobenzene sulfonic acid-induced colitis. *Journal of Pineal Research*, 30(1), 1–12.
- da Costa Estrela, D., da Silva, W. A. M., Guimarães, A. T. B., de Oliveira Mendes, B., da Silva Castro, A. L., da Silva Torres, I. L., & Malafaia, G. (2015). Predictive behaviors for anxiety and depression in female Wistar rats subjected to cafeteria diet and stress. *Physiology & Behavior*, 151, 252–263.

- Damiola, F., Le Minh, N., Preitner, N., Kornmann, B., Fleury-Olela, F., & Schibler, U. (2000). Restricted feeding uncouples circadian oscillators in peripheral tissues from the central pacemaker in the suprachiasmatic nucleus. *Genes & Development*, 14(23), 2950–2961.
- Darmadi, D., & Ruslie, R. H. (2021). Association between serum interleukin (IL)-12 level and severity of non-alcoholic fatty liver disease (NAFLD). *Romanian Journal of Internal Medicine*, 59(1), 66–72.
- Day, C. P., & James, O. F. W. (1998). *Steatohepatitis: a tale of two “hits”?* Elsevier.
- De Aquino, C. C., Leitão, R. A., Oliveira Alves, L. A., Coelho-Santos, V., Guerrant, R. L., Ribeiro, C. F., Malva, J. O., Silva, A. P., & Oriá, R. B. (2019). Effect of hypoproteic and high-fat diets on hippocampal blood-brain barrier permeability and oxidative stress. *Frontiers in Nutrition*, 5, 131.
- De Assis, L. V. M., Moraes, M. N., Magalhães-Marques, K. K., Kinker, G. S., da Silveira Cruz-Machado, S., & de Lauro Castrucci, A. M. (2018). Non-metastatic cutaneous melanoma induces chronodisruption in central and peripheral circadian clocks. *International Journal of Molecular Sciences*, 19(4), 1065.
- De Cruz, S., Espiritu, J. R. D., Zeidler, M., & Wang, T. S. (2012). Sleep disorders in chronic liver disease. *Seminars in Respiratory and Critical Care Medicine*, 33(01), 26–35.
- de Paula, G. C., Brunetta, H. S., Engel, D. F., Gaspar, J. M., Velloso, L. A., Engblom, D., de Oliveira, J., & de Bem, A. F. (2021). Hippocampal Function Is Impaired by a Short-Term High-Fat Diet in Mice: Increased Blood–Brain Barrier Permeability and Neuroinflammation as Triggering Events. *Frontiers in Neuroscience*, 15.
- De Souza, C. T., Araujo, E. P., Bordin, S., Ashimine, R., Zollner, R. L., Boschero, A. C., Saad, M. J. A., & Velloso, L. A. (2005). Consumption of a fat-rich diet activates a proinflammatory response and induces insulin resistance in the hypothalamus. *Endocrinology*, 146(10), 4192–4199.
- Debette, S., Seshadri, S., Beiser, A., Au, R., Himali, J. J., Palumbo, C., Wolf, P. A., &

- DeCarli, C. (2011). Midlife vascular risk factor exposure accelerates structural brain aging and cognitive decline. *Neurology*, 77(5), 461–468.
- Décarie-Spain, L., Sharma, S., Hryhorczuk, C., Issa-Garcia, V., Barker, P. A., Arbour, N., Alquier, T., & Fulton, S. (2018). Nucleus accumbens inflammation mediates anxiodepressive behavior and compulsive sucrose seeking elicited by saturated dietary fat. *Molecular Metabolism*, 10, 1–13.
- Dechant, G., & Neumann, H. (2003). Neurotrophins. *Molecular and Cellular Biology of Neuroprotection in the CNS*, 303–334.
- del Rey, A., Balschun, D., Wetzel, W., Randolph, A., & Besedovsky, H. O. (2013). A cytokine network involving brain-borne IL-1 β , IL-1ra, IL-18, IL-6, and TNF α operates during long-term potentiation and learning. *Brain, Behavior, and Immunity*, 33, 15–23.
- Del Rosario, A., McDermott, M. M., & Panee, J. (2012). Effects of a high-fat diet and bamboo extract supplement on anxiety-and depression-like neurobehaviours in mice. *British Journal of Nutrition*, 108(7), 1143–1149.
- Deng, Y., Xie, D., Fang, M., Zhu, G., Chen, C., Zeng, H., Lu, J., & Charanjit, K. (2014). Astrocyte-derived proinflammatory cytokines induce hypomyelination in the periventricular white matter in the hypoxic neonatal brain. *PLoS One*, 9(1), e87420.
- Desmet, L., Thijs, T., Mas, R., Verbeke, K., & Depoortere, I. (2021). Time-Restricted Feeding in Mice Prevents the Disruption of the Peripheral Circadian Clocks and Its Metabolic Impact during Chronic Jetlag. *Nutrients*, 13(11), 3846.
- Detanico, B. C., Piato, Â. L., Freitas, J. J., Lhullier, F. L., Hidalgo, M. P., Caumo, W., & Elisabetsky, E. (2009). Antidepressant-like effects of melatonin in the mouse chronic mild stress model. *European Journal of Pharmacology*, 607(1–3), 121–125.
- Dibner, C., Schibler, U., & Albrecht, U. (2010). The mammalian circadian timing system: organization and coordination of central and peripheral clocks. *Annual Review of Physiology*, 72, 517–549.
- DIEHL, A. M. A. E., & RAI, R. (1996). Regulation of liver regeneration by pro-

- inflammatory cytokines. *Journal of Gastroenterology and Hepatology*, 11(5), 466–470.
- Dienes, K. A., Hazel, N. A., & Hammen, C. L. (2013). Cortisol secretion in depressed, and at-risk adults. *Psychoneuroendocrinology*, 38(6), 927–940.
- Dinan, T. G. (2009). Inflammatory markers in depression. *Current Opinion in Psychiatry*, 22(1), 32–36.
- Ding, J.-H., Jin, Z., Yang, X.-X., Lou, J., Shan, W.-X., Hu, Y.-X., Du, Q., Liao, Q.-S., Xie, R., & Xu, J.-Y. (2020). Role of gut microbiota via the gut-liver-brain axis in digestive diseases. *World Journal of Gastroenterology*, 26(40), 6141.
- Doi, R., Oishi, K., & Ishida, N. (2010). CLOCK regulates circadian rhythms of hepatic glycogen synthesis through transcriptional activation of *Gys2*. *Journal of Biological Chemistry*, 285(29), 22114–22121.
- Doifode, T., Giridharan, V. V, Generoso, J. S., Bhatti, G., Collodel, A., Schulz, P. E., Forlenza, O. V, & Barichello, T. (2021). The impact of the microbiota-gut-brain axis on Alzheimer's disease pathophysiology. *Pharmacological Research*, 164, 105314.
- Du Plessis, J., Vanheel, H., Janssen, C. E. I., Roos, L., Slavik, T., Stivaktas, P. I., Nieuwoudt, M., van Wyk, S. G., Vieira, W., & Pretorius, E. (2013). Activated intestinal macrophages in patients with cirrhosis release NO and IL-6 that may disrupt intestinal barrier function. *Journal of Hepatology*, 58(6), 1125–1132.
- Dubocovich, M. L., Mogilnicka, E., & Areso, P. M. (1990). Antidepressant-like activity of the melatonin receptor antagonist, luzindole (N-0774), in the mouse behavioral despair test. *European Journal of Pharmacology*, 182(2), 313–325.
- Dubruille, R., & Emery, P. (2008). A plastic clock: how circadian rhythms respond to environmental cues in *Drosophila*. *Molecular Neurobiology*, 38(2), 129–145.
- Dudek-Wicher, R. K., Junka, A., & Bartoszewicz, M. (2018). The influence of antibiotics and dietary components on gut microbiota. *Przegląd Gastroenterologiczny*, 13(2), 85.

- Duez, H., Van Der Veen, J. N., Duhem, C., Pourcet, B., Touvier, T., Fontaine, C., Derudas, B., Baugé, E., Havinga, R., & Bloks, V. W. (2008). Regulation of bile acid synthesis by the nuclear receptor Rev-erba. *Gastroenterology*, 135(2), 689–698.
- Dutheil, S., Ota, K. T., Wohleb, E. S., Rasmussen, K., & Duman, R. S. (2016). High-fat diet induced anxiety and anhedonia: impact on brain homeostasis and inflammation. *Neuropsychopharmacology*, 41(7), 1874–1887.
- Dwivedi, D. K., Kumar, D., Kwatra, M., Pandey, S. N., Choubey, P., Lahkar, M., & Jangra, A. (2018). Voluntary alcohol consumption exacerbated high fat diet-induced cognitive deficits by NF-κB-calpain dependent apoptotic cell death in rat hippocampus: ameliorative effect of melatonin. *Biomedicine & Pharmacotherapy*, 108, 1393–1403.
- Eckburg, P. B., Bik, E. M., Bernstein, C. N., Purdom, E., Dethlefsen, L., Sargent, M., Gill, S. R., Nelson, K. E., & Relman, D. A. (2005). Diversity of the human intestinal microbial flora. *Science*, 308(5728), 1635–1638.
- Einat, H., Kronfeld-Schor, N., & Eilam, D. (2006). Sand rats see the light: short photoperiod induces a depression-like response in a diurnal rodent. *Behavioural Brain Research*, 173(1), 153–157.
- Elias, M. F., Elias, P. K., Sullivan, L. M., Wolf, P. A., & D’Agostino, R. B. (2005). Obesity, diabetes and cognitive deficit: the Framingham Heart Study. *Neurobiology of Aging*, 26(1), 11–16.
- Elwing, J. E., Lustman, P. J., Wang, H. L., & Clouse, R. E. (2006). Depression, anxiety, and nonalcoholic steatohepatitis. *Psychosomatic Medicine*, 68(4), 563–569.
- Erickson, K. I., Miller, D. L., & Roecklein, K. A. (2012). The aging hippocampus: interactions between exercise, depression, and BDNF. *The Neuroscientist*, 18(1), 82–97.
- Erion, J. R., Wosiski-Kuhn, M., Dey, A., Hao, S., Davis, C. L., Pollock, N. K., & Stranahan, A. M. (2014). Obesity elicits interleukin 1-mediated deficits in hippocampal synaptic plasticity. *Journal of Neuroscience*, 34(7), 2618–2631.

- Esposito, E., & Cuzzocrea, S. (2010). Antiinflammatory activity of melatonin in central nervous system. *Current Neuropharmacology*, 8(3), 228–242.
- Fadieienko, G. D., Chereliuk, N. I., & Galchinskaya, V. Y. (2021). Ratio of main phylotypes of gut microbiota in patients with non-alcoholic fatty liver disease depending on the body mass index. *Wiad Lek*, 74(3), 523–528.
- Fang, H., Tu, S., Sheng, J., & Shao, A. (2019). Depression in sleep disturbance: a review on a bidirectional relationship, mechanisms and treatment. *Journal of Cellular and Molecular Medicine*, 23(4), 2324–2332.
- Farrell, G. C., Haczeyni, F., & Chitturi, S. (2018). Pathogenesis of NASH: how metabolic complications of overnutrition favour lipotoxicity and pro-inflammatory fatty liver disease. *Obesity, Fatty Liver and Liver Cancer*, 19–44.
- Fattovich, G., Tagger, A., Brollo, L., Giustina, G., Pontisso, P., Realdi, G., Alberti, A., & Ruol, A. (1991). Hepatitis C virus infection in chronic hepatitis B virus carriers. *Journal of Infectious Diseases*, 163(2), 400–402.
- Federico, A., Dallio, M., Godos, J., Loguercio, C., & Salomone, F. (2016). Targeting gut-liver axis for the treatment of nonalcoholic steatohepatitis: translational and clinical evidence. *Translational Research*, 167(1), 116–124.
- Ferenci, P. (1998). Wilson's disease. *Clinics in Liver Disease*, 2(1), 31–49.
- Ferrell, J. M., & Chiang, J. Y. L. (2015). Short-term circadian disruption impairs bile acid and lipid homeostasis in mice. *Cellular and Molecular Gastroenterology and Hepatology*, 1(6), 664–677.
- Ferslew, B. C., Xie, G., Johnston, C. K., Su, M., Stewart, P. W., Jia, W., Brouwer, K. L. R., & Sidney Barritt, A. t. (2015). Altered bile acid metabolome in patients with nonalcoholic steatohepatitis. *Digestive Diseases and Sciences*, 60(11), 3318–3328.
- Fiorucci, S., Rizzo, G., Antonelli, E., Renga, B., Mencarelli, A., Riccardi, L., Morelli, A., Pruzanski, M., & Pellicciari, R. (2005). Cross-talk between farnesoid-X-receptor (FXR) and peroxisome proliferator-activated receptor γ contributes to the antifibrotic activity of FXR ligands in rodent models of liver cirrhosis. *Journal of*

- Pharmacology and Experimental Therapeutics*, 315(1), 58–68.
- Fonken, L. K., Finy, M. S., Walton, J. C., Weil, Z. M., Workman, J. L., Ross, J., & Nelson, R. J. (2009). Influence of light at night on murine anxiety-and depressive-like responses. *Behavioural Brain Research*, 205(2), 349–354.
- Fonken, L. K., & Nelson, R. J. (2013). Dim light at night increases depressive-like responses in male C3H/HeNHsd mice. *Behavioural Brain Research*, 243, 74–78.
- Froy, O. (2013). Obesity and chronodisruption: an imbalance between energy intake and expenditure. In *Chronobiology and Obesity* (pp. 75–88). Springer.
- Fulton, S., Décarie-Spain, L., Fioramonti, X., Guiard, B., & Nakajima, S. (2022). The menace of obesity to depression and anxiety prevalence. *Trends in Endocrinology & Metabolism*, 33(1), 18–35.
- Gachon, F., Olela, F. F., Schaad, O., Descombes, P., & Schibler, U. (2006). The circadian PAR-domain basic leucine zipper transcription factors DBP, TEF, and HLF modulate basal and inducible xenobiotic detoxification. *Cell Metabolism*, 4(1), 25–36.
- Gaikwad, U., Parle, M., Kumar, A., & Gaikwad, D. (2010). Effect of ritanserin and leuprolide alone and combined on marble-burying behavior of mice. *Acta Pol Pharm*, 67(5), 523–527.
- Gao, B. (2012). Hepatoprotective and anti-inflammatory cytokines in alcoholic liver disease. *Journal of Gastroenterology and Hepatology*, 27, 89–93.
- Gekakis, N., Staknis, D., Nguyen, H. B., Davis, F. C., Wilsbacher, L. D., King, D. P., Takahashi, J. S., & Weitz, C. J. (1998). Role of the CLOCK protein in the mammalian circadian mechanism. *Science*, 280(5369), 1564–1569.
- Gemma, C., & Bickford, P. C. (2007). Interleukin-1 β and Caspase-1: Players in the regulation of age-related cognitive dysfunction. *Reviews in the Neurosciences*, 18(2), 137–148.
- Genzel, L., Spoormaker, V. I., Konrad, B. N., & Dresler, M. (2015). The role of rapid

- eye movement sleep for amygdala-related memory processing. *Neurobiology of Learning and Memory*, 122, 110–121.
- Germain, A., & Kupfer, D. J. (2008). Circadian rhythm disturbances in depression. *Human Psychopharmacology: Clinical and Experimental*, 23(7), 571–585.
- Ghoneim, R. H., Sock, E. T. N., Lavoie, J.-M., & Piquette-Miller, M. (2015). Effect of a high-fat diet on the hepatic expression of nuclear receptors and their target genes: relevance to drug disposition. *British Journal of Nutrition*, 113(3), 507–516.
- Gibbs, J. E., Blaikley, J., Beesley, S., Matthews, L., Simpson, K. D., Boyce, S. H., Farrow, S. N., Else, K. J., Singh, D., & Ray, D. W. (2012). The nuclear receptor REV-ERB α mediates circadian regulation of innate immunity through selective regulation of inflammatory cytokines. *Proceedings of the National Academy of Sciences*, 109(2), 582–587.
- Gibertini, M. (1996). IL1 beta impairs relational but not procedural rodent learning in a water maze task. *AIDS, Drugs of Abuse, and the Neuroimmune Axis*, 207–217.
- Gladding, J. M., Abbott, K. N., Antoniadis, C. P., Stuart, A., & Begg, D. P. (2018). The Effect of Intrahippocampal Insulin Infusion on Spatial Cognitive Function and Markers of Neuroinflammation in Diet-induced Obesity. *Frontiers in Endocrinology*, 9(December), 1–13. <https://doi.org/10.3389/fendo.2018.00752>
- Glushchak, K., Ficarro, A., & Schoenfeld, T. J. (2021). High-fat diet and acute stress have different effects on object preference tests in rats during adolescence and adulthood. *Behavioural Brain Research*, 399, 112993.
- Gnocchi, D., Pedrelli, M., Hurt-Camejo, E., & Parini, P. (2015). Lipids around the clock: focus on circadian rhythms and lipid metabolism. *Biology*, 4(1), 104–132.
- Gomaa, A. M. S., Galal, H. M., & Abou-Elgait, A. T. (2017). Neuroprotective effects of melatonin administration against chronic immobilization stress in rats. *International Journal of Physiology, Pathophysiology and Pharmacology*, 9(2), 16.
- González-Fernández, B., Sánchez, D. I., Crespo, I., San-Miguel, B., de Urbina, J. O., González-Gallego, J., & Tuñón, M. J. (2018). Melatonin attenuates dysregulation of

- the circadian clock pathway in mice with CCl₄-induced fibrosis and human hepatic stellate cells. *Frontiers in Pharmacology*, 9, 556.
- González-Ramos, S., Paz-García, M., Fernández-García, V., Portune, K. J., Acosta-Medina, E. F., Sanz, Y., Castrillo, A., Martín-Sanz, P., Obregon, M. J., & Boscá, L. (2020). NOD1 deficiency promotes an imbalance of thyroid hormones and microbiota homeostasis in mice fed high fat diet. *Scientific Reports*, 10(1), 1–17.
- Goodwin, B., Jones, S. A., Price, R. R., Watson, M. A., McKee, D. D., Moore, L. B., Galardi, C., Wilson, J. G., Lewis, M. C., & Roth, M. E. (2000). A regulatory cascade of the nuclear receptors FXR, SHP-1, and LRH-1 represses bile acid biosynthesis. *Molecular Cell*, 6(3), 517–526.
- Gorelick, P. B., Scuteri, A., Black, S. E., DeCarli, C., Greenberg, S. M., Iadecola, C., Launer, L. J., Laurent, S., Lopez, O. L., & Nyenhuis, D. (2011). Vascular contributions to cognitive impairment and dementia: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, 42(9), 2672–2713.
- Gorwood, P. (2008). Neurobiological mechanisms of anhedonia. *Dialogues in Clinical Neuroscience*, 10(3), 291.
- Grazia Roncarolo, M., Gregori, S., Battaglia, M., Bacchetta, R., Fleischhauer, K., & Levings, M. K. (2006). Interleukin-10-secreting type 1 regulatory T cells in rodents and humans. *Immunological Reviews*, 212(1), 28–50.
- Guerrero, J. M., & Reiter, R. J. (2002). Melatonin-immune system relationships. *Current Topics in Medicinal Chemistry*, 2(2), 167–179.
- Guillemot-Legris, O., & Muccioli, G. G. (2017). Obesity-induced neuroinflammation: beyond the hypothalamus. *Trends in Neurosciences*, 40(4), 237–253.
- Guo, C., Chen, W.-D., & Wang, Y.-D. (2016). TGR5, not only a metabolic regulator. *Frontiers in Physiology*, 7, 646.
- Gupta, Y. K., Gupta, M., & Kohli, K. (2003). Neuroprotective role of melatonin in oxidative stress vulnerable brain. *Indian Journal of Physiology and Pharmacology*,

- 47, 373–386.
- Gurunathan, S., Qasim, M., Kang, M.-H., & Kim, J.-H. (2021). Role and therapeutic potential of melatonin in various type of cancers. *OncoTargets and Therapy*, 14, 2019.
- Haack, M., Sanchez, E., & Mullington, J. M. (2007). Elevated inflammatory markers in response to prolonged sleep restriction are associated with increased pain experience in healthy volunteers. *Sleep*, 30(9), 1145–1152.
- Hage, M. P., & Azar, S. T. (2012). The link between thyroid function and depression. *Journal of Thyroid Research*, 2012.
- Han, S., Jiao, J., Zhang, W., Xu, J., Wan, Z., Zhang, W., Gao, X., & Qin, L. (2015). Dietary fiber prevents obesity-related liver lipotoxicity by modulating sterol-regulatory element binding protein pathway in C57BL/6J mice fed a high-fat/cholesterol diet. *Scientific Reports*, 5(1), 1–10.
- Hand, L. E., Hopwood, T. W., Dickson, S. H., Walker, A. L., Loudon, A. S. I., Ray, D. W., Bechtold, D. A., & Gibbs, J. E. (2016). The circadian clock regulates inflammatory arthritis. *The FASEB Journal*, 30(11), 3759–3770.
- Handley, S. L. (1991). Evaluation of marble-burying behavior as a model of anxiety. *Pharmacology Biochemistry and Behavior*, 38(1), 63–67.
- Hansen, M. V, Halladin, N. L., Rosenberg, J., Gögenur, I., & Møller, A. M. (2015). Melatonin for pre-and postoperative anxiety in adults. *Cochrane Database of Systematic Reviews*, 4.
- Hardeland, R. (2017). Melatonin and the pathologies of weakened or dysregulated circadian oscillators. *Journal of Pineal Research*, 62(1), e12377.
- Hardwick, R. N., Fisher, C. D., Street, S. M., Canet, M. J., & Cherrington, N. J. (2012). Molecular mechanism of altered ezetimibe disposition in nonalcoholic steatohepatitis. *Drug Metabolism and Disposition*, 40(3), 450–460.
- Haridas, S., Kumar, M., & Manda, K. (2013). Melatonin ameliorates chronic mild stress

- induced behavioral dysfunctions in mice. *Physiology & Behavior*, 119, 201–207.
- Harmon, R. C., Tiniakos, D. G., & Argo, C. K. (2011). Inflammation in nonalcoholic steatohepatitis. *Expert Review of Gastroenterology & Hepatology*, 5(2), 189–200.
- Hashimoto, E., Tokushige, K., & Ludwig, J. (2015). Diagnosis and classification of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis: Current concepts and remaining challenges. *Hepatology Research*, 45(1), 20–28.
- Hatzis, G., Ziakas, P., Kavantzias, N., Triantafyllou, A., Sigalas, P., Andreadou, I., Ioannidis, K., Chatzis, S., Filis, K., & Papalampros, A. (2013). Melatonin attenuates high fat diet-induced fatty liver disease in rats. *World Journal of Hepatology*, 5(4), 160.
- He, H., Dong, W., & Huang, F. (2010). Anti-amyloidogenic and anti-apoptotic role of melatonin in Alzheimer disease. *Current Neuropharmacology*, 8(3), 211–217.
- Headland, K. R., Dickinson, K., & Cheetham, S. (2019). Elafibranor and pioglitazone reduce NASH and fibrosis in a genetically-obese dietary induced NASH mouse model. *Journal of Hepatology*, 70, E529–E529.
- Herberg, L., & Kley, H. K. (1975). Adrenal function and the effect of a high-fat diet on C57BL/6J and C57BL/6J-ob/ob mice. *Hormone and Metabolic Research*, 7(05), 410–415.
- Hevia, D., González-Menéndez, P., Quiros-González, I., Miar, A., Rodríguez-García, A., Tan, D., Reiter, R. J., Mayo, J. C., & Sainz, R. M. (2015). Melatonin uptake through glucose transporters: a new target for melatonin inhibition of cancer. *Journal of Pineal Research*, 58(2), 234–250.
- Hoffman, J. D., Parikh, I., Green, S. J., Chlipala, G., Mohny, R. P., Keaton, M., Bauer, B., Hartz, A., & Lin, A.-L. (2017). Age drives distortion of brain metabolic, vascular and cognitive functions, and the gut microbiome. *Frontiers in Aging Neuroscience*, 9, 298.
- Hogan, M. K., Kovalycsik, T., Sun, Q., Rajagopalan, S., & Nelson, R. J. (2015). Combined effects of exposure to dim light at night and fine particulate matter on

- C3H/HeNHsd mice. *Behavioural Brain Research*, 294, 81–88.
- Holt, R. I. G., De Groot, M., & Golden, S. H. (2014). Diabetes and depression. *Current Diabetes Reports*, 14(6), 1–9.
- Hong, F., Pan, S., Xu, P., Xue, T., Wang, J., Guo, Y., Jia, L., Qiao, X., Li, L., & Zhai, Y. (2020). Melatonin orchestrates lipid homeostasis through the hepatointestinal circadian clock and microbiota during constant light exposure. *Cells*, 9(2), 489.
- Horton, J. D., Goldstein, J. L., & Brown, M. S. (2002). SREBPs: activators of the complete program of cholesterol and fatty acid synthesis in the liver. *The Journal of Clinical Investigation*, 109(9), 1125–1131.
- Hryhorczuk, C., Décarie-Spain, L., Sharma, S., Daneault, C., Des Rosiers, C., Alquier, T., & Fulton, S. (2017). Saturated high-fat feeding independent of obesity alters hypothalamus-pituitary-adrenal axis function but not anxiety-like behaviour. *Psychoneuroendocrinology*, 83, 142–149.
- Hu, X., Wang, T., Luo, J., Liang, S., Li, W., Wu, X., Jin, F., & Wang, L. (2014). Age-dependent effect of high cholesterol diets on anxiety-like behavior in elevated plus maze test in rats. *Behavioral and Brain Functions*, 10(1), 1–9.
- Huang, E. J., & Reichardt, L. F. (2001). Neurotrophins: roles in neuronal development and function. *Annual Review of Neuroscience*, 24, 677.
- Huang, F., Wang, T., Lan, Y., Yang, L., Pan, W., Zhu, Y., Lv, B., Wei, Y., Shi, H., & Wu, H. (2015). Deletion of mouse FXR gene disturbs multiple neurotransmitter systems and alters neurobehavior. *Frontiers in Behavioral Neuroscience*, 9, 70.
- Huster, D. (2010). Wilson disease. *Best Practice & Research Clinical Gastroenterology*, 24(5), 531–539.
- Hwang, J. H., Kim, S. J., Kim, Y.-H., Noh, J.-R., Gang, G.-T., Chung, B. H., Song, N. W., & Lee, C.-H. (2012). Susceptibility to gold nanoparticle-induced hepatotoxicity is enhanced in a mouse model of nonalcoholic steatohepatitis. *Toxicology*, 294(1), 27–35.

- Hwang, S.-J. (2001). Hepatitis C virus infection: an overview. *Journal of Microbiology, Immunology, and Infection= Wei Mian Yu Gan Ran Za Zhi*, 34(4), 227–234.
- Hyogo, H., Roy, S., Paigen, B., & Cohen, D. E. (2002). Leptin promotes biliary cholesterol elimination during weight loss in ob/ob mice by regulating the enterohepatic circulation of bile salts. *Journal of Biological Chemistry*, 277(37), 34117–34124.
- Ianiro, G., Tilg, H., & Gasbarrini, A. (2016). Antibiotics as deep modulators of gut microbiota: between good and evil. *Gut*, 65(11), 1906–1915.
- Ignacio, A., Fernandes, M. R., Rodrigues, V. A. A., Groppo, F. C., Cardoso, A. L., Avila-Campos, M. J., & Nakano, V. (2016). Correlation between body mass index and faecal microbiota from children. *Clinical Microbiology and Infection*, 22(3), 258-e1.
- Ikeda, R., Tsuchiya, Y., Koike, N., Umemura, Y., Inokawa, H., Ono, R., Inoue, M., Sasawaki, Y., Grieten, T., & Okubo, N. (2019). REV-ERB α and REV-ERB β function as key factors regulating mammalian circadian output. *Scientific Reports*, 9(1), 1–9.
- Inoue, M., Ohtake, T., Motomura, W., Takahashi, N., Hosoki, Y., Miyoshi, S., Suzuki, Y., Saito, H., Kohgo, Y., & Okumura, T. (2005). Increased expression of PPAR γ in high fat diet-induced liver steatosis in mice. *Biochemical and Biophysical Research Communications*, 336(1), 215–222.
- Jacka, F. N., Cherbuin, N., Anstey, K. J., Sachdev, P., & Butterworth, P. (2015). Western diet is associated with a smaller hippocampus: a longitudinal investigation. *BMC Medicine*, 13(1), 1–8.
- Jacobi, D., Liu, S., Burkewitz, K., Kory, N., Knudsen, N. H., Alexander, R. K., Unluturk, U., Li, X., Kong, X., & Hyde, A. L. (2015). Hepatic Bmal1 regulates rhythmic mitochondrial dynamics and promotes metabolic fitness. *Cell Metabolism*, 22(4), 709–720.
- Jahanban-Esfahlan, R., Mehrzadi, S., Reiter, R. J., Seidi, K., Majidinia, M., Baghi, H. B., Khatami, N., Yousefi, B., & Sadeghpour, A. (2018). Melatonin in regulation of

- inflammatory pathways in rheumatoid arthritis and osteoarthritis: involvement of circadian clock genes. *British Journal of Pharmacology*, 175(16), 3230–3238.
- Jahn, D., Kircher, S., Hermanns, H. M., & Geier, A. (2019). Animal models of NAFLD from a hepatologist's point of view. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1865(5), 943–953.
- Jameie, S. B., Mesgar, S., Aliaghaei, A., Raoofi, A., Amini, M., Khodagholi, F., Danyali, S., Sorraya, M., & Sadeghi, Y. (2019). Neuroprotective effect of exogenous melatonin on the noradrenergic neurons of adult male rats' locus coeruleus nucleus following REM sleep deprivation. *Journal of Chemical Neuroanatomy*, 100, 101656.
- James, O., & Day, C. (1999). Non-alcoholic steatohepatitis: another disease of affluence. *The Lancet*, 353(9165), 1634–1636.
- James, S. M., Honn, K. A., Gaddameedhi, S., & Van Dongen, H. P. A. (2017). Shift work: disrupted circadian rhythms and sleep—implications for health and well-being. *Current Sleep Medicine Reports*, 3(2), 104–112.
- Jantaratnotai, N., Mosikanon, K., Lee, Y., & McIntyre, R. S. (2017). The interface of depression and obesity. *Obesity Research & Clinical Practice*, 11(1), 1–10.
- Ji, Y., Yin, Y., Li, Z., & Zhang, W. (2019). Gut microbiota-derived components and metabolites in the progression of non-alcoholic fatty liver disease (NAFLD). *Nutrients*, 11(8), 1712.
- Jiao, N., Baker, S. S., Chapa-Rodriguez, A., Liu, W., Nugent, C. A., Tsompana, M., Mastrandrea, L., Buck, M. J., Baker, R. D., & Genco, R. J. (2018). Suppressed hepatic bile acid signalling despite elevated production of primary and secondary bile acids in NAFLD. *Gut*, 67(10), 1881–1891.
- Jiménez-Aranda, A., Fernández-Vázquez, G., Campos, D., Tassi, M., Velasco-Perez, L., Tan, D., Reiter, R. J., & Agil, A. (2013). Melatonin induces browning of inguinal white adipose tissue in Zucker diabetic fatty rats. *Journal of Pineal Research*, 55(4), 416–423.

- Jindal, A., Bruzzi, S., Sutti, S., Locatelli, I., Bozzola, C., Paternostro, C., Parola, M., & Albano, E. (2015). Fat-laden macrophages modulate lobular inflammation in nonalcoholic steatohepatitis (NASH). *Experimental and Molecular Pathology*, 99(1), 155–162.
- Joshi, A., Upadhyay, K. K., Vohra, A., Shirsath, K., & Devkar, R. (2021). Melatonin induces Nrf2-HO-1 reprogramming and corrections in hepatic core clock oscillations in Non-alcoholic fatty liver disease. *The FASEB Journal*, 35(9), e21803.
- Jun, D. W., Han, J. H., Kim, S. H., Jang, E. C., Kim, N. I., Lee, J. S., Song, M. H., Kim, S. H., Jo, Y. J., & Park, Y. S. (2008). Association between low thigh fat and non-alcoholic fatty liver disease. *Journal of Gastroenterology and Hepatology*, 23(6), 888–893.
- Kallwitz, E. R., Herdegen, J., Madura, J., Jakate, S., & Cotler, S. J. (2007). Liver enzymes and histology in obese patients with obstructive sleep apnea. *Journal of Clinical Gastroenterology*, 41(10), 918–921.
- Kalra, S., Vithalani, M., Gulati, G., Kulkarni, C. M., Kadam, Y., Pallivathukkal, J., Das, B., Sahay, R., & Modi, K. D. (2013). Study of prevalence of nonalcoholic fatty liver disease (NAFLD) in type 2 diabetes patients in India (SPRINT). *J Assoc Physicians India*, 61(7), 448–453.
- Kanazawa, H., Ohsawa, K., Sasaki, Y., Kohsaka, S., & Imai, Y. (2002). Macrophage/microglia-specific protein Iba1 enhances membrane ruffling and Rac activation via phospholipase C- γ -dependent pathway. *Journal of Biological Chemistry*, 277(22), 20026–20032.
- Kang, I., Espín, J. C., Carr, T. P., Tomás-Barberán, F. A., & Chung, S. (2016). Raspberry seed flour attenuates high-sucrose diet-mediated hepatic stress and adipose tissue inflammation. *The Journal of Nutritional Biochemistry*, 32, 64–72.
- Kathol, R. G., & Delahunt, J. W. (1986). The relationship of anxiety and depression to symptoms of hyperthyroidism using operational criteria. *General Hospital Psychiatry*, 8(1), 23–28.

- Kawai, H., Inabe, J., Ishibashi, T., Kudo, N., Kawashima, Y., & Mitsumoto, A. (2018). Short and long photoperiods differentially exacerbate corticosterone-induced physical and psychological symptoms in mice. *Biomedical Research*, 39(1), 47–55.
- Kempers, M. J. E., Lanting, C. I., Van Heijst, A. F. J., Van Trotsenburg, A. S. P., Wiedijk, B. M., De Vijlder, J. J. M., & Vulsma, T. (2006). Neonatal screening for congenital hypothyroidism based on thyroxine, thyrotropin, and thyroxine-binding globulin measurement: potentials and pitfalls. *The Journal of Clinical Endocrinology & Metabolism*, 91(9), 3370–3376.
- Kendall, T. J., Henedige, S., Aucott, R. L., Hartland, S. N., Vernon, M. A., Benyon, R. C., & Iredale, J. P. (2009). p75 Neurotrophin receptor signaling regulates hepatic myofibroblast proliferation and apoptosis in recovery from rodent liver fibrosis. *Hepatology*, 49(3), 901–910.
- Kesby, J. P., Kim, J. J., Scadeng, M., Woods, G., Kado, D. M., Olefsky, J. M., Jeste, D. V., Achim, C. L., & Semenova, S. (2015). Spatial cognition in adult and aged mice exposed to high-fat diet. *PloS One*, 10(10), e0140034.
- Kettner, N. M., Voicu, H., Finegold, M. J., Coarfa, C., Sreekumar, A., Putluri, N., Katchy, C. A., Lee, C., Moore, D. D., & Fu, L. (2016). Circadian homeostasis of liver metabolism suppresses hepatocarcinogenesis. *Cancer Cell*, 30(6), 909–924.
- Khazen, T., Hatoum, O. A., Ferreira, G., & Maroun, M. (2019). Acute exposure to a high-fat diet in juvenile male rats disrupts hippocampal-dependent memory and plasticity through glucocorticoids. *Scientific Reports*, 9(1), 1–10.
- Kiela, P. R., & Ghishan, F. K. (2016). Physiology of intestinal absorption and secretion. *Best Practice & Research Clinical Gastroenterology*, 30(2), 145–159.
- Kim, B.-R., Shin, J., Guevarra, R. B., Lee, J. H., Kim, D. W., Seol, K.-H., Lee, J.-H., Kim, H. B., & Isaacson, R. E. (2017). Deciphering diversity indices for a better understanding of microbial communities. *Journal of Microbiology and Biotechnology*, 27(12), 2089–2093.
- Kim, S.-W., Jang, E.-C., Kwon, S.-C., Han, W., Kang, M.-S., Nam, Y.-H., & Lee, Y.-J.

- (2016). Night shift work and inflammatory markers in male workers aged 20–39 in a display manufacturing company. *Annals of Occupational and Environmental Medicine*, 28(1), 1–9.
- Kim, Y. D., Hwang, S., Lee, E., Kim, H., Chung, M., Elfadl, A. K., Lee, S., Nedumaran, B., Harris, R. A., & Jeong, K. (2017). Melatonin ameliorates alcohol-induced bile acid synthesis by enhancing miR-497 expression. *Journal of Pineal Research*, 62(2), e12386.
- Klein, C., Jonas, W., Iggena, D., Empl, L., Rivalan, M., Wiedmer, P., Spranger, J., Hellweg, R., Winter, Y., & Steiner, B. (2016). Exercise prevents high-fat diet-induced impairment of flexible memory expression in the water maze and modulates adult hippocampal neurogenesis in mice. *Neurobiology of Learning and Memory*, 131, 26–35.
- Kleiner, D. E., Brunt, E. M., Van Natta, M., Behling, C., Contos, M. J., Cummings, O. W., Ferrell, L. D., Liu, Y., Torbenson, M. S., & Unalp-Arida, A. (2005). Design and validation of a histological scoring system for nonalcoholic fatty liver disease. *Hepatology*, 41(6), 1313–1321.
- Knorr, U., Vinberg, M., Kessing, L. V., & Wetterslev, J. (2010). Salivary cortisol in depressed patients versus control persons: a systematic review and meta-analysis. *Psychoneuroendocrinology*, 35(9), 1275–1286.
- Kolbe, I., & Oster, H. (2019). Focus: clocks and cycles: chronodisruption, metabolic homeostasis, and the regulation of inflammation in adipose tissues. *The Yale Journal of Biology and Medicine*, 92(2), 317.
- Koliada, A., Syzenko, G., Moseiko, V., Budovska, L., Puchkov, K., Perederiy, V., Gavalko, Y., Dorofeyev, A., Romanenko, M., & Tkach, S. (2017). Association between body mass index and Firmicutes/Bacteroidetes ratio in an adult Ukrainian population. *BMC Microbiology*, 17(1), 1–6.
- Kondratov, R. V., Kondratova, A. A., Gorbacheva, V. Y., Vykhovanets, O. V., & Antoch, M. P. (2006). Early aging and age-related pathologies in mice deficient in BMAL1, the core component of the circadian clock. *Genes & Development*, 20(14), 1868–

1873.

- Konturek, P. C., Konturek, S. J., Brzozowski, T., Dembinski, A., Zembala, M., Mytar, B., & Hahn, E. G. (1997). Gastroprotective activity of melatonin and its precursor, L-tryptophan, against stress-induced and ischaemia-induced lesions is mediated by scavenge of oxygen radicals. *Scandinavian Journal of Gastroenterology*, 32(5), 433–438.
- Koo, Y. S., Song, J.-Y., Joo, E.-Y., Lee, H.-J., Lee, E., Lee, S., & Jung, K.-Y. (2016). Outdoor artificial light at night, obesity, and sleep health: cross-sectional analysis in the KoGES study. *Chronobiology International*, 33(3), 301–314.
- Kosari, S., Badoer, E., Nguyen, J. C. D., Killcross, A. S., & Jenkins, T. A. (2012). Effect of western and high fat diets on memory and cholinergic measures in the rat. *Behavioural Brain Research*, 235(1), 98–103.
- Krishna, S., Keralapurath, M. M., Lin, Z., Wagner, J. J., de La Serre, C. B., Harn, D. A., & Filipov, N. M. (2015). Neurochemical and electrophysiological deficits in the ventral hippocampus and selective behavioral alterations caused by high-fat diet in female C57BL/6 mice. *Neuroscience*, 297, 170–181.
- Krivisky, K., Ashkenazy, T., Kronfeld-Schor, N., & Einat, H. (2011). Antidepressants reverse short-photoperiod-induced, forced swim test depression-like behavior in the diurnal fat sand rat: further support for the utilization of diurnal rodents for modeling affective disorders. *Neuropsychobiology*, 63(3), 191–196.
- Krotewicz, M., & Lewinski, A. (1994). Effects of pinealectomy and of late afternoon injections of pineal indole substances on thyroid hormone secretion in male Wistar rats. *Biochem Lett*, 50, 101–107.
- Kulkarni, K., Schow, M., & Shubrook, J. H. (2020). Shift workers at risk for metabolic syndrome. *Journal of Osteopathic Medicine*, 120(2), 107–117.
- Kumar, K. S., & Malet, P. F. (2000). Nonalcoholic steatohepatitis. *Mayo Clinic Proceedings*, 75(7), 733–739.
- Kumar, V., Buragohain, S., Deka, P. J., Narayan, G., & Umapathy, G. (2021). Non-

- invasive reproductive hormone monitoring in the endangered pygmy hog (*Porcula salvania*). *Animals*, 11(5), 1324.
- Kumar, V., Pradheeps, M., Kokkiligadda, A., Niyogi, R., & Umapathy, G. (2019). Non-invasive assessment of physiological stress in captive Asian elephants. *Animals*, 9(8), 553.
- Kvetnoy, I. M., Kvetnaia, T. V., & Yuzhakov, V. V. (2001). Role of Extrapineal Melatonin and Related APUD Series Peptides in Malignancy. In *The Pineal Gland and Cancer* (pp. 259–274). Springer.
- Kwon, I., Lee, J., Chang, S. H., Jung, N. C., Lee, B. J., Son, G. H., Kim, K., & Lee, K. H. (2006). BMAL1 shuttling controls transactivation and degradation of the CLOCK/BMAL1 heterodimer. *Molecular and Cellular Biology*, 26(19), 7318–7330.
- la Fleur, S. E., Kalsbeek, A., Wortel, J., Fekkes, M. L., & Buijs, R. M. (2001). A daily rhythm in glucose tolerance: a role for the suprachiasmatic nucleus. *Diabetes*, 50(6), 1237–1243.
- Lake, A. D., Novak, P., Shipkova, P., Aranibar, N., Robertson, D., Reily, M. D., Lu, Z., Lehman-McKeeman, L. D., & Cherrington, N. J. (2013). Decreased hepatotoxic bile acid composition and altered synthesis in progressive human nonalcoholic fatty liver disease. *Toxicology and Applied Pharmacology*, 268(2), 132–140.
- Lam, R. W. (2008). Addressing circadian rhythm disturbances in depressed patients. *Journal of Psychopharmacology*, 22(7_suppl), 13–18.
- Lamia, K. A., Sachdeva, U. M., DiTacchio, L., Williams, E. C., Alvarez, J. G., Egan, D. F., Vasequez, D. S., Juguilon, H., Panda, S., & Shaw, R. J. (2009). AMPK regulates the circadian clock by cryptochrome phosphorylation and degradation. *Science*, 326(5951), 437–440.
- Lamia, K. A., Storch, K.-F., & Weitz, C. J. (2008). Physiological significance of a peripheral tissue circadian clock. *Proceedings of the National Academy of Sciences*, 105(39), 15172–15177.
- Lamont, E. W., Legault-Coutu, D., Cermakian, N., & Boivin, D. B. (2022). The role of

- circadian clock genes in mental disorders. *Dialogues in Clinical Neuroscience*.
- Lavery, D. J., & Schibler, U. (1993). Circadian transcription of the cholesterol 7 alpha hydroxylase gene may involve the liver-enriched bZIP protein DBP. *Genes & Development*, 7(10), 1871–1884.
- Le, M. H., Yeo, Y. H., Li, X., Li, J., Zou, B., Wu, Y., Ye, Q., Huang, D. Q., Zhao, C., & Zhang, J. (2021). 2019 global NAFLD prevalence-A systematic review and meta-analysis. *Clinical Gastroenterology and Hepatology*.
- Le Martelot, G., Claudel, T., Gatfield, D., Schaad, O., Kornmann, B., Sasso, G. Lo, Moschetta, A., & Schibler, U. (2009). REV-ERB α participates in circadian SREBP signaling and bile acid homeostasis. *PLoS Biol*, 7(9), e1000181.
- Lee, B.-H., & Kim, Y.-K. (2010). The roles of BDNF in the pathophysiology of major depression and in antidepressant treatment. *Psychiatry Investigation*, 7(4), 231.
- Lefebvre, P., Cariou, B., Lien, F., Kuipers, F., & Staels, B. (2009). Role of bile acids and bile acid receptors in metabolic regulation. *Physiological Reviews*, 89(1), 147–191.
- Lewin, G. R., & Barde, Y.-A. (1996). Physiology of the neurotrophins. *Annual Review of Neuroscience*, 19(1), 289–317.
- Li, J.-F., Shu, J.-C., Tang, S.-H., Deng, Y.-M., Fu, M.-Y., & Lv, X. (2013). β -Nerve growth factor attenuates hepatocyte injury induced by D-galactosamine in vitro via TrkANGFR. *Molecular Medicine Reports*, 8(3), 813–817.
- Li, K., Shen, S., Ji, Y.-T., Li, X.-Y., Zhang, L.-S., & Wang, X.-D. (2018). Melatonin augments the effects of fluoxetine on depression-like behavior and hippocampal BDNF–TrkB signaling. *Neuroscience Bulletin*, 34(2), 303–311.
- Li, T., & Chiang, J. Y. L. (2014). Bile acid signaling in metabolic disease and drug therapy. *Pharmacological Reviews*, 66(4), 948–983.
- Li, W., & Ma, Z. S. (2020). FBA ecological guild: trio of firmicutes-bacteroidetes alliance against actinobacteria in human oral microbiome. *Scientific Reports*, 10(1), 1–11.

- Lim, E., Lim, J. Y., Kim, E., Kim, Y.-S., Shin, J.-H., Seok, P. R., Jung, S., Yoo, S.-H., & Kim, Y. (2016). Xylobiose, an alternative sweetener, ameliorates diabetes-related metabolic changes by regulating hepatic lipogenesis and miR-122a/33a in db/db mice. *Nutrients*, 8(12), 791.
- LIMA, Y. de B., MAGALHÃES, C., Garcia, J. H. P., Viana, C. F. G., Prudente, G. F. G., & Pereira, E. D. B. (2019). Association between fatigue and exercise capacity in patients with chronic liver disease awaiting liver transplantation. *Arquivos de Gastroenterologia*, 56, 252–255.
- Lin, X.-J., Liu, R., Li, C., Yi, X., Fu, B., Walker, M. J., Xu, X.-M., Sun, G., & Lin, C.-H. (2020). Melatonin ameliorates spatial memory and motor deficits via preserving the integrity of cortical and hippocampal dendritic spine morphology in mice with neurotrauma. *Inflammopharmacology*, 28(6), 1553–1566.
- Lira, F. S., Rosa, J. C., Pimentel, G. D., Souza, H. A., Caperuto, E. C., Carnevali, L. C., Seelaender, M., Damaso, A. R., Oyama, L. M., & de Mello, M. T. (2010). Endotoxin levels correlate positively with a sedentary lifestyle and negatively with highly trained subjects. *Lipids in Health and Disease*, 9(1), 1–5.
- Liu, C., Li, S., Liu, T., Borjigin, J., & Lin, J. D. (2007). Transcriptional coactivator PGC-1 α integrates the mammalian clock and energy metabolism. *Nature*, 447(7143), 477–481.
- Liu, M.-Y., Yin, C.-Y., Zhu, L.-J., Zhu, X.-H., Xu, C., Luo, C.-X., Chen, H., Zhu, D.-Y., & Zhou, Q.-G. (2018). Sucrose preference test for measurement of stress-induced anhedonia in mice. *Nature Protocols*, 13(7), 1686–1698.
- Liu, Q., Liu, S., Chen, L., Zhao, Z., Du, S., Dong, Q., Xin, Y., & Xuan, S. (2019). Role and effective therapeutic target of gut microbiota in NAFLD/NASH. *Experimental and Therapeutic Medicine*, 18(3), 1935–1944.
- Liu, Y., Wu, Z., Cheng, L., Zhang, X., & Yang, H. (2021). The role of the intestinal microbiota in the pathogenesis of host depression and mechanism of TPs relieving depression. *Food & Function*.

- Liu, Z., Wei, Z.-Y., Chen, J., Chen, K., Mao, X., Liu, Q., Sun, Y., Zhang, Z., Zhang, Y., & Dan, Z. (2020). Acute sleep-wake cycle shift results in community alteration of human gut microbiome. *Msphere*, 5(1), e00914-19.
- Lonardo, A., Byrne, C. D., Caldwell, S. H., Cortez-Pinto, H., & Targher, G. (2016). Global epidemiology of nonalcoholic fatty liver disease: Meta-analytic assessment of prevalence, incidence, and outcomes. *Hepatology*, 64(4), 1388–1389.
- Lorena, F. B., do Nascimento, B. P. P., Camargo, E. L. R. A., Bernardi, M. M., Fukushima, A. R., Panizza, J. do N., Nogueira, P. de B., Brandão, M. E. S., & Ribeiro, M. O. (2021). Long-term obesity is associated with depression and neuroinflammation. *Archives of Endocrinology and Metabolism*, 65, 537–548.
- Ludwig, J., McGILL, D. B., & Lindor, K. D. (1997). Nonalcoholic steatohepatitis. *Journal of Gastroenterology and Hepatology*, 12(5), 398–403.
- Ludwig, J., Viggiano, T. R., McGill, D. B., & Oh, B. J. (1980). Nonalcoholic steatohepatitis: Mayo Clinic experiences with a hitherto unnamed disease. *Mayo Clinic Proceedings*, 55(7), 434–438.
- Lv, W., Liu, C., Yu, L., Zhou, J., Li, Y., Xiong, Y., Guo, A., Chao, L., Qu, Q., & Wei, G. (2020). Melatonin alleviates neuroinflammation and metabolic disorder in DSS-induced depression rats. *Oxidative Medicine and Cellular Longevity*, 2020.
- Ma, Q., Xing, C., Long, W., Wang, H. Y., Liu, Q., & Wang, R.-F. (2019). Impact of microbiota on central nervous system and neurological diseases: the gut-brain axis. *Journal of Neuroinflammation*, 16(1), 1–14.
- Ma, S., Qin, J., Hao, Y., & Fu, L. (2020). Association of gut microbiota composition and function with an aged rat model of senile osteoporosis using 16S rRNA and metagenomic sequencing analysis. *Aging (Albany NY)*, 12(11), 10795.
- Maccari, S., & Morley-Fletcher, S. (2007). Effects of prenatal restraint stress on the hypothalamus–pituitary–adrenal axis and related behavioural and neurobiological alterations. *Psychoneuroendocrinology*, 32, S10–S15.
- Magne, F., Gotteland, M., Gauthier, L., Zazueta, A., Pessoa, S., Navarrete, P., &

- Balamurugan, R. (2020). The firmicutes/bacteroidetes ratio: a relevant marker of gut dysbiosis in obese patients? *Nutrients*, 12(5), 1474.
- Maher, A. M., Saleh, S. R., Elguindy, N. M., Hashem, H. M., & Yacout, G. A. (2020). Exogenous melatonin restrains neuroinflammation in high fat diet induced diabetic rats through attenuating indoleamine 2, 3-dioxygenase 1 expression. *Life Sciences*, 247, 117427.
- Mahowald, M. A., Rey, F. E., Seedorf, H., Turnbaugh, P. J., Fulton, R. S., Wollam, A., Shah, N., Wang, C., Magrini, V., & Wilson, R. K. (2009). Characterizing a model human gut microbiota composed of members of its two dominant bacterial phyla. *Proceedings of the National Academy of Sciences*, 106(14), 5859–5864.
- Maldonado-Ruiz, R., Montalvo-Martínez, L., Fuentes-Mera, L., & Camacho, A. (2017). Microglia activation due to obesity programs metabolic failure leading to type two diabetes. *Nutrition & Diabetes*, 7(3), e254–e254.
- Malinen, M. M., Ali, I., Bezencon, J., Beaudoin, J. J., & Brouwer, K. L. R. (2018). Organic solute transporter OST α/β is overexpressed in nonalcoholic steatohepatitis and modulated by drugs associated with liver injury. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 314(5), G597–G609.
- Mansouri, A., Gattolliat, C.-H., & Asselah, T. (2018). Mitochondrial dysfunction and signaling in chronic liver diseases. *Gastroenterology*, 155(3), 629–647.
- Maquet, P., Péters, J.-M., Aerts, J., Delfiore, G., Degueldre, C., Luxen, A., & Franck, G. (1996). Functional neuroanatomy of human rapid-eye-movement sleep and dreaming. *Nature*, 383(6596), 163–166.
- Marchesini, G., & Marzocchi, R. (2007). Metabolic syndrome and NASH. *Clinics in Liver Disease*, 11(1), 105–117.
- Marcheva, B., Ramsey, K. M., Buhr, E. D., Kobayashi, Y., Su, H., Ko, C. H., Ivanova, G., Omura, C., Mo, S., & Vitaterna, M. H. (2010). Disruption of the clock components CLOCK and BMAL1 leads to hypoinsulinaemia and diabetes. *Nature*, 466(7306), 627–631.

- Mariano, G., Terrazzano, G., Coccia, E., Vito, P., Varricchio, E., & Paolucci, M. (2013). Effects of recombinant trout leptin in superoxide production and NF- κ B/MAPK phosphorylation in blood leukocytes. *Peptides*, 48, 59–69.
- Martínez-Orozco, H., Reyes-Castro, L. A., Lomas-Soria, C., Sandoval-Salazar, C., Ramírez-Emiliano, J., Díaz-Cintra, S., & Solís-Ortiz, S. (2021). High-fat and combined high-fat–high-fructose diets impair episodic-like memory and decrease glutamate and glutamine in the hippocampus of adult mice. *Nutritional Neuroscience*, 1–11.
- Martinowich, K., Manji, H., & Lu, B. (2007). New insights into BDNF function in depression and anxiety. *Nature Neuroscience*, 10(9), 1089–1093.
- Matenchuk, B. A., Mandhane, P. J., & Kozyrskyj, A. L. (2020). Sleep, circadian rhythm, and gut microbiota. *Sleep Medicine Reviews*, 53, 101340.
- Mehraein, F., Talebi, R., Jameie, B., Joghataie, M. T., & Madjd, Z. (2011). Neuroprotective effect of exogenous melatonin on dopaminergic neurons of the substantia nigra in ovariectomized rats. *Iranian Biomedical Journal*, 15(1–2), 44.
- Mi, Y., Qi, G., Fan, R., Qiao, Q., Sun, Y., Gao, Y., & Liu, X. (2017). EGCG ameliorates high-fat–and high-fructose-induced cognitive defects by regulating the IRS/AKT and ERK/CREB/BDNF signaling pathways in the CNS. *The FASEB Journal*, 31(11), 4998–5011.
- Michielan, A., & D’Incà, R. (2015). Intestinal permeability in inflammatory bowel disease: pathogenesis, clinical evaluation, and therapy of leaky gut. *Mediators of Inflammation*, 2015.
- Miller, M. D., & Krangel, M. S. (1992). Biology and biochemistry of the chemokines: a family of chemotactic and inflammatory cytokines. *Critical Reviews in Immunology*, 12(1–2), 17–46.
- Miranda, M., Morici, J. F., Zanoni, M. B., & Bekinschtein, P. (2019). Brain-derived neurotrophic factor: a key molecule for memory in the healthy and the pathological brain. *Frontiers in Cellular Neuroscience*, 363.

- Mirsky, H. P., Liu, A. C., Welsh, D. K., Kay, S. A., & Doyle, F. J. (2009). A model of the cell-autonomous mammalian circadian clock. *Proceedings of the National Academy of Sciences*, 106(27), 11107–11112.
- Moaraf, S., Vistoropsky, Y., Pozner, T., Heiblum, R., Okuliarová, M., Zeman, M., & Barnea, A. (2020). Artificial light at night affects brain plasticity and melatonin in birds. *Neuroscience Letters*, 716, 134639.
- Modell, S., & Lauer, C. J. (2007). Rapid eye movement (REM) sleep: an endophenotype for depression. *Current Psychiatry Reports*, 9(6), 480–485.
- Mohajeri, M. H., La Fata, G., Steinert, R. E., & Weber, P. (2018). Relationship between the gut microbiome and brain function. *Nutrition Reviews*, 76(7), 481–496.
- Molteni, R., Barnard, R. J., Ying, Z., Roberts, C. K., & Gomez-Pinilla, F. (2002). A high-fat, refined sugar diet reduces hippocampal brain-derived neurotrophic factor, neuronal plasticity, and learning. *Neuroscience*, 112(4), 803–814.
- Mondal, A., Bose, D., Saha, P., Sarkar, S., Seth, R., Kimono, D., Albadrani, M., Nagarkatti, M., Nagarkatti, P., & Chatterjee, S. (2020). Lipocalin 2 induces neuroinflammation and blood-brain barrier dysfunction through liver-brain axis in murine model of nonalcoholic steatohepatitis. *Journal of Neuroinflammation*, 17(1), 1–15.
- Monga Kravetz, A., Testerman, T., Galuppo, B., Graf, J., Pierpont, B., Siebel, S., Feinn, R., & Santoro, N. (2020). Effect of gut microbiota and PNPLA3 rs738409 variant on nonalcoholic fatty liver disease (NAFLD) in obese youth. *The Journal of Clinical Endocrinology & Metabolism*, 105(10), e3575–e3585.
- Montagnese, S., De Pittà, C., De Rui, M., Corrias, M., Turco, M., Merkel, C., Amodio, P., Costa, R., Skene, D. J., & Gatta, A. (2014). Sleep-wake abnormalities in patients with cirrhosis. *Hepatology*, 59(2), 705–712.
- Montagnese, S., Middleton, B., Mani, A. R., Skene, D. J., & Morgan, M. Y. (2010). Melatonin rhythms in patients with cirrhosis. *Official Journal of the American College of Gastroenterology | ACG*, 105(1), 220–222.

- Montalbano, G., Mania, M., Guerrero, M. C., Abbate, F., Laurà, R., Navarra, M., Vega, J. A., Ciriaco, E., & Germanà, A. (2016). Morphological differences in adipose tissue and changes in BDNF/Trkb expression in brain and gut of a diet induced obese zebrafish model. *Annals of Anatomy-Anatomischer Anzeiger*, 204, 36–44.
- Moreno-Navarrete, J. M., Blasco, G., Puig, J., Biarnes, C., Rivero, M., Gich, J., Fernandez-Aranda, F., Garre-Olmo, J., Ramio-Torrenta, L., & Alberich-Bayarri, A. (2017). Neuroinflammation in obesity: circulating lipopolysaccharide-binding protein associates with brain structure and cognitive performance. *International Journal of Obesity*, 41(11), 1627–1635.
- Moretto, T. L., Benfato, I. D., de Carvalho, F. P., Barthichoto, M., Le Sueur-Maluf, L., & de Oliveira, C. A. M. (2017). The effects of calorie-matched high-fat diet consumption on spontaneous physical activity and development of obesity. *Life Sciences*, 179, 30–36.
- Mori, I., Imai, Y., Kohsaka, S., & Kimura, Y. (2000). Upregulated expression of Iba1 molecules in the central nervous system of mice in response to neurovirulent influenza A virus infection. *Microbiology and Immunology*, 44(8), 729–735.
- Moro, T., Tinsley, G., Bianco, A., Marcolin, G., Pacelli, Q. F., Battaglia, G., Palma, A., Gentil, P., Neri, M., & Paoli, A. (2016). Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and cardiovascular risk factors in resistance-trained males. *Journal of Translational Medicine*, 14(1), 290.
- Morris, R. G. M. (1981). Spatial localization does not require the presence of local cues. *Learning and Motivation*, 12(2), 239–260.
- Mteyrek, A., Filipski, E., Guettier, C., Okyar, A., & Lévi, F. (2016). Clock gene Per2 as a controller of liver carcinogenesis. *Oncotarget*, 7(52), 85832.
- Mukherjee, A., & Banerjee, S. (2018). Effect of Metabolic Syndrome on Anxiety in Mice. *Indian Journal of Pharmaceutical Sciences*, 80(3), 453–459.
- Murakami, N., Kawano, T., Nakahara, K., Nasu, T., & Shiota, K. (2001). Effect of

- melatonin on circadian rhythm, locomotor activity and body temperature in the intact house sparrow, Japanese quail and owl. *Brain Research*, 889(1–2), 220–224.
- Nagy, A. D., Iwamoto, A., Kawai, M., Goda, R., Matsuo, H., Otsuka, T., Nagasawa, M., Furuse, M., & Yasuo, S. (2015). Melatonin adjusts the expression pattern of clock genes in the suprachiasmatic nucleus and induces antidepressant-like effect in a mouse model of seasonal affective disorder. *Chronobiology International*, 32(4), 447–457.
- Nakagawa, T., Tsuchida, A., Itakura, Y., Nonomura, T., Ono, M., Hirota, F., Inoue, T., Nakayama, C., Taiji, M., & Noguchi, H. (2000). Brain-derived neurotrophic factor regulates glucose metabolism by modulating energy balance in diabetic mice. *Diabetes*, 49(3), 436–444.
- Narayan, E. J., Cockrem, J., & Hero, J.-M. (2013). Changes in serum and urinary corticosterone and testosterone during short-term capture and handling in the cane toad (*Rhinella marina*). *General and Comparative Endocrinology*, 191, 225–230.
- Neyrinck, A. M., Van Hée, V. F., Bindels, L. B., De Backer, F., Cani, P. D., & Delzenne, N. M. (2013). Polyphenol-rich extract of pomegranate peel alleviates tissue inflammation and hypercholesterolaemia in high-fat diet-induced obese mice: potential implication of the gut microbiota. *British Journal of Nutrition*, 109(5), 802–809.
- Nguyen, C., Murray, G., Anderson, S., Filipowicz, A., & Ingram, K. K. (2019). In vivo molecular chronotyping, circadian misalignment, and high rates of depression in young adults. *Journal of Affective Disorders*, 250, 425–431.
- Nguyen, K. D., Fentress, S. J., Qiu, Y., Yun, K., Cox, J. S., & Chawla, A. (2013). Circadian gene *Bmal1* regulates diurnal oscillations of Ly6Chi inflammatory monocytes. *Science*, 341(6153), 1483–1488.
- Nguyen, T. D., Hållenius, F. F., Lin, X., Nyman, M., & Prykhodko, O. (2020). Monobutyrin and monovalerin affect brain short-chain fatty acid profiles and tight-junction protein expression in apoe-knockout rats fed high-fat diets. *Nutrients*, 12(4), 1202.

- Norden, D. M., Fenn, A. M., Dugan, A., & Godbout, J. P. (2014). TGF β produced by IL-10 redirected astrocytes attenuates microglial activation. *Glia*, 62(6), 881–895.
- Nous, A., Engelborghs, S., & Smolders, I. (2021). Melatonin levels in the Alzheimer's disease continuum: A systematic review. *Alzheimer's Research & Therapy*, 13(1), 1–12.
- Nyer, M., Farabaugh, A., Fehling, K., Soskin, D., Holt, D., Papakostas, G. I., Pedrelli, P., Fava, M., Pisoni, A., & Vitolo, O. (2013). Relationship between sleep disturbance and depression, anxiety, and functioning in college students. *Depression and Anxiety*, 30(9), 873–880.
- Obika, M., & Noguchi, H. (2011). Diagnosis and evaluation of nonalcoholic fatty liver disease. *Experimental Diabetes Research*, 2012.
- Ohta, Y., Kongo-Nishimura, M., Imai, Y., & Kitagawa, A. (2007). Melatonin attenuates disruption of serum cholesterol status in rats with a single α -naphthylisothiocyanate treatment. *Journal of Pineal Research*, 42(2), 159–165.
- Okamura, H., Yamaguchi, S., & Yagita, K. (2002). Molecular machinery of the circadian clock in mammals. *Cell and Tissue Research*, 309(1), 47–56.
- Okuliarova, M., Rumanova, V. S., Stebelova, K., & Zeman, M. (2020). Dim light at night disturbs molecular pathways of lipid metabolism. *International Journal of Molecular Sciences*, 21(18), 6919.
- Onaolapo, A. Y., Adebisi, E. O., Adeleye, A. E., Olofinnade, A. T., & Onaolapo, O. J. (2020). Dietary melatonin protects against behavioural, metabolic, oxidative, and organ morphological changes in mice that are fed high-fat, high-sugar diet. *Endocrine, Metabolic & Immune Disorders-Drug Targets (Formerly Current Drug Targets-Immune, Endocrine & Metabolic Disorders)*, 20(4), 570–583.
- Ossenkopp, K.-P., Van Anders, S. M., Engeland, C. G., & Kavaliers, M. (2005). Influence of photoperiod and sex on locomotor behavior of meadow voles (*Microtus pennsylvanicus*) in an automated light–dark ‘anxiety’ test. *Psychoneuroendocrinology*, 30(9), 869–879.

- Otsuka, T., Goto, M., Kawai, M., Togo, Y., Sato, K., Katoh, K., Furuse, M., & Yasuo, S. (2012). Photoperiod regulates corticosterone rhythms by altered adrenal sensitivity via melatonin-independent mechanisms in Fischer 344 rats and C57BL/6J mice. *PLoS One*, 7(6), e39090.
- Palomino, D. C. T., & Marti, L. C. (2015). Chemokines and immunity. *Einstein (Sao Paulo)*, 13, 469–473.
- Pan, M., Song, Y., Xu, J., & Gan, H. (2006). Melatonin ameliorates nonalcoholic fatty liver induced by high-fat diet in rats. *Journal of Pineal Research*, 41(1), 79–84.
- Pan, X., Queiroz, J., & Hussain, M. M. (2019). Circadian Rhythms, Hypoxia Response and Fatty Acid Metabolism in the Onset of Liver Diseases. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 39(Suppl_1), A330–A330.
- Pan, X., Queiroz, J., & Hussain, M. M. (2020). Nonalcoholic fatty liver disease in CLOCK mutant mice. *The Journal of Clinical Investigation*.
- Parent, M.-É., El-Zein, M., Rousseau, M.-C., Pintos, J., & Siemiatycki, J. (2012). Night work and the risk of cancer among men. *American Journal of Epidemiology*, 176(9), 751–759.
- Parikh, M. P., Gupta, N. M., & McCullough, A. J. (2019). Obstructive sleep apnea and the liver. *Clinics in Liver Disease*, 23(2), 363–382.
- Pariollaud, M., Gibbs, J. E., Hopwood, T. W., Brown, S., Begley, N., Vonslow, R., Poolman, T., Guo, B., Saer, B., & Jones, D. H. (2018). Circadian clock component REV-ERB α controls homeostatic regulation of pulmonary inflammation. *The Journal of Clinical Investigation*, 128(6), 2281–2296.
- Park, A. J., Collins, J., Blennerhassett, P. A., Ghia, J. E., Verdu, E. F., Bercik, P., & Collins, S. (2013). Altered colonic function and microbiota profile in a mouse model of chronic depression. *Neurogastroenterology & Motility*, 25(9), 733–e575.
- Park, S. H., Kim, B. I., Kim, S. H., Kim, H. J., Park, D. Il, Cho, Y. K., Sung, I. K., Sohn, C. Il, Kim, H., & Keum, D. K. (2007). Body fat distribution and insulin resistance: beyond obesity in nonalcoholic fatty liver disease among overweight men. *Journal*

- of the American College of Nutrition*, 26(4), 321–326.
- Parthasarathy, G., Revelo, X., & Malhi, H. (2020). Pathogenesis of nonalcoholic steatohepatitis: an overview. *Hepatology Communications*, 4(4), 478–492.
- Paschos, P., & Paletas, K. (2009). Non alcoholic fatty liver disease and metabolic syndrome. *Hippokratia*, 13(1), 9.
- Pasquali, R., Vicennati, V., Cacciari, M., & Pagotto, U. (2006). The hypothalamic-pituitary-adrenal axis activity in obesity and the metabolic syndrome. *Annals of the New York Academy of Sciences*, 1083(1), 111–128.
- Pate, M., Damarla, V., Chi, D. S., Negi, S., & Krishnaswamy, G. (2010). Endothelial cell biology: role in the inflammatory response. *Advances in Clinical Chemistry*, 52, 109–130.
- Patel, A. K., Reddy, V., & Araujo, J. F. (2021). Physiology, sleep stages. In *StatPearls [Internet]*. StatPearls Publishing.
- Pathan, A. R., Gaikwad, A. B., Viswanad, B., & Ramarao, P. (2008). Rosiglitazone attenuates the cognitive deficits induced by high fat diet feeding in rats. *European Journal of Pharmacology*, 589(1–3), 176–179.
- Paulose, J. K., Wright, J. M., Patel, A. G., & Cassone, V. M. (2016). Human gut bacteria are sensitive to melatonin and express endogenous circadian rhythmicity. *PloS One*, 11(1), e0146643.
- Permpoonputtana, K., Tangweerasing, P., Mukda, S., Boontem, P., Nopparat, C., & Govitrapong, P. (2018). Long-term administration of melatonin attenuates neuroinflammation in the aged mouse brain. *EXCLI Journal*, 17, 634.
- Peters, K. M., Wilson, R. B., & Borradaile, N. M. (2018). Non-parenchymal hepatic cell lipotoxicity and the coordinated progression of non-alcoholic fatty liver disease and atherosclerosis. *Current Opinion in Lipidology*, 29(5), 417.
- Pfluger, P. T., Herranz, D., Velasco-Miguel, S., Serrano, M., & Tschöp, M. H. (2008). Sirt1 protects against high-fat diet-induced metabolic damage. *Proceedings of the*

- National Academy of Sciences*, 105(28), 9793–9798.
- Pierce, R. C., & Kalivas, P. W. (2007). Locomotor behavior. *Current Protocols in Neuroscience*, 40(1), 1–8.
- Pierrefiche, G., Zerbib, R., & Laborit, H. (1993). Anxiolytic activity of melatonin in mice: involvement of benzodiazepine receptors. *Research Communications in Chemical Pathology and Pharmacology*, 82(2), 131–142.
- Pilly, P. K., & Grossberg, S. (2012). How do spatial learning and memory occur in the brain? Coordinated learning of entorhinal grid cells and hippocampal place cells. *Journal of Cognitive Neuroscience*, 24(5), 1031–1054.
- Pistell, P. J., Morrison, C. D., Gupta, S., Knight, A. G., Keller, J. N., Ingram, D. K., & Bruce-Keller, A. J. (2010). Cognitive impairment following high fat diet consumption is associated with brain inflammation. *Journal of Neuroimmunology*, 219(1–2), 25–32.
- Poeggeler, B., Miravalle, L., Zagorski, M. G., Wisniewski, T., Chyan, Y.-J., Zhang, Y., Shao, H., Bryant-Thomas, T., Vidal, R., & Frangione, B. (2001). Melatonin reverses the profibrillogenic activity of apolipoprotein E4 on the Alzheimer amyloid A β peptide. *Biochemistry*, 40(49), 14995–15001.
- Polotsky, V. Y., Patil, S. P., Savransky, V., Laffan, A., Fonti, S., Frame, L. A., Steele, K. E., Schweitzer, M. A., Clark, J. M., & Torbenson, M. S. (2009). Obstructive sleep apnea, insulin resistance, and steatohepatitis in severe obesity. *American Journal of Respiratory and Critical Care Medicine*, 179(3), 228–234.
- Porsolt, R. D., Le Pichon, M., & Jalfre, M. L. (1977). Depression: a new animal model sensitive to antidepressant treatments. *Nature*, 266(5604), 730–732.
- Premachandra, B. N., Kabir, M. A., & Williams, I. K. (2006). Low T3 syndrome in psychiatric depression. *Journal of Endocrinological Investigation*, 29(6), 568–572.
- Price, J. L., & Drevets, W. C. (2010). Neurocircuitry of mood disorders. *Neuropsychopharmacology*, 35(1), 192–216.

- Pyter, L. M., Reader, B. F., & Nelson, R. J. (2005). Short photoperiods impair spatial learning and alter hippocampal dendritic morphology in adult male white-footed mice (*Peromyscus leucopus*). *Journal of Neuroscience*, 25(18), 4521–4526.
- Pyter, L. M., Trainor, B. C., & Nelson, R. J. (2006). Testosterone and photoperiod interact to affect spatial learning and memory in adult male white-footed mice (*Peromyscus leucopus*). *European Journal of Neuroscience*, 23(11), 3056–3062.
- Qin, J., Li, R., Raes, J., Arumugam, M., Burgdorf, K. S., Manichanh, C., Nielsen, T., Pons, N., Levenez, F., & Yamada, T. (2010). A human gut microbial gene catalogue established by metagenomic sequencing. *Nature*, 464(7285), 59–65.
- Quast, C., Pruesse, E., Yilmaz, P., Gerken, J., Schweer, T., Yarza, P., Peplies, J., & Glöckner, F. O. (2012). The SILVA ribosomal RNA gene database project: improved data processing and web-based tools. *Nucleic Acids Research*, 41(D1), D590–D596.
- Raghavendra, V., Kaur, G., & Kulkarni, S. K. (2000). Anti-depressant action of melatonin in chronic forced swimming-induced behavioral despair in mice, role of peripheral benzodiazepine receptor modulation. *European Neuropsychopharmacology*, 10(6), 473–481.
- Ramai, D., Facciorusso, A., Vigandt, E., Schaf, B., Saadedeen, W., Chauhan, A., di Nunzio, S., Shah, A., Giacomelli, L., & Sacco, R. (2021). Progressive Liver Fibrosis in Non-Alcoholic Fatty Liver Disease. *Cells*, 10(12), 3401.
- Ramírez-Rodríguez, G. B., Palacios-Cabriales, D. M., Ortiz-López, L., Estrada-Camarena, E. M., & Vega-Rivera, N. M. (2020). Melatonin modulates dendrite maturation and complexity in the dorsal-and ventral-dentate gyrus concomitantly with its antidepressant-like effect in male balb/c mice. *International Journal of Molecular Sciences*, 21(5), 1724.
- Ramírez-Rodríguez, G., Klempin, F., Babu, H., Benítez-King, G., & Kempermann, G. (2009). Melatonin modulates cell survival of new neurons in the hippocampus of adult mice. *Neuropsychopharmacology*, 34(9), 2180–2191.

- Rattiner, L. M., Davis, M., French, C. T., & Ressler, K. J. (2004). Brain-derived neurotrophic factor and tyrosine kinase receptor B involvement in amygdala-dependent fear conditioning. *Journal of Neuroscience*, 24(20), 4796–4806.
- Ray, K. (2015). Leaky guts: Intestinal permeability and NASH. *Nature Reviews Gastroenterology & Hepatology*, 12(3), 123.
- Reiter, R. J. (2003). Melatonin: clinical relevance. *Best Practice & Research Clinical Endocrinology & Metabolism*, 17(2), 273–285.
- Reiter, R., Tan, D.-X., Cabrera, J., D'Arpa, D., Sainz, R., Mayo, J., & Ramos, S. (1999). The oxidant/antioxidant network: role of melatonin. *Neurosignals*, 8(1–2), 56–63.
- Ren, W., Wang, P., Yan, J., Liu, G., Zeng, B., Hussain, T., Peng, C., Yin, J., Li, T., & Wei, H. (2018). Melatonin alleviates weanling stress in mice: Involvement of intestinal microbiota. *Journal of Pineal Research*, 64(2), e12448.
- Reppert, S. M., & Weaver, D. R. (2002). Coordination of circadian timing in mammals. *Nature*, 418(6901), 935–941.
- Rezende, L. F., Santos, G. J., Santos-Silva, J. C., Carneiro, E. M., & Boschero, A. C. (2012). Ciliary neurotrophic factor (CNTF) protects non-obese Swiss mice against type 2 diabetes by increasing beta cell mass and reducing insulin clearance. *Diabetologia*, 55(5), 1495–1504.
- Roberts, R. E., Deleger, S., Strawbridge, W. J., & Kaplan, G. A. (2003). Prospective association between obesity and depression: evidence from the Alameda County Study. *International Journal of Obesity*, 27(4), 514–521.
- Rogério, R., & Takahashi, R. N. (1992). Anxiogenic properties of cocaine in the rat evaluated with the elevated plus-maze. *Pharmacology Biochemistry and Behavior*, 43(2), 631–633.
- Rothermundt, M., Arolt, V., Peters, M., Gutbrodt, H., Fenker, J., Kersting, A., & Kirchner, H. (2001). Inflammatory markers in major depression and melancholia. *Journal of Affective Disorders*, 63(1–3), 93–102.

- Rudic, R. D., McNamara, P., Reilly, D., Grosser, T., Curtis, A.-M., Price, T. S., Panda, S., Hogenesch, J. B., & FitzGerald, G. A. (2005). Bioinformatic analysis of circadian gene oscillation in mouse aorta. *Circulation*, 112(17), 2716–2724.
- Rutkowski, J. M., Lee, L. L., Puchowicz, M., Golub, M. S., Befroy, D. E., Wilson, D. W., Anderson, S., Cline, G., Bini, J., & Borkowski, K. (2018). Reduced cognitive function, increased blood-brain-barrier transport and inflammatory responses, and altered brain metabolites in LDLr^{-/-} and C57BL/6 mice fed a western diet. *PLoS One*, 13(2), e0191909.
- Sadacca, L. A., Lamia, K. A., Delemos, A. S., Blum, B., & Weitz, C. J. (2011). An intrinsic circadian clock of the pancreas is required for normal insulin release and glucose homeostasis in mice. *Diabetologia*, 54(1), 120–124.
- Saji, N., Murotani, K., Sato, N., Tsuduki, T., Hisada, T., Shinohara, M., Sugimoto, T., Niida, S., Toba, K., & Sakurai, T. (2022). Relationship between plasma neurofilament light chain, gut microbiota, and dementia: A cross-sectional study. *Journal of Alzheimer's Disease, Preprint*, 1–13.
- Saji, N., Niida, S., Murotani, K., Hisada, T., Tsuduki, T., Sugimoto, T., Kimura, A., Toba, K., & Sakurai, T. (2019). Analysis of the relationship between the gut microbiome and dementia: a cross-sectional study conducted in Japan. *Scientific Reports*, 9(1), 1–9.
- Sakamoto, K. M., & Frank, D. A. (2009). CREB in the pathophysiology of cancer: implications for targeting transcription factors for cancer therapy. *Clinical Cancer Research*, 15(8), 2583–2587.
- Salah, M., Azab, M., Ramadan, A., & Hanora, A. (2019). New insights on obesity and diabetes from gut microbiome alterations in Egyptian adults. *Omics: A Journal of Integrative Biology*, 23(10), 477–485.
- Sato, K., Meng, F., Francis, H., Wu, N., Chen, L., Kennedy, L., Zhou, T., Franchitto, A., Onori, P., & Gaudio, E. (2020). Melatonin and circadian rhythms in liver diseases: Functional roles and potential therapies. *Journal of Pineal Research*, 68(3), e12639.

- SATTLE, F., Jiaxiu, H. E., Letendre, S., Wilson, C., Sanders, C., Heaton, R., Ellis, R., Franklin, D., Aldrovandi, G., & Marra, C. M. (2015). Abdominal obesity contributes to neurocognitive impairment in HIV infected patients with increased inflammation and immune activation. *Journal of Acquired Immune Deficiency Syndromes (1999)*, 68(3), 281.
- Sauvet, F., Gomez-Merino, D., Dorey, R., Ciret, S., Gallopin, T., Drogou, C., Arnal, P. J., & Chennaoui, M. (2019). Lengthening of the photoperiod influences sleep characteristics before and during total sleep deprivation in rat. *Journal of Sleep Research*, 28(3), e12709.
- Schaap, F. G., van der Gaag, N. A., Gouma, D. J., & Jansen, P. L. M. (2009). High expression of the bile salt-homeostatic hormone fibroblast growth factor 19 in the liver of patients with extrahepatic cholestasis. *Hepatology*, 49(4), 1228–1235.
- Schachter, J., Martel, J., Lin, C.-S., Chang, C.-J., Wu, T.-R., Lu, C.-C., Ko, Y.-F., Lai, H.-C., Ojcius, D. M., & Young, J. D. (2018). Effects of obesity on depression: a role for inflammation and the gut microbiota. *Brain, Behavior, and Immunity*, 69, 1–8.
- Schattenberg, J. M., & Galle, P. R. (2010). Animal models of non-alcoholic steatohepatitis: of mice and man. *Digestive Diseases*, 28(1), 247–254.
- Serchov, T., van Calker, D., & Biber, K. (2016). Sucrose preference test to measure anhedonic behaviour in mice. *Bio-Protocol*, 6(19), e1958–e1958.
- Serino, M., Luche, E., Gres, S., Baylac, A., Bergé, M., Cenac, C., Waget, A., Klopp, P., Iacovoni, J., & Klopp, C. (2012). Metabolic adaptation to a high-fat diet is associated with a change in the gut microbiota. *Gut*, 61(4), 543–553.
- Shah, P. K. (2019). Inflammation, infection and atherosclerosis. *Trends in Cardiovascular Medicine*, 29(8), 468–472.
- Shaywitz, A. J., & Greenberg, M. E. (1999). CREB: a stimulus-induced transcription factor activated by a diverse array of extracellular signals. *Annual Review of Biochemistry*, 68(1), 821–861.
- Shen, F., Zheng, R.-D., Sun, X.-Q., Ding, W.-J., Wang, X.-Y., & Fan, J.-G. (2017). Gut

- microbiota dysbiosis in patients with non-alcoholic fatty liver disease. *Hepatobiliary & Pancreatic Diseases International*, 16(4), 375–381.
- Shetty, A., Hsu, J. W., Manka, P. P., & Syn, W.-K. (2018). Role of the circadian clock in the metabolic syndrome and nonalcoholic fatty liver disease. *Digestive Diseases and Sciences*, 63(12), 3187–3206.
- Shi, D., Chen, J., Wang, J., Yao, J., Huang, Y., Zhang, G., & Bao, Z. (2019a). Circadian clock genes in the metabolism of non-alcoholic fatty liver disease. In *Frontiers in Physiology* (Vol. 10, Issue MAY). Frontiers Media S.A. <https://doi.org/10.3389/fphys.2019.00423>
- Shi, D., Chen, J., Wang, J., Yao, J., Huang, Y., Zhang, G., & Bao, Z. (2019b). Circadian clock genes in the metabolism of non-alcoholic fatty liver disease. *Frontiers in Physiology*, 10, 423.
- Shi, F.-J., Xie, H., Zhang, C.-Y., Qin, H.-F., Zeng, X.-W., Lou, H., Zhang, L., Xu, G.-T., Zhang, J.-F., & Xu, G.-X. (2021). Is Iba-1 protein expression a sensitive marker for microglia activation in experimental diabetic retinopathy? *International Journal of Ophthalmology*, 14(2), 200.
- Shieh, J., Wu, H., Cheng, K., & Cheng, J. (2009). Melatonin ameliorates high fat diet-induced diabetes and stimulates glycogen synthesis via a PKC ζ -Akt-GSK3 β pathway in hepatic cells. *Journal of Pineal Research*, 47(4), 339–344.
- Shimizu, H., Hanzawa, F., Kim, D., Sun, S., Laurent, T., Umeki, M., Ikeda, S., Mochizuki, S., & Oda, H. (2018). Delayed first active-phase meal, a breakfast-skipping model, led to increased body weight and shifted the circadian oscillation of the hepatic clock and lipid metabolism-related genes in rats fed a high-fat diet. *PLoS One*, 13(10), e0206669.
- Shirsath, K., Joshi, A., Vohra, A., & Devkar, R. (2021). Chronic photoperiodic manipulation induced chronodisruption upregulates HSP60 during early pro-atherogenic remodeling in thoracic aorta of C57BL/6J mice. *The Journal of Basic and Applied Zoology*, 82(1), 1–10.

- Sinal, C. J., Tohkin, M., Miyata, M., Ward, J. M., Lambert, G., & Gonzalez, F. J. (2000). Targeted disruption of the nuclear receptor FXR/BAR impairs bile acid and lipid homeostasis. *Cell*, 102(6), 731–744.
- Sivakrishnan, S., & Pharm, M. (2019). Liver disease overview. *World Journal of Pharmacy and Pharmaceutical Sciences*, 8(1), 1385–1395.
- Skene, D. J., Lockley, S. W., & Arendt, J. (1999). Use of melatonin in the treatment of phase shift and sleep disorders. *Tryptophan, Serotonin, and Melatonin*, 79–84.
- Smith, K. J., Béland, M., Clyde, M., Gariépy, G., Pagé, V., Badawi, G., Rabasa-Lhoret, R., & Schmitz, N. (2013). Association of diabetes with anxiety: a systematic review and meta-analysis. *Journal of Psychosomatic Research*, 74(2), 89–99.
- Snyder, J. S., Soumier, A., Brewer, M., Pickel, J., & Cameron, H. A. (2011). Adult hippocampal neurogenesis buffers stress responses and depressive behaviour. *Nature*, 476(7361), 458–461.
- Song, Y.-N., Zhang, G.-B., Lu, Y.-Y., Chen, Q.-L., Yang, L., Wang, Z.-T., Liu, P., & Su, S.-B. (2016). Huangqi decoction alleviates dimethylnitrosamine-induced liver fibrosis: an analysis of bile acids metabolic mechanism. *Journal of Ethnopharmacology*, 189, 148–156.
- Sookoian, S., Castaño, G., Gianotti, T. F., Gemma, C., & Pirola, C. J. (2009). Polymorphisms of MRP2 (ABCC2) are associated with susceptibility to nonalcoholic fatty liver disease. *The Journal of Nutritional Biochemistry*, 20(10), 765–770.
- Soroka, C. J., Ballatori, N., & Boyer, J. L. (2010). Organic solute transporter, OST α -OST β : its role in bile acid transport and cholestasis. *Seminars in Liver Disease*, 30(02), 178–185.
- Sousa, C. R. e, Hieny, S., Scharton-Kersten, T., Jankovic, D., Charest, H., Germain, R. N., & Sher, A. (1997). In vivo microbial stimulation induces rapid CD40 ligand-independent production of interleukin 12 by dendritic cells and their redistribution to T cell areas. *The Journal of Experimental Medicine*, 186(11), 1819–1829.

- Spasojevic, N., Stefanovic, B., Jovanovic, P., & Dronjak, S. (2016). Anxiety and hyperlocomotion induced by chronic unpredictable mild stress can be moderated with melatonin treatment. *Folia Biologica*, 62(6), 250.
- Spychala, M. S., Venna, V. R., Jandzinski, M., Doran, S. J., Durgan, D. J., Ganesh, B. P., Ajami, N. J., Putluri, N., Graf, J., & Bryan, R. M. (2018). Age-related changes in the gut microbiota influence systemic inflammation and stroke outcome. *Annals of Neurology*, 84(1), 23–36.
- Stacchiotti, A., Grossi, I., García-Gómez, R., Patel, G. A., Salvi, A., Lavazza, A., De Petro, G., Monsalve, M., & Rezzani, R. (2019). Melatonin effects on non-alcoholic fatty liver disease are related to microRNA-34a-5p/Sirt1 axis and autophagy. *Cells*, 8(9), 1053.
- Stedman, C., Liddle, C., Coulter, S., Sonoda, J., Alvarez, J. G., Evans, R. M., & Downes, M. (2006). Benefit of farnesoid X receptor inhibition in obstructive cholestasis. *Proceedings of the National Academy of Sciences*, 103(30), 11323–11328.
- Steru, L., Chermat, R., Thierry, B., & Simon, P. (1985). The tail suspension test: a new method for screening antidepressants in mice. *Psychopharmacology*, 85(3), 367–370.
- Stojanov, S., Berlec, A., & Štrukelj, B. (2020). The influence of probiotics on the firmicutes/bacteroidetes ratio in the treatment of obesity and inflammatory bowel disease. *Microorganisms*, 8(11), 1715.
- Stranahan, A. M., Lee, K., Martin, B., Maudsley, S., Golden, E., Cutler, R. G., & Mattson, M. P. (2009). Voluntary exercise and caloric restriction enhance hippocampal dendritic spine density and BDNF levels in diabetic mice. *Hippocampus*, 19(10), 951–961.
- Stranahan, A. M., Norman, E. D., Lee, K., Cutler, R. G., Telljohann, R. S., Egan, J. M., & Mattson, M. P. (2008). Diet-induced insulin resistance impairs hippocampal synaptic plasticity and cognition in middle-aged rats. *Hippocampus*, 18(11), 1085–1088.

- Stroeve, J. H. M., Brufau, G., Stellaard, F., Gonzalez, F. J., Staels, B., & Kuipers, F. (2010). Intestinal FXR-mediated FGF15 production contributes to diurnal control of hepatic bile acid synthesis in mice. *Laboratory Investigation*, 90(10), 1457–1467.
- Sugiyama, A., Kato, H., Takakura, H., Osawa, S., Maeda, Y., & Izawa, T. (2020). Effects of physical activity and melatonin on brain-derived neurotrophic factor and cytokine expression in the cerebellum of high-fat diet-fed rats. *Neuropsychopharmacology Reports*, 40(3), 291–296.
- Sun, C.-K., Chen, C.-H., Chang, C.-L., Chiang, H.-J., Sung, P.-H., Chen, K.-H., Chen, Y.-L., Chen, S.-Y., Kao, G.-S., & Chang, H.-W. (2017). Melatonin treatment enhances therapeutic effects of exosomes against acute liver ischemia-reperfusion injury. *American Journal of Translational Research*, 9(4), 1543.
- Sun, H., Wang, X., Chen, J., Song, K., Gusdon, A. M., Li, L., Bu, L., & Qu, S. (2016). Melatonin improves non-alcoholic fatty liver disease via MAPK-JNK/P38 signaling in high-fat-diet-induced obese mice. *Lipids in Health and Disease*, 15(1), 1–8.
- Surdea-Blaga, T., & Dumitraşcu, D. L. (2011). Depression and anxiety in nonalcoholic steatohepatitis: is there any association? *Romanian Journal of Internal Medicine= Revue Roumaine de Medecine Interne*, 49(4), 273–280.
- Swann, J. R., Want, E. J., Geier, F. M., Spagou, K., Wilson, I. D., Sidaway, J. E., Nicholson, J. K., & Holmes, E. (2011). Systemic gut microbial modulation of bile acid metabolism in host tissue compartments. *Proceedings of the National Academy of Sciences*, 108(Supplement 1), 4523–4530.
- Tagger, A., Donato, F., Ribero, M. L., Chiesa, R., Portera, G., Gelatti, U., Albertini, A., Fasola, M., Boffetta, P., & Nardi, G. (1999). Case-control study on hepatitis C virus (HCV) as a risk factor for hepatocellular carcinoma: The role of HCV genotypes and the synergism with hepatitis B virus and alcohol. *International Journal of Cancer*, 81(5), 695–699.
- Tahan, G., Akin, H., Aydogan, F., Ramadan, S. S., Yapicier, O., Tarcin, O., Uzun, H., Tahan, V., & Zengin, K. (2010). Melatonin ameliorates liver fibrosis induced by bile-duct ligation in rats. *Canadian Journal of Surgery*, 53(5), 313.

- Tahan, G., Gramignoli, R., Marongiu, F., Aktolga, S., Cetinkaya, A., Tahan, V., & Dorko, K. (2011). Melatonin expresses powerful anti-inflammatory and antioxidant activities resulting in complete improvement of acetic-acid-induced colitis in rats. *Digestive Diseases and Sciences*, 56(3), 715–720.
- Tahan, V., Atug, O., Akin, H., Eren, F., Tahan, G., Tarcin, O., Uzun, H., Ozdogan, O., Tarcin, O., & Imeryuz, N. (2009). Melatonin ameliorates methionine-and choline-deficient diet-induced nonalcoholic steatohepatitis in rats. *Journal of Pineal Research*, 46(4), 401–407.
- Tahara, Y., & Shibata, S. (2016). Circadian rhythms of liver physiology and disease: experimental and clinical evidence. *Nature Reviews Gastroenterology & Hepatology*, 13(4), 217.
- Takahashi, J. S., Hong, H.-K., Ko, C. H., & McDearmon, E. L. (2008). The genetics of mammalian circadian order and disorder: implications for physiology and disease. *Nature Reviews Genetics*, 9(10), 764–775.
- Tan, D.-X., Manchester, L. C., Esteban-Zubero, E., Zhou, Z., & Reiter, R. J. (2015). Melatonin as a potent and inducible endogenous antioxidant: synthesis and metabolism. *Molecules*, 20(10), 18886–18906.
- Tan, D., Manchester, L. C., Hardeland, R., Lopez-Burillo, S., Mayo, J. C., Sainz, R. M., & Reiter, R. J. (2003). Melatonin: a hormone, a tissue factor, an autocoid, a paracoid, and an antioxidant vitamin. *Journal of Pineal Research*, 34(1), 75–78.
- Tansey, M. G., McCoy, M. K., & Frank-Cannon, T. C. (2007). Neuroinflammatory mechanisms in Parkinson's disease: potential environmental triggers, pathways, and targets for early therapeutic intervention. *Experimental Neurology*, 208(1), 1–25.
- Tao, L., Ma, W., Wu, L., Xu, M., Yang, Y., Zhang, W., Sha, W., Li, H., Xu, J., & Feng, R. (2019). Glial cell line-derived neurotrophic factor (GDNF) mediates hepatic stellate cell activation via ALK5/Smad signalling. *Gut*, 68(12), 2214–2227.
- Ter Horst, K. W., & Serlie, M. J. (2017). Fructose consumption, lipogenesis, and non-alcoholic fatty liver disease. *Nutrients*, 9(9), 981.

- Thirumangalakudi, L., Prakasam, A., Zhang, R., Bimonte-Nelson, H., Sambamurti, K., Kindy, M. S., & Bhat, N. R. (2008). High cholesterol-induced neuroinflammation and amyloid precursor protein processing correlate with loss of working memory in mice. *Journal of Neurochemistry*, 106(1), 475–485.
- Thursby, E., & Juge, N. (2017). Introduction to the human gut microbiota. *Biochemical Journal*, 474(11), 1823–1836.
- Tiao, M.-M., Huang, L.-T., Chen, C.-J., Sheen, J.-M., Tain, Y.-L., Chen, C.-C., Kuo, H.-C., Huang, Y.-H., Tang, K.-S., & Chu, E.-W. (2014). Melatonin in the regulation of liver steatosis following prenatal glucocorticoid exposure. *BioMed Research International*, 2014.
- Tilg, H. (2010). The role of cytokines in non-alcoholic fatty liver disease. *Digestive Diseases*, 28(1), 179–185.
- Tong, X., & Yin, L. (2013). Circadian rhythms in liver physiology and liver diseases. *Comprehensive Physiology*, 3(2), 917–940.
- Trauner, M., Claudel, T., Fickert, P., Moustafa, T., & Wagner, M. (2010). Bile acids as regulators of hepatic lipid and glucose metabolism. *Digestive Diseases*, 28(1), 220–224.
- Trivedi, M. K., Mondal, S., Gangwar, M., & Jana, S. (2022). Anti-inflammatory potential of cannabidiol (CBD) on combination of caecal slurry, LPS, and E. coli-induced systemic inflammatory response syndrome (SIRS) in Sprague Dawley Rats. *Inflammopharmacology*, 1–8.
- Trzepacz, P. T., McCue, M., Klein, I., Levey, G. S., & Greenhouse, J. (1988). A psychiatric and neuropsychological study of patients with untreated Graves' disease. *General Hospital Psychiatry*, 10(1), 49–55.
- Tuohy, K. M., Probert, H. M., Smejkal, C. W., & Gibson, G. R. (2003). Using probiotics and prebiotics to improve gut health. *Drug Discovery Today*, 8(15), 692–700.
- Turek, F. W., Joshu, C., Kohsaka, A., Lin, E., Ivanova, G., McDearmon, E., Laposky, A., Losee-Olson, S., Easton, A., & Jensen, D. R. (2005). Obesity and metabolic

- syndrome in circadian Clock mutant mice. *Science*, 308(5724), 1043–1045.
- Turnbaugh, P. J., & Gordon, J. I. (2009). The core gut microbiome, energy balance and obesity. *The Journal of Physiology*, 587(17), 4153–4158.
- Turner, M. D., Nedjai, B., Hurst, T., & Pennington, D. J. (2014). Cytokines and chemokines: At the crossroads of cell signalling and inflammatory disease. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1843(11), 2563–2582.
- Underwood, E. L., & Thompson, L. T. (2016). A high-fat diet causes impairment in hippocampal memory and sex-dependent alterations in peripheral metabolism. *Neural Plasticity*, 2016.
- Underwood, H., & Goldman, B. D. (1987). Vertebrate circadian and photoperiodic systems: role of the pineal gland and melatonin. *Journal of Biological Rhythms*, 2(4), 279–315.
- Upadhyay, K., Joshi, A. S., Vohra, A. H., & Devkar, R. V. (2018). CORM A-1 Mediated Mitochondrial Biogenesis in Lipotoxic HepG2 Cells: Therapeutic Implications for NAFLD. *HEPATOLOGY*, 68, 446A-446A.
- Upadhyay, K. K., Jadeja, R. N., Vyas, H. S., Pandya, B., Joshi, A., Vohra, A., Thounaojam, M. C., Martin, P. M., Bartoli, M., & Devkar, R. V. (2020). Carbon monoxide releasing molecule-A1 improves nonalcoholic steatohepatitis via Nrf2 activation mediated improvement in oxidative stress and mitochondrial function. *Redox Biology*, 28, 101314.
- Uutela, M., Lindholm, J., Louhivuori, V., Wei, H., Louhivuori, L. M., Pertovaara, A., Åkerman, K., Castrén, E., & Castrén, M. L. (2012). Reduction of BDNF expression in Fmr1 knockout mice worsens cognitive deficits but improves hyperactivity and sensorimotor deficits. *Genes, Brain and Behavior*, 11(5), 513–523.
- Vadnie, C. A., & McClung, C. A. (2017). Circadian rhythm disturbances in mood disorders: insights into the role of the suprachiasmatic nucleus. *Neural Plasticity*, 2017.

- Vagena, E., Ryu, J. K., Baeza-Raja, B., Walsh, N. M., Syme, C., Day, J. P., Houslay, M. D., & Baillie, G. S. (2019). A high-fat diet promotes depression-like behavior in mice by suppressing hypothalamic PKA signaling. *Translational Psychiatry*, 9(1), 1–15.
- Valdes, A. M., Walter, J., Segal, E., & Spector, T. D. (2018). Role of the gut microbiota in nutrition and health. *Bmj*, 361.
- Verma, A. K., Garg, G., Singh, S., & Rizvi, S. I. (2022). Melatonin protects against membrane alterations affected by ‘Artificial Light at Night’ in a circadian-disrupted model of rat. *Biological Rhythm Research*, 53(2), 317–328.
- Verma, A. K., Singh, S., Garg, G., & Rizvi, S. I. (2022). Melatonin exerts neuroprotection in a chronodisrupted rat model through reduction in oxidative stress and modulation of autophagy. *Chronobiology International*, 39(1), 45–56.
- Verma, A. K., Singh, S., & Rizvi, S. I. (2020). Age-dependent altered redox homeostasis in the chronodisrupted rat model and moderation by melatonin administration. *Chronobiology International*, 37(11), 1517–1527.
- Vernon, G., Baranova, A., & Younossi, Z. M. (2011). Systematic review: the epidemiology and natural history of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis in adults. *Alimentary Pharmacology & Therapeutics*, 34(3), 274–285.
- Vincent, B. (2018). Protective roles of melatonin against the amyloid-dependent development of Alzheimer’s disease: A critical review. *Pharmacological Research*, 134, 223–237.
- Vitaglione, P., Mazzone, G., Lembo, V., D’Argenio, G., Rossi, A., Guido, M., Savoia, M., Salomone, F., Mennella, I., & De Filippis, F. (2019). Coffee prevents fatty liver disease induced by a high-fat diet by modulating pathways of the gut–liver axis. *Journal of Nutritional Science*, 8.
- Vohra, A. H., Upadhyay, K. K., Joshi, A. S., Vyas, H. S., Thadani, J., & Devkar, R. V. (2021). Melatonin-primed ADMSCs elicit an efficacious therapeutic response in

- improving high-fat diet induced non-alcoholic fatty liver disease in C57BL/6J mice. *Egyptian Liver Journal*, 11(1), 1–13.
- Vorhees, C. V., & Williams, M. T. (2006). Morris water maze: procedures for assessing spatial and related forms of learning and memory. *Nature Protocols*, 1(2), 848–858.
- Vriend, J. (1983). Evidence for pineal gland modulation of the neuroendocrine-thyroid axis. *Neuroendocrinology*, 36(1), 68–78.
- Vriend, J., Richardson, B. A., Vaughan, M. K., Johnson, L. Y., & Reiter, R. J. (1982). Effects of melatonin on thyroid physiology of female hamsters. *Neuroendocrinology*, 35(2), 79–85.
- Wang, B., Kong, Q., Li, X., Zhao, J., Zhang, H., Chen, W., & Wang, G. (2020). A high-fat diet increases gut microbiota biodiversity and energy expenditure due to nutrient difference. *Nutrients*, 12(10), 3197.
- Wang, G., Jiao, T., Xu, Y., Li, D., Si, Q., Hao, J., Zhao, J., Zhang, H., & Chen, W. (2020). *Bifidobacterium adolescentis* and *Lactobacillus rhamnosus* alleviate non-alcoholic fatty liver disease induced by a high-fat, high-cholesterol diet through modulation of different gut microbiota-dependent pathways. *Food & Function*, 11(7), 6115–6127.
- Wang, H., Chen, J., Hollister, K., Sowers, L. C., & Forman, B. M. (1999). Endogenous bile acids are ligands for the nuclear receptor FXR/BAR. *Molecular Cell*, 3(5), 543–553.
- Wang, J., He, W., Tsai, P.-J., Chen, P.-H., Ye, M., Guo, J., & Su, Z. (2020). Mutual interaction between endoplasmic reticulum and mitochondria in nonalcoholic fatty liver disease. *Lipids in Health and Disease*, 19(1), 1–19.
- WANG, J., & WANG, Z. (2006). Role of melatonin in Alzheimer-like neurodegeneration 1. *Acta Pharmacologica Sinica*, 27(1), 41–49.
- Wang, W., Yang, J., Xu, J., Yu, H., Liu, Y., Wang, R., Ho, R. C. M., Ho, C. S. H., & Pan, F. (2022). Effects of High-fat Diet and Chronic Mild Stress on Depression-like Behaviors and Levels of Inflammatory Cytokines in the Hippocampus and

- Prefrontal Cortex of Rats. *Neuroscience*, 480, 178–193.
- Wang, X. (2009). The antiapoptotic activity of melatonin in neurodegenerative diseases. *CNS Neuroscience & Therapeutics*, 15(4), 345–357.
- Watanabe, M., Horai, Y., Houten, S. M., Morimoto, K., Sugizaki, T., Arita, E., Matak, C., Sato, H., Tanigawara, Y., & Schoonjans, K. (2011). Lowering bile acid pool size with a synthetic farnesoid X receptor (FXR) agonist induces obesity and diabetes through reduced energy expenditure. *Journal of Biological Chemistry*, 286(30), 26913–26920.
- Watanabe, M., Houten, S. M., Matak, C., Christoffolete, M. A., Kim, B. W., Sato, H., Messaddeq, N., Harney, J. W., Ezaki, O., & Kodama, T. (2006). Bile acids induce energy expenditure by promoting intracellular thyroid hormone activation. *Nature*, 439(7075), 484–489.
- Weaver, D. R., Stehle, J. H., Stopa, E. G., & Reppert, S. M. (1993). Melatonin receptors in human hypothalamus and pituitary: implications for circadian and reproductive responses to melatonin. *The Journal of Clinical Endocrinology & Metabolism*, 76(2), 295–301.
- Wei, L., Yue, F., Xing, L., Wu, S., Shi, Y., Li, J., Xiang, X., Lam, S. M., Shui, G., & Russell, R. (2020). Constant light exposure alters gut microbiota and promotes the progression of Steatohepatitis in high fat diet rats. *Frontiers in Microbiology*, 1975.
- Weinstein, G., Zelber-Sagi, S., Preis, S. R., Beiser, A. S., DeCarli, C., Speliotes, E. K., Satizabal, C. L., Vasan, R. S., & Seshadri, S. (2018). Association of nonalcoholic fatty liver disease with lower brain volume in healthy middle-aged adults in the Framingham Study. *JAMA Neurology*, 75(1), 97–104.
- Welsh, D. K., Takahashi, J. S., & Kay, S. A. (2010). Suprachiasmatic nucleus: cell autonomy and network properties. *Annual Review of Physiology*, 72, 551–577.
- Wen, A. Y., Sakamoto, K. M., & Miller, L. S. (2010). The role of the transcription factor CREB in immune function. *The Journal of Immunology*, 185(11), 6413–6419.
- White, C. L., Pistell, P. J., Purpera, M. N., Gupta, S., Fernandez-Kim, S.-O., Hise, T. L.,

- Keller, J. N., Ingram, D. K., Morrison, C. D., & Bruce-Keller, A. J. (2009). Effects of high fat diet on Morris maze performance, oxidative stress, and inflammation in rats: contributions of maternal diet. *Neurobiology of Disease*, 35(1), 3–13.
- Wong, M.-L., Whelan, F., Deloukas, P., Whittaker, P., Delgado, M., Cantor, R. M., McCann, S. M., & Licinio, J. (2006). Phosphodiesterase genes are associated with susceptibility to major depression and antidepressant treatment response. *Proceedings of the National Academy of Sciences*, 103(41), 15124–15129.
- Workman, J. L., Bowers, S. L., & Nelson, R. J. (2009). Enrichment and photoperiod interact to affect spatial learning and hippocampal dendritic morphology in white-footed mice (*Peromyscus leucopus*). *European Journal of Neuroscience*, 29(1), 161–170.
- Wu, G., Tang, W., He, Y., Hu, J., Gong, S., He, Z., Wei, G., Lv, L., Jiang, Y., & Zhou, H. (2018). Light exposure influences the diurnal oscillation of gut microbiota in mice. *Biochemical and Biophysical Research Communications*, 501(1), 16–23.
- Wu, S., Hu, R., Nakano, H., Chen, K., Liu, M., He, X., Zhang, H., He, J., & Hou, D.-X. (2018). Modulation of gut microbiota by *Lonicera caerulea* L. berry polyphenols in a mouse model of fatty liver induced by high fat diet. *Molecules*, 23(12), 3213.
- Xiao, J., Lim, L. K. E., Ng, C. H., Tan, D. J. H., Lim, W. H., Ho, C. S. H., Tan, E. X. X., Sanyal, A. J., & Muthiah, M. D. (2021). Is fatty liver associated with depression? A meta-analysis and systematic review on the prevalence, risk factors, and Outcomes of depression and non-alcoholic fatty liver disease. *Frontiers in Medicine*, 8, 912.
- Xie, M., Tang, Q., Nie, J., Zhang, C., Zhou, X., Yu, S., Sun, J., Cheng, X., Dong, N., & Hu, Y. (2020). BMAL1-downregulation aggravates *Porphyromonas gingivalis*-induced atherosclerosis by encouraging oxidative stress. *Circulation Research*, 126(6), e15–e29.
- Xing, C., Huang, X., Zhang, Y., Zhang, C., Wang, W., Wu, L., Ding, M., Zhang, M., & Song, L. (2020). Sleep disturbance induces increased cholesterol level by NR1D1 mediated CYP7A1 inhibition. *Frontiers in Genetics*, 1702.

- Xiong, Q., Zhu, L., Zhang, F., Li, H., Wu, J., Liang, J., Yuan, J., Shi, Y., Zhang, Q., & Hu, Y. (2019). Protective activities of polysaccharides from *Cipangopaludina chinensis* against high-fat-diet-induced atherosclerosis via regulating gut microbiota in ApoE-deficient mice. *Food & Function*, 10(10), 6644–6654.
- Xu, H., Huang, L., Zhao, J., Chen, S., Liu, J., & Li, G. (2021). The circadian clock and inflammation: A new insight. *Clinica Chimica Acta*, 512, 12–17.
- Xu, J., Gao, H., Zhang, L., Rong, S., Yang, W., Ma, C., Chen, M., Huang, Q., Deng, Q., & Huang, F. (2019). Melatonin alleviates cognition impairment by antagonizing brain insulin resistance in aged rats fed a high-fat diet. *Journal of Pineal Research*, 67(2), e12584.
- Xu, P., Wang, J., Hong, F., Wang, S., Jin, X., Xue, T., Jia, L., & Zhai, Y. (2017). Melatonin prevents obesity through modulation of gut microbiota in mice. *Journal of Pineal Research*, 62(4), e12399.
- Xu, Y., Zhang, H.-T., & O'Donnell, J. M. (2011). Phosphodiesterases in the central nervous system: implications in mood and cognitive disorders. *Phosphodiesterases as Drug Targets*, 447–485.
- Yamaguchi, S., Mitsui, S., Yan, L., Yagita, K., Miyake, S., & Okamura, H. (2000). Role of DBP in the circadian oscillatory mechanism. *Molecular and Cellular Biology*, 20(13), 4773–4781.
- Yamajuku, D., Okubo, S., Haruma, T., Inagaki, T., Okuda, Y., Kojima, T., Noutomi, K., Hashimoto, S., & Oda, H. (2009). Regular feeding plays an important role in cholesterol homeostasis through the liver circadian clock. *Circulation Research*, 105(6), 545–548.
- Yan, Z., Yang, F., Cao, J., Ding, W., Yan, S., Shi, W., Wen, S., & Yao, L. (2021). Alterations of gut microbiota and metabolome with Parkinson's disease. *Microbial Pathogenesis*, 160, 105187.
- Yañez, C. M., Hernández, A. M., Sandoval, A. M., Domínguez, M. A. M., Muñiz, S. A. Z., & Gómez, J. O. G. (2021). Prevalence of Blastocystis and its association with

- Firmicutes/Bacteroidetes ratio in clinically healthy and metabolically ill subjects. *BMC Microbiology*, 21(1), 1–11.
- Yang, Y., Jiang, W., Feng, Y., Liu, J., Chen, H., Wang, D., & Zhao, R. (2021). Melatonin alleviates hippocampal GR inhibition and depression-like behavior induced by constant light exposure in mice. *Ecotoxicology and Environmental Safety*, 228, 112979.
- Yanguas-Casás, N., Torres, C., Crespo-Castrillo, A., Diaz-Pacheco, S., Healy, K., Stanton, C., Chowen, J. A., Garcia-Segura, L. M., Arevalo, M. A., & Cryan, J. F. (2021). High-fat diet alters stress behavior, inflammatory parameters and gut microbiota in Tg APP mice in a sex-specific manner. *Neurobiology of Disease*, 159, 105495.
- Yildirim, A., Tamer, S. A., Sahin, D., Bagriacik, F., Kahraman, M. M., Onur, N. D., Cayirli, Y. B., Kaya, Ö. T. C., Aksu, B., & Akdeniz, E. (2019). The effects of antibiotics and melatonin on hepato-intestinal inflammation and gut microbial dysbiosis induced by a short-term high-fat diet consumption in rats. *British Journal of Nutrition*, 122(8), 841–855.
- Yilmaz, Y., & Ozdogan, O. (2009). Liver disease as a risk factor for cognitive decline and dementia: an under-recognized issue. *Hepatology*, 49(2), 698.
- Yin, C.-Y., Li, L.-D., Xu, C., Du, Z.-W., Wu, J.-M., Chen, X., Xia, T., Huang, S.-Y., Meng, F., & Zhang, J. (2021). A novel method for automatic pharmacological evaluation of sucrose preference change in depression mice. *Pharmacological Research*, 168, 105601.
- Yin, J., Li, Y., Han, H., Chen, S., Gao, J., Liu, G., Wu, X., Deng, J., Yu, Q., & Huang, X. (2018). Melatonin reprogramming of gut microbiota improves lipid dysmetabolism in high-fat diet-fed mice. *Journal of Pineal Research*, 65(4), e12524.
- Yin, J., Li, Y., Han, H., Ma, J., Liu, G., Wu, X., Huang, X., Fang, R., Baba, K., & Bin, P. (2020). Administration of exogenous melatonin improves the diurnal rhythms of the gut microbiota in mice fed a high-fat diet. *Msystems*, 5(3), e00002-20.

- Yoshii, A., & Constantine-Paton, M. (2010). Postsynaptic BDNF-TrkB signaling in synapse maturation, plasticity, and disease. *Developmental Neurobiology*, 70(5), 304–322.
- Yoshizaki, K., Asai, M., & Hara, T. (2020). High-fat diet enhances working memory in the Y-maze test in male C57BL/6J mice with less anxiety in the elevated plus maze test. *Nutrients*, 12(7), 2036.
- Younossi, Z. M., Golabi, P., de Avila, L., Paik, J. M., Srishord, M., Fukui, N., Qiu, Y., Burns, L., Afendy, A., & Nader, F. (2019). The global epidemiology of NAFLD and NASH in patients with type 2 diabetes: a systematic review and meta-analysis. *Journal of Hepatology*, 71(4), 793–801.
- Younossi, Z. M., Ratziu, V., Loomba, R., Rinella, M., Anstee, Q. M., Goodman, Z., Bedossa, P., Geier, A., Beckebaum, S., & Newsome, P. N. (2019). Obeticholic acid for the treatment of non-alcoholic steatohepatitis: interim analysis from a multicentre, randomised, placebo-controlled phase 3 trial. *The Lancet*, 394(10215), 2184–2196.
- Yousaf, F., Seet, E., Venkatraghavan, L., Abrishami, A., Chung, F., & Warner, D. S. (2010). Efficacy and safety of melatonin as an anxiolytic and analgesic in the perioperative period: a qualitative systematic review of randomized trials. *The Journal of the American Society of Anesthesiologists*, 113(4), 968–976.
- Youssef, M. M., Underwood, M. D., Huang, Y.-Y., Hsiung, S., Liu, Y., Simpson, N. R., Bakalian, M. J., Rosoklija, G. B., Dwork, A. J., & Arango, V. (2018). Association of BDNF Val66Met polymorphism and brain BDNF levels with major depression and suicide. *International Journal of Neuropsychopharmacology*, 21(6), 528–538.
- Youssef, N. A., Abdelmalek, M. F., Binks, M., Guy, C. D., Omenetti, A., Smith, A. D., Diehl, A. M. E., & Suzuki, A. (2013). Associations of depression, anxiety and antidepressants with histological severity of nonalcoholic fatty liver disease. *Liver International*, 33(7), 1062–1070.
- Yue, F., Xia, K., Wei, L., Xing, L., Wu, S., Shi, Y., Lam, S. M., Shui, G., Xiang, X., & Russell, R. (2020). Effects of constant light exposure on sphingolipidomics and

- progression of NASH in high-fat-fed rats. *Journal of Gastroenterology and Hepatology*.
- Zahran, W. E., Salah El-Dien, K. A., Kamel, P. G., & El-Sawaby, A. S. (2013). Efficacy of tumor necrosis factor and interleukin-10 analysis in the follow-up of nonalcoholic fatty liver disease progression. *Indian Journal of Clinical Biochemistry*, 28(2), 141–146.
- Zhang, E. E., Liu, Y., Dentin, R., Pongsawakul, P. Y., Liu, A. C., Hirota, T., Nusinow, D. A., Sun, X., Landais, S., & Kodama, Y. (2010). Cryptochrome mediates circadian regulation of cAMP signaling and hepatic gluconeogenesis. *Nature Medicine*, 16(10), 1152–1156.
- Zhang, L., Zhang, H.-Q., Liang, X.-Y., Zhang, H.-F., Zhang, T., & Liu, F.-E. (2013). Melatonin ameliorates cognitive impairment induced by sleep deprivation in rats: role of oxidative stress, BDNF and CaMKII. *Behavioural Brain Research*, 256, 72–81.
- Zhang, Y., Ge, X., Heemstra, L. A., Chen, W.-D., Xu, J., Smith, J. L., Ma, H., Kasim, N., Edwards, P. A., & Novak, C. M. (2012). Loss of FXR protects against diet-induced obesity and accelerates liver carcinogenesis in ob/ob mice. *Molecular Endocrinology*, 26(2), 272–280.
- Zhao, M., Xing, H., Chen, M., Dong, D., & Wu, B. (2020). Circadian clock-controlled drug metabolism and transport. *Xenobiotica*, 50(5), 495–505.
- Zheng, D., Liwinski, T., & Elinav, E. (2020). Interaction between microbiota and immunity in health and disease. *Cell Research*, 30(6), 492–506.
- Zhong, X., & Liu, H. (2018). Baicalin attenuates diet induced nonalcoholic steatohepatitis by inhibiting inflammation and oxidative stress via suppressing JNK signaling pathways. *Biomedicine & Pharmacotherapy*, 98, 111–117.