

REFERENCES

- Agrawal, S. K. (1957). Kutch Mesozoic: A study of the Jurassic of Kutch with special reference to Jhura dome. *J. Pal. Soc. Ind.*, v.2, pp.119-130.
- Allen, C. R. (1975). Geological criteria for evaluating seismicity. *Geol. Soc. Am. Bull.*, v.86, pp.1041-1057.
- Antoliok, M. and Dreger, D. S. (2003). Rupture process of the 26 January 2001 Mw 7.6 Bhuj, India, earthquake from teleseismic broadband data. *Bull. Seismol. Soc. Am.*, v.93, pp.1235-1248.
- Baker, W. E. (1846). Remarks on Allah Bund and on the drainage of the eastern part of the Sind Basin. *Transactions of the Bombay Geographical Society*, v.7, pp.186-188.
- Beck, R. A., Burbank, D. W., Sercombe, W. J., Riley, G. W., Barndt, J. K., Berry, J., Afzal, R. and Khan, J. (1995). Stratigraphic evidence for an early collision between northwest India and Asia. *Nature*, v.373, pp.55-58.
- Belousov, V. V. (1962). *Basic problems of Geotectonics*. McGraw-Hill, London, 816p.
- Besse, J., Courtillot, V., Pozzi J. P., Westphal, M. and Zhou, Y. X. (1984). Palaeomagnetic estimates of crustal shortening in the Himalayan thrusts and Zangbo Suture, *Nature*, v.311, pp. 621-626.
- Biswas, S. K. (1971). Note on the Geology of Kutch. *Quart Jour. Geol. Min. Metal Soc. India*. v. 43, pp. 223-235.
- Biswas, S. K. (1974). Landscape of Kutch, A Morphotectonic Analysis. *Indian Journal of Earth Science*, pp.177-190.
- Biswas S. K. (1977). Mesozoic rock stratigraphy of Kutch. *Quarterly Journal of the Geological, Mining and Metallurgical Society of India*, v.49, pp.1-52.
- Biswas, S. K. (1980). Regional tectonic framework, structure and evolution of the Western marginal basins of India. *Tectonophysics*, v.135, pp.307-327.
- Biswas, S. K. (1981). Basin framework, paleo-environment and depositional history of the Mesozoic sediments of Kutch basin, Western India, *Q. J. Geol. Min. Metall. Soc. India*, v. 53 (1-2), pp.56-85.
- Biswas, S. K. (1982). Rift basins in western margin of India with special reference to hydrocarbon prospects. *Bull. Am. Assoc. Petrol. Geol.*, v.66, pp.1497-1513.
- Biswas, S. K. (1987). Regional tectonic framework, structure and evolution of the western marginal basins of India. *Tectonophysics*, v.135, pp.307-327.

- Biswas, S. K. (1992). Tertiary stratigraphy of Kutch. *J. Pal. Soc. India*, v.37, pp.1-29.
- Biswas, S. K. (1993). *Geology of Kutch*, KDM Institute of Petroleum Exploration, Dehradun, 450p.
- Biswas, S. K. (2002). Structure and tectonics of the Kutch Basin, Western India, with special reference to Earthquakes. 8th Foundation Lecture, Indian Geological Congress, Roorkee.
- Biswas, S. K. (2005). A review of structure and tectonics of Kutch basin, western India, with special reference to earthquakes. *Curr. Sci.*, v.88, pp.1592-1600.
- Biswas, S. K. and Deshpande, S. V. (1970). Geological and Tectonic maps of Kutch. *Bull. O.N.G.C.*, v.7, pp.115-123.
- Biswas, S. K. and Deshpande, S. V. (1973). A note on the mode of eruption of the Deccan Trap lavas with special reference to Kutch. *J. Geol. Soc. Ind.*, v. 14, pp.134-141.
- Biswas, S. K. and Khattri, K. N. (2002). A geological study of earthquakes in Kutch, Gujarat, India. *Jour. Geol. Soc. India*, v.60, pp.131-142.
- Biswas, S. K. and Raju, D. S. N. (1973). The rock-stratigraphic classification on the Tertiary sediments of Kutch. *Bulletin of Oil and Natural Gas Commission*, v. 10 (1&2), pp.37-46.
- Blum, M. D., Toomey, R. S. and Valastro Jr., S. (1994). Fluvial response to Late Quaternary climatic and environmental change, Edwards Plateau, Texas. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v.108, pp.1-21.
- Bodin, P. and Horton, S. (2004). Source parameters and tectonic implications of the aftershocks of the Mw7.6 Bhuj earthquake of January 26, 2001. *Bull. Seismol. Soc. Am.*, v.94, pp.818-827.
- Bull, W. B. and Knuepfer, P. L. K. (1987). Adjustment by the Charwell River, New Zealand, to uplift and climatic changes. *Geomorphology*, v.1, pp.15-32.
- Bull, W. B. and McFadden, L. M. (1977). Tectonic Geomorphology of north and south of the Garlock Fault, California. In: D.O.Doehring (ED.), *Geomorphology in arid regions*. Eighth Annual Geomorphology Symp. SUNY, Binghamton, pp.127-137.
- Burbank, D. W. (1992). Causes of recent Himalayan uplift deduced from deposition patterns in the Ganges basin, *Nature*, v.357, pp.680-683.
- Burnes, A. (1835). Memoir on the eastern Branch of the River Indus, giving an account of the alterations produced on it by an earthquake, also theory of the formation of the Rann

and some conjectures on the route of the Alexander the Great; drawn up in the years 1827-1828, Royal Asiatic Society Transactions, v.3, pp.550-588.

Centamore E., Ciccacci S., Del Monte M., Fredi P., Lupia Pal-mieri E. (1996). Morphological and morphometric approach to the study of the structural arrangement of the North-Eastern Abruzzo (central Italy). *Geomorphology*, v.16, pp.127-137.

Chamyal, L. S., Maurya, D. M. and Raj, R. (2003). Fluvial systems of the drylands of western India: a synthesis of Late Quaternary environmental and tectonic changes, *Quaternary International*, v.104, p.69-86.

Chandrasekhar, D. V., Singh, B., Firozishah, M. and Mishra, D.C. (2005). Analysis of gravity and magnetic anomalies of Kachchh rift basin, India and its comparison with the New Madrid seismic zone, USA. *Curr. sci.*, v. 88, (10), pp.1601-1608.

Chang, H. H. (1988). *Fluvial Processes in River Engineering*. Wiley- Interscience, New York, 429 p.

Chatterji, A. K. and Mathur, U. B. (1966). Note on the Nari Series of Kutch, Gujarat; *Bull. Geol. Soc. India*, v.3. pp.9-11.

Chung, W. P. and Gao, H. (1995). Source parameters of Anjar earthquake of July, 1956, India, and its seismotectonic implications for the Kutch rift basin. *Tectonophysics*, v. 242, pp.281-292.

Condie, K. C. (1989). *Plate Tectonics and Crustal Evolution*, third ed. Pergamon Press, Oxford, 476p.

Courtillot, V., Besse, J., Vandamme, D., Montigny, R., Jaeger, J. J., and Cappetta, H. (1986). Deccan flood basalts at the Cretaceous Tertiary boundary: Earth and Planetary Science Letters, v.80, pp.361-374.

Cox, L. R. (1940). The Jurassic lamellibranch of Kutch (Cutch). *Paleontologica Indica*, v.9 (3), 157 p.

Cox, R. T. (1994). Analysis of drainage-basin symmetry as a rapid technique to identify areas of possible Quaternary tilt-block tectonics: an example from the Mississippi Embayment, *GSA Bull.*, v.106 (5), pp.571-581.

De, A. (1964). Iron–titanium oxides of the alkali olivine basalts, tholeiites, and acidic rocks of the Deccan Trap series and their significance. *Int Geol Congr 24th sess.*, v.7, pp.126-138

Diamant, E., Polishook, B. and Hever, A. (1983). A positive correlation between joint trends and drainage pattern (under ground storage project Israel) *Bull. Int. Assoc. Eng. Geol.*, v.28, pp.103-107.

- Dumont, J. F. (1996). Neotectonics of the Sub-Andes– Brazilian craton boundary using geomorphological data: the Marañon and Beni basins. *Tectonophysics*, v.257, pp.137- 151.
- Eardly, A. J. (1962). *Structural Geology of North America*. Harper and Row, New York, N.Y., 624p.
- Frere, H. B. E. (1870). Notes on the Rann of Cutch and neighbouring region, *Jour. Roy. Geogr. Soc. London*, v.40, pp.181-207.
- Friend, P. F. and Sinha, R. (1993). Braiding and meandering parameters. In: Best, J. L. and Bristow C. S. (eds), *Braided Rivers*. Geological Society Special Publication No. 75. Geological Society, London, UK, pp.105-111.
- Gardiner, V. and Gregory, K. J. (1987). Drainage density in rainfall-runoff modeling. In *Rainfall-Runoff Relationships*, V. Singh. ed., Water Resources Publications, Fort Collins, Colorado, pp. 449-476.
- Ghevariya, Z. G. (1985). Geological Mapping of Mesozoic Rocks around Anjar. Progress Report for the F.S.1984-85 of Geological Survey of India (Unpublished).
- Ghevariya, Z. G., Sabale, A. B. and Rakshit P. (1984). Geological mapping of the Mesozoic Rocks, Kachchh district, Gujarat. (Unpublished report for the progress Report for the F.S.(1981-82).
- Ghevariya, Z. G., Sable, A. B., Rakshit, P. and Shah, S. C (1982). Vertebrate fossils from non marine Lameta sequence from Kachchh, GSI, News Bull.
- Ghevariya, Z. G. and Srikarni, C. (1987). Report on the systematic geological mapping of the area west of Anjar, Kachchh district. (Parts of toposheet nos. 41 E/16 and 41 I/4).
- Ghevariya, Z. G. and Srikarni, C. (1991). Report on the systematic geological mapping of Mesozoic rocks in parts of Kachchh district, Gujarat (Toposheet nos. 41E/7, 13, 14; 41I/1, 6, 7). (Unpublished) Geol. Surv. Ind.
- Ghosh, R. N. (1981). Quaternary events and environments in little Rann of Kutch. 4th regional conf. of Geology. Min. & Energy resources of SE Asia, Manila.
- Glennie, K. W. and Evans, G. (1976). A reconnaissance of the Great Rann of Kutch, India. *Sedimentology*. v.23, pp.625-647.
- Gombos Jr, A. M., Powell, W. G., Norton, I. O. (2005). The tectonic evolution of western India and its impact on hydrocarbon occurrences: an overview, *Sedimentary Geology*, v.96, pp.119-129.
- Gowd, T. N., Srirama Rao, S. V. and Gaur, V. K. (1992). Tectonic stress field in the Subcontinent, *J. Geophys. Res.*, v.97, pp.11879-11888.

Grant. (1840). Memoir on Geology of Cutch.

Gregory (1893). Jurassic fauna of Kutch, Pal. Ind. Geol. Surv. of India, The Echinoids Sec. 9 2(1), The corals, v.2(2), pp.115.

GSI (2000). Seismotectonic Atlas of India and its Environs, Geol. Surv. India Sp. Pub. Calcutta.

GSI (Geological Survey of India). (2001). Geology and Mineral Resources of Gujarat, Daman and Diu, Miscellaneous Publication, v. 30, Part XIV, 102p.

GSI, (2003). The January 26, 2001 Bhuj Earthquake, Ed. P. Pande and J.R. Kayal, Geol. Survey of India Sp. Publication v.73, 300p.

Guarnieri, P., and Pirrotta, C. (2008). The response of drainage basins to the late Quaternary tectonic in the Sicilian side of the Messina Strait (NE Sicily). *Geomorphology*, v. 95(3-4), pp.260-273.

Guha D., Das, S., Srikarni, C. and Chakraborty, S. K. (2005). Alkali basalt of Kachchh: its implication in the tectonic framework of Mesozoic of western India. *J. Geol. Soc. Ind.*, v.66, pp.599-608.

Guha, D. (1998). Petrological studies of alkaline plugs of Kachchh district and gabbro-pyroxinite-hornblendite and other differentiates around Kuran and Nirwandh areas in Pachchham Island, Kachchh district, Gujarat. Rep (Unpublished) Geol. Surv. Ind. (F.S. 1994-96).

Gupta, S. K. (1975): Silting of the Rann of the Kutch during the Holocene. *Ind. J. of Earth Sci.*, v.2, pp.163-175.

Hancock, P. L. (1986). Neotectonics. *Journal of the Geological Society, London*, v.143, pp.325-326.

Hare, P. H. & Gardner, T. W. (1985). Geomorphic indicators of vertical neotectonism along the converging plate margins, Nicoya Peninsula, Costa Rica, in *Tectonic Geomorphology*, chap., v.4, pp.75-104, eds Morisawa, M. & Hack, J.T., Allen and Unwin, Boston.

Horton, R. E. (1932). Drainage basin characteristics, *Trans. Amer. Geophys. Union.*, v.13, pp.350-361.

Horton, R. E. (1945). Erosional development of streams and their drainage basins: hydrophysical approach to quantitative morphology, *Bull. Geol. Soc. Amer.*, v.5, pp.275-370.

Horton, S., Bodin, P., Johnston, A., Patterson, G., Bollwerk, J., Rydelek, P., Raphael, A., Chiu, C. Chiu, J-m, Busdhabatti, K. and Gomberg, J. (2001). Bhuj aftershocks recorded by the MAE/ISTAR temporary seismic network, Int. Conf. Seismic Hazard with particular reference to Bhuj earthquake of January 26, 2001, IMD-DST, New Delhi, Abs. vol.103-104.

IMD, (2001). Bhuj earthquake of January 26, 2001. A consolidated preliminary report, Indian Meteorological Department, 44p.

IMD, (2002). Bhuj Earthquake of January 26, 2001, a consolidated document, Unpub. Report, Seismology No. 3/2002, 131P. IMD, New Delhi, 120p.

ISR, (2010). Earthquake Monitoring Programme, Website: <http://www.isr.gujarat.gov.in/maps.shtm>

Jaeger, J. J., V. Courtillot, and Tapponnier P. (1989), Paleontological view of the ages of the Deccan Traps, the Cretaceous/Tertiary boundary, and the India-Asia collision, *Geology*, v.17, pp.316-319.

Jain, R. L. (1990). Avian Egg shells from the Lower Miocene rocks of Eastern Kachchh, Gujarat. *Jour. Geol. Soc. Ind.*, v.35, pp.106-113.

Jain, S. K., C. V. R. Murty, U. Dayal, J. N. Arlekar, and S.K. Chaubey (2001). A field report on structural and geotechnical damages sustained during the 26 January 2001 M7.9 Bhuj Earthquake in Western India, Department of Civil Engineering, Indian Institute of Technology Kanpur, India http://www.nicee.org/NICEE/Gujarat/gujarat-slides/gujarat_slides.htm.

Jaitly A K. (1986). *Indomya*, a new subgenus of *Pholadomya* from Middle Jurassic of Kachchh, W. India (Bivalvia: Pholadomyidae). *Veliger*, v.28(4), pp.457-459

Jensen, J. R. (2006). *Remote Sensing of the Environment*, Dorling Kindersley (India) Pvt. Ltd., New Delhi, 1st edition.

Johnston, A. C. (1996). Seismic moment assessment of earthquakes in stable continental regions I. *Geophys. J. Int.*, v.124, pp.281-414.

Johnston, A. C. (1989). Seismicity of stable continental interiors. In: Gregersen, S., Basham, P.W. (Eds.), *Earthquakes at North-Atlantic Passive Margins: Neotectonics and Postglacial Rebound*, Kluwer, Dordrecht, pp.299-327.

Jones, S. J., Frostick, L. E., Tomothy, R. A. (1999). Climatic and tectonic controls on fluvial incision and aggradation in the Spanish Pyrenees. *J. Geol. Soc. (London)*, v.56, pp.761-769.

- Kar, A. (1993). Neotectonic influence on morphological variations along the coastline of Kachchh, India. *Geomorphology* Rishi Publ. Varanasi, *Geomorphology*, v.8, pp.199-219.
- Kar, A. (1995). Geomorphology of the western India. *Mem. Geol. Soc.India*, v.32, pp.68-190.
- Karanth, R. V., and Gadhavi, M. S. (2007). Structural intricacies: emergent thrusts and blind thrusts of central Kachchh, western India. *Curr. Sci.*, v.93, pp.1271-80.
- Karmalkar, N. R. and Sharma, P. K. (2003). Plume affected upper mantle beneath Kutch: Evidence from spinel lherzolite xenoliths and host alkali basalt. *Deep continental studies in India*, v.13, pp.2-3.
- Karmalkar, N. R., Kale, M. G., Duriswami, R. A. and Jonalgadda, M. (2008). Magma underplating and storage in the crust-building process beneath the Kutch region, NW India. *Curr. Sc.*, v.94, pp.1582-1588.
- Kayal, J. R., De. Reena, Ram, S., Sriram, B.V. and Ganokar, S. G. (2002). Aftershocks of 26th January Bhuj Earthquake in western India and its seismotectonic implications. *J. Geol.Soc. India*, v.59, pp.395-418.
- Kayal, J. R., Zhao, D., Mishra, O. P., De, R. and Singh, O. P. (2002 b). The 2001 Bhuj earthquake: Tomography evidence for fluids at hypocentre and its implications for rupture nucleation, *Geophys. Res. Lett.*, v.29 (24), pp.51-54.
- Keller, E. A. (1986). Investigation of active tectonics: use of surficial Earth processes in Wallace, R. E. (Ed.), *Active Tectonics*, Studies in Geophysics, National Academy Press, Washington, DC, pp.136-147.
- Keller, E. A. and Pinter, N. (1996). Paleoseismology and earthquake prediction. In: Corey, P. (Ed.), *Active Tectonics: Earthquakes, uplift, and Landscapes*. Prentice-Hall, Inc., Upper Saddle River, New Jersey, pp. 245-286.
- Khosla, A. and Sahni, A. (2003). Biodiversity during the Deccan volcanic eruptive episode. *Jour. Asian Earth Sc.*, v.21, pp.895-908.
- Krishnan, M. S. (1982). *Geology of India and Burma* (6th Edition): Delhi, CBS Publishers
- Kuenen, Ph. H. (1953). Significant features of graded bedding. *Bull. Am. Ass. Petrol. Geologists* v.37, pp.1044-1066
- Lanzhou, N. S., Scheidegger, A. E. (1981). Valley trends in Tibet. *Zeitschrift für Geomorphologie N.F.*, v.25, pp.203-212.

- Larue, J. P. (2008), Effects of tectonics and lithology on long profiles of 16 rivers of the southern Central Massif border between the Aude and the Orb (France), *Geomorphology*, v. 93, pp.343-367.
- Leopold, L. B. and Langbein, W. B. (1966). River meanders. *Sci. Am.*, v.214, pp.60-70.
- Lyell, C. (1857). *Principles of Geology*, 11th ed. Appleton and co. New York, 834 p.
- MacMurdo, J. (1824). Papers relating to the earthquake which occurred in India in 1819, *Philosophical Magazine*, v.63, pp.105-177.
- Malik, J. N., T. Nakata, H. Sato, T. Imaizumi, T. Yoshioka, G. Philip, A.K. Mahajan, and R.V. Karanth (2001). January 26, 2001, the Republic Day (Bhuj) earthquake of Kachchh and active faults, Gujarat, western India, *Active Fault Research*, v.20, pp.112-116.
- Malik, J. N., Sohoni, P. S., Merh, S. S., Karanth, R. V. (2001). Active tectonic control on alluvial fan architecture along the Kachchh Mainland Hill Range, Western India. *Zeitschrift für Geomorphologie*, v. 45 (1), pp.81-100.
- Mandal, P., Rastogi, B. K., Satyanarayana, H. V. S., Kousalya, M, Vijayraghavan, R, Satyamurthy, C., Raju, I. P., Sarma, A. N. S. and Kumar, N. (2004). Characterization of the causative fault system for 2001 Bhuj Earthquake of Mw 7.7. *Tectonophysics*, v.378, pp.105-121.
- Mather, A. E. (1993). Basin inversion: some consequences for drainage evolution and alluvial architecture. *Sedimentology*, v. 40, pp.1069-1089.
- Maurya, D. M., Goyal, B., Patidar, A. K., Mulchandani, N., Thakkar, M. G. and Chamyal, L. S. (2006). Ground Penetrating Radar imaging of two large sand blow craters related to the 2001 Bhuj earthquake, Kachchh, western India. *J. Appl. Geophys.*, v.60, pp.142-152.
- Maurya, D. M., Thakkar, M. G. and Chamyal, L. S. (2002). Quaternary Geology of the Arid Zone Kachchh: Terra Incognita, *Proc. Indian Natn. Sci. Acad*, v.69. A.No.2, pp.123-135.
- Maurya, D. M., Thakkar, M. G. and Chamyal, L. S. (2003). Implication of transverse fault system on tectonic evolution of Mainland Kachchh, western India. *Curr. Sci.*, v. 85, pp.661-667.
- Mayer, L. (1986). Tectonic Geomorphology of escarpments and mountain fronts. In: R.E. Wallace (Ed.), *Active Tectonic*. Natl. Res. Counc. Washington DC, pp.125-135.
- McCalpin, J. P. and Thakkar, M. G. (2003). 2001 Bhuj-Kachchh earthquake : surface faulting and its relation with neotectonics and regional structures, Gujarat, Western India, *Annals of Geophysics*, v. 46, pp.937-956.

- Melluso, L., Mahoney, J. J. and Dallai, L. (2006). Mantle sources and crustal input as recorded in high-Mg Deccan Traps basalts of Gujarat (India), *Lithos*, v. 89, Issues 3-4, pp.259-274.
- Melton, M. A. (1958). Geometric properties of mature drainage systems and their representation in E4 phase space. *Journal of Geology*, v.66, pp.1076-1084.
- Merh, S.S. (1995). *Geology of Gujarat*, Geological Society of India, Bangalore, 222p.
- Merh, S. S. (2005): The Great Rann of Kachchh: Perception of a field geologist. *J. Geol. Soc. of India*, v.65, pp.9-25.
- Miller, V. C. (1953). A quantitative geomorphic study of drainage basin characteristics in the Clinch Mountain area, Virginia and Tennessee. Project NR 389-042, Tech. Rept.3., Columbia University, Department of Geology, ONR, Geography Branch, New York.
- Mitra, K. C. and Ghosh, D. N. (1964). A note on the Chari Series around Jhura Dome, Kutch.
- Mukherjee, A. B., Biswas, S. (1988). Mantle derived spinel lherzolite xenoliths from the Deccan Volcanic Province (India): implication for the thermal structure of the lithosphere underlying the Deccan Traps. *J. Volcanol. Geotherm. Res.*, v.35, pp.269-276.
- Mueller, J. E. (1968). An introduction to the hydraulic and topographic sinuosity indexes, *Annals of the Association of American Geographers*, v.58, pp.371-385.
- Negishi, H., Mori, J., Sato, T., Singh, R., Kumar, S. and Hirata, N. (2002). Size and orientation of the fault plane for the 2001 Gujarat, India earthquake Mw 7.7 from aftershock observations : A high stress drop event, *Geophys. Res. Lett.*, v.29(20), pp.101-104.
- Obruchev, V.A. (1948). Osnovnyjeerty kinetiki i plastiki neotektoniki. *Izvestiya Akademii Nauk UzSSR Sertiya Geologicheskaya*, 5
- Oldham, R. D. (1926): The Cutch (Kachchh) earthquake of 16th June 1819 with a revision of the great earthquake of 12th June 1897. *Mem. Geol. Soc. of India*, v. 46, pp.1-77.
- Ouchi, S. (1985). Response of alluvial rivers to slow active tectonics movement. *Geological Society of American Bulletin*. v.96, pp.504-515.
- Pande, P. (2001). Source mechanism of Kutch (Bhuj) earthquake of 26 Jan, 2001. Abstract volume, International conference on seismic hazard with particular reference to Bhuj earthquake of Jan., 26, 2001. pp.196-198.

- Pande, P. (2007). Evaluation of seismotectonics of Kachchh rift basin, Gujarat, India and assessment of seismic hazard potential of the region. PhD Thesis. p.144.
- Pande, P., Kayal, J. R., Joshi, Y. C. and Ghevariya, Z. G. (2003). Lithotectonic frame work of Gujarat and adjoining regions; In Kutch (Bhuj) Earthquake 26 January, 2001. Ed. P. Pande and J.R. Kayal, Geol. Surv. Sp. Pub. v.76, pp.5-9.
- Pandey, D. K., Westermann, G. E. G. (1988). First record of Bathonian Bullatimorphites (Jurassic Ammonitina) from Kachchh, India. *J Paleont*, v.62, pp.148–150.
- Patriat, P. and Achache, J. (1984). Indian-Asia collision chronology its implications for crustal shortening and driving mechanism of plates, *Nature*, v. 311, pp. 615-621.
- Paul, D. K., Ray, A., Das, B., Patil, S. K. and Biswas, S. K. (2007). Petrology, geochemistry and paleomagnetism of the earliest magmatic rocks of Deccan Volcanic Province, Kutch, Northwest India, *LITHOS*-01643; p. 23.
- Pavrides, S. B. (1989). Looking for a definition of neotectonics. *Terra New*. v.1, n.3, pp.233-235.
- Potter, P. E. and Pettijohn, F. J. (1963). *Palaeocurrents and basin analysis*: Berlin (Springer-Verlag), 296p.
- Potter, P. E. (1978). Significance and origin of big rivers. *Journal of Geology*, v.86, pp.13-33.
- Prucha, J. J., Graham, J. A. and Nickelsen, R. P. (1965). Basement controlled deformation in Rocky Mountains foreland. *Am. Assoc. Pet. Geol. Bull.*, v.49(7), pp.966-992.
- Radhakrishna, B. R. (1993) Neogene uplift and geomorphic rejuvenation of the Indian Peninsula. *Curr. Sci.*, v. 64, pp. 787-793.
- Rajendran, C. P. and Rajendran, K. (2001). The 1819 and 2001 Kutch earthquakes: A comparative perspective. Abstract volume. International conference on seismic hazard with particular reference to Bhuj earthquake of Jan. 26, 2001. pp.15-18.
- Rajendran, C. P., Rajendran, K. and John, B. (1998). Surface deformation related to the 1819 Kachchh earthquake: Evidence for recurrent activity, *Current Science*, v.75, pp.623-626.
- Rajendran, K., Rajendran, C. P., Thakkar, M. G., Tuttle, M. P. (2001). The 2001 Kutch (Bhuj) earthquake: coseismic features and their significance. *Current Science*, v.80, pp.1397-1405.
- Rajendran, C. P., Rajendran, K., Duarah, B. P., Baruah, S. and Earnest, A. (2004). Interpreting the style of faulting and paleoseismicity associated with the 1897 Shillong,

northeast India, earthquake: Implications for regional tectonism, *Tectonics*, v. 23, TC4009, doi:10.1029/2003TC001605.

Rajendran, C. P., Rajendran, K., Thakkar, M., Goyal, B. and Goyal, B. (2008). Assessing the previous activity at the source zone of the 2001 Bhuj earthquake based on the near-source and distant paleoseismological indicators, *Jour. Geop. Res.*, v. 113, B05311, doi:10.1029/2006JB004845.

Rajnath, (1932). A contribution to the stratigraphy of Cutch. *Quart. J. Geol. Mining. Met. Soc. Ind.*, v.14 (4), pp.161-174.

Rastogi, B. K., Mandal, P., Satyanarayana, H. V. S., Kousalya, M., Raghavan, R., Jain, R., Sharma, A. N. S., Kumar, N. and Satyamurty, C. (2001). Aftershock study of the 26 January Bhuj earthquake of Ms 8.0, www.ngri.org, National Geophysical Research Institute, Hyderabad.

Raval, U. (1995). Seismicity of the Koyna region and regional tectonomagmatism of the western margin (India), *Pure Appl. Geophys.*, v.145, pp.175-192.

Ravishankar and Pande, P. (2001). Geoseismological studies of Kutch (Bhuj) earthquake of 26 January, 2001, *J. Geol. Soc. India*, v.58, pp.203-208.

Ray, A., Patil, S. K., Paul, D. K., Biswas, S. K., Das, B. and Pant, N. C. (2006). Petrology, geochemistry and magnetic properties of Sadara sill: evidence of rift related magmatism from Kutch basin, northwest India. *J Asian Earth Sci.*, v.27, pp.907-921.

Reineck, H. E. and Singh, I. B. (1973). *Depositional Sedimentary Environments*. Berlin (Springer-Verlag), 439p.

Rhea, S. (1993). Geomorphic observations of rivers in the Oregon Coast Range from a regional reconnaissance perspective. *Geomorphology*, v.6(2), pp.135-150.

Rockwell, T. K., Keller, E. A., Clark, M. N. and Johnson, D. L. (1984). Chronology and rates of faulting of Ventura River terraces, California, *Geol. Soc. Am. Bull.*, v.95, pp. 1466-1474.

Rossetti, D. F. and Goes, A. M. (2000). Deciphering the sedimentological imprint of paleoseismic events: an example from the Aptian Formation, northern Brazil. *Sediment. Geol.*, v.135, pp.137-156.

Rossetti, D. F. (1999). Soft-sediment deformation structures in late Albian to Cenomanian deposits, Sao Luis Basin, northern Brazil: evidence for palaeoseismicity. *Sedimentology*, v. 46, pp.1065-1081.

Roy, B. and Merh, S. S. (1977). The Great Rann of Kutch : An intriguing Quaternary terrain. *Rec. Res. Geol.*, v.9, pp.100-108.

- Scheidegger A. E. (2004). *Morphotectonics*. Springer Verlag, Berlin, 197p.
- Schubert, C. (1982). Neotectonics of Bocono Fault, Western Venezuela. *Tectonophysics* v.85, pp.205-220.
- Schumm, S. A., Mosley, M. P. and Weaver, W. E. (1987). *Experimental Fluvial Geomorphology*. John Wiley and Sons, New York.
- Schumm, S. A. (1956). Evolution of drainage system and slopes in badlands at Perth Amboy, New Jersey, *Bull. Geol. Soc. Amer.*, v.67, pp.597-646.
- Schumm, S. A. (1977). *The Fluvial System*, Wiley, New York.
- Schumm, S. A. (1986). Alluvial rivers response to active tectonics. *National Academy Press*, Washington, D.C., pp.80-94.
- Sedgeley, D., Yawanarajah, S. and Bastia, R. (1997). Petroleum potential of the Banni Graben, Kutch Basin, *AAPG Bull.* v.81, p.1411.
- Seeber, L. and Gornitz, V. (1983). River profiles along the Himalayan arc as indicators of active tectonics, *Tectonophysics*, v.92, pp.335-367.
- Sharma, V. (1990). Geomorphic evolution of Kutch coastline with special reference to erosional and depositional processes. Unpublished Ph.D Thesis, University of Delhi, Delhi.
- Sieh, K. E. (1978). Prehistoric large earthquakes produced by slip on the San Andreas fault at Pallet Creek, California, *J. Geophys. Res.*, v.83, pp.3907-3939.
- Sim, J. D. (1973). Earthquake-induced structures in sediments of Van Norman Lake Fernando, California. *Science*, v.182, pp.161-163.
- Sim, J. D. (1975). Determining earthquake recurrence intervals from deformational structures in young lacustrine sediments. *Tectonophysics*. v.29, pp.144-152.
- Singh, G., Pant, G. B. and Mulye, S. S. (1991). Distribution and long term features of the spatial variations of the moisture regions over India. *Int. J. Climatol.*, v.11, pp.413-427.
- Singh, P. K., Das, S. and Dey, A. (2010). 6th International Conference of Dykes (4th -7th Feb. 2010). Abstr. vol.
- Singh, P. K., Das, S. and Mohapatra, S. R. (2011). Identification of Loriya Fault, Its Reactivation Due to 2001 Bhuj earthquake (Using Remote Sensing data) and Its Bearing on Kachchh Mainland Fault, Kachchh District, Gujarat, *Ind.J. Rem.Sen.*, 10.1007/s12524-011-0127-x (pub online, under press).

Singh, P. K., Sahu, B. K. and Mohapatra, S. R. (2008). Geological mapping along the Kachchh Mainland Fault. Unpublished Report of GSI, FS. (2005-07).

Singh, S. L. and Lal, S. (2008). Report of the regional gravity, magnetic (VF) and deep vertical electrical sounding for structural study in Bhuj-Bhachau area, Kachchh district, Gujarat; Unpublished Report of GSI, F.S. (2005-06).

Singh, S. K., Pacheco, J. F., Bansal, B. K., Perez-campos, X., Dattatrayam and Suresh G. (2004). A source study of the Bhuj, India Earthquake of 26 January, 2001 (MW 7.6), Bull. Seism. Soc. Am., v.94(4), pp.1195-1206.

Singh, S. (1998). Physical Geography, Prayag Pustak Bhawan, Allahabad, India.

Sivewright, R. (1907). Cutch and the Ran: Geogr. Jour., v.29, pp.518-539.

Slemmons, D. B. (1991). Introduction. In: Slemmons, D. B., Engdahi, E. R., Zoback, M. D. & Blackwell, D. D. (eds), Neotectonics of North America. Geological Society of America, Boulder, Co., pp.1-20.

Sloss, L. L. (1991). The tectonic factor in sea level change: a countervailing view. J. Geophys. Res., v. 96, pp.6607-6617.

Sohoni, P. S., and Malik, J. N. (1998). Remnants of Large magnitude earthquakes: Evidences from the Great Rann sediments, Kachchh, Western India. Current Science, v. 74(11), pp.985-989

Sohoni, P. S., Malik, J. N., Merh, S. S. and Karanth, R. V. (1999). Active tectonics astride Katrol Hill Zone, Kachchh, W. India, Jour. Geol. Soc. of India, v. 53, pp.579-586.

Sowerby, J. C. (1840). Systematic list of organic remains. Appendix to Grant C.W.: Memoir to illustrate a geological map of Cutch : Transaction Geological Society, v. 5 (2), pp.327-329.

Spath, L. F. (1933), Revision of the Jurassic cephalopod fauna of Kachchh (Cutch). Pal. Ind. (n.s.), v. 9 (2), pp.19-45.

Srinivasan, R. and Reddy, G. K. (2001). Geological and soil-gas Helium Emanometric studies in the suspected surface rupture zones in the mezoseismal area of Jan 26, 2001-Bhuj earthquake. Abstract volume, International conference on seismic hazard with particular reference to Bhuj earthquake of Jan., 26, 2001. pp.159-161.

Srivastava, P. K., Koli, M. D. and Hardas, M. G. (1964). Geological report of Tertiary rocks of western and southern Kutch. Field season, 1963-64, ONGC report (unpublished).

Stewart, I. S. and Hancock, P. L. (1994). Neotectonics. In: Hancock, P.L. (ed), continental Deformation. Pergamon Press, London, pp. 341-399.

Strahler A. N. (1952). Dynamic basis of geomorphology. Bulletin of the Geological Society of America, v.63, pp. 923-938.

Strahler, A. N. (1964). Quantitative geomorphology of drainage basins and channel network in Handbook of Applied Hydrology, McGraw Hill Book Company, New York, Section 4-II.

Strahler, A. N. and Strahler, A. H. (2002). A Text Book of Physical Geography, John Wiley & Sons, New York.

Subramanya, K. R. (1996). Active intraplate deformation in south India. Tectonophysics, v.262, pp.231-241.

Suppe J. (1983). Geometry and kinematics of Fault-Bend Folding. American Journal of Science, v.283, pp.684-721.

Thakkar, M. G., Maurya, D. M., Raj, R. and Chamyal, L. S. (1999). Quaternary tectonic history and terrain evolution of the area around Bhuj, mainland Kachchh, western India. J. Geol. Soc. India, v.53, pp.601-610.

Thakkar, M. G., Maurya, D. M., Rachna Raj and Chamyal, L. S. (2001). Morphotectonic analysis of Khari drainage basin in Mainland Kachchh: Evidence for neotectonic activity along transverse faults. Bull. Indian Geol. Assoc., v.34, pp.205-220.

Thakkar, M. G., Goyal, B., Patidar, A. K., Maurya, D. M. and Chamyal, L. S. (2006). Bedrock gorges in the central mainland Kachchh: Implications for landscape evolution. Journal of Earth System Science, v.115(2), pp.249-256.

Twidale, C. R. (1966). Chronology of denudation in the southern Flinders Ranges, South Australia. Transactions of the Royal Society of South Australia, v.90, pp.3-28.

Valdiya, K. S. (1973). Tectonic framework of India: A review and interpretation of recent structural and tectonic studies. Geoph. Res.Bull., v.11, pp.79-114.

Valdiya, K. S. (1998). Late Quaternary movements and landscape rejuvenation in south-eastern Karnataka and adjoining Tamil Nadu, Jour. Geol.Soc. Ind, v. 51, pp.139-166.

Waagen, A. B. (1872). Memoir on the geology of Kutch, to accompany the map compiled by A.B. Wynne and F.Fedden during the seasons of 1867-68 and 1868-69. Mem. Geol. Surv.India. v.9 (Pt.1), 293p.

Waagen et al. (1875). Jurassic fauna of Cutch. The Cephalopoda. Mem. Geol. Surv. Ind., Pal. Ind., Ser. 9, pt. 1, pp.1-27.

Wesnousky, S. G., Seeber, L., Rockwell, T. K., Thakur, V., Briggs, R., Kumar, S. and Ragona, D. (2001). Eight days in Bhuj: Field report bearing on surface rupture and Genesis of the 26 January, 2001 earthquake in India, *Seism. Res. Lett.*, v.72(5), pp.514-524.

Williams, E. (1960). Intra-stratal flow and convolute folding. *Geol. Mag.*, v.97, pp.208-214.

Wynne, A. B. (1872), Memoir on the Geology of Kutch, to accompany a map compiled by A.B. Wynne and F. Fedden during the season 1867-68 and 1868-69. *Mem. Geol. Surv. Ind.* 9, pt. 1.

Wynne, W. B. (1869). *Rec. Geol. Surv. India*, 11, pt.1, pp.1-5.

Yeats R. S., Sieh, K. E. and Allen, C. R (1997). *The Geology of Earthquakes*, Oxford University Press, New York, 568p.
