

Bibliography

Bibliography

ACC/SCN. Fourth Report on the world nutrition situation – Nutrition throughout the life cycle, Geneva: ACC/SCN in collaboration with IFPRI, 2000.

Alton I. Iron Deficiency Anemia. In: Stang M, Story M, eds. Guidelines for Adolescent Nutrition Services. Minneapolis, MN: Center for Leadership, Education and Training in Maternal and Child Nutrition, Division of Epidemiology and Community Health, School of Public Health, University of Minnesota; 2005:101-08.

Anjali Devi C. Iron nutrition status assessment. *Nutr Res* 2000; 20: 445-8

Asian Development Bank, 2010.

<http://www.adb.org/Documents/Reports/Children/child03.asp>

Awasthi S, Verma T, Kotecha PV, Venkatesh V, Joshi V, Roy S. Prevalence and risk factors associated with worm infestation in pre-school children (6-23 months) in selected blocks of Uttar Pradesh and Jharkhand, India. *Indian J Med Sci* 2008;62:484-91

Awate RV, Kelkar YA, Somaiya PA. Prevalence of nutritional deficiency disorder among rural primary school children (5-15) years. *J. hzdian Med Assoc.* 1997.

Baltussen R, Knai C and Sharan M. Iron fortification and iron supplementation are cost effective interventions to reduce iron deficiency in four subregions of the world. *J Nutr.* 134: 2678 – 2684, 2004

Beard JL, Dawson H and Pinero DJ. 1996. Iron metabolism: a comprehensive review: lead review article: *Nutrition Reviews* 54 (10): 295 – 317

Beard JL. 2000. Iron requirements in adolescent females. *J Nutr* 130: 440s-442s, 2000.

Beard JL. Iron biology in immune function, muscle metabolism on neuronal functioning. *JNutr* 2001; 131: 568-80

Beaton GH, Corey PN, Steel C. 1989. Conceptual and methodological issues regarding the epidemiology of iron deficiency. *Anu. Clin Nutr.* 50: 575 – 585

Behrman, Robert E, Kliegman, Robert M and Genson, Halb. Eds 2000. *Nelson textbook of pediatrics*, 16th Edition, Philadelphia, P.A : W. B Saunder

Berger J, Aguayo V M, TeÁllez W, LujaÁN C, Traissac P and Miguel J L S. Weekly iron supplementation is as effective as 5 day per week iron supplementation in Bolivian school children living at high altitude. *European Journal of Clinical Nutrition*; 1997; 51, 381-386. Available at:

<http://www.nature.com/ejcn/journal/v51/n6/pdf/1600418a.pdf>. Accessed: 5 November, 2007

Bhargava A; Commission on Macroeconomics and health. *Nutrition, health and economic development: some policy priorities*. CMH working paper . Geneva. World Health Organization; 2001

Bhatia D & Seshadri S. (1992). Growth performance in anemia and following iron supplementation. *Indian Pediatrics.* 30, 195-200

Binay Kumar Shah. Weekly Vs Daily Iron and folic acid supplementation in adolescent Nepalese girl. *Arch Pediatr Adolesc Med.* 2002; 156: 131-135

Bose K and Bisai S. Nutritional status of rural adolescent school children in Paschim Medinipur, West Bengal. June 2008 (45).

Bothwell TN, Carlton RW, Cook JD, Finch CA. 1979. *Iron metabolism in man*. Blackwell scientific publication, oxford, England.

Brabin L, Brabin BJ. The cost of successful adolescent growth and development in girls in relation to iron and vitamin A status. *Am J Clin Nutr.* 1992 May; 55(5):955-8.

Brahmam GNV (2005): Evaluation of mid day meal program in states of Andra Pradesh, Karnataka, Orrisa, Tamil Nadu, Kerela and Gujarat. Paper presented at a workshop on

mid day meal programs in schools in India conveyed by the Nutrition Foundation of India, New Delhi, 1st August

Brasel J. Changes in body composition during adolescence. In: Myron Wied, ed. Adolescent nutrition. New York; John Wiley & Sons, 1982.

Brittenham GM, Weiss G, Brissot P, Laine F et al. Clinical consequences of new insights in the pathophysiology of disorders of iron and heme metabolism. Haematology (Am Soc hematol. Education program) 2000: 39-50

Brown E. The absorption of Iron. Am J clin Nutr. 1963, Vlo 12

Brunken G S et al. Weekly iron supplementation reduces anaemia prevalence by 1/3 in preschool children. Revista Brasileira de Epidemiologia; 2004; Vol. 7, Nº 2, 210- 219. Available at: <http://www.scielo.br/pdf/rbepid/v7n2/17.pdf>. Accessed: 25 February, 2008

Bui Dai , Werner Schultink, Drupadi Dillon, Rainer Gross, Nelly Dhevita Leswara. Effect of daily and weekly micronutrient supplementation on micronutrient deficiencies and growth in young Vietnamese children. Am J clin Nutr 1999; 69: 80-6.

Burner A, Joffee A, Duggan A, Casella J, Brandt J. Randomized study of cognitive effects of iron supplementation in non Anemia iron deficient adolescent girls. Lacent 1996: 348: 992-6

Butte NF, Wong WW, Hopkinson JM, Heinz CJ, Mehta NR, smith EOB. Energy requirements derived from total energy expenditure and energy deposition during the first 2 years of life. Am J clin Nut, 2000, 72; 1558-69

Christine A, Powell et al (2009). Nutrition and education: A randomized trial of the effect of breakfast in rural primary school children. Am J cln Nut. 68:873-9

Chwang L, Soemantri A G and Poiitt E. Iron supplementation and physical growth of rural Indonesian children. American Journal of Clinical Nutrition; 1988; 47, 496-501. Available at: <http://www.ajcn.org/cgi/reprint/47/3/496>. Accessed: 29 August, 2007

Cole et al. Cole's LSM method and cross sectional stature and weight reference curves for the UK. *Arch Dis Child* 1995; July: 73(1):17-24

Cole TJ: The secular trend in human physical growth: a biological view. *Econ Hum Biol* 2003; 1: 161-168

Copenhagen consensus 2008 Challenge Paper. Hunger and Malnutrition. Sue Horton, Harold Alderman and Juan A. Rivera. Draft, May 11 2008

Cravioto J. and Delicardie E.R, Malnutrition in early childhood. *Food and Nut*, 1976, 2 PP 2-11

Curtale F, Abdel-Fattah M, El-Shazly M, Youssef Shamy M, El-Sahn F. Anemia among young male workers in Alexandria, Egypt. *East Mediterr Health J* 2000; 6: 1005- 16.

Dallman PR. Iron deficiency: does it matter? *J Intern Med*. 1989 Nov; 226 (5):367-72.

Dallman PR. Manifestation of iron deficiency *Semin Hematol* 1982; 19:19-30

David Hall. Growth monitoring. *Arch Dis Child*; 82:10-15

Davies KJA, Donovan CM, Refino CJ, Brooks GA, Packer L, Dallman PR.1984. Diminishing the effect of anemia and muscle iron deficiency on exercise bioenergetics in rat. *Am J.Physiol*. 1984; 246: E535 – E543.

De Maeyer EM et al. Preventing and controlling iron deficiency anaemia through primary health care: a guide for health administrators and programme managers. Geneva, World Health Organization, 1989.

De onis M, Onyango A, Borghi E, Siyam A, Nishida C, Siekmann J. Development of a WHO growth reference for school aged children and adolescent. *Bulletin of the world health organization*; 2007:85(9)

De onis. Growth curves for school age children and adolescents. Indian Pediatrics;2009: 46:463-465

Deheeger M, Rolland MF. Longitudinal study of anthropometric measurement in Parisian children aged 10 months to 18 years. Arch Pediatr 2004 sep; 11(9): 1139-44

DeMaeyer E. 1989. Preventing and controlling iron deficiency anemia through primary health care. WHO. Geneva.

Deshpande M, Dasgupta R, Baru R and Mohanty A. The Case for Cooked Meals: Concerns Regarding the Proposed Policy Shifts in the Mid-Day Meal and ICDS Programs. Indian Pediatrics. 2008 Jun;45: 445-449.

Dreze J and Goyal , A Future of mid day meals Economic and political weekly.2003 'Nov 1.http://www.righttofoodindia.org/mdm/mdm_comrs.html
Accessed on 5 September 2009

Dreze, Jean and Geeta Gandhi Kingdon (2001). School participation in rural india , review of development economics,5

Epi Info, Version 6.04-d.2001. Center for Disease control and prevention (CDC), Epidemiology program office, Atlanta, Georgia and World Health organization, Global programme on AIDS, Geneva, Switzerland; developed by Dean AG, Columbian D, Brendel KA, Arner Smith DC, Burton AG, Dicker RC, Sullivan K, Fagar RF, Arner and TG

Fairweather – Tait SJ, Minski MJ, Studies on iron availability in man using stable isotope technique. Br J Nutr. 1986: 55: 279-85

FAO Report on State of Food Insecurity 2006

www.fao.org/docrep/009/a0750e/a0750e00.HTM

FAO, State of food insecurity in World 2004

<http://www.fao.org/docrep/007/y5650e/y5650e03.htm>

FAO. Incorporating nutritional considerations when addressing food insecurity. Journal

of Food Security.2009 Dec;1 (4):431-440

<http://www.springerlink.com/content/f02143812884u554/>

FAO. Issues and concepts for protecting and promoting good nutrition in crisis situations, 2005. <http://www.fao.org/docrep/008/y5815e/y5815e05.htm>

FAO. Preventing micronutrient malnutrition: a guide to food-based approaches (1997) <http://www.fao.org/docrep/x5244e/X5244e03.htm>

FAO.The state of Food Insecurity in World 2006.
www.fao.org/docrep/009/a0750e/a0750e00.H

Freire W.B. Hemoglobin as a predictor of response to iron therapy and its use in screening and prevalence statement. Am J Clin. Nutr, 1989; 50:1442-1449

Gardner GW et al. Physical work capacity and metabolic stress in subjects with iron deficiency anemia. 1977. Am J clin Nut. 30:6:910-917

Gebreselassie H. Iron supplementation and malaria infection: Result of randomized control field trial. Quebec: McGill University, 1996 Phd thesis

Gibson RS, Hotz C. Combating anaemia and micronutrient deficiencies among young children in rural Cambodia. Eur J Clin Nut 2005 Feb;59(2) 226-37

Gopalan, C. Women and nutrition in India: general considerations. In: C. Gopalan and S. Kaur, eds. Women and Nutrition in India. Special publication series 5. New Delhi: Nutrition Foundation of India, 1989, p. 1-16.

Grap MJ. Pulse oximetry. In: AACN protocols for practice: Technology series. Alisco Viejo, Ca: American association of critical care Nurses; 1996. Chapter 14: oxygen saturation monitoring by pulse oximetry

Growth Monitoring in Children (Review). 2009. The Cochrane collaboration, Published by John Wiley & Sons Ltd).

Hall A, Roschnik N, Ouattara F, Touré I, Maiga F, Sacko M, Moestue H, Bendeck m a. A randomised trial in Mali of the effectiveness of weekly iron supplements given by teachers on the haemoglobin. *Public Health Nutrition*; 2002; 5: 413-418. Available at: <http://journals.cambridge.org/action/displayFulltext?type=6&fid=627972&jid=&volumeId=&issueId=&aid=565720>. Accessed: April 13, 2008

Hallberg L et al. Iron balance in menstruating women. *European Journal of Clinical Nutrition*, 1995, 49:200–207.

Harvey PWJ, Heywood PF, Nesheim MC, Galme K, Zegans M, Habicht JP et al. The effect of iron therapy on malarial infections in papla new Guinean school children . *Am J trop Med Hyg* 1989; 40: 12-8

Hilary Hoey, Dr. Edna Roche, Dr. Christine McMaster. Training program for public health nurses and doctors in child health screening, surveillance and health promotion. Unit 6 Growth monitoring; Dec 2005.

Hotez et al. The neglected tropical diseases: the ancient afflictions of sigma and poverty and the prospects for their control and elimination. *Advances in experimental Biology and medicine*; 582: 23-33. 2006

Hotez, P., Paul J. Brindley, Jeffrey M. Bethony, et al. 2008. "Helminth Infections: The Great Neglected Tropical Disease," *The Journal of Clinical Investigation* 118 (4): 1312

Idjradinata P, Watkins WE & Pollitt E. (1994). Adverse effect of iron supplementation on weight gain of iron replete young children. *Lancet* 343, 1252-1254

IES. Annual research conference of the Institute for education sciences (IES) 2007, June 6-8, Washington DC.

Jamison, Dean T et al. Eds. 2006. *Diseases control priorities in developing countries*. 2nd ed. New York, oxford University Press.

Jean D, Aparjita G. Future of mid day meals. Economic and political weekly. 2003. November 1, 4673-82

Jose Mora. Iron supplementation: overcoming technical and practical barriers. J Nutr. 132: 853S – 855S 5, 2002

K. Bose, S. Bisai & S. Mukherjee : Anthropometric characteristics and nutritional status of rural school children . The Internet Journal of Biological Anthropology. 2008; Vol. 2, No. 1.

Kanani S & Poojara R. (2000). Supplementation with iron and folic acid enhances growth in adolescent Indian girls. J Nutr.130: 452 S – 455S, 2000

Kanani S. Combating anemia in adolescent girls: a report from India. Mothers Child 1994; 13: 1-3.

Khosla SN. Cricoid Webs – Incidence and follow up study in Indian patients. Post grad Med J 1984; 60: 346-8.

Kotecha PV, Patel RZ, Karkar PD and Nirupam S. 2002. Impact evaluation of adolescent girls. Anemia reduction program, Vadodara district. Department of preventive and social Medicines. Gujarat.

Kotecha PV. Micronutrient malnutrition in India; Lets us say “no” to it now. Indian J Community Med, 2008, 33: 9-10

Koukounari A et al. Relationship between anaemia and parasitic infections in Kenyan school children: A Bayesian hierarchical modeling approach. Int J parasitol 2008. Dec. 38 (14-4): 1663-1671.

Krishnaswami, K (2000). Country profile: India, Nutritional disorders-old and changing. Lancet, 351, 1268–1269.

Kruz et al. Adolescent nutritional status in developing countries. Proc Nutr Soc. 1996 Mar; 55(1B): 321-31.

Kuczmarski RJ, Ogden CL, Guo SS, Grummer Strawn LM et al. CDC 2000 growth charts for the United States: Methods and development. Vital Health Stat. 2002 May (246)1: 190

Latham MC, Stephenson LS, Kinoti SN, Zaman MS, Kurz KM. (1990). Improvements in growth following iron supplementation in young Kenyan children. Nutrition 6: 159-165

Laura E. Caulfield, Stephanie A. Richard, Robert E. Black. (2005). Undernutrition as an underlying cause of Malaria morbidity and mortality. DCPD working paper No. 16: Page No: 1-39

Lawless J.W, Latham MC, Stephenson LS, Kinoti SN & Pertet AM. (1994). Iron supplementation improves appetite and growth in anemic Kenyan primary school children. J Nutr. 124: 645-654.

Laxmaiah A. ; Rameshwar Sarma K. V. ; Hanumantha Rao D. ; Gal Reddy C. ; Ravindranath M. ; Vishnuvardhan Rao M. ; Impact of mid day meal program on educational and nutritional status of school children in Karnataka. Vijayaraghavan K. Indian Pediatrics. 1999; 36 (12): 1221-1228.

Lipman TH, K D Hench, T Benyi et al. A multicentre randomized controlled trial of an intervention to improve the accuracy of linear growth measurement. Arch Dis Child 2004; 89: 342-346

Lora L Jannotti, James M, Maureen M & Robert E. Iron supplementation in early childhood: health benefits and risks. Am J Clin Nutr 2006; 84: 1261-76

M L Ahmed, A D Allen, A Sharma et al. Evaluation of a district growth screening program: The Oxford growth study. Arch Dis Child 1993; 69: 361-365

Mackler B, Person R, Miller L, Furich CA. Iron deficiency in rats- Effect on phenylalanine

metabolism. *Pediatr Res* 1979; 13: 1010-1

Maguire JJ, Davies JK, Dallman PR, Packer L. Effect of iron deficiency on iron sulphur proteins and bioenergetic functions of skeletal muscle mitochondria. *Biochem Biophys Acta* 1982; 679:210-20

Mashauri FM, Lwambo NJS, Siza JEM, Gabone RM, Temu MM, Mwangi JR. Geohelminth infections and anemia in school children in Sengerema district North-Western Tanzania. *Oral Sessions/Parasitology International* 1998; 47 (suppl): 178.

Mason J, Musgrove P, Habicht J; At least one third of poor countries diseases burden is due to malnutrition, Diseases Control Priorities Project, Working Paper 1; Bethesda, Maryland: Fogarty International Centre, National Institute of Health, 2003

Measham. AR & Chatterjee. M (1999). *Wasting Away: the Crisis of Malnutrition in India*, Washington, DC: The World Bank


Measurement of Iron status: A report of the international nutritional anemia consultative group (INACG). Chapter 2: Hemoglobin. page 4-8

Medhi G, Barua A and Mahanta J. Growth and nutritional status of School Age Children (6-14 years) of Tea Garden Worker of Assam. *J. Hum. Ecol.* 2006; 19 (2):83-85.

Mehta BC, Iyer HK. Systolic time intervals in Iron deficiency anemia – what do they reflect? *Indian J Hematol* 1987; 5: 97-102

Mehta BC. Effect of Iron deficiency – an iceberg phenomenon. *J Assoc. physic India.* 1984; 32: 895-900

Mercedes de Onis, Adelheid W Onyango, Elaine Borghi, Cutberto Garza, Hong Yang and WHO Multicentre Growth Reference Study Group. Comparison of the World Health Organization (WHO) Child Growth Standards and the National Center for Health Statistics/WHO international growth reference: implications for child health programmes. *Public Health Nutrition* 2006; (9):942-947.



Mercedes de onis, Edward A, Frongillo and Monika B (2000). Is malnutrition declining? An analysis of changes in level of child malnutrition since 1980. Bulletin of the world health organization, 78: 1222-1233

Mercedes De Onis. Growth curves for school age children and adolescents. 2009. Indian Pediatrics. Volume 46, June 17: 463-472

Meredith H.V (1976). Findings from Australia, Europe and north America on secular changes in mean height of children, youth and young adults. American Journal of physical anthropology, 44: 315-325

Michele G, Meera S, Monica D, et al. (2005). India's Undernourished children : A call for reform and action. HNP discussion paper, World Bank.

MICS, DHS and other national surveys,2003-2008.
http://www.childinfo.org/undernutrition_status.html

Millenium Development Goals Report 2009.
un.org/millenniumgoals/pdf/MDG_Report_2009_ENGpdf
Accessed on 5th November 2009

Mine Kaya, Erkan Pehlivan, İsmet Aydoğdu, Metin Genç, Gülsen Güneş. Iron Deficiency Anaemia Among Students of Two Primary Schools at Different Socioeconomic Conditions in Malatya, Turkey. Indian J Pediatr. 2002 Jul;69(7):607-16

Misra, Surendra N. and Manaranjan, Behera. "Child Nutrition and Primary Education: AComparative Study of Mid-day Meal Programme in Orissa and Tamil Nadu", Indian Journal of Social Development 2003. 3 (2): 267-99.

Mittal A, Singh J, Ahluwalia SK. Effect of maternal factors on nutritional status of 1-5-year-old children in urban slum population. Indian J Community Med [serial online] 2007 [cited 2010 Nov 13];32:264-7. Available from: <http://www.ijcm.org.in/text.asp?2007/32/4/264/37691>

Monitoring progress towards the world food summit and millennium development goals, FAO 2004.

Monsen ER, Hallberg L, Layrisse M, Hegsted DM, Cook JD, Mertz W, Finch CA. Estimation of available dietary iron. Am J Clin Nutr. 1978 Jan; 3 (1):134-141

Moore CV, Arrowsmith WR, Welch J and Minnich V. Studies in iron transportation and metabolism. Observations on the absorption of iron from gastrointestinal tract. J clin Invest.18:553.1939

Naik R. "Report on Akshara Dasoha scheme of Karnataka".University of Dharwad (2005). www.schooleducation.kar.nic.in/pdf/AkshraDasoha.pdf

Samaj Pragati Sahyog, 2005 "Mid day Meal in Madhya Pradesh": www.arpanfoundation.org/.../Sps%20brochure%20December%202008.pdf

Narthrop C, Rousham EK, Masciet, Lunn P (2001). Anthelmintic treatment of rural Bangladeshi children: Effect on host physiology, growth and biochemical status. Am J Clin Nutr;73 (1): 3-60

National commission on Macroeconomics and health Background paper .Burden of diseases in India, , September 2005

National Council of Educational Research & Training's latest Report (2005)

National Family Health Statistics (NFHS) – 3 2005-2006. www.nfhsindia.org/nfhs3.html Accessed on 10th August 2009

NFI. Nutrition Foundation of India Scientific report 18 (2006) Sharma S, Jain P, Salila T, Gopalan G. Evaluation of Mid Day Meal Programme in MCD schools. New Delhi, 2006 nutritionfoundationofindia.res.in/pdfs/evaluation.pdf

NNMB Report on Nutrition Transition and Double Burden of malnutrition. 2001

www.nnmbindia.org/NNMBREPORT2001-web.pdf

Nokes C, Bundy D et al. Compliance and absenteeism in schoolchildren: implications for helminth control. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 1993, 87:148-1521

Nutrition support to education. Mid day meal program status notes from states, 1995

OMNI. Micronutrient fortification and enrichment of commodities: recommendations for improvement (1994).

Oppenheimer SJ. Iron and its relation to immunity and infectious diseases. *J Nutr* 2001; 131: 616 S – 355

Patel B. H, Saxena D, Singhal D et al. (2009). Intervention of iron folic acid in school children. *J Hum Ecol*, 25 (1): 61-62

PCD. Partnership in Child Development. The anthropometrical status of school children in five countries in the Partnership for child development, *Proc Nutr Soc* 1998; 57:149-58.

Pearson R, 1995. Thematic evaluation of UNICEF support to growth monitoring. Evaluation & Research working paper series no.2, UNICEF, New York

Pinero DJ, Nan-Qi, Connor JR, Beard JL. Alteration in brain iron metabolism in response to dietary iron changes. *J Nutr* 2000; 130: 254-63

Pollitt E, Liebel RL. Iron deficiency and behaviour. *J Pediatr*, 1976; 88: 372-381

Powlawski et al 1991. Hookworm infestation and anaemia. Geneva. World Health Organisation.

Pratichi Research Team (2005). Sen A. "Cooked Mid-Day meal programme in West Bengal". pib.nic.in/archieve/flagship/bkg_mdm1.pdf

R. Scott Strobach, Sharon K. Anderson, Donald C. Doll, Q. Scott Ringenberg, The Value of the Physical Examination in the Diagnosis of Anemia. *Arch Intern Med.* 1988;148(4):831-832

Raj Manu et al. Dynamics of growth and weight transitions in a pediatric cohort from India. *Nutrition Journal.* 2009, 8: 55

Ramachandran P, Combating the dual nutrition burden in children, 2007

Ramakrishan U, Aburto N, McCabe G, Martorell R. Multimicronutrient interventions but not Vit A or iron interventions alone improve child growth: results of 3 meta analysis. *J Nutr* 2004; 134: 2592-602

Rassamee Sungthong et al. Once weekly is superior to daily iron supplementatation on height gain but not on haematological improvement among school children in Thailand. *J Nutr.* 132: 418-422, 2002

Rebecca J. Stoltzfus, Anbarasi Edward-Raj, Michele L. Dreyfuss, Marco Albonico, Antonio Montresor, Makar Dhoj Thapa, Keith P. West, Jr., Hababuu M. Chwaya, Lorenzo Savioli and James Tielsch. Clinical pallor is useful to detect severe anemia in populations where anemia is prevalent and severe. *Journal of Nutrition.* 1999; 129: 1675-1681

Rebecca J. Stoltzfus & Michele L. Dreyfuss. Guidelines for the use of iron supplements to prevent and treat iron deficiency Anemia. Edited by INAECG, WHO and UNICEF. IUNACG. Washington. 1998.

Ridwan E, et al. Effects of weekly iron supplementation on pregnant Indonesian women are similar to those of daily supplementation. *American Journal of clinical Nutrition,* 1996, 63: 884-890

Roche M, Layrisse M. The nature and cause of hookworm anemia. *American Journal of tropical medicines and hygiene,* 1996, 15: 1031-1110.

S Van Buren et al. Towards evidence based referral criteria for growth monitoring. Arch Dis Child 2004; 89: 336-347

Sachdev HPS, Gera T and Nestel P. Effect of iron supplementation on physical growth in children: systematic review of randomized control trials. Public Health Nutrition;2006: 9(7); 904-920

Samson M, Noroonha C, De A. Towards more benefits from Mid Day meal scheme, NFI, 2003.

Saxena, N.C. 'Food Assistance Programmes and their Role in Alleviating Poverty and Hunger in India', Paper presented at the Bhubaneswar Workshop on Food and Hunger organized by WFP on 16th May 2002.

<http://www.sccommissioners.org/pdfs/articles/foodassistanceprogrammensexena.pdf>

SCN. Vitamin-A at a glance. SCN; 2004. Available at:

<http://siteresources.worldbank.org/INTPHAAG/Resources/AAGEngVitAr3.pdf>.

Accessed: 27 October, 2007

Seetharam S. Impact of Mid day meal on nutritional status of school going children. NIRD, Hyd. 2002.

Seetharam S. Impact of Mid day meal on nutritional status of school going children. NIRD, Hyd. 2002.

Sen A and Kanani S. Deleterious functional impact of anemia on young adolescent school girls. Indian Pediatrics;2006:43:219-226

Sen A. "Cooked Mid-Day meal programme in West Bengal". Pratiche Research Team (2005). pib.nic.in/archieve/flagship/bkg_mdm1.pdf

Sen S & Kanani S. (2009). Impact of Iron folic acid supplementation on cognitive abilities of school girls in Vadodara. Indian Pediatrics. Vol 46 : Feb. 137-143

Sen S, Sen S, Mondal A, Dasgupta A, Chakraborty I. Prevalence of iodine deficiency disorders among schoolchildren in three blocks of Bardhaman district and Bardhaman municipal area of West Bengal: A comparative study. *Southeast Asian journal of tropical medicine and public health*, 2005; 36:1321-1324.

Sethi B. Mid day meal program and its impact in improving enrolment: The cogitocrat; 2008

Sethi V, Goindi G. and Kapil U. Prevalence of Anemia amongst Primary school age children (6-11 years) in National Capital Territory of Delhi. 2003 *Indian Journal of Pediatrics*, Volume 70.

Shatha S. Al-Sharbatti, Dhia J. Al-Timimi. Anemia among adolescents; *Saudi Med J* 2003; Vol. 24 (2): 189-194

Sheshadri S. Nutritional Anemia in South Asia. In: GS Katmandu, ed. *Malnutrition in South Asia: A Regional Profile* Ed., UNICEF Regional Office for South Asia 1997; 75-124.

Shrimpton R. (2003) *Growth monitoring and evaluation activities in Vietnam*. Report to UNICEF

Sichieri R, Mathias T, Moura AS. Stunting, high weight-for-height, anemia and dietary intake among Brazilian students from a rural community. *Nutr Res* 1996; 16: 201-9.

Siddiqui et al. Efficacy of daily vs weekly supplementation of Iron in school children with low Iron status. *J trop Pediatr* 2004(50)5: 276-278.

Singh V and West Jr K P. Vitamin A deficiency and xerophthalmia among school-aged children in South-Eastern Asia. *European Journal of Clinical Nutrition*; 2004; 58, 1342-1349. Available at: <http://www.nature.com/ejcn/journal/v58/n10/full/1601973a.html>. Accessed: October 20, 2007

Soekarjo DD, Pee S, Bloem MW, Tijong R, Yip R, Schreurs and Muhilal. Socio-economic status and puberty are the main factors determining anaemia in adolescent girls and boys in East Java, Indonesia. *European Journal of Clinical Nutrition*. 2001 Nov, 55:932-939.

Spear B. and Nowak. Adolescent growth and development. In: Rickert VI (Ed.) *Adolescent nutrition – assessment and management*. Chapman et al Inc: New York: 1-24; 1996

Spear BA. Adolescent growth and development. *J Am Diet Assoc*. 2002 Mar; 102(3 Suppl): S23-9.

Stephenson L et al. The impact of schistosomiasis on human nutrition. *Parasitology*. 1993; 107 (suppl):S107-S123

Stewart WB, Yuile CL, Claiborne HA, Snowman RT and Whipple GH. Radio iron absorption in anemic dogs. Fluctuations in the mucosal block and evidence for gradient of absorption in gastrointestinal tract. *J Exper Med*. 92, 375, 1950.

Stoltzfus, R.J., Albonico, M., Chwaya, H.M., Tielsch, J.M., Schulze, K.J. & Savioli, L. 1998. Effects of the Zanzibar school-based deworming program on iron status of children. *American J of Clinical Nutrition*, 68: 179-186

Story M, Douch JG, Dresser C, et al. Correlates of high-fat/ low nutrient-dense snack consumption among adolescents: results from two national health surveys. *Am J Health Prom*; 10:85-8; 1995

Sue Rodwell Williams. *Nutrition and diet therapy*. Second edition. 2000. Chapter 16. Nutritional Deficiency diseases. Page no. 326-350

Sungthong R, Mo-suwan L, Chongsuvivatwong V and Geater A F. Once Weekly Is Superior to Daily Iron Supplementation on Height Gain but Not on Hematological Improvement among School Children in Thailand. *Journal of Nutrition*; 2002;

132:418-422. Available at: <http://jn.nutrition.org/cgi/content/full/132/3/418>. Accessed: October 29, 2007

Sustainable development in a dynamic world: Transforming Institutions, growth and quality of life, World Bank, 2003, oxford press.

WHO-UNICEF joint statement. Focusing on anemia: Towards an integrated approach for effective anaemia control, 2004

Suvarna and Ityagi S. Nutritional status and level of intelligence of school children. Karnataka J. Agri. Sci., 22 (4) (874-876): 2009

Tallar HS, Miyamoto H. Three causes of progressive oral gangrene due to lack of catalase in the blood. Jap J oral. 1948; 52: 163-5

Taneja V, Mishra K, Agrawal KN. Effect of early iron deficiency in the rat on gamma amino butyric acid shunt in brain. J Neuro chem.. 1986; 46: 1670-4

Tarik K, Olivier R, Timothy J & Margaret R. B. Prevalence of vitamin A deficiency in children aged 6–9 years in Wukro. Bull World Health Organ vol.79 no.5, Northern Ethiopia Geneva, 2001.

[http://www.who.int/bulletin/archives/79\(5\)415.pdf](http://www.who.int/bulletin/archives/79(5)415.pdf)

Task Force Report on Micronutrients, 1996, DWCD, GOI.

Tee E, Kandiah M, Awin N, Chong S, Satgunasingam N, Kamarudin L, Milani S, Dugdale A E and Viteri F E. School-administered weekly iron-folate supplements improve hemoglobin and ferritin concentrations in Malaysian adolescent girls. American Journal of Clinical Nutrition; 1999; Vol. 69, No. 6, 1249-1256. Available at: <http://www.ajcn.org/cgi/content/full/69/6/1249>. Accessed: October 13, 2007

The centre for equity study. 2003. Assessment and monitoring of Mid Day Meal schemes in Rajasthan, Karnataka and Chattisgarh.

The millennium Development Goals report 2010. United Nations, New York, 2010.

The World bank Report. Repositioning nutrition as a centre to development- A strategy for large scale action. (2006).

Tiwari K. A study on anaemia control among adolescent girls - development of a school based intervention programme in Kathmandu, Nepal. PhD Thesis, M. S. University of Baroda, Vadodara, India 2000

UNICEF 2006, State of World Children . www.unicef.org/india/children_2356.htm

UNICEF 2008

http://www.unicef.org/india/children_2356.htm

USAID 2009

http://www.usaid.gov/our_work/global_health/nut/index.html

Accessed on 27 Oct 2009

Vass et al, 1990. The reliability of height measurement, Arch Dis Child 65: 1340-1344

Venkaiah K, Damayanti K, Nayak MU, Vijayaraghavan K. Eur J Clin Nutr. Diet and nutritional status of rural adolescents in India, 2002 Nov; 56(11):1119-25.

Verma A, Rawal VS, Kedia G et al. Factors influencing anemia among girls of school going age (6-18 years) from slums of Ahmedabad city. Ind J Comm Med. 2004, 29(1): 25-26.

Verster A., Van der Pols J.C. Iron nutrition status assessment. Nutr. Res., 20, 445-458. Anemia in the Eastern Mediterranean Region. East Mediterr Health J 2000; 1: 64-79

Viteri F, Ali F and Tujague J. Long term weekly iron supplementation improves and sustains non pregnant women's iron status as well or better than currently recommended short term Daily Supplementation. J Nutr. 129: 2013-2020, 1999.

Viteri FE, Xunian L, Tolomei K and Martin A. 1995. True absorption and retention of

supplemented iron is more efficient when iron administered every three days rather than daily to iron normal and iron deficient rats. J Nutr 125: 82-91

WFP & UNICEF. Ending child hunger and undernutrition initiative- September 2006, Progress for children, Number 4, May 2006. UNICEF, New York, May 2006.
documents.wfp.org/stellent/groups/public/.../wfp106571.pdf

WHO 2007. Development of a WHO growth reference for school aged children and adolescent. De onis M, onyango AW et al, Bulletin of the world health organization 2007: 85: 660-7.

WHO information series on school health, document 13, Malaria prevention and control: An important responsibility of a health promoting school, 2007)

WHO, UNICEF and SCN Informal consultation on community based management of severe malnutrition in Children, Meeting report, Geneva, 21-23 November 2005

WHO. FAO and Educational International.1998. Healthy Nutrition: An essential element of health-Promoting school WHO information series on school health-Document 4. Geneva.

WHO. Growth reference data for 5-19years; 2007.

<http://www.who.int/growthref/en/>

WHO. Physical status: The use and interpretation of anthropometry. Report of a WHO Expert Committee. WHO Tech Rep Ser. 1995;854:1-452.

WHO. School and youth health programme. 1999

http://www.who.int/school_youth_health/en/

WHO. The world health report: Reducing risks, promoting healthy life. WHO; 2002. Available at: http://www.who.int/whr/2002/en/whr02_en.pdf. Accessed: March 10, 2008

WHO. World Health Organization Comparative Quantification of Health Risks: Childhood and Maternal Undernutrition In World Hunger Notes: Global Issue.2006
<http://www.worldhunger.org/articles/Learn/world%20hunger%20facts%202002.htm>

WHO. World Health Report 2002-Reducing risk, Promoting Healthy Life, Chapter 4: ChildhoodandMaternalundernutrition.
<http://www.who.int/whr/2002/chapter4/en/index3.html>

World Health Organization (WHO).Global Database on Anemia.
www.who.int/vmnis/anaemia/en/

WHO/CDC. Assessing the iron status of population - Report of a Joint centers for Disease Control and Prevention Technical Consultation on the Assessment of Iron Status at the Population Level, Geneva, Switzerland, 6–8 April 2004. WHO/CDC; 2005. Available at:
http://whqlibdoc.who.int/publications/2004/9241593156_eng.pdf. Accessed: 5 November, 2007

WHO/UNFPA/UNICEF. The reproductive health of adolescents. World Health Organization: Geneva, 2001

WHO-UNICEF Joint statement by the world health organization and United nations childrens fund. Focusing on anemia towards and integrated approach for effective anemia control, 2007

World bank 2000 . world bank development report, sustainable development in dynamic economy. Transforming institutions, growth and quality of life.

World bank 2003. World bank operations evaluation department. 2003 Annual review of development effectiveness. The effectiveness of bank support for policy reform, Washington DC.

World Bank. Global Economic Prospects 2009: Commodities at the Crossroads.
http://issuu.com/world.bank.publications/docs/gep_2009

World Development Indicators, 2007

<http://web.worldbank.org/WBSITE/EXTERNAL/DATASTATISTICS/>

contentMDK:21298138~pagePK:64133150~piPK:64133175~theSitePK:239419,00.html

World Health Organization, 2010

<http://www.who.int/nutrition/topics/vad/en/index.html>

World Health Organization. The Reproductive health of adolescents: a strategy for action / a joint WHO/UNFPA/ UNICEF statement. Geneva: WHO, 2006

World Hunger Facts 2009.

<http://www.worldhunger.org/articles/Learn/world%20hunger%20facts%202002.htm>

Zavaleta N, Respicio G and Garcia T. Efficacy and Acceptability of Two Iron Supplementation Schedules in Adolescent School Girls in Lima, Peru. Journal of Nutrition; 2000; 130:462S-464S. Available at:

<http://jn.nutrition.org/cgi/content/full/130/2/462S>. Accessed: October 29, 2007

Zlotkinsh, Christofidesal, Ziauddin, Hydes SM et al. Controlling iron deficiency anemia through the used of home fortified complementary foods. Indian J pediatr 2004; 71: 1015-9