

List of Tables

| Table No | Title | Page No |
|----------|---|---------|
| | Introduction | |
| 1.1 | Ranking by global share of Underweight Children & contribution of India to disease burden | 4 |
| | Review of Literature | |
| 2.1 | Prevalence of Undernutrition in various parts of India | 22 |
| 2.2 | Comparison of all the growth standards | 34 |
| 2.3 | Percentage of Anemic children in different parts of India | 37 |
| 2.4 | Prevalence of anemia in India | 42 |
| 2.5 | Summary of IFA intervention studies done world over | 59 |
| 2.6 | Summary of IFA intervention studies in the department | 60 |
| | Methods & Materials | |
| 3.1 | Overview of sample distribution | 78 |
| 3.2 | Tools used for data collection | 80 |
| 3.3 | Time frame for the study | 86 |
| 3.4 | Overview of sample size for phase III | 88 |
| 3.5 | Tools used for data collection- phase III | 88 |
| | Results | |
| | Phase I | |
| 4.1.1 | List of Schools selected from Rural Industrial belt of Vadodara | 94 |
| 4.1.2 | Facilities available in Six school campus for the children | 94 |
| 4.1.3 | Population covered for data collection | 96 |
| 4.1.4 | Distribution of Children According To Age | 97 |
| 4.1.5 | Socio Economic status of the Study Population | 98 |
| 4.1.6 | Mean Weights Of The Subjects Cross Tabulated By Age And Sex | 100 |
| 4.1.7 | Mean Heights Of The Subjects Cross Tabulated By Age And Sex | 101 |
| 4.1.8 | Mean BMI of the Subjects Cross Tabulated By Age And Sex | 102 |
| 4.1.9 | Prevalence of malnutrition by CDC and WHO 2007 criteria | 102 |
| 4.1.10 | Prevalence of malnutrition as per WHO 2007 classification cross tabulated by gender | 106 |
| 4.1.11 | Percent prevalence of severity of malnutrition for anthropometric Indices | 106 |
| 4.1.12 | Gender wise percent prevalence of malnutrition by CDC 2000 and WHO 2007 criteria | 108 |
| 4.1.13 | Age wise percent prevalence of undernutrition by WHO 2007 | 110 |
| 4.1.14 | Percent Prevalence of clinical signs of micro nutrient deficiencies | 113 |
| 4.1.15 | Percent Prevalence of various signs of Iron Deficiencies | 113 |
| 4.1.16 | Percent prevalence of combination of various signs of Iron Deficiency | 114 |
| 4.1.17 | Percent prevalence of various signs of Vitamin A Deficiency | 114 |

| | | |
|--------|---|-----|
| 4.1.18 | Combination of various signs of Vitamin A deficiency | 115 |
| 4.1.19 | Dietary Pattern of children of school going children | 117 |
| 4.1.20 | Average consumption of Mid Day Meal for the School | 118 |
| 4.1.21 | Standard wise consumption of MDM by school children | 120 |
| 4.1.22 | Month wise consumption pattern of MDM by school children | 120 |
| 4.1.23 | Weekly consumption pattern for Mid Day Meal by school children | 121 |
| 4.1.24 | Mean haemoglobin levels of the subjects cross tabulated by age and sex | 123 |
| 4.1.25 | Prevalence of Anaemia among Subjects Cross Tabulated By Age | 124 |
| 4.1.26 | Prevalence of Anaemia Cross Tabulated With Nutritional Status | 126 |
| 4.1.27 | Mean haemoglobin levels cross tabulated with nutritional status of subjects | 127 |
| 4.1.28 | Prevalence of anemia cross tabulated by consumption of MDM | 129 |
| 4.1.29 | Relative risk calculations of MDM consumption on anthropometric Indices | 129 |
| 4.1.30 | Chi Square analysis between clinical signs and symptoms and Haemoglobin status | 130 |
| | Phase II | |
| 4.2.1 | Age wise distribution of boys and girls | 138 |
| 4.2.2 | Mean change in height over a period of 3 years cross tabulated by age and gender (Mean \pm SD, cms) | 140 |
| 4.2.3 | Mean change in weight over a period of 3 years cross tabulated by age and gender (Mean \pm SD, Kgs) | 141 |
| 4.2.4 | Mean change in BMI over a period of 3 years cross tabulated by age and gender (Mean \pm SD) | 142 |
| 4.2.5 | Mean increase in height over a period of 3 years (Mean \pm SD, cms) | 143 |
| 4.2.6 | Mean increase in height over a period of 3 years (Mean \pm SD, Kgs) | 144 |
| 4.2.7 | Trends in prevalence of underweight ($< -2SD$) in 3 years according to WHO 2007 Standard | 146 |
| 4.2.8 | Trends in prevalence of stunting ($< -2SD$) in 3 years according to WHO 2007 Standard | 146 |
| 4.2.9 | Trends in prevalence of thinness in 3 years according to WHO 2007 Standard | 147 |
| 4.2.10 | Overall Malnutrition Scenario according to WHO 2007 Standards | 149 |
| 4.2.11 | Age wise trend in prevalence of underweight according to WHO standards | 153 |
| 4.2.12 | Age wise trend in prevalence of stunting according to WHO standards | 156 |
| 4.2.13 | Age wise trend in prevalence of thinness according to WHO standards | 158 |
| 4.2.14 | Growth transition shift for first year represented by Weight for age | 160 |
| 4.2.15 | Growth transition shift for second year represented by Weight for age | 161 |
| 4.2.16 | Growth transition shift for first year represented by height for age | 162 |
| 4.2.17 | Nutrition transition shift for second year in height represented by height for age | 163 |
| 4.2.18 | Growth transition shift for first year in BMI represented by BMI for age | 165 |

| | | |
|----------|---|-----|
| 4.2.19 | Growth transition shift for second year in BMI represented by BMI for age | 166 |
| | PHASE III | |
| 4.3A.1 | Total Number of children enrolled for the intervention study (n, %) | 171 |
| 4.3A.2 | Impact of weekly IFA along with Deworming and Deworming alone on height of children (Mean \pm SD) | 173 |
| 4.3A.3a | Impact of weekly IFA along with Deworming & Deworming alone on age wise height of children (Mean \pm SD) | 174 |
| 4.3A.3b | 4.3A.3b Impact of weekly IFA along with Deworming & Deworming alone on age wise height of children (Mean \pm SD) | 175 |
| 4.3A.4 | Impact of weekly IFA along with Deworming and Deworming alone on weight of children (Mean \pm SD) | 176 |
| 4.3A.5a | Impact of weekly IFA along with Deworming and Deworming alone on age wise weight of children (Mean \pm SD) | 177 |
| 4.3A.5b | Impact of weekly IFA along with Deworming and Deworming alone on age wise weight of children (Mean \pm SD) | 178 |
| 4.3A.6 | Impact of weekly IFA along with Deworming and Deworming alone on BMI of children (Mean \pm SD) | 180 |
| 4.3A.7a | Impact of weekly IFA along with Deworming and Deworming alone on age wise BMI of children (Mean \pm SD) | 181 |
| 4.3A.7b | Impact of weekly IFA along with Deworming and Deworming alone on age wise BMI of children (Mean \pm SD) | 182 |
| 4.3A.8 | Impact of Weekly IFA along with Deworming and Deworming alone on prevalence of underweight (weight/Age Z score) according to WHO 2007 classification (n, %) | 183 |
| 4.3A.9 | Impact of Weekly IFA along with Deworming and Deworming alone on prevalence of stunting (Height/Age Z score) according to WHO 2007 classification (n, %) | 184 |
| 4.3A.10 | Impact of Weekly IFA along with Deworming and Deworming alone on prevalence of thinness (BMI/Age Z score) according to WHO 2007 classification (n, %) | 185 |
| 4.3A.11 | Impact of Weekly IFA along with Deworming and Deworming alone on prevalence of malnutrition by WHO 2007 standards | 186 |
| 4.3A.12 | Impact of weekly IFA along with Deworming and Deworming alone on hemoglobin of children (Mean \pm SD) | 190 |
| 4.3A.13 | Impact of weekly IFA along with Deworming and Deworming alone on hemoglobin severity of children (Mean \pm SD) | 191 |
| 4.3A.14a | Impact of weekly IFA along with Deworming and Deworming alone on age wise hemoglobin of children (Mean \pm SD) | 192 |
| 4.3A.14b | Impact of weekly IFA along with Deworming and Deworming alone on age wise hemoglobin of children (Mean \pm SD) | 193 |
| 4.3A.15 | Frequency distribution of hemoglobin levels of the children (n, %) | 194 |
| 4.3A.16 | Impact of Weekly IFA along with Deworming and Deworming alone on hemoglobin status of children (Mean \pm SD) | 197 |
| 4.3A.17 | Impact of Weekly IFA along with Deworming and Deworming alone on hemoglobin percent prevalence of children | 200 |
| 4.3A.18 | Impact of Weekly IFA along with Deworming and Deworming alone on severity of Hemoglobin level of children (n, %) | 202 |
| 4.3A.19 | Shift in hemoglobin level of the children in control group | 203 |

| | | |
|--------------------|--|-----|
| 4.3A.20 | Shift in the hemoglobin levels of children in IFA+DW group | 204 |
| 4.3A.21 | Shift in Hemoglobin level of the children in DW group | 205 |
| 4.3A.22 | Impact of intervention on saturated peripheral oxygen to judge physical work capacity of children (Mean \pm SD) | 206 |
| 4.3A.23 | Impact of weekly IFA along with Deworming and Deworming alone on Physical work capacity (beats per minute) of children (Mean \pm SD) | 207 |
| 4.3A.24 | Impact of intervention on number of steps in physical work capacity by children | 208 |
| 4.3A.25 | Impact of weekly IFA along with Deworming and Deworming alone on physical work capacity (number of steps) of children based on Anemia Status (Mean \pm SD) | 210 |
| Phase III B | | |
| 4.3B.1 | Impact of weekly IFA along with Deworming and Deworming alone & washout on height of children (Mean \pm SD) | 212 |
| 4.3B.2 | Impact of weekly IFA along with Deworming and Deworming alone & washout on weight of children (Mean \pm SD) | 213 |
| 4.3B.3 | Impact of weekly IFA along with Deworming and Deworming alone & Washout on BMI of children (Mean \pm SD) | 214 |
| 4.3B.4 | Prevalence of Underweight (weight for age < -2 SD Z score) according to WHO 2007 standards | 216 |
| 4.3B.5 | Prevalence of stunting (Height for age < -2 SD Z score) according to WHO 2007 standards | 217 |
| 4.3B.6 | Prevalence of Thinness (< -2 SD Z score) according to WHO 2007 standards | 218 |
| 4.3B.7 | Impact of weekly IFA along with Deworming and Deworming alone on Hemoglobin of children (Mean \pm SD) | 219 |
| 4.3B.8 | Impact of weekly IFA along with Deworming and Deworming alone on hemoglobin levels based on severity of anemia (Mean \pm SD) | 221 |
| 4.3B.9 | Frequency distribution of hemoglobin levels of the children after the washout period | 222 |
| 4.3B.10 | Impact of weekly IFA along with Deworming and Deworming alone and the washout period on the hemoglobin levels of the children | 224 |