


References



References

Anchukaitis K.J., Evans M.N., Lange T., Smith D.R., Leavitt S.W. and Schrag D.P. (2008), Consequences of a Rapid Cellulose Extraction Technique for oxygen Isotope and Radiocarbon Analyses. *Anal. Chem.*, 80, 2035-2041.

Araguás- Araguás L., Froehlich K. and Rozanski K (1998), Stable isotope composition of precipitation over southeast Asia. *Journal of Geophysical Research*, 103, 22, 28721-28742.

Barbour M., Roden J.S., Farquhar G.D. and Ehleringer J.R. (2004), Expressing leaf water and cellulose oxygen isotope ratios as enrichment above source water reveal evidence of a Péclet effect. *Oecologia*, 138, 426-435.

Barbour M.M. and Farquhar G.D. (2000), Relative humidity – and ABA-induced variation in carbon and oxygen isotope ratios of cotton leaves. *Plant Cell Environment*, 23, 473-485.

Barnes C.J. and Allison G.B. (1989), Temperature gradient effects on stable isotope and chloride profiles in dry soils. *J. Hydrol.*, 100, 143-176.

Berlage H.P. (1931), On the relationship between thickness of tree rings of Djati trees and Rainfall on Java. *Tctona*, 24, 939-953.

Between the Indian Monsoon and ENSO. *Science*, 284, 2156-2159.

Bhattacharyya A., Eckstein D., Shah S.K. and Chaudhary V. (2007), Analysis of climatic changes around Perambikulam, South India, based on early wood mean vessel area of teak. *Current Science*, 93, 8, 1159-1164.

Bhattacharyya A., Yadav R.R., Borgaonkar H.P. and Pant G.B. (1992), Growth ring analysis of Indian tropical trees: dendroclimatic potential. *Current Science*, 62, 736-741.

Boettger et al., (2007), Wood Cellulose Preparation Methods and Mass Spectrometric Analyses of $\delta^{13}\text{C}$, $\delta^{18}\text{O}$, and Nonexchangeable $\delta^2\text{H}$ Values in Cellulose, Sugar, and Starch: An Interlaboratory Comparison. *Anal. Chem.*, 79, 4603-4612.

Borgaonkar H.P., Sikder A.B. Somaru Ram, Rupa Kumar K. and Pant G.B. (2007), Dendroclimatological investigations of high altitude Himalayan conifers and tropical teak in India. *The Korean Journal of Quaternary Research*. 21, 1, 15-25.

Brendel O., Iannetta P.P.M. and Stewart D. (2000), A rapid and simple method to isolate pure alpha-cellulose. *Phytochemical Analysis*, 11, 7-10.

- Brenninkmeijer C. A. M. (1983), Deuterium, oxygen-18 and carbon-13 in tree rings and peat deposition in relation to climate. *Ph.D. thesis*, Groningen, Netherlands, 1983.
- Buckley B.M., Palakit K., Duangsathaporn K., Sanguantham P. and Prasomsin P. (2007), Decadal scale droughts over northwestern Thailand over the past 448 years: links to the tropical Pacific and Indian Ocean sectors. *Climate Dynamics*, 29, 63-71.
- Buckley B.M., Tongjit O., Poonsri R., and Pumijungnong N. (2001), A dendrometer band study of teak (*Tectona grandis*, L.F.) in north Thailand. *Palaeobotanist*, 50, 82-87.
- Burk R.L. (1979), Factors affecting oxygen-18/oxygen/17 ratios in cellulose. *Ph.D. Thesis*, submitted to the University of Washington, U.S.A.
- Burk R.L. and Stuiver M. (1981), Oxygen isotope ratios in trees reflect mean annual temperature and humidity. *Science*, 211, 1417-1419.
- Chowdhury K.A. (1939), The formation of growth rings in Indian trees. Part I. *Indian For. Rec. (N.S.), Utilisation II (I)*, 1-39, Manager pub. New Delhi.
- Christie, D.A., Lara, A., Barichivich, J., Villalba, R., Morales, M., Cuq, E., (2008), El Niño-Southern Oscillation signal in the world's highest-elevation tree-ring chronologies from the Altiplano, Central Andes. *Palaeogeogr. Palaeoclimatol. Palaeoecol. In press*.
- Cole, J. E., Dunbar, R. B., McClanahan, T. R. & Muthiga, N. (2000). Tropical Pacific forcing of decadal variability in the western Indian Ocean over the past two centuries. *Science*, 287, 617-619.
- Cole, J. E., Fairbanks, R. G. & Shen, G. T. (1993), The spectrum of recent variability in the Southern Oscillation: results from a Tarawa Atoll coral. *Science*, 262, 1790-1793.
- Corbett W.M. (1963), In *Methods in carbohydrate chemistry*; Whistler T.L. Ed. Academic Press. New York. pp 27-28.
- Coster C. (1927), Zur Anatomie und Physiologie der Zuwachszonen und Jahresringbildung in den Tropen. *Ann. Jard. Bot. Buitenzorg*, 27, 49-160.
- Craig H. and Gordon L. (1965), Deuterium and Oxygen 18 variations in the ocean and marine atmosphere, in: E. Tongiorgi (Eds). *Third Spoleto Conference, Stable Isotopes in Oceanographic Studies ad Paleotemperatures*, 1965, 1-22.
- D'Arrigo R.D., Jacoby G.C. and Krusic P. (1994), Progress in Dendroclimatic studies in Indonesia. *TAO*, 5, 3, 349-363.

- Dansgaard W. (1964), Stable isotopes in precipitation. *Tellus* 16, 436–468.
- D'Arrigo, R.D., Cook, E.R., Wilson, R.J., Allan, R., Mann, M.E. (2005), On the variability of ENSO over the past six centuries. *Geophys. Res. Lett.* 32. doi:10.1029/2004GL022055.
- Dawson T.E. (1996), Determining water use by trees and forests from isotopic, energy balance and transpiration analyses: the roles of tree size and hydraulic lift. *Tree physiology*, 16, 263-272.
- Dawson T.E. and Ehleringer J.R. (1991), Streamside trees do not use stream water: evidence from hydrogen isotope ratios. *Nature*, 350, 335-337.
- DeNiro M.J. and Epstein S. (1979), Relationship between the oxygen isotope ratios of terrestrial plant cellulose, carbon dioxide and water. *Science*, 204, 51-53.
- Diaz F. H. and Markgraf V. (2000), *El Nino and the Southern Oscillation: Multiscale Variability and Global and regional Impacts*. Cambridge Uni Press, 2000.
- Dodd J.P., Patterson W.P., Holmden C. and Brasseur J.M. (2008), Robotic micromilling of tree-rings: A new tool for obtaining subseasonal environmental isotope records. *Chemical Geology*, 252, 21-30.
- Dongmann G., Nurnberg H.W., Forstel H. and Wagener K. (1974), On the enrichment of H₂¹⁸O in the leaves of transpiring plants. *Radiation Environ Biophys*, 11, 41-52.
- Edwards T. W. D., Aravena R. O., Fritz P., and Morgan A. V. (1985), Interpreting paleoclimate from ¹⁸O and ²H in plant cellulose: Comparison with evidence from fossil insects and relict permafrost in southwestern Ontario. *Can. J. Earth Sci.* 22, 1720–1726.
- Ehleringer J.R., Dawson T.E. (1992), Water uptake by plants: perspectives from stable isotope composition. *Plant, Cell and Environment*, 15, 1073-1082.
- Epstein S. and Yapp C.J. (1977), Isotope tree thermometers. *Nature*, 266, 477-478.
- Epstein S., Thompson P. and Yapp C.J. (1977), Oxygen and hydrogen isotopic ratios in plant cellulose. *Science*, 198, 1209-1215.
- Evans M.N. and Schrag D.P. (2004), A stable isotope-based approach to tropical dendroclimatology. *Geochimica et Cosmochimica Acta*, 68, 16, 3295-3305.
- Farquhar G.D. and Lloyd J. (1993), Carbon and oxygen isotope effects in the exchange of carbon dioxide between terrestrial plants and the atmosphere. In *Stable*

Isotopes and Plant Carbon-Water Relations. (ed. J. E. Ehleringer et al.), pp.47-70, Academic Press.

Farquhar G.D., Barbour M.M. and Henry B.K. (1998), Interpretation of oxygen isotopic composition of leaf material. In *Stable Isotopes: Integration of Biological, Ecological, and Geochemical Processes*. Ed. H. Griffiths. BIOS Scientific Publishers, Oxford, pp- 27-48.

Feng X. and Epstein S., (1994), Climatic implications of an 8000-year hydrogen isotope time series from bristlecone pine trees. *Science*, 265, 1079–1081.

Flanagan L. B., Comstock J. P. and Ehleringer J. R. (1991), Comparison of modeled and observed environmental influences on the stable oxygen and hydrogen isotope composition of leaf water in *Phaseolus vulgaris* L. *Plant Physiol.*, 96, 588-596.

Francey R. J. and Farquhar G.D. (1982), An explanation of $^{13}\text{C}/^{12}\text{C}$ variations in trees. *Nature*, 297, 28–31.

Fritts H.C. (1976), *Tree Rings and Climate*. Academic Press.

Gadgil S. (2003), The Indian monsoon and its variability. *Annu. Rev. Earth Planet. Sci.* 31, 429–467.

Gat J. R. (1996), Oxygen and hydrogen isotopes in the hydrological cycle. *Annu. Rev. Earth Planet. Sci.* 24, 225-262.

Gaudinski J.B., Dawson T.E., Quideau S., Schuur E.A.G., Roden J.S., Trumbore S.E., Sandquist D.R., Oh S. and Wasylishen R.E. (2005), Comparative Analysis of Cellulose Preparation Techniques for Use with ^{13}C , ^{14}C , and ^{18}O Isotopic Measurements. *Anal. Chem.*, 77, 7212-7224.

Geeta Rajagopalan, Ramesh R. and Sukumar R. (1999), Climatic implications of $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ ratios from C3 and C4 plants growing in a tropical montane habitat in southern India. *J. Biosci.*, 24, 491-498.

Goswami B.N., Venugopal V., Sengupta D., Madhusoodan M.S. and Xavier P. (2006), Increasing trend of extreme rain events over India in a warming environment. *Nature*, 314, 1442-1445.

Grace J., Fasehun F.E. and Dixon M. (1980), Boundary layer conductance of the leaves of some tropical timber trees. *Plant, Cell and Environment*, 3, 443-450.

Gray J. (1981), The use of stable isotope data in climate reconstruction, In: *Climate and History: Studies on past climate and their impact on man* (Ed) T.M.L. Wigley, M.J. Ingrams and G. Farmer, Cambridge University Press, 53-81.

- Gray J. and Thompson P. (1976), Climatic information from $^{18}\text{O}/^{16}\text{O}$ ratios of cellulose in tree rings. *Nature*, 262, 481–482.
- Green J. W. (1963), Wood cellulose. In: *Methods in carbohydrate chemistry III* (ed.) R. L. Whistler, Academic Press, New York, p.9.
- Guhatakurta P. and Rajeevan M. (2008), Trends in the rainfall pattern over India. *Int. J. Climatol.*, 28, 1453–1469.
- Gunnell Y., Aupama K. and Sultan B. (2007), Response of the South Indian runoff-harvesting civilization to northeast monsoon rainfall variability during the last 2000 years: instrumental records and indirect evidence. *The Holocene*, 17, 207–215.
- Hardcastle K.G. and Friedman I. (1974), A method for oxygen isotope analyses of organic material. *Geophy. Res. Lett.*, 1, 165–167.
- Holmes R. L. (1983), Computer assisted quality control in tree ring dating and measuring. *Tree-Ring Bull.*, 1983, 43, 69–78.
- Hughes M. K. (1992), Dendroclimatic evidence from the western Himalaya. In: *Climate since A.D. 1500*, Edited by R.S. Bradley, P.D. Jones, Routledge, London.
- IAEA/WMO (2006), Global Network of Isotopes in Precipitation. The GNIP Database. Accessible at: <http://isohis.iaea.org>
- Indian Meteorological Department (1999), *Climatological Tables of Observatories in India (1951-1980)*, 5th Ed. pp. 565.
- Indian Meteorological Department IMD, *Indian Daily Weather Reports (IDWR)*, 1971.
- Jacoby G.C. and D'Arrigo R.D. (1990), Teak (*Tectona Grandis* L. F.), A tropical species of large-scale dendroclimatic potential. *Dendrochronologia*, 8, 83–98.
- Kallarackal J and Somen C.K. (2008), Water loss from tree plantations in the tropics. *Current Science*, 94, 2, 201–210.
- Kangawa A., Sugimoto A., Yamashita, K. and Sbe H. (2005), Temporal photosynthetic carbon isotope signatures revealed in a tree ring through $^{13}\text{CO}_2$ pulse-labeling. *Plant, Cell and Environment*, 28, 906–915.
- Krishna Kumar K., Soman M.K., Rupa Kumar K. (1995), Seasonal forecasting of Indian summer monsoon rainfall. *Weather*, 50, 449–467.

Krishnamurthy T. N. and Biswas M.K. (2006), Transition in the surface energy balance during the life cycle of a monsoon season. *J. Earth. Syst. Sci.*, 115, 2, 185-201.

Kumar K.K., Rajagopalan B. and Cane M.A. (1999), On the Weakening Relationship

Kumar P., Kumar K.R., Rajeevan M. and Sahai A.K. (2007), On the recent strengthening of the relationship between ENSO and northeast monsoon rainfall over South Asia. *Climate Dynamics*, 28, 649-660.

Leavitt S.W. and Danzer S.R. (1993), Method for batch processing small wood samples to holocellulose for stable-carbon isotope analysis. *Analytical Chemistry*, 65, 87-89.

Leuschner H.H., Saas-Klassen U., Jansma E., Baillie M.G.L., Spurk, M.(2002), Subfossil European bog oaks: population dynamics and long-term growth depressions as indicators of changes in the Holocene hydro-regime and climate. *The Holocene*, 12, 695–706.

Lin G., Phillips S.L. and Ehleringer J R. (1996), Monsoonal precipitation responses of shrubs in a cold desert community on the Colorado Plateau. *Oecologia*, 106, 8-17.

Linacre E.T. (1964), A note on a feature of leaf and air temperatures. *Agric. Meteorol.*, 1, 66-72.

Lipp J., Trimborn P., Fritz P., Moser H., Becker B. and Franzel B. (1991), Stable isotopes in tree ring cellulose and climatic change. *Tellus*, 43B, 322–330.

Loader N.J., Robertson I., Barker A.C., Switsur V.R. and Waterhouse J.S. (1997), A modified method for the batch processing of small wholewood samples to α -cellulose. *Chemical Geology*, 136, 313-317.

Loader N.J., Switsur V.R. and Field E.M. (1995), High-resolution stable isotope analysis of tree rings: implications of ‘microdendroclimatology’ for palaeoenvironmental research. *The Holocene*, 1, 5, 457-460.

Long A. et al., (1979), Radial translocation of carbon in Bristlecone Pine. In: Berger r. and Suess H.e. (Eds.), *Radiocarbon Dating*, Proceedings of the Ninth International Conference on Radiocarbon Dating, Los Angeles and La Jolla, 1976. Univeristy of California Press, Berkeley, pp.532-537.

Miller D.L., Mora C.I., Grissino-Mayer H.D., Mock C.J., Uhle M.E. and Sharp Z. (2006), Tree ring isotope record of tropical cyclone activity. *PNAS*, 103, 39, 14294-14297.

- Miyake Y, Matsubaya O, and Nishihara C. (1968), An isotopic study on meteoric precipitation. *Papers in Meteorology and Geophysics* 19:243-266.
- Pang G.B. (1979), Role of tree ring analysis and related studies in Palaeoclimatology: Preliminary survey and scope for Indian region. *Mausam*, 30, 439.
- Pant G.B. and Borgaonkar H.P. (1983), Growth rings of teak trees and regional climatology: An ecology study of Thane region. In: *Environmental management*, Edited by L.R.Singh, R.C. Tiwari and R.P.Srivastava, Allahabad Geophysical Society, University of Allahabad, 153-155.
- Pant G.B. and Parthasarathy B. (1981), Some aspects of an association between the southern oscillation and Indian summer monsoon. *Arc Met Geophy Biok* 1 B, 29, 245-252.
- Pant G.B. and Rupa Kumar K. (1997), *Climate of South Asia*. Wiley, New York, pp. 176-179.
- Poussart P.F. and Schrag D.P. (2005), Seasonally resolved stable isotope chronologies from northern Thailand deciduous trees. *Earth and Planetary Science Letters*, 235, 752-765.
- Poussart P.F., Evans M.N. and Schrag D.P. (2004), Resolving seasonality in tropical trees: multi-decade, high-resolution oxygen and carbon isotope records from Indonesia and Thailand. *Earth and Planetary Science Letters*, 218, 301-316.
- Priya P.B. and Bhat K.M. (1998), False ring formation in teak (*Tectona grandis* L.f.) and the influence of environmental factors. *Forest Ecology and Management*, 108, 215-222.
- Priya P.B. and Bhat K.M. (1999), Influence of rainfall, irrigation and age on the growth periodicity and wood structure in teak (*Tectona grandis*). *IAWA Journal*, 20(2), 181-192.
- Pumijumnon N., Eckstein D. Sass U. (1995), Tree-ring research on *Tectona grandis* in Northern Thailand. *IAWA Journal*, 16, 4, 385-392.
- Ramamurthy K. (1969), Monsoon of India: some aspects of the 'break' in the Indian southwest monsoon during July and August. *Forecast. Man.* 18.3(No. IV):1-57. India Meteorol. Dept., Poona, India
- Ramesh R., Bhattacharya S.K. and Gopalan K. (1985), Dendrochronological implications of isotope coherence in trees from Kashmir Valley, India. *Nature*, 317, 802-804.

- Ramesh R., Bhattacharya S.K. and Pant G.B. (1989), Climatic significance of δD variations in a tropical tree species from India. *Nature*, 337, 149-150.
- Rasmuson E.M. and Carpenter T.H. (1983), The relationship between eastern equatorial pacific sea surface temperatures and rainfall over India and Sri Lanka. *Mon Weather Rev* 111, 517-528.
- Rinne K.T., Boettger T., Loader N.J., Robertson I., Switsur V.R. and Waterhouse J.S. (2005), On the purification of α -cellulose from resinous wood for stable isotope (H, C and O) analysis. *Chemical Geology*, 222, 75-82.
- Roden J.S., Lin G. and Ehleringer J.R. (2000), A mechanistic model for interpretation of hydrogen and oxygen isotope ratios in tree-ring cellulose. *Geochimica et Cosmochimica Acta*, 64, 1, 21-35.
- Rozanski K., Araguas-Araguas L., Giofanti R. (1993), Isotopic patterns in modern global precipitation, *Geophysical Monograph*, 78, 1-36.
- Saurer M., Aellen K. and Siegwolf R. (1997), Correlating $\delta^{13}C$ and $\delta^{18}O$ in cellulose of trees. *Plant Cell Environment*, 20, 1543-1550.
- Saurer M., Robertson I., Siegwolf R. and Leuenberger M. (1998), Oxygen isotopic analysis of cellulose: an interlaboratory comparison. *Analytical Chemistry*, 70, 2074-2080.
- Schiegl W.E. (1974), Climatic significance of deuterium abundance in growth rings of *Picea*. *Nature*, 251, 582-584.
- Schulze B., Wirth C., Linke P., Brand W.A., Kuhlmann I., Horna V. and Schulze E.-D. (2004), Laser ablation-combustion-GC-IRMS—a new method for online analysis of intraannual variation of $\delta^{13}C$ in tree rings. *Tree Physiology*, 24, 1193-1201.
- Schwinning S., Davis K., Richardson L. and Ehleringer J.R. (2002), Deuterium enriched irrigation indicates different forms of rain use in shrub/grass species of the Colorado Plateau. *Oecologia*, 130, 345-355.
- Shah S.K., Bhattacharyya A., Chaudhary V. (2007), Reconstruction of June–September precipitation based on tree-ring data of teak (*Tectona grandis* L.) from Hoshangabad, Madhya Pradesh, India. *Dendrochronologia*, 25 (2007) 57–64.
- Sheshshayee M. S., Bindumadhava H., Ramesh R., Prasad T. G., Lakshminarayana M. R. and Udaykumar M. (2005), Oxygen isotope enrichment ($\Delta - O-18$) as a measure of time-averaged transpiration rate. *J Exp Bot*, 56, 3033-3039.

Shrivastava R., Ramesh R., Jani R.A. and Singh A.K. (2008), Monsoon rain in oxygen isotopic equilibrium with ambient water vapor? *GRL* (under review)

Sikka D.R. (1980), Some aspects of the large scale fluctuations of summer monsoon rainfall over India in relation to fluctuations in the planetary and regional scale circulation parameters. *Proc. Indian Acad. Sci. Earth Planet. Sci.* 89, 179–195.

Sikka D.R. and Gadgil S. (1980), On the maximum cloud zone and the ITCZ over India longitude during the Southwest monsoon. *Mon. Weather Rev.* 108, 1840–1853.

Singh J. and Yadav, R. R. (2007), Dendroclimatic potential of millennium-long ring-width chronology of *Pinus gerardiana* from Himachal Pradesh, India. *Current Science*, 93, 833–836.

Sohn A. W. and Reiff F. (1942). *Papier-Fabrikant*, 40, 1-7.

Somaru Ram, Borgaonkar H.P. and Sikder A.B. (2008), Tree ring analysis of teak (*Tectona grandis* L.F.) in central India and its relationship with rainfall and moisture index. *J. Earth Syst. Sci.*, 117, 637-645.

Sontakke N.A., Singh N. and Singh H.N. (2008), Instrumental period rainfall series of the Indian region (AD 1813–2005): revised reconstruction, update and analysis. *The Holocene*, 18, 1055-1066.

Spurk M., Leuschner H.H., Baillie M.G.L., Briffa K.R., Friedrich M. (2002), Depositional frequency of German subfossil oaks: climatically and non-climatically induced fluctuations in the Holocene. *The Holocene*, 12, 707–715.

Stahle D.W., D'Arrigo R.D., Krusic P.J., Cleveland M.K., Cook E.R., Allan R.J., Cole J.E., Dunbar R.B., Therrel M.D., Gay D.A., Moore M.D., Stokes M.A., Burns B.T. Villanueva-Diaz, J. and Thompson L.G. (1998), Experimental dendroclimatic reconstruction of the Southern Oscillation. *Bull. Am. Meteorol. Soc.* 79, 2137–2152.

Sternberg L. da S. L., DeNiro M. J., and Savidge R. A. (1986), Oxygen isotope exchange between metabolites and water during biochemical reactions leading to cellulose synthesis. *Plant Physiol.* 82, 423–427.

Sternberg L. da S.L., Pinzon M.C., Vendramini P.F., Anderson W.T., Jahren A.H. and Beuning K. (2007), Oxygen isotope ratios of cellulose-derived phenylglucosazone: An improved paleoclimate indicator of environmental water and relative humidity. *Geochimica et Cosmochimica Acta*, 71, 2463–2473.

Sternberg L.S.L. (1989), Oxygen and hydrogen isotope measurements in plant cellulose analysis. IN *Plant Fibres. Modern Methods of Plant Analysis V. 10* (ed. H.F. Linskens and J.F. Jackson), pp. 89-99. Springer-Verlag.

- Sudheendrakumar V.V., Nair K.S.S. and Chacko K.C. (1993), Phenology and seasonal growth trend of teak at Nilambur (Kerala), India. *Ann. For.* 1 (1), 42-46.
- Suppiah R. (1997), Extremes of southern oscillation phenomenon and the rainfall of Sri Lanka. *Int. J. Climatolo.*, 17, 87-101.
- Tang K. and Feng X. (2001), The effect of soil hydrology on the oxygen and hydrogen isotopic compositions of plants' source water. *Earth and Planetary Science Letters*, 185, 355-367.
- Thompson P. and Gray J. (1977), Determination of $^{18}\text{O}/^{16}\text{O}$ ratios in compounds containing C, H and O. *Int.J.Appl.Radiat.Isot.*, 28, 411-415.
- Tsuji H., Nakatsuka T. and Takagi K. (2006), $\delta^{18}\text{O}$ of tree-ring cellulose in two species (spruce and oak) as proxies of precipitation amount and relative humidity in northern Japan. *Chemical Geology*, 231, 67-76.
- Tudhope A.W. *et al.*, (2001), Variability in the El Niño-Southern Oscillation Through a Glacial-Interglacial Cycle. *Science*, 291, 1511-1517.
- Verheyden A., Helle G., Schleser G.H., Dehairs F., Beeckman H. And Koedam N. (2004), Annual cyclicity in high-resolution stable carbon and oxygen isotope ratios in the wood of the mangrove tree *Rhizophora mucronata*. *Plant, Cell and Environment*, 27, 1525–1536
- White J.W.C, Cook E.R., Lawrence J.R. and Broecker W.S. (1985), D/H ratios of sap in trees: implication for water source and tree ring D/H ratios. *Geochimica et cosmochemica Acta*, 49, 237-246.
- White J.W.C. (1983), The climatic significance of D/H ratios in white pine in the north eastern Unites States. *PhD Thesis*, submitted to Columbia University, New York.
- Wilson A.T. and Grinsted M.J. (1977), $^{12}\text{C}/^{13}\text{C}$ in cellulose and lignin as palaeothermometers. *Nature*, 265, 133-135.
- Yadava M. G., Ramesh R. And Pant G. B. (2004), Past monsoon rainfall variations in peninsular India recored in a 331-year-old speleothems. *The Holocene*, 14, 4, 517-524.
- Yadava M.G. and Ramesh R.R. (2005), Monsoon reconstruction from radiocarbon dated tropical speleothems. *The Holocene*, 15, 48-59.
- Yadava M.G., Ramesh R. and Pandarinath K. (2007), A positive amount effect in the Sahayadri (Western Ghats) rainfall. *Current Science*, 93, 2, 560-564.

Yoshifuji N., Kumagai T., Tanaka K., Tanaka N., Komatsu H., Suzuki M and Tantasirin C. (2006), Inter-annual variation in growing season length of a tropical seasonal forest in northern Thailand. *Forest Ecology and Management*, 229, 333-339.

Yurtsever Y. and Gat J.R. (1981), Atmospheric waters. In *Stable Isotope Hydrology*, ed. J. R. Gat, R. Gonfiantini. *IAEA Tech. Rep. Ser.* 210, 103-142.