

BIBLIOGRAPHY

- ABRAHAMS, V. C., KOELLE, G.B. AND SMART, P. 1957.
Histochemical demonstrations of cholinesterases in the hypothalamus of the dog. J. Physiol. (Lond.). 139 : 137.
- ABRAHAMS, V.C. AND PICKFORD, M. 1954. Simultaneous observations on the rate of urine flow and spontaneous uterine movements in the dog, and their relationship to posterior pituitary. J. Physiol. (Lond.). 126 : 320.
- ACHER, R.; CHAUDET, J.; CHAUDET, M.T. AND CREPY, D. 1961.
Les hormones neurohyophysaires des poissons: Isolement d'une vasotocine du tacaud (Gadus luscus L.). Biochim. biophys. Acta. 51 : 419.
- ACHER, R., CHAUDET, J., CHAUDET, M.T. AND CREPY, D. 1962.
Isolement d'une nouvelle hormone neurohypophysaire, L'isotocine présente chez les poissons ossex. Biochim. biophys. Acta. 58 : 324.
- *ALTNER, H. 1966. Über die aktivität von ependym und glia im gehirn niederer wirbeltiere: Sekretorische phänomene im hypothalamus von chimaera monstrosa, L. (Holocephali). Zeitschrift für Zellforschung. 73 : 10.
- ARVY, L. 1962. *Histochemical demonstration of enzymatic activities in neurosecretory centres of homoiothermic animals.* Mem. Soc. Endocr. 12 : 215.

ARVY, L., FONTAINE, M. AND GABE, M. 1954. Action des des solutions salines hypertoniques sur le système hypothalamo-hypophysaire chez *phoxinus laevis* Agass. and chez Anguilla anguilla L. Compt. Rend. Soc. Biol. 148 : 1759.

ARVY, L., FONTAINE M. AND GABE, M. 1955-a. Modifications de la voie neurosécrétrice hypothalamo-hypophysaire de salmo salar L. au cours du cycle evolutif. C.R. Ass. Anat. 42e Reun. 224.

ARVY, L., FONTAINE, M. AND GABE, M. 1955-b. Action des solutions salines hypertoniques sur la neurosécrétion chez *L'Anguilla hypophysectomisée*. Comp. Rend. Soc. Biol. 149 : 225.

ARVY, L., FONTAINE, M. AND GABE, M. 1959. La voie neurosécrétrice hypothalamo-neurohypophysaire des téléostéens. J. Physiol. (Paris). 51 : 1031.

ARVY, L. AND GABE, M. 1954. Modification due système hypothalamo-hypophysaire chez Oallionymus lyra L. et Ammodytes lanceolatus L. au cours des variations de L'équilibre osmotique. Compt. rend. assoc. anat. 41 : 843.

BAGERMAN, B. 1957. An experimental study on the timing of breeding and migration in the three-spined stickleback (Gasterosteus aculeatus L.). Archiv. Neerl. de Zool. 12 : 105.

- BAGERMAN, B. 1958. In Aubrey Gorbman (Ed.) "Comparative Endocrinology", p. 24. John Wiley and Sons Inc., London.
- BAGERMAN, B. 1960. Salinity preference, thyroid activity and the seaward migration of four species of Pacific salmon (Oncorhynchus). J. Fish. Res. Bd. Canada. 17 : 295.
- BAGERMAN, B. 1962. Some endocrine aspects of fish migration. Gen. Comp. Endocrinol. Suppl. 1 : 188.
- *BAGERMAN, B. 1963. The effect of TSH and antithyroid substances on salinity preference and thyroid activity in juvenile Pacific salmon. Can. J. Zool., 41 : 307.
- BAKER-COHEN, K. F. 1961. The role of the thyroid in the development of the platyfish. Zoologica. 46 : 181.
- BAKER, K.F. 1958a. Heterotrophic thyroid tissue in fishes.
I. The origin and development of heterotrophic thyroid tissue in platyfish. J. Morphol. 103:91.
- BAKER, K.F. 1958b. Heterotrophic thyroid tissue in fishes.
II. The effect of iodine and thiourea upon the development of heterotrophic thyroid tissue in platyfish. J. Exp. Zool. 138 : 329.
- BAKER, B. I. 1964. Pituitary-thyroid relationship during development in the teleost Herichthys cyanoguttatus. A histo-physiologic study. Gen. Comp. Endocrinol. 4 : 164.

BAKER, K.F., BERG, O., GOREMAN, A. AND GORDON, M. 1955.

Observations on radiothyroidectomy of juvenile platyfish. Anat. Record. 122 : 453.

*BALL, J.N. 1965a. A regenerated pituitary remnant in a hypophysectomized killifish (Fundulus heteroclitus): further evidence for the cellular source of the teleostean prolactin-like hormone. Gen. Comp. Endocrinol. 5 : 181.

*BALL, J.N. 1965b. Partial hypophysectomy in the teleost Poecilia: separate identities of teleostean growth hormone and teleostean prolactin-like hormone. Gen. Comp. Endocrinol. 5 : 654.

BALL, J.N. AND ENSOR, D.M. 1965. Effect of prolactine on plasma sodium in the teleost, Poecilia latipinna. J. Endocrinol. 32 : 269.

BALL, J.N. AND OLIVEREAU, M. 1964. Role de la prolactine dans la survie en eau douce de Poecilia latipinna hypophysectomise et arguments en faveur de sa synthese par les cellules erythrosinophiles eta de L'hypophyse de Téléostéens. Compt. Rend. Acad. Sci. 259 : 1443.

BALL, J.N., AND OLIVEREAU, M. 1965. Pituitary autotransplants and freshwater adaptation in the teleost Poecilia latipinna. Amer. Zool. 5 : 232.

BALL, J.N., OLIVEREAU, M., SLICHER, A.M. AND KALLMAN, K.D.

1965. Functional capacity of ectopic pituitary transplants in a teleost fish, Poecilia formosa, with a comparative discussion on the transplanted pituitary. Phil. Trans. Roy. Soc. B. 249 : 69.

BALL, J.N. AND PICKFORD, G.E. 1964. Pituitary cytology and freshwater adaption in Fundulus heteroclitus.

Anat. Rec. 148 : 358.

BARANIKOVA, I.A. 1965. Ekologicheskaya gistofiziologiya endokrinnnykh zhelez U ryb. Arkh. Anat. Gistol. 48 : 317.

*BARGMANN, W. AND KNOOP, A. 1960. Über die morphologischen Beziehungen des neurosekretorischen zwischenhirn-systems zum zwischenlappen der Hypophyse. Z. Zellforsch. 52 : 256.

BARGMANN, W. KNOOP, A. AND THIEL, A. 1957. Electronenmikroskopische Beobachtung an der Neurohypophyse. Z. Zellforsch. U. mikoskop. Anat. 46 : 242.

BARR, W.A. AND HOBSON, B.M. 1964. Endocrine control of the sexual cycle in the Palice, Pleuronectes platessa L. IV. Gonadotropic activity of the pituitary gland. Gen. Comp. Endocrinol. 4 : 608.

BARRINGTON, E.J.W. AND MATTY, A.J. 1954. Seasonal variation in the thyroid gland of the minow, Phoxinus phoxinus L., with some observations on the effect of temperature. Proc. Zool. Soc. London. 124 : 89.

BELSARE, D.K. 1965. Changes in gonads and the thyroid gland after hypophysectomy in Ophiocephalus punctatus
Bloch. J. Exptl. Zool. 158 : 1.

BERTLER, A.; FÄLCK, B.; HILLARP, N.A.; ROSENGREN, E. AND TORP, A. 1959. Dopamine and chromaffin cells.
Acta. Physiol. Scand. 47 : 251.

BERN, H.A. AND HAGADORN, I.R. 1959. A comment on the elasmobranch caudal neurosecretory system. In "Comparative Endocrinology" (A. Gorbman, ed.), p. 725. Wiley, New York.

BERN, H.A.; NISHIOKA, R.S. AND HAGADORN, I.R. 1962. Neurosecretory granules and the organelles of neurosecretory cells. p.21. Mem. Soc. Endocrinol. 12, Neurosecretion (Heller and Clark, eds.) Academic Press, London.

BERN, H.A., YAGI, K. AND NISHIOKA, R.S. 1965. The structure and function of the caudal neurosecretory system of fishes. Arch. Anat. Microscop. 54: 217.

* BERN, H.A., NISHIOKA, R.S. AND HAGADORN, I.R. 1961. Association of elementary neurosecretory granules with the Golgi complex. J. Ultrastr. Res. 5: 311.

* BERN, H.A., NISHIOKA, R.S., CHESTER JOINES, J.; CHAN, D.K.O.; RANKIN, J.C. AND PONNIAH, S. 1967. The urophysis of fishes. J. Endocrinol. 37 : XI.

- BERN, H.A. AND NANDI, J. 1964. Endocrinology of the Poikilothermic vertebrates. In: The Hormones. (G. Pincus, Thimann, K.V. and Astwood, E.B. eds.). Academic Press, New York.
- BERN, H.A. AND TAKASUGI, N. 1962. The caudal neurosecretory system of fishes. Gen. Comp. End. 2 : 96.
- BILLENSTEIN, D. S. 1963. Neurosecretory material from the nucleus lateralis tuberis in the hypophysis of the eastern brook trout Salvelinus fontinalis. Z. Zellforsch. 59 : 507.
- BOWERS, A.B. 1954. Breeding and growth of whiting (Gadus merlangus L.) in Isle of Man waters. J. Mar. Biol. Ass. U.K. 33 : 97.
- BREHM, H.V. 1958. Über jahreszyklische veränderungen im Nucleus lateralis tuberis der Schleie (Tinca vulgaris). Z. Zellforsch. 49 : 105.
- BUCHMANN, H. 1940. Hypophyse and throidea im Individualzyklus des Herrings. Zool. Jahrb. 66 : 193.
- BURDEN, C.E. 1956. The failure of hypophysectomised Fundulus heteroclitus to survive in freshwater. Biol. Bull. Mar. Biol. Lab., Woods Hole. 110 : 8.
- CARLSON, I.H. AND HOLMES, W.H. 1962. Changes in the hormone content of the hypothalamo-hypophyseal system of the rainbow trout (Salmo gairdnerii). J. Endocrin. 24 : 23.

CHACKO, P.I. AND GANAPATI, S.V. 1949. On the bionomics of
Hilsa ilisha (Ham.) in the Godavari river.

Madras Univ. J. 18 : 16.

CHAVIN, W. 1956a. Thyroid distribution and function in the
goldfish Carassius auratus L., as determined by
the uptake of tracer doses of radioiodine. Anat.
Rec., 124 : 272.

CHAVIN, W. 1956b. Thyroid follicles in the head kidney of
the goldfish, Carassius auratus (Linnaeus).
Zoologica. 41 : 101.

CHAVIN, W. 1956c. Thyroid distribution and function in the
goldfish, Carassius auratus L. J. Exp. Zool. 133:259.

CHAVIN, W. 1966. Adrenal histochemistry of some freshwater
and marine teleosts. Gen. Comp. Endocrinol. 6:183.

CHAVIN, W. AND KOVACEVIC, A. 1961. Adrenocortical histo-
chemistry of intact and hypophysectomized goldfish.
Gen. Comp. Endocrinol. 1:264.

CHESTER JONES, I. 1957. "The adrenal cortex", University
Press, Cambridge.

CHESTER JONES, I., PHILLIPS, J.G. AND HOLMES, W.N. 1959.
Comparative physiology of the adrenal cortex. In:
"Comparative Endocrinology" (A. Gorbman, ed.) p.582.
Wiley, New York.

CHESTER JONES, I. AND PHILLIPS, J.G. 1960. Adrenocorticosteroids
in fish. Symp. Zool. Soc. Lond. 1 : 17.

CHESTER JONES, I.; CHAN, D.K.O.; HENDERSON, I.W., MOSLEY, W.;
SANDOR, T.; VINSON, G.P. AND WHITEHOUSE, B. 1965b.

Failure of corpuscles of Stannius of the European
eel (Anguilla anguilla L.) to produce corticoste-
roids in vitro. J. Endocrin. 33 : 319.

CHESTER JONES, I.; HENDERSON, I.W. AND BUTLER, D.G. 1965a.
Water and electrolyte flux in the European eel
(Anguilla anguilla L.). Archs. Anat. Microsc. Morph. exp. 54 : 453.

COUPLAND, R.E. AND EXLEY, K.A. 1957. Effects of choline
2:6-xylylether bromide upon the suprarenal medulla
of the rat. Brit. J. Pharmacol. 12 : 306.

COUPLAND, R.E. AND HOLMES, R.L. 1957. The use of choline-
sterase techniques for the demonstration of
peripheral nervous structures. Quart. J. Microsc. Sci. 98 : 327.

DAY, F. 1878. The fishes of India. William Dawson & Sons
Ltd., London.

DA LAGE, C. 1955. Innervation neurosécrétoire de
l'adenohypophyse de l'Hippocampe. C.R. Ass. Anat.
85 : 361.

DA LAGE, C. 1958a. Recherches sur le complexe hypophysaire
de l'Hippocampe. Arch. Anat. Micro. Morph. Exp. 47:401.

DA LAGE, C. 1958b. L'innervation neurosécrétoire de l'adeno-
hypophyse chez quelques Syngnathidés. In: Pathophy-
siologia Diencephalica, p. 118. Viena, Springer.

- DAWSON, A.B. 1953. Evidence for the termination of neurosecretory fibres within the pars intermedia of the hypophysis of the frog, *Rana pipiens*.
Anat. Rec. 115 : 63.
- DE ROBERTIS, E.; SALGANICOFF, L.; ZIEHER, L.M. AND RODRIGUEZ DE LORES ARNAIZ, G. 1963. Acetylcholine and cholinesterase content of synaptic vesicles.
Science. 140 : 300.
- DODD, J.M. 1963a. The pituitary complex "Techniques in Endocrine Research" (Eckstein, P. and Knowles, F. eds.), p. 161. Academic Press, London.
- DODD, J.M. AND KERR, T. 1963. Comparative morphology and histology of the hypothalamo-hypophyseal system.
Symp. Zool. Soc. Lond. 9 : 5.
- EALES, J.G. 1964. A comparative study of thyroid function in migrant juvenile salmon. Can. J. Zool. 41 : 811.
- EGAMI, N. AND ISHII, S. 1962. Hypophyseal control of reproductive functions in teleost fishes. Gen. Comp. Endocrinol. Suppl. 1, 248.
- ENAMI, M. 1955a. Studies on neurosecretion. II. Caudal neurosecretory system in the eel (Anguilla anguilla).
Gumma J. Med. Sci. 4 : 23.
- *ENAMI, M. 1955b. Studies on neurosecretion. III. Nuclear secretion in the cells of the preoptic nucleus in

- the eel (Anguilla anguilla). Endocrinol. Japon.
2 : 759.
- ENAMI, M. 1956. Changes in the caudal neurosecretory system
of the loach (Misgurnus anguillicaudatus) in
response to osmotic stimuli. Proc. Japan. Acad.
32 : 759.
- ENAMI, M. 1959. The morphology and functional significance
of the caudal neurosecretory system of fishes. In:
"Symposium on comparative Endocrinology held at
Cold Spring Harbour" 1958 (Gorbman, A. ed.), p.697.
Wiley, New York.
- ENAMI, M.; MIYASHITA, S. AND IMAI, K. 1956. Studies on neuro-
secretion IX. Possibility of occurrence of a sodium
regulating hormone in the caudal neurosecretory
system of teleosts. Endocrinol. Japon. 3:280.
- ENAMI, M. AND IMAI, K. 1958. Studies on neurosecretion. XII.
Electron microscopy of the secretory granules in
the caudal neurosecretory system of the eel. Proc.
Japan. Acad. 34 : 164.
- ERÄNKÖ, O. 1955. Histochemistry of noradrenaline in the
adrenal medulla of rats and mice. Endocrinology.
57 : 363.
- ERÄNKÖ, O. AND HÖPSU, V. 1958. Effect of reserpine on the
histo-chemistry and content of adrenaline and
noradrenaline in the adrenal medulla of the rat
and the mouse. Endocrinology. 62 : 15.

- ETKIN, W. 1963. Metamorphosis activating system in Frog. Science. 139 : 810.
- *FÄLCK, B., HILLÄRP, N.Å. AND TORP, A. 1959. Some observations on the histology and histochemistry of the chromaffin cells probably storing dopamine. J. Histochem. Cytochem. 7 : 323.
- FOLLENIUS, E. AND PORTE, A. 1960. Ultrastructure de l'hypophyse des Cyprinodontes vivipares. Etude des types cellulaires composant l'adenohypophyse. C. R. Soc. Biol., Paris. 154 : 1247.
- FOLLENIUS, E. AND PORTE, A. 1961a. Etude des différents lobes de l'hypophyse de la Perche (Perca fluviatilis L.) au microscope électronique. C. R. Soc. Biol., Paris. 155 : 128.
- FOLLENIUS, E. AND PORTE, A. 1961b. Chronologie de la différenciation des cellules hypophysaires (entre 15 et 45 jours) chez Lebistes reticulatus R. Etude au microscope électronique. C.R. Acad. Sci., Paris, 252 : 3139.
- FOLLENIUS, E. AND PORTE, A. 1962. Etude du noyau préoptique de la perche (Perca fluviatilis L.) au microscope électroniques. Comp. Rend. Acad. Sci. 254 : 930.
- *FONTAINE, M. 1953. Contribution à l'étude du déterminisme de la différenciation des caractères sexuels chez

les cyprinodontes. Action des rayons X sur
 les gonades de Lebistes reticulatus R. Bull.
Biol. 87 : 68.

* FONTAINE, M. 1956. The hormonal control of water and
 salt-electrolyte metabolism in fish. Mem. Soc.
Endocrinol. 5 : 69.

* FONTAINE, Y. A. 1957. Diminution du pouvoir thyréotrope
 de L'hypophyse apres thyroïdectomie chez un
 mammifèrex (le rat) et un téléostéen (L'anguille).
Compt. Rend. 245 : 2538.

FONTAINE, P.Y. 1960. The effect of induced hypothyroidism
 on the dermal melanophores of teleosts. Proc. Zool.
Soc. London. 135 : 55.

FONTAINE, M. AND FONTAINE, Y.A. 1962. Thyrotropic hormone
 (TSH) in lower vertebrates. Gen. Comp. Endocrinol.,
 Suppl. 1, 63.

FONTAINE, M. AND LELOUP, J. 1958. Sur L'existence d'une
 "liaison" de L'ion iodure avec certaines protéines
 du plasma de saumon adulte (Salmo salar L.).
Compt. Rend. Acad. Sci.,(Paris). 247 : 767.

* FONTAINE, M. AND LELOUP-HATEY, J. 1959. Mise en évidence de
 corticostéroïdes dans L'interrénal d'un téléostéen
 Le saumon, Salmo salar. J. Physiol. Paris. 51 :468.

- FORTUNE, P.Y. 1955. Comparative studies of the thyroid function in teleosts of tropical and temperate habits. J. Exp. Biol. 32 : 504.
- FRIDBERG, G. 1962a. Studies on the caudal neurosecretory system in teleosts. Acta. Zool. 43 : 1.
- FRIDBERG, G. 1962b. The caudal neurosecretory system in some elasmobranchs. Gen. Comp. Endocrinol. 2:249.
- FRIDBERG, G. 1963. Electron microscopy of the caudal neurosecretory system Leuciscus rutilus and Phoxinus phoxinus. Acta. Zool. 44 : 245.
- FRIDBERG, G.; BERN, H.A. AND NISHIOKA, R.S. 1966. The caudal neurosecretory system of the isopondylous teleost, Albula vulpes, from different habitats. Gen. Comp. Endocrinol. 6 : 195.
- FRIDBERG, G. AND SAMUELSON, B. 1959. The secretory conditions in the preoptico-hypophysial system of the roach (Leuciscus rutilus) and during the histogenesis. Acta. Zool. Stockholm. 40 : 365.
- FUJITA, H. AND MACHINO, M. 1965. Electron microscopic studies on the thyroid gland of a teleost, Seriola quinqueradiata. Anat. Rec. 152 : 81.
- *GEREBTZOFF, M.A. 1959. Cholinesterases. A histochemical contribution to the solution of some functional problems. Pergamon Press, London, New York.

- GERSCHENFELD, H.M.; TRAMEZZANI, J. AND DE ROBERTIS, E.
1960. Ultrastructure and function in neuro-
hypophysis of the toad. Endocrinology. 66:741.
- GORBMAN, A. 1959 (ed.) "Comparative Endocrinology".
Wiley, New York.
- GOKHALE, S.V. 1957. Seasonal histological changes in
the gonads of the whiting (Gadus merlangue L.)
and the Norway trout (G. esmarki Nilsson).
Indian J. Fish. 4 : 92.
- GURR, E. 1956. A Practical manual of medical and biological
staining techniques. London. Leonard Hills(Books)
Ltd.
- GURR, E. 1963. A Practical manual of medical and biological
staining techniques. London. Leonard Hills(Books)
Ltd.
- HALMI, N.S. 1952. Differentiation of two types of basophils
in the adenohypophysis of rat and mouse. Stain
Technol. 27 : 61.
- HANE, S. AND ROBERTSON, O.H. 1959. Changes in plasma 17-
Hydrocorticosteroids accompanying sexual maturation
and spawning of the Pacific salmon (Oncorhynchus
tshawytscha) and rainbow trout (Salmo gairdnerii)
Proc. Nat. Acad. Sci. 45: 886.

HANE, S.; ROBERTSON, O.H.; WEXLER AND KRUPP 1966.

Adrenocortical response to stress and ACTH
in Pacific salmon (Oncorhynchus tshawytscha)
and steelhead trout (Salmo gairdnerii) at
successive stages in the sexual cycle.

Endocrinology. 18 : 791.

HANKE, W. AND CHESTER JONES, I. 1966. Histological and
histochemical studies on the adrenal cortex and
the corpuscles of Stanius of the european eel
(Anguilla anguilla L.). Gen.Comp.Endocrinol.
7 : 166.

HARRIS, P.J. 1959. A study of thyroid function in Fundulus
heteroclitus. Biol. Bull. 117 : 89.

HELLER, H. 1963. Pharmacology and distribution of neuro-
hypophysial hormones. Symp. Zool. Soc. Lond.
9 : 93.

HELLER, H. AND BENTLEY, 1965. Phylogenetic distribution
of the effects of neurohypophysial hormones on
water and sodium metabolism. Gen. Comp. Endocrinol.
5 : 96.

HELLER, H. AND BENTLEY, P.J. 1963. Comparative aspects of
the actions of neurohypophysial hormones on water
and sodium metabolism. In : Memoirs of the society
for Endocrinology No.13, "Hormones and Kidney"

(Peter, C. Williams, ed.), p. 59. Academic
Press, London.

* HELLER, H. AND PICKERING, B.T. 1960. Identification of
a neurohypophysial hormone. J. Physiol. 152:56.

HELLER, H. AND PICKERING, B.T. 1961. Neurohypophysial
hormones of non-mammalian vertebrates. J. Physiol.
155 : 98.

HELLER, H.; PICKERING, B.T.; Maetz, J. AND MOREL, F. 1961.
Pharmacological characterization of the oxytocic
peptides in the pituitary of a marine teleost
fish (Pollachius virens). Nature, Lond. 191:670.

HICKMAN, C.P. Jr. 1959. The osmoregulatory role of the
thyroid gland in the starry flounder, Platichthys
stellatus. Can. J. Zool. 37 : 997.

HILD, W. 1950. Zur Frage der neurosekretion im zwischenhirn
der schleie (Tinca vulgaris) und ihre beziehungen
zur neurohypophyse. Z. Zellforsch. U. Mikroskop.
Anat. 35 : 33.

HILLARP, N.Å. AND HÖKFELT, B. 1953. Evidence of adrenaline
and noradrenaline in separate adrenal medullary cells.
Acta. Physiol. Scand. 30 : 55.

HILLARP, N.Å. AND HÖKFELT, B. 1955. Histochemical demonstra-
tion of adrenaline and noradrenaline in the adrenal
medulla. J. Histochem. Cytochem. 3 : 1.

HISAW, F.H. 1963. "Physiology of Reproduction" Proceedings
of the 22nd Biology Colloquium, Oregon State
University Press, Corvallis, Oregon.

HOAR, W.S. 1952. Thyroid function in some anadromous and
landlocked teleosts. Trans. Roy. Soc. Canada V.
46 : 39.

HOAR, W.S. 1957. Endocrine organs in 'Physiology of Fishes'
(M.E. Brown, ed.) Academic Press Inc., New York.
Chap. 6, p. 245.

* HOAR, W.S. 1959. Endocrine factors in the ecological
adaptation of fishes. In: "Comparative Endocrinology"
(Gorbman, A. ed.) John Wiley and Sons, New York.

* HOAR, W.S. 1965. The endocrine system as a chemical link
between the organism and its environment. In :
'Transactions of the Royal Society of Canada Vol.
III: Series IV. June 1965, p. 175.

* HOAR, W.S. 1965. Comparative physiology: Hormones and
reproduction in fishes. Ann. Rev. Physiol. 27:51.

HOAR, W.S. AND BELL, G.M. 1950. The thyroid gland in relation
to the seaward migration of Pacific salmon. Can. J.
Research. D. 28: 126.

HOLMES, R.M. 1961. Kidney function in migrating salmonids.
Rep. Challenger Soc. 3: 23.

HOLMGREN, U. 1958. On the caudal neurosecretory system of the
teleost fish. Fundulus heteroclitus L. Breviora. Mus.
Comp. Zool. Cambridge III, 1.

- HOLMGREN, U. 1961a. On the morphology of the urophysis spinalis and the caudal neurosecretory system of two deep sea teleosts. Zool. Anz. 167 : 83.
- HOLMGREN, U. 1961b. Experimental leisons of the neurosecretory tract of the teleost caudal neurosecretory system. Zool. Anz. 167:161.
- HOLMGREN, U. 1964. Neurosecretion in teleost fishes: The caudal neurosecretory system. Amer. Zoologist. 4 : 37.
- HONMA, Y. 1960a. Studies on the endocrine glands of the salmonid fish, Ayu, Plecoglossus altivelis Temminck et schlegel. III. Changes in the adrenal cortical tissue during the life-span of the fish. Ann. Zool. Japan. 33 : 234.
- HONMA, Y. 1960b. Studies on the morphology and the role of the important endocrine glands in some Japanese cyclostomes and fishes. Niigata, Japan. Bunkyu-Do Publishing Co.
- HORA, S.L. 1941. Life history and wanderings of Hilsa in Bengal waters. J. Asiatic. Soc. Bengal (Sci.).6:93.
- *HORA, S.L. AND NAIR, K.K. 1940a. Further observations on the bionomics and fishery of the Indian shad, Hilsa ilisha (Ham.) in Bengal waters. Rec. Indian Mus. 42 : 35.

- HORA, S.L. AND NAIR, K.K. 1940b. The Jatka fish of Eastern Bengal and its significance in the fishery of the so-called Indian shad, Hilsa ilisha (Ham.). Ibid. 42:553.
- IDLER, D. R.; RONALD, A.P. AND SCHMIDT, P.J. 1959. Isolation of cortisol from the plasma of Pacific salmon (Onchorhynchus nerka). J. Amer. Chem. Soc. 81 : 1260.
- IMAI, K. 1959. Salt loaded and neurosecretion in freshwater fish (In Japanese). Dobutsugaku zasshi. 68 : 123.
- IMAI, K.; STANLEY, J.G., FLEMING, W.R. AND BERN, H.A. 1965. On suggested ionoregulatory role of the teleost caudal neurosecretory system. Proc. Soc. Exptl. Biol. Med. 118 : 1102.
- *Ishii, S.I., YASUMASU, I., KOBAYASHI, H.; OOTA, Y.; HIRANO; T. AND TANAKA, A. 1962. Isolation neurosecretory granules and nerve endings from bovine posterior lobe. Anat. Zool. Jap. 35 : 121.
- *JASINSKI, A. 1966. The nucleus preopticus in the hypothalamus of the platyfish (Xiphophorus maculatus). Gen. Comp. Endocrinol. 6 : 386.
- *JASINSKI, A. AND GORBMAN, A. 1966. Hypothalamo-hypophysial vascular and neurosecretory links in Ratfish, Hydrolagus colliei (Lay and Bennett). Gen. Comp. Endocrinol. 6 : 476.

- JUAN, KRUSLOVIC, D. 1963. Neurosecretion ciclo sexual en la cavrilla (Sebastodes oculatus oculatus). Biologica, Fascicculo XXXIV, p.3a.
- KIVALO, E. ; RINNE, U.K. AND MAKELA, S. 1958. Acetylcholinesterase, acid phosphatase and succinic dehydrogenase in the hypothalamic magnocellular nuclei after chlorpromazine administration. Expeimentia (Basel). 14 : 293.
- KHANOLKAR, V.R.; KRISHNAMURTHI, A.S.; BAGUL, C.D. AND SAHASTRABUDHE, M.B. 1958. A new method of histochemical localization of corticoids. J. Path. Bact. (India). 1 : 84.
- KOBAYASHII, H.; UBEMURA, H.; OOTA, Y. AND ISHII, S. 1963. Cholinergic substances in the caudal neurosecretory storage organ of fish. Science. 141 : 714.
- KOBAYASHII, H. AND FARNER, D.S. 1964. Cholinesterases in the hypothalamo-hypophysial neurosecretory system of the White-crowned sparrow, Zeitschrift für zellforschung. 63 : 965.
- * KOBAYASHII, H., GORBMAN, A. AND ISHII, S. 1959. The hypothalamic neurosecretory apparatus of a young goby (Lepidogobius lepidus). Anat. Records. 134 : 595.
- * KOELLE, G.B. 1954. The histochemical localization of cholinesterases in the central nervous system of the rat. J. Comp. Neurol. 100 : 211.

- *KOELLE, G.B. 1955. The histochemical identification of acetylcholinesterase in cholinergic, adrenergic and sensory neurones. J. Pharmacol. and exp. Therap. 114 : 167.
- KOELLE, G.B. 1961. A proposed dual neurohormonal role of acetylcholine: Its function at the pre and post-synaptic sites. Nature (Lond.). 190 : 208.
- *KOELLE, G.B. AND GEESEY, C. 1961. Localization of acetyl-cholinesterase in the neurohypophysis and its functional implications. Proc. Soc. Exp. Biol. (N.Y.). 106 : 625.
- KOELLE, G.B. AND FRIEDENWALD, J.S. 1949. A histochemical method for localizing cholinesterase activity. Proc. Soc. Exp. Biol. Med. 70 : 617.
- KOELLE, G.B. AND FRIEDENWALD, J.S. 1950. The histochemical localization of cholinesterase in ocular tissues. Amer. J. Ophthal. 33 : 253.
- KRÄUTER, D. 1951. Zur Histologie der Nebennieren der knochenfische. Mikrokosmos. 41 : 10.
- KRÄUTER, D. 1958. Experimentelle Untersuchungen über das Interrenalorgan von knochenfischen. Roux. Arch. Entw. Mech. 150 : 607.
- KULKARNI, C.V. 1950. Breeding habits, eggs and early life history of the Indian shad, Hilsa ilisha(Ham.) in the Narbada river. Proc. Nat. Inst. Sci. India, XVI, 169.

- KULKARNI, C.V. 1951. Hilsa fisheries in the Narbada river.
J. Bombay nat. Hist. Soc. 49 : 615.
- *LA ROCHE, G. 1949. Influence of the thyroid gland in the development of the salmon. Anat. Record. 103:480.
- *LA ROCHE, G. AND LEBLOND, C.P. 1954. Destruction of thyroid gland of Atlantic Salmon (Salmo salar L.) by means of radioiodine. Proc. Soc. Exptl. Biol. Med. 87 : 273.
- *LA ROCHE, G.; JOHNSON, C.L. AND WOODALL, A.N. HALVER 1966. Thyroid function in the rainbow trout (Salmo gairdnerii) Rich. I. Biochemical and histological evidence of radio-thyroidectomy. Gen. Comp. Endocrinol. 5 : 145.
- *LEDERIS, K. 1961. The distribution of vasopressin and oxytocin in hypothalamic nuclei. In: "Neurosecretion" (Heller, H. and Clark, R.B., eds.), p. 227. Academic Press, New York.
- *LEDERIS, K. 1962. Ultrastructure of the hypothalamo-neurohypophysial system in teleost fishes and isolation of hormone containing granules from the neurohypophysis of the cod (Gadus morrhua). Z. Zellforsch. 58 : 192.
- *LEDERIS, K. 1963a. Effects of salinity on hormone content and on ultrastructure of trout neurohypophysis. J. Endocrinol. 26 : XXI.

- *LEDERIES, K. 1963b. Hormonal and ultrastructural changes in the hypothalamo-neurohypophysial system following osmotic stimulation. Gen. Comp. Endocrinol. 3 : 714.
- LEDERIES, K. 1964. Fine structure and hormone content of the hypothalamo-neurohypophysial system of the Rainbow trout (Salmo irideus) exposed to seawater. Gen. Comp. Endocrinol. 4 : 638.
- LEGAIT, E. AND LEGAIT, H. 1957. Terminations neurosécrétories au niveau de L'adenohypophyse chez quelques téléostéens Etude au microscope électronique. C. R. Soc. Biol. Paris. 151 : 1943.
- LEGAIT, E. AND LEGAIT, H. 1958. Etude de L'hypophyse de quelques téléostéen au microscope électronique. Arch. Anat. Histol. Embryol. 41 : 5.
- LEGAIT, E. AND LEGAIT, H. 1963. Histophysiologie comparée de la pars intermedia de l'hypophyse. Excerpta Medica. International Congress Series. 70:97.
- LELOUP, J. AND FONTAINE, M. 1960. Iodine metabolism in lower vertebrates. Ann. N. Y. Acad. Sic. 86 : 316.
- *LERAY, C.; SEITE, R. AND STAHL, A. 1961. Les rapports de la neurosecretion préoptique et de l'adenohypophyse chez quelques Poissons Téléostéens. C. R. Soc. Biol. 155 : 1341.

- *LERAY, C. AND STAHL, A. 1961. Le complexe preoperculo-neurohypophysaire chez les Poissons, etude a L'aide dun nouveau colorant du neurosecretat.
Rec. Trav. St. Mar. End. 23 : 153.
- *LEVEQUE, T.F. AND HOFKIN, G.A. 1962. A hypothalamic periventricular PAS substance and neuroendocrine mechanisms. Anat. Rec. 142 : 252.
- *LEVEQUE, T.F. AND STERN, J.I. 1964. A periventricular PAS reactive site in the frog hypothalamus. Anat. Rec. 148 : 306.
- LILLIE, R.D. 1954. "Histopathologic technique and practical histochemistry". McGraw Hill (Blakiston), New York.
- LIU FAH-HUSEN AND TIEN-HANI, TAN. 1963. The physiology of some teleost fishes. II. Study on the hypophysis of silver carp (Hypophthalmichthys molitrix C and V).
Bull. Inst. Zool., Academia Sinica, 2 : 37.
- *LÖFGREN, F. 1958. A new theory of the relationship between the hypothalamus and the adenohypophysis. Lunds Univ. Arskr. Aud., 2, 54:3.
- *LÖFGREN, F. 1959. New aspects of the hypothalamic control of the adenohypophysis. Acta. Morphol. Neer. Scand. 3 : 220.
- *LÖFGREN, F. 1960a. The infundibular recess, a component in the hypothalamo-adenohypophyseal system. Acta. Morphol. Neerl. Scand. 3 : 55.

- *LÖFGREN, F. 1960b. On the transport-mechanism between the hypothalamus and the anterior pituitary.
Kgl. fysigr. Sallsk-Lund För-Handl. 30 : 115.
- MAETZ, J. 1963. Physiological aspects of neurohypophysial function in fishes with some reference to amphibia. Symp. Zool. Soc. London. 9 : 107.
- *MAETZ, J. AND JULIEN, M. 1961. Action of neurohypophyseal hormones on the sodium fluxes of a freshwater teleost. Nature, 189 : 152.
- MAETZ, J.; BOURGUET, J. AND LAHLOUGH, B. 1964. Urophysé et osmoregulation chez Carassius auratus L.
Gen. Comp. Endocrinol. 4 : 401.
- MALMGREEN, H. AND SYLEN, B. 1955. On the chemistry of the thiocholine method of Koelle. J. Histochem. Cytochem. 3 : 441.
- *MATTY, A.J. 1960. The most primitive pituitary. Acta. Endocr. (Kbh.), 35: Suppl. 51 : 1007.
- MATTY, A.J. AND MATTY, J.M. 1959. A histochemical investigation of the pituitary gland of some teleost fish. Quart. J. Micr. Sci. 100 : 257.
- MOSES, S.T. 1940. A statistical account of the fish supply of Baroda City. Bull. III Baroda Fisheries Department.
- MOSES, S.T. 1942. Fisheries of Gujarat coast. Jour. Gujarat Research Soc., IV : 66.

- NAIK, N.T. 1963. Technical variations in Koelle's histological method for demonstrating cholinesterase activity. Quart. J. Micr. Sci. 104:89.
- NANDI, J. 1962. The structure of the interrenal gland in teleost fishes. Univ. Calif. Publ. Zool. 65:129.
- NANDI, J. AND BERN, H.A. 1959. In vitro production of corticosteroids by interrenal tissue of teleost fishes. Anat. Record. 134 : 614.
- NANDI, J. AND BERN, H.A. 1960. Corticosteroid production by interrenal tissue of teleost fishes. Endocrinology. 66 : 295.
- NANDI, J. AND BERN, H.A. 1963. Thin-layer chromatography of corticosteroids from the teleost fish, Tilapia mossambica. Am. Zool. 3 : 502.
- NANDI, J. AND BERN, H.A. 1965. Chromatography of corticosteroids from teleost fishes. Gen. Comp. Endocrinol. 5 : 1.
- NASSAR, T.K.; ISSIDORIDES, M. AND SHANKLIN, W.H. 1960. Concentric layers in the granules of the human nervous lipofuscin demonstrated by silver impregnation. Stain. Tech. 35 : 15.
- NAYAR, K.K. AND MENON, M. 1960. Neurosecretory cells of the nucleus preopticus of the brain of the fish, Tilapia mossambica. J. Animal. Morphol. and Physiol. 7:55.

NICOLL, C.S. AND BERN, H.A. 1964. "Prolactin" and the pituitary glands of fishes. Gen. Comp. Endocrinol. 4 : 457.

*NICOLL, C.S.; BERN, H.A. AND BROWN, D. 1966. Occurrence of mammotrophic activity (Prolactin) in the vertebrate adenohypophysis. J. Endocrinol. 34 : 343.

NISHIOKA, R.S. AND BERN, H.A. 1964. Secretion masses in the nuclei of the caudal neurosecretory cells of the teleost Albula vulpes. Nature, 203 : 1191.

OGAWA, M. 1963. On the corpuscles of Stanius of goldfish treated with seawater. Sci. Rept., Saitama University, Ser. B. 4 : 181.

OGURI, M. 1960a. Studies on the adrenal glands of teleosts. III. On the distribution of chromaffin cells and interrenal cells in the head kidneys of fishes. Jap. Soc. Sci. Fisheries Bull. 26 : 443.

OGURI, M. 1960b. Studies on the adrenal glands of teleosts. VI. On the interrenal tissue of chum salmon, Onchorhynchus keta (Walbaum), migrating up river to spawn. Ibid., p. 981.

OLIVEREAU, M. 1954. Hypophyse et glande thyroïde chez les Poissons. Etude histophysiolique de quelques corrélations endocrines en particulier chez Salmo salar L. Ann. Inst. Océanog. (Monaco). 29 : 95.

OLIVEREAU, M. 1960. Action de la thyroxine sur l'hypothalamus
l'hypophyse et la glande thyroïde de l'Anguilla.
Anat. Anz. 109 : 468.

*OLIVEREAU, M. 1962. Cytologie de l'hypophyse du cyprin
(Carassius auratus L.). Comp. Rend. 255 : 2007.

OLIVEREAU, M. 1963a. Cytophysiologie du lobe distal de
l'hypophyse des Agnathes et des Poissons, à
l'exclusion de celle concernant la fonction
gonadotrope "Cytologie de l'adenohypophyse"
(Benoit, J. and Da Lage, C., eds.). p. 316,
Editions du C.N.R.S.

OLIVEREAU, M. 1963b. Effects de la radiothyroïdectomie
sur l'hypophyse de l'Anguilla. Discussion sur le
"lobe distal" des téléostéens. Gen. Comp. Endocrinol.
3 : 312.

*OLIVEREAU, M. 1963c. Action de la réserpine sur l'hypophyse,
l'interrénal et les cellules chromaffines de
l'Anguilla, Anguilla anguilla L. Compt. Rend. Soc.
Biol. 157 : 1357.

OLIVEREAU, M. 1965. Action de la métopirone chez l'anguilla
normale et hypophysectionisée, en particulier sur
le système hypophysco-corticosurrénalien. Gen. Comp.
Endocrinol. 5 : 109.

- * OLIVEREAU, M. 1966. Action de la prolactine chez *L'Anguillae intacte et hypophysectomisée I.*
Système hypophysio-thyroïden et pigmentation.
Gen. Comp. Endocrinol. 6 : 130.
- OLIVEREAU, M. AND BALL, J.N. 1964. Contribution à l'histophysiologie de l'hypophyse des Teleosteo-
stostees, en particulier de celle de Poecilia species. Gen. Comp. Endocrinol. 4 : 523.
- * OLIVEREAU, M. AND BALL, J.N. 1963a. Cytophysiologie adéno-
hypophysaire chez un Poisson: Mollienesia species.
Gen. Comp. Endocrinol. 3 : 723.
- OLIVEREAU, M. AND FROMENTIN, H. 1954. Influence de l'hypophysectomie sur l'histologie de l'interrénal antérieur de l'anguille, Anguilla anguilla L.
Ann. Endocrinol. 15 : 805.
- OLIVEREAU, M. AND HERLANT, M. 1960. Etude de l'hypophyse de *L'Anguilla mâle* au cours de la reproduction.
Comp. Rend. Soc. Biol. 154 : 706.
- * OLIVEREAU, M.; LA ROCHE, G. AND WOODALL, A.N. 1964. Modifications cytologiques de l'hypophyse de la Truite à la suite d'une carence en iodé et d'une radiothyroïdectomie. Ann. Endocrinol. 25 : 481.
- OLIVEREAU, M. AND RIDGWAY, G.J. 1962. Cytologie hypophysaire et antigène sérique en relation avec la maturation sexuelle chez Onchorhynchus species. Compt. Rend. 254 : 753.

- OOTA, Y. 1963. On the synaptic vesicles in the neurosecretory organs of the carp, bullfrog, pigeon and mouse.
Annot. Zool. Japon. 36 : 167.
- OVERBEEK, A. P. VAN 1960. Histological studies on the interrenal and the phaeochromic tissue in teleostei. Amsterdam. Van Münster's Drukkerijen N.V.
- *ÖZTAN, N. 1961. Adenohypophyseal basophiles and I¹³¹ utilisation in thyroidal tumor bearing platyfish (Xiphophorus maculatus). Rev. Fac. Sci. Uni. Istanbul. B 26 : 21.
- ÖZTAN, N. 1963. The hypothalamic neurosecretory system of a poeciliid fish, Platypoecilus maculatus and its sterile hybrid backcross with Xiphophorus helleri. Gen. Comp. Endocrinol. 3 : 1.
- *PALAY, S.L. 1945. Neurosecretion. VII. The preoptic-hypophyseal pathway in fishes. J. Comp. Neurol. 82 : 128.
- PALAY, S.L. 1960. The fine structure of secretory neurons in the preoptic nucleus of the Goldfish (Carassius auratus) Anat. Record. 138 : 417.
- PEARSE, A.G. 1958. Esterases of the hypothalamus and neurohypophysis and their functional significance. In: Pathophysiologica diencephalica (S.B. Curri, L.Martini and W. Kovac, eds.), p. 329. Wien:Springer.

PEYROT, A. 1964. Reserches histoenzymologiques sur le système neurosécréteur caudal de quelques téléostéens (Cyprinus carpio L., Tinca tinca L. et Salmo fario L.). Gen. Comp. Endocrinol.
4 : 320.

PICKERING, B.T. AND HELLER,H. 1959. Chromatographic and biological characteristics of fish and frog neurohypophysial extracts. Nature, Lond. 184:1463.

PICKFORD, M. 1939. The inhibitory effect of acetylcholine on water diuresis in the dog, and its pituitary transmission. J. Physiol. (Lond.). 95 : 226.

PICKFORD, M. 1947. The action of acetylcholine on the supraoptic nucleus of the chloralosed dog.
J. Physiol. (Lond.). 106 : 264.

*PICKFORD, G. E. 1953a. A study of the hypophysectomized male Killifish, Fundulus heteroclitus (Linn.). Bull. Bingham. Ocenogr. Lab. 14 : 5.

*PICKFORD, G.E. 1953b. The response of the hypophysectomized male Fundulus to injections of purified beef growth hormone. Bull. Bingham. Ocenogr. Lab. 14 : 46.

*PICKFORD, G.E. 1954. The response of hypophysectomized male Killifish to purified fish growth hormone, as compared with the response to purified beef growth hormone. Endocrinology. 55 : 274.

- PICKFORD, G. E. 1959. The nature and physiology of the pituitary hormones of fishes. In "Comparative Endocrinology" (Gorbman, A., ed.), p.404, Wiley, New York.
- PICKFORD, G.E. AND ATZ, J.W. 1957. "The physiology of the pituitary gland of Fishes". New York Zool. Soc.
- PICKFORD, G.E. AND PHILLIPS, J.G. 1959. Prolactin, a factor in promoting survival of hypophysectomized Killifish in freshwater. Science. 130 : 454.
- PICKFORD, G.E.; ROBERTSON, E.E. AND SAWYER, W.H. 1965. Hypophysectomy, replacement therapy and the tolerance of the euryhaline Killifish Fundulus heteroclitus to hypotonic media. Gen. Comp. Endocrinol. 5 : 160.
- RAMASWAMI, L.S. AND SUNDARRAJ, B.I. 1958. Induced spawning in the catfish Heteropneustes with mammalian chorionic gonadotropins. Acta. Anat. 32 : 230.
- RASMUSSEN, H. AND CRAIG, L. 1961. The isolation of arginine vasotocin from fish pituitary glands. Endocrinology. 68 : 1051.
- RASQUIN, P. 1951. Effects of carp pituitary and mammalian ACTH on the endocrine and lymphoid systems of the teleost Astyanax mexicanus. J. Exp. Zool. 117:317.

RASQUIN, P. AND ATZ, E.H. 1952. Effects of the ACTH and cortisone on the pituitary, thyroid and gonads of the teleost Astyanax mexicanus. Zoologica.

37 : 77.

*RASQUIN, P. AND ROSENBLOOM, L. 1954. Endocrine imbalance and tissue hyperplasia in teleosts maintained in darkness. Am. Mus. Nat. Hist. Bull. 104: 359.

RIDDLE, O. 1963. Prolactin in vertebrate function and organization. J. Natl. Cancer Inst. 31 : 1039.

RINNFRET, A.P.; HANE, S. 1955. Presence of ACTH in pituitary gland of pacific salmon (O. keta) Proc. Soc. exp. Biol. (N.Y.) 90 : 508.

ROBERTSON, O.H. AND B.C. WEXLER, 1957. Pituitary degeneration and adrenal tissue hyperplasia in spawning Pacific salmon. Science. 125 : 1295.

ROBERTSON, O.H.; WEXLER, B.C. 1959. Hyperplasia of the adrenal cortical tissue in Pacific salmon (genus Onchorhynchus) and rainbow trout (Salmo gairdnerii) accompanying sexual maturation and spawning. Endocrinology. 65 : 225.

ROBERTSON, O.H. AND WEXLER, B.C. 1960. Histological changes in the organs and tissues of migrating and spawning Pacific salmon (genus Onchorhynchus). Ibid. 66:222.

ROBERTSON, O.H. AND WEXLER, B.C. 1962a. Histological changes in the pituitary gland of the Pacific salmon (genus Onchorhynchus) accompanying sexual maturation and spawning. J. Morphol. 110 : 171.

ROBERTSON, O.H. AND WEXLER, B.C. 1962b. Histological changes in the pituitary gland of the rainbow trout (Salmo gairdnerii) accompanying sexual maturation and spawning. J. Morphol. 110 :157.

*ROBERTSON, O.H. AND WEXLER, B.C. 1962c. Histological changes in the organs and tissues of senile castrated kokanee salmon (Onchorhynchus nerka kennerlyi). Gen. Comp. Endocrinol. 2 : 458.

*ROBERTSON, O.H.; KRUPP, M.A.; FAVOUR, C.B.; HANE, S. AND THOMAS, S.F. 1961a. Physiological changes occurring in the blood of the Pacific salmon (Onchorhynchus tshawytscha). Endocrinology.68:733.

ROBERTSON, O.H.; KRUPP, M.A.; THOMAS, S.F.; FAVOUR,C.B.; HANE, S. AND WEXLER, B.C. 1961b. Hyperadrenocorticism in spawning migratory and non-migratory rainbow trout (Salmo gairdnerii): Comparison with Pacific salmon (Genus Onchorhynchus). Gen.Comp. Endocrinol. 1 : 473.

*ROBERTSON, O.H.; HANE, S.; WEXLER, B.C. AND RINFRET,A.P.

1963. The effect of hydrocortisone on immature rainbow trout (Salmo gairdnerii). Gen. Comp. Endocrinol. 3 : 422.

ROY, B.B. 1962. Histological and experimental observations on the caudal neurosecretory system of some Indian fishes. Proc. Natl. Inst. Scien. India. 28:449.

SANO, Y. 1958a. Über die neurophysis (sog. kaudalhypophyse, "urohypophyse") des teleostiers Tinca vulgaris. Z. Zellforsch. 47 : 481.

SANO, Y. 1958b. Weitere untersuchungen über den feibau der neurophysis spinalis caudalis. Z. Zellforsch. 48 : 236.

SANO, Y. 1961. Das caudale neurosekretorische system bei fischen. Ergeb. Biol. 24 : 191.

SANO, Y. AND KNOOP, A. 1959. Elektronenmikroskoposche untersuchunger am kaudalen neurosekretorischen system von Tinca vulgaris. Z. Zellforsch. 49:464.

SATHYANESAN, A.G. 1965a. Hypothalamo-neurohypophysial system in the normal and hypophysectomized teleost Porichthys notatus Girard and its response to continuous light. J. Morphol. 117 : 25.

SATHYANESAN, A.G. 1965b. The hypophysis and hypothalamo-hypophysial system in the chimaeroid fish Hydrolagus colliei (Lay and Bennett) with a note on their vascularization. J. Morphol. 116 : 413.

*SATHYANESAN, A.G. 1958. Studies on the morphology and seasonal histological changes in the pituitary gland of the freshwater teleost Cirrhina reba (Hamilton). Indian J. Veter. Sci. 28 : 13.

SAWYER, W.H. 1961a. Biological assays for oxytocin and vasopressin. Methods Med. Res. 9 : 210.

SAWYER, W.H. 1961b. Comparative physiology and pharmacology of the neurohypophysis. Recent. Progr. Hormone Res. 17 : 437.

SAWYER, W.H. 1963. Neurohypophysial peptides and water excretion in the vertebrates. In: "Hormones and the Kidney" (Peter C. Williams, ed.). Academic Press, p. 45.

*SAWYER, W.H. 1961c. Neurohypophysial hormones. Pharm. Rev. 13 : 225.

SAWYER, W.H. 1963. Neurohypophysial secretions and their origin In: "Advances in Neuroendocrinology" (Nalbandov, A.V., ed.), p.68. Urbana: Univ.Illionis Press.

SAWYER, W.H.; MUNSICK, R.A. AND VAN DYKE, H.B. 1960.

Antidiuretic hormones. Circulation. 21 : 1027.

SAWYER, W.H.; MUNSICK, R.A. AND VAN DYKE, H.B. 1961a.

Pharmacological characteristics of neurohypophysial extracts from several species of fishes.
Endocrinology. 68 : 215.

SAWYER, W.H.; MUNSICK, R.A. AND VAN DYKE, H.B. 1959.

Pharmacological evidence for the presence of arginine vasotocin and oxytocin in neurohypophysial extracts from cold blooded vertebrates.

Nature, London. 184 : 1464.

SAWYER, W.H. AND PICKFORD, G.E. 1963. Neurohypophysial principles of Fundulus heteroclitus. Characteristics and seasonal changes. Gen. Comp. Endocrinol. 3 : 439.

*SCHARRER, E. 1956. Neurosecretion. In "Fifth Annual Report on stress" ((1955-1956), MD Publications, Inc., New York, N.Y. p. 185.

SCHARRER, E. 1962. Electron microscopy of neurosecretory cells in the preoptic nucleus of the toad fish (*Opsanus tau*). Biol. Bullet. 123 : 461.

SCHARRER, E. 1962. In Neurosecretion. Mem. Soc. Endocrin. 12 : 421.

- SCHARRER, E. 1965. The final common path in neuro-endocrine integration (1). In "Archives d'Anatomie Microscopique" (Massn & Cic, Eds.) Germain-Paris, Tome 54, No.1, p.359.
- *SCHARRER, E. AND SCHARRER, B. 1945. Neurosecretion. Physiol. Rev. 25 : 171.
- *SCHARRER, E. AND SCHARRER, B. 1954. Hormones produced by neurosecretory cells. Recent Progr. Hormone Res. 10 : 183.
- *SCHARRER, E. AND SCHARRER, B. 1963. Neuroendocrinology. Columbia University Press, New York and London.
- SCHIMIDT, P.J.; MITCHELL, B.S.; SMITH, M. AND TSUYUKI, H. 1965. Pituitary hormones in immature trout (Salmo gairdnerii) to extracts of pituitary glands from adult pacific salmon (Onchorhynchus). Gen. Comp. Endocrinol. 5 : 197.
- SCHMIDT, P.S. AND IDLER, D.R. 1962. Steroid hormones in the plasma of salmon at various stages of maturation. Gen. Comp. Endocrinol. 2 : 204.
- *SCHREIBMAN, M.P. 1962. Studies on the pituitary gland of platyfish (Xiphophorus maculatus). Anat. Record. 142 : 326.
- SCHREIBMAN, M.D. AND KALLMAN, K.D. 1963. Effects of hypophysectomy on Xiphophorus. Am. Zoologist. 3 : 556.

- SLOPER, J.C. 1958. Hypothalamo-neurohypophysial neurosecretion. Int. Rev. Cytol. 7 : 337.
- *SLOPER, J.C. 1966. Hypothalamic neurosecretion. The validity of the concept of neurosecretion and its physiological and pathological implications. British Med. Bull. 22 : 209.
- *SOKOL, H.W. 1953. Selective staining of the pituitary gland of teleost fishes demonstrating at least six tinctorial cell types in the adenohypophysis. Anat. Record. 117 : 583.
- SOKOL, H.W. 1955. Experimental demonstration of thyrotropic and gonadotropic activity in the adenohypophysis of the guppy, Lebistes reticulatus (Peters). Anat. Record. 122 : 451.
- SOKOL, H.W. 1961. Cytological changes in the teleost pituitary gland associated with reproductive cycle. J. Morphol. 109 : 219.
- STAHL, A. 1953. La neurosécrétion chez les poissons Téléostéens. Contribution à l'étude de la neurohypophyse chez les Mugilidés. Compt. Rend. Soc. Biol. 147 : 841.
- STAHL, A. 1954. Sur les relations entre l'activité neuro-sécrétoire du noyau latéral du tuber et la gonadostimulation chez les poissons Mugilidés. C.R. Acad. Sci. Paris. 239 : 1855.

STAHL, A. 1957. Recherches sur les élaborations cellulaires et la neurosécrétion dans l'encéphale des poissons Téléostéens. Acta Anat. 31, Suppl. 28 : 158.

*STAHL, A. AND SEITE, R. 1955. Sur la présence d'une élaboration figurée d'origine nucléaire dans les cellules neurosécrétaires du noyau préoptique chez les poissons Téléostéens. Compt. Rend. Soc. Biol. 149 : 382.

STAHL, A.; SEITE, R. AND LERAY, C. 1960. Cytologie adénohypophysaire en fonction du cycle sexuel chez les poissons L'hypophyse des Mugilidés. C. R. Soc. Biol. Paris. 154 : 1455.

STAHL, A. AND LERAY, C. 1962. The relationship between diencephalic neurosecretion and the adenohypophysis in teleost fishes. In: "Neurosecretion", Memoirs of the society for Endocrinology No.12 (Heller, H. and Clark, R.B., eds.). Academic Press, London and New York, p. 149.

SUNDARRAJ, B.I. 1959. A study on the correlation between the structure of the pituitary gland of the Indian catfish *Heteropneustes* and the seasonal changes in the ovary. Acta Anat. 37 : 47.

- SWIFT, D.R. 1961. The annual growth rate cycle in the brown trout (Salmo trutta Linn.) and its cause. J. Exptl. Biol. 38 : 595.
- TAKASUGI, N. AND BERN, H.A. 1962. Experimental studies on the caudal neurosecretory system of Tilapia mossambica. Compt. Biochem. Physiol. 6 : 289.
- * TAKASUGI, N. AND BERN, H.A. 1963. Electrophysiologic indications of the osmoregulatory role of the teleost urophysis. Science. 142 : 491.
- * UEMURA, H. 1965. Histochemical studies on the distribution of cholinesterase and alkaline phosphatase in the vertebrate neurosecretory system. Annot. Zool. Japon. 38 : 79.
- UEMURA, H.; KOBAYASHII, H. AND ISHII, S. 1963. Cholinergic substance in the neurosecretory storage release organs. Zool. Mag. (Tokyo). 72 : 204.
- * VAN EULER, U.S. AND HELLER, H. Comparative Endocrinology, Vol.1 Academic Press, New York.
- * VAN OORAT, P.G.W.J. 1965. Nomenclature of the hormone-producing cells in the adenohypophysis. A report of the international committee for nomenclature of the adenohypophysis. Gen. Comp. Endocrinol. 5 : 131.
- WEINER, NORMAN 1964. The catecholamines: Biosynthesis, storage and Release, Metabolism and metabolic

- effects. In: 'The Hormones' (Pincus ed.)
Academic Press, London, p. 403.
- WOODHEAD, A.D. 1959a. Variations in the activity of
thyroid gland of the cod, Gadus callarias L.,
in relation to its migrations in the Barents
Sea. I. Seasonal changes. J. Mar. Biol. Ass., U.K.
38 : 407.
- WOODHEAD, A.D. 1959b. Variations in the activity of the
thyroid gland of the cod, Gadus callarias L. in
relation to its migration in the Barrents Sea. II.
The "dummy run" of the immature fish. J. Mar. Biol.
Ass., U.K. 38 : 417.
- WOODHEAD, A.D. 1966. Thyroid activity in the ovo-viviparous
elasmobranch Squalus acanthias. J. Zool. 148: 238.
- YAGI, K. AND BERN, H.A. 1965. Electrophysiologic analysis
of the response of the caudal neurosecretory
system of Tilapia mossambica to osmotic manipula-
tions. Gen. Comp. Endo. 5 : 509.

* References consulted but not cited in the text.