

BIBLIOGRAPHY

- Abraham, S. and Chaikoff, I.L. 1959. Glycolytic pathway and lipogenesis in the mammary glands of lactating and non-lactating normal rats. J. Biol. Chem., 234: 2246-2253.
- Abraham, S., Hirsch, P.F. and Chaikoff, I.L. 1954. The quantitative significance of glycolysis and non-glycolysis in glucose utilization by rat mammary gland. J. Biol. Chem., 211: 31-38.
- Adams, E. and Finnegan, C.V. 1965. An investigation of lactate dehydrogenase activity in early amphibian development. J. Exp. Zool., 158: 241-252.
- Alexsakhina, N.V. 1953. Biochimiya, 18: 513. (As cited by Domonkos, J. 1961. The metabolism of the tonic and tetanic muscles. 1. Glycolytic metabolism. Arch. Biochem. Biophys., 95: 138.
- Asnani, M.V. 1971. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Auerbach, L. 1862. Uber einen plexus myentericus, einen bisher unbekannten ganglio-nervosen Apparat im Darmkanal der wirbelthiere. Vorlanfige Mitteilung. Breslan:Morgenstern.
- Auerbach, L. 1864. Fernere vorlanfige Mitteilung uber den Nervenapparat des Darmes. Arch.Pathol.Anat.Physiol., 30: 457-469.

- Ballantyne, B. and Burwell, R.G. 1965. Distribution of cholinesterase in normal lymph nodes and its possible relation to the regulation of tissue size. Nature, 206: 1123-1125.
- Ballard, F.J. and Oliver, I.T. 1963. Glycogen metabolism in embryonic chick and neonatal rat liver. Biochim. Biophys. Acta., 71: 578-588.
- Barka, T. 1963. Fat absorption and acid phosphatase activity in the intestinal epithelium of mice. J. Am. Med. Ass. 183: 761.
- Beaconsfield, P. and Carpi, A. 1964a. Localization of an infectious lesion and glucose metabolism via pentose phosphate pathway. Nature, 201: 825-826.
- Beaconsfield, P. and Reading, H.W. 1964b. Pathways of glucose metabolism and nucleic acid synthesis. Nature, 202: 464-466.
- Becket, E.B. and Bourne, G.H. 1958. Acid and alkaline phosphatase in normal and diseased human muscle. Acta. Anat., 35: 326-343.
- Bell, C. 1967. A histochemical study of the esperases of the bladder of the toad (Bufo marinus). Com. Biochem. Physiol., 21: 91-98.

- Bennett, T. 1969a. Studies on avian gizzard: Histochemical analysis of the extrinsic and intrinsic innervation. Z. Zellforsch. 98: 188-201.
- Bennett, T. 1969b. Studies on avian gizzard: Nerve mediated inhibition and excitation of the smooth muscle cells of the avian gizzard. J. Physiol. 204: 669-686.
- Bennett, T. 1969c. Studies on avian gizzard: The effects of hyoscine and anticholinesterases on cholinergic transmission to the smooth muscle cells of the avian gizzard. Br. J. Pharmac., 37: 585-594.
- Bennett, T. and Cobb, J.L.S. 1969. Studies on avian gizzard: The development of the gizzard and its innervation. Z. Zellforsch., 98: 599-621.
- Berger, A.J. 1953. On the locomotor anatomy of the blue cona, Cona caerulea. Auk. 70:49.
- Berger, A.J. 1954. The myology of the pectoral appendage of three genera of American cuckoos. Misc. Publ. Museum. Zool., Univer. Mich. 85.
- Bergman, R.A. 1960. Further observations on the localization of glycogen in the frog striated muscle. Bull. Johns. Hopskins. Hosp. 107: 307-320.

- Billinski, E. 1963. Utilization of lipids by fish. 1. Fatty acid oxidation by tissue slices from dark and white muscle of rainbow trout (*Salmo gairdneri*). Can. Jour. Biochem. Physiol., 41: 107.
- Billroth, T. 1858. Einige Beobachtungen uber das ausgehnte vorkommen von Nerven anastomosen im Tractus intestinalis. Arch. Anat. Physiol., Leipzig., 148-158. (cited from Hand Book of Physiology, Section 6, Alimentary canal, Vol. IV. American Physiological society, Washington. 1958.
- Bing, R.J., Seigel, A., Ungar, I. and Gilbert, M. 1954. Metabolism of human heart. Am. J. Med., 16:504.
- Bloor, W.R. 1936. J. Biol. Chem., 114: 639-648. (Cited from "Lipids", their chemistry and biochemistry", by H.J. Deuel, Jr., Interscience Publishers. Inc. New York.
- Boelle, E.J. 1948. Biochemical differentiation during amphibian development. Ann. N.Y. Acad. Sci., 49: 773-800.
- Boelle, E.J. 1955. Energy exchange and enzyme development during embryogenesis. In "Analysis of Development". B.H. Willier, P.A. Weiss and V. Hamburger, Eds., W.B. Saunders Co., Philadelphia, pp. 520-555.

- Bokdawala, F.D. 1965. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Bokdawala, F.D. and George, J.C. 1964. Histochemical demonstration of muscle lipase. J. Histochem. Cytochem., 12: 768-771.
- Bokdawala, F.D. and George, J.C. 1967. A histochemical study of the red and white muscles of the carp, Cirrhina mrigala. J. Anim. Morphol. Physiol., 14: 60-68.
- Bozler, E. 1960. "Smooth muscle", in Muscle as a tissue, Eds., Rodahl, K. and Horvath, S.M., McGraw-Hill Book Company, New York, Toronto, London.
- Bradfield, J.R.G. 1950. The location of enzymes in cells. Biol. Revs. 25: 113-157.
- Bradfield, J.R.G. 1951. Glycogen in vertebrate epidermis. Nature, 167: 40-41.
- Braun, F.O. and Rupec, M. 1967. Distribution of acid phosphatase with normal and psoriatic cornification. An electron microscopic cytochemical investigation. Dermatologica (Basel). 134: 225-242.
- Brunngraber, E.G. and Abood, L.G. 1960. Mitochondrial glycolysis of rat brain and its relation to the remainder of cellular glycolysis. J. Biol. Chem., 235: 1847-1853.

- Bulbring, E. 1953. Measurements of oxygen consumption in smooth muscle. J. Physiol., 122: 111-134.
- Buno, W. and Germino, N.I. 1958. Distribution of SDH in the organs of adult albino rat. Acta. Anat., 33: 161-174.
- Burstone, M.S. 1962. "Enzyme Histochemistry and its applications in the study of Neoplasms". Academic Press, New York.
- Cain, A.J. 1947. The use of Nile Blue in the examination of lipoids. Quart. J. Micro. Sci., 88: 383-392.
- Calhoun, M.L. 1954. The microscopic anatomy of the digestive tract of Gallus domesticus. Iowa State College J. Sci., 7: 261-381.
- Campanhout, E. Van. 1932. Further experiments on the enteric nervous system of the chick. Physiol. Zool., 5: 333-353.
- Carranza, F.A. Jr. and Cabrinii, R.L. 1962. Histochemical demonstration of acid phosphatase in healing wound. Science, 135: 672.
- Chakko, T.V. 1967. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.

- Chandra-Bose, D.A. 1967. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Chang, C.H. and Moog, F. 1972. Alkaline phosphatases of the chick duodenum. 1. Isolation and partial characterisation of the multiple forms of duodenal phosphatase in pre and post hatching stages. Biochem. Biophys. Acta., 258: 154-165.
- Chang, C. and Moog, F. 1972. Alkaline phosphatases of the chick duodenum. 2. Enzymatic dissociation of a large phosphatase complex predominant in the duodenum before hatching. Biochem. Biophys. Acta., 258: 166-177.
- Chefurka, W. 1957. Oxidative metabolism of carbohydrates in insects. II. Glucose-6-phosphate dehydrogenase and 6-phosphogluconate dehydrogenase in house fly (Musca domestica). Enzymologica Acta Biocatalytica. 18:209-227.
- Chefurka, W. 1958. Oxidative metabolism of carbohydrates in insects. III. Hexosemonophosphate oxidative cycle in the house fly, (Musca domestica). Canad. J. Biochem. Physiol., 36: 83-102.
- Cherian, K.M. 1967. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Chinoy, N.J. 1963. Histochemical localization of myoglobin in the pigeon breast muscle. J. Anim. Morphol. Physiol., 10: 74

- Chinoy, N.J. and George, J.C. 1965. Cholinesterases in the pectoral muscles of some vertebrates. J. Physiol., 177: 346-354.
- Chinoy, N.J. and George, J.C. 1966. Embryonic and post-embryonic development of pigeon pectoralis muscle. Pavo, 4: 65-71.
- Cobb, J.L.S. and Bennett, T. 1969. A study of intercellular relationship in the developing and mature visceral muscle. Z. Zellforsch., 100: 516-526.
- Cori, G.T. and Cori, C.F. 1952. J. Biol. Chem., 199: 661-667. (cited by Burstone, 1962).
- Coupland, R.E. and Holmes, R.L. 1957. The use of cholinesterase technique for the demonstration of peripheral nervous structures. Quart. J. Micro. Sci., 98: 327-330.
- Cusworth, D.C. 1958. Biochem. J., 86: 262-264. (cited by Burstone, 1962).
- Cuthbert, A.W. 1963. An acetylcholine like substance and cholinesterase in the smooth muscle of chick amnion. J. Physiol., 166: 284-295.
- Danielli, J.F. 1954. Proc. Roy. Soc. B, 142: 146-154 (cited by Burstone, 1962).

Dannenberg, A.M., Burstone, M.S. and Wildhack, J.A. 1960.

Phagocytic and enzymatic activities of rabbit mononuclear and polymorphonuclear exudate cells: A histochemical study. J. Histochem. Cytochem., 8: 318-319.

De Duve, C. 1959. Lysosome, a new group of cytoplasmic particles. In "Subcellular particles". Ed.,

Hyashi, T., Ronald Press Co., New York. pp.128-159.

De Duve, C., Wattiang, R. and Bandhun, P. 1962. Distribution of enzymes between subcellular fractions in animal tissues. Advanc. Enzymol., 24: 291-358.

Denny-Brown, D. 1929. Histological features of striped muscle in relation to its functional activity. Pro. Roy. Soc., 104:371-411.

Desai, A.K. 1967. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.

Drasch, O. 1881. Beitrage Zur Kenntnis des feineren Banes des dunndarmes, insbesondere uber die Nerven desselben. Sitzber. Akad. Wiss. Wien., 82: 168-198.

Dubale, M.S. and Muraleedharan, P. 1970. Histochemical studies on the fibre types in the developing jaw muscles of domestic fowl (Gallus domesticus). Life Sciences, 9: 949-959.

- Duncan, G.G. 1959. "Diseases of metabolism". Saunders, Pennsylvania, U.S.A.
- Ellis, S. 1959. Relation of biochemical effects of epinephrine to its muscular effects. Pharmacol. Rev., 11: 469-479.
- Elves, M. W. 1966. "The Lymphocytes". Lloyd-Luke, London.
- Etzler, M.E. and Moog, F. 1968. Immunochemical characterization of alkaline phosphatase isoenzymes of the young mouse duodenum. Biochem. Biophys. Acta., 154: 150-161.
- Falin, L.I. 1961. Glycogen in the epithelium of mucous membrane and skin and its significance. Acta. Anat., 46: 244-276.
- Farner, D.S. 1942. The hydrogen ion concentration in avian digestive tract. Poultry. Sci., 21: 445-450.
- Farner, D.S. 1960. In "Biology and comparative Physiology of Birds". Ed., Marshall, A.J., Academic Press, New York.
- Fell, H.B. and Danielli, J.F. 1943. The enzymes of healing wounds I. The distribution of alkaline phosphomonoesterase in experimental wounds and burns in rat. Brit. J. Exp. Path., 24: 196-203.

- Fisher, H.I. and Goodman, D.C. 1955. The myology of the whooping crane, Grus americana. Illinois. Biol. Monographs. 24: 127.
- Frederickson, D.S. and Gordon, R.S. 1958. Transport of fatty acids. Physiol. Revs., 38: 585-630.
- George, J.C. 1962. A histophysiological study of the red and white muscles of the mackerel. Am. Mid. Nat., 68: 487.
- George, J.C. 1964. Muscle lipase. J. Anim. Morphol. Physiol., 11: (C.J. George felicitation number) 233-243.
- George, J.C. and Ambadkar, P.M. 1963. Histochemical demonstration of lipids and lipase activity in rat testis. J. Histochem. Cytochem., 11: 420-425.
- George, J.C. and Berger, A.J. 1966. "Avian Myology", Academic Press, New York.
- George, J.C. and Bhakthan, N.M.G. 1960. A study on the fibre diameter and certain enzyme concentration in the flight muscles of some butterflies. J. Exp. Biol., 37: 308.
- George, J.C. and Bhakthan, N.M.G. 1963. Intracellular distribution of lipase and succinic dehydrogenase in the flight muscle of the beetle, Heliocopris bucephalus. J. Anim. Morphol. Physiol., 10: 47.

- George, J.C. and Bokdawala, F.D. 1964. Cellular organisation and fat utilisation in fish muscle. J. Anim. Morphol. Physiol., 11 (C.J. George felicitation number):124-132.
- George, J.C. and Iype, P.T. 1960. Improved histochemical demonstration of lipase activity. Stain Tech., 35: 151.
- George, J.C. and Iype, P.T. 1963. The mechanism of hatching in the chick. Pavo, 1: 52-56.
- George, J.C. and Jyoti, D. 1953. On the reduction of fat in the liver and flight muscle of Columba livia during flight. J. Univ. Bombay, 21: 72.
- George, J.C. and Jyoti, D. 1955b. Histological features of the breast and leg muscles of bird and bat and their physiological and evolutionary significance. J. Anim. Morphol. Physiol., 2: 31-36.
- George, J.C. and Jyoti, D. 1957. Studies on the structure and physiology of the flight muscles of birds. 2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morphol. Physiol., 4: 119-123.
- George, J.C. and Jyoti, D. 1958. Studies on the structure and physiology of the flight muscles of bats. 2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morphol. Physiol., 5: 57-60.

- George, J.C. and Naik, R.M. 1958. Studies on the structure and physiology of the flight muscles of birds. 5. Some histochemical and cytochemical observations on the structure of the pectoralis. J. Anim. Morphol., 6: 16-23.
- George, J.C. and Naik, R.M. 1958a. The relative distribution of and the chemical nature of the fuel store in the two types of fibres in the pectoralis major muscle of the pigeon. Nature, 181: 709.
- George, J.C. and Naik, R.M. 1958b. Relative distribution of mitochondria in the two types of fibres of the pectoralis major muscle of the pigeon. Nature, 181: 782.
- George, J.C. and Naik, R.M. 1959. Studies on the structure and physiology of the flight muscles of birds. 4. Observation on the fibre architecture of the pectoralis major muscle of the pigeon. Biol. Bull., 116: 239-247.
- George, J.C., Nair, M.S., and Scaria, K.S. 1958. Studies on the structure and physiology of the flight muscles of birds. 3. Alkaline phosphatase activity in the pigeon breast muscle. Curr. Sci., 27: 172-173.
- George, J.C. and Pishawikar, S.D. 1961. Acid phosphatase activity in the pigeon breast muscle. Naturwissenschaften, 48: 104.

- George, J.C. and Susheela, A.K. 1961. A histophysiologic study of the rat diaphragm. Biol. Bull., 121:471-480.
- George, J.C. and Talesara, C.L. 1961. Histochemical observations on succinic dehydrogenase and cytochrome oxidase activity in the pigeon breast muscle. Quart. J. Micro. Sci., 102: 131-141.
- George, J.C. and Talesara, C.L. 1961a. A quantitative study of the distribution pattern of certain oxidizing enzymes and a lipase in the red and white fibres of the pigeon breast muscle. J. Cell. Comp. Physiol., 58: 253.
- George, J.C. and Talesara, C.L. 1962. Lipase activity of the particulate fraction of the pigeon breast muscle and its significance in the metabolism of the muscle. J. Cell. Comp. Physiol., 60: 33.
- Gerebtzoff, M.A. 1953. Recherches histochimiques sur les acetylcholine et choline esterases. I. Introduction et technique. Acta. Anat., 19: 366-379.
- Gerebtzoff, M.A. 1959. "Cholinesterases. A Histochemical contribution to the solution of some functional problems". Pugamon Press, London.

- Gerebtzoff, M.A. and Bertrand, J. 1957. Ann. d'Histochemie, 2: 149-162 (cited by Gerebtzoff, M.A. 1959).
- Germino, N.I., D'albora, and Wahrmann, J.P. 1965. Succinic dehydrogenase in the development of the skeletal of chicks. Acta. Anat., 62: 434-444.
- Ginsborg, B.L. and Mackay, B. 1960. A histochemical demonstration of two types of motor innervation in avian skeletal muscle: Histochemistry of cholinesterase. Bibl. Anat., 2: 174-181.
- Glick, D. 1938. J. Gen. Physiol., 21: 297-311 (cited by Gerebtzoff, 1959).
- Glock, G.E. and McLean, P. 1954. Levels of enzymes of the direct oxidative pathway of carbohydrate metabolism in mammalian tissues and tumours. Biochem. J., 56: 171-175.
- Goldberg, E. and Wuntch, T. 1967. Electrophoretic and kinetic properties of *Rana pipiens* lactate dehydrogenase enzymes. J. Exp. Zool., 165: 101-110.
- Goldstein, R., Klein, T., Freir, S. and Menczel, J. 1971. Alkaline phosphatase and disaccharidase activities in the rat intestine from birth to weaning. I. Effect of diet on enzyme development. Am. J. Clin. Nutr., 24: 1224-1231.

- Goodwin, T.W. 1960. "Recent advances in biochemistry".
J. & A. Churchill Ltd., 104, Gloucester Place, London.
- Grillo, D.L.B. 1969. Enzyme histochemistry and hormones of the developing gastro-intestinal tract of chick embryo. I. A histochemical and quantitative study of glycogen, uridine diphosphate glucose glycogen transglucosylase, glucose-6-phosphatase and phosphorylase. Histochemie, 19: 13-43.
- Grillo, D.L.B. 1969. Enzyme histochemistry and hormones of the developing gastro-intestinal tract of chick embryo. II. The histochemistry of oxidative enzymes. Histochemie, 19: 129-134.
- Gure, E. 1956. A practical Manual of Medical and Biological Staining Techniques. Leonard Hill (Books) Ltd., London.
- Hey, E.D. 1960. The fine structure of nerves in the epidermis of regenerating Salamander limbs. Exp. Cell. Res., 19: 299-317.
- Hibbard, H. 1942. J. Morphol., 70: 121-149 (Cited by Romanoff, 1960).
- Hinsch, G.W. 1966. Histochemistry of the chick Esophagus and trachea II. Enzymes, nucleic acids, proteins, carbohydrate and fats. J. Morphol., 119: 327-340.

- Hinsch, G.W. and Bauxbaum, S. 1965. Histochemistry of the developing chick esophagus and trachea. I. Alkaline phosphatase. J. Morphol., 116: 109-115.
- Hoskins, F.C.G. 1959. Intermediate metabolism of electric tissues in relation to function. III. Oxidation of substrates by tissues of Electrophorus electricus as compared to other vertebrates. Arch. Biochem. Biophys., 85: 141-148.
- Hugon, J.S. and Borgers, M. 1966. Ultrastructural localization of alkaline phosphatase activity in the absorbing cells of the duodenum of the mouse. J. Histochem. Cytochem., 14: 619-640.
- Hugon, J.S. and Borgers, M. 1967. Submicroscopic localization of the alkaline phosphatase activity in the duodenum of the rat. Exp. Cell. Res., 45: 698-702.
- Hugon, J.S. and Borgers, M. 1968a. Fine structural localization of acid and alkaline phosphatase activities in the absorbing cells of the duodenum of rodents. Histochemie, 12: 42-66.
- Hugon, J.S. and Borgers, M. 1969. Localization of acid and alkaline phosphatase activities in the duodenum of the chick. Acta. Histochem. Bd., 34: 349-359.

- Joos, C. 1952. Rev. Suisse. Zool., 59: 315-338
(Cited by Romanoff, 1960).
- Julia, F. and Bryan, B. 1967. Cholinesterase activity in the Harderian gland of Anas domesticus. Anat. Rec., 159: 17-28.
- Junquiera, L.C.U. 1950. Alkaline and acid phosphatase distribution in normal and regenerating tadpole tails. J. Anat. 84: 369-373.
- Kennedy, E.P. 1953. Synthesis of phosphatides in isolated mitochondria. J. Biol. Chem., 701: 399.
- Kennedy, E.P. 1954. As cited by Goodwin, T.W. 1960.
- Kennedy, E.P. 1957a. Fed. Pro., 16: 847 (Cited by Goodwin, T.W., 1960).
- Kennedy, E.P. 1957b. Metabolism of lipids. "In Annual review of Biochemistry". 26: 119.
- Khan, M.A. and George, J.C. 1967. Histochemical demonstration of mitochondrial localization of acid and alkaline phosphatases in skeletal muscle. J. Anim. Morphol. Physiol., 14: 98-102.
- Klicka, J. and Kaspar, J. 1970. Changes in enzyme activities of the hatching muscle of the chick (Gallus domesticus) during development. Comp. Biochem. Physiol., 36: 803-809.

- Klinar, B. and Zupancic, A.O. 1962. Cholinesterases in white and red mammalian skeletal muscle. Arch. Intern. Pharmacodyn., 136: 47-53.
- Klockars, M. and Wegelius, O. 1969. Lysosomal enzymes in regenerating rat liver. Pro. Soc. Exp. Biol. Med., 131: 218-222.
- Koelle, G.B. 1950. The histochemical differentiation of types of cholinesterases and their localizations in tissues of cat. J. Pharmacol. Therap., 100: 158-179.
- Koelle, G.B. 1951. The elimination of diffusion artifacts in the histochemical localization of cholinesterases and a survey of their cellular distributions. J. Pharmacol. Exp. Ther., 120: 488-503.
- Koelle, G.B. and Friedenwald, J.S. 1949. A histochemical method for localizing cholinesterase activity. Proc. Soc. Exp. Biol. Med., 70: 617-622.
- Koelle, G.B., Koelle, E.S. and Friedenwald, J.S. 1950. The effect of inhibition of specific and non-specific cholinesterase on the motility of the isolated ileum. J. Pharmacol. Exp. Ther., 100: 180-191.
- Kornberg, A. and Pricer, W.E. Jr. 1953. Enzymatic synthesis of the coenzyme A derivatives of long chain fatty acids. J. Biol. Chem., 204: 329-345.

- Kruger, P. 1958. Dtsch. Z. Nerven heilk., 178: 29 (Cited by Klinar, B. and Zupancic, A.D. 1962). Cholinesterase in white and red mammalian skeletal muscle. Arch. Int. Pharmacodyn , 136: 47-53.
- Kruger, P. 1960. Acta. Anat., 40:186.
- Kuo, Z.Y. 1932a. J. Comp. Physiol., 14: 109-122 (Cited by Romanoff, 1960).
- Kuo, Z.Y. and Shen, T.C. 1936. J. Comp. Physiol., 21: 87-93 (Cited by Romanoff, 1960).
- Leeson, T.S. and Leeson, C.R. 1965a. The rat ureter, fine structural changes during its development. Acta. Anat., 62: 60-70.
- Leeson, C.R. and Leeson, T.S. 1965b. Fine structure of the rat umbelical cord at various times of gestation. Anat. Rec., 161: 183-198.
- Leloir, L.F. and Goldenburg, S.H. 1960. Synthesis of glycogen from uridine diphosphate glucose in the liver. J. Biol. Chem., 235: 919-923.
- Levy, H.R. 1961. Fatty acid synthesis and glucose-6-phosphate dehydrogenase in rat mammary gland. In "Biosynthesis of Lipids", 7th Ed., Popjak, G., Proc. 5th Intern. Cong. Biochem., 1963. Pergamon Press, Oxford.

- Long, C. Ed. 1961. Biochemists Hand Book. D. Van Nostrand Co., Inc., Princeton, N.J.
- Lundholm, E.M. 1961. The association between the relaxing and the lactic acid stimulating effects of adrenaline in smooth muscle. Acta. Physiol. Scand., 48:268-275.
- Magon, D.K. 1970. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Malinovsky, L. 1962. Contribution to the anatomy of the vegetative nervous system in the neck and thorax of the domestic pigeon. Acta. Anat., 50: 326-347.
- Mancini, R.E. 1948. Histochemical study of glycogen in tissues. Anat. Rec., 101: 149-160.
- Mangold, E. 1906. Der Muskelmagen der Kornerfressender Vogel, seine motorischen Funktionen und ihre Abhangigkeit von Nerven system. Pflugers. Arch. Ges. Physiol., 111: 163-240.
- Marchant, J. 1949. Alkaline phosphatase in normal and degenerated peripheral nerves of the rabbit. J. Anat., 83: 227-237.
- Markert, C.L. and Masin, Y. 1969. Lactate dehydrogenase isoenzyme of the penguin, Pygoscelis adeliae. J. Exp. Zool., 172: 121-146.

- Maynard, E.A. 1965. Electrophoretic studies of cholinesterase in the brain of the developing chicken. J. Histochem. Cytochem., 13: 10-11.
- Meissner, G. 1857. Uber die Nerven der Darmwand. Z. Ration. Med. N.F., 8: 364-366.
- Miceli, J.N. and Ferrell, W.J. 1973. Quantitative distribution of lipids in mouse total liver mitochondria and microsomes. Physiol. Chem. Phys., 4: 131-138.
- Montagna, W. 1949. Glycogen and lipid in human cartilage with some cytochemical observations on the cartilage of the dog, cat and rabbit. Anat. Rec., 103: 77-92.
- Montagna, W. and Ellis, R.A. 1958. "The biology of hair growth" Ed. Montagna, W. and Ellis, R.A., A.P., N.Y. pp. 520.
- Moog, F.. 1944. Localization of alkaline phosphatase and acid phosphatase in the early embryogenesis of chick. Biol. Bull., 86: 51-80.
- Moog, F. 1946. The physiological significance of the phosphomonoesterases. Biol. Revs., 21: 41-59.
- Moog, F. 1950. The functional differentiation of small intestine: I. The accumulation of alkaline phosphomonoesterase in the duodenum of chick. J. Exp. Zool., 115: 109-129.

- Moog, F. 1951. The functional differentiation of small intestine: II. The differentiation of alkaline phosphatase in the duodenum of the mouse. J. Exp. Zool., 118: 187-207.
- Moog, F. 1953. The influence of the pituitary adrenal system on the differentiation of phosphatase in the duodenum of the suckling mouse. J. Exp. Zool., 124: 329-346.
- Moog, F. 1961. The functional differentiation of small intestine: VIII. Regional differences in the alkaline phosphatase of the small intestine of the mouse from birth to one year. Develop. Biol., 3: 153.
- Moog, F. 1962. Developmental adaptations of alkaline phosphatase in the small intestine. Fed. Proc., 21: 51.
- Moog, F. 1965. In "The biochemistry of animal development", Ed., Weber, R. pp. 307-365.
- Moog, F. and Richardson, D. 1955. The functional differentiation of small intestine: IV. The influence of adrenocortical hormones on differentiation and phosphatase synthesis in the duodenum of the chick embryo. J. Exp. Zool., 130: 29-56.

- Mori, K.K. 1963. Can. Res. 23: 539. (Quoted by Matoamura, T., 1966). Gann., 57: 251-269.
- Morton, R.K. 1965. Phosphatases. In "Comprehensive Biochemistry", 16: Ed., Florkin, M. and Stotz, E.H. pp. 55-84.
- Moyer, F.H., Speaker, C.B. and Wright, D.A. 1968. Characteristics of lactate dehydrogenase isoenzymes in amphi-
pians. Ann. N.Y. Acad. Sci., 151: 650-669.
- Mumenthaler, M. and Engel, W.K. 1961. Cytological localization of cholinesterases in developing chick embryo skeletal muscle. Acta. Anat., 47: 274-299.
- Muscatello, U., Anderson-Cedergren, E., Azzone, G.F. and Von Der Decken, A. 1961. The sarcotubular system of frog skeletal muscle. A morphological and biochemical study. J. Biophys. Biochem. Cytol., 10: 201-218.
- Nachlas, M.M., Tsou, K.C., DeSouza, E., Cheng, C.S. and Seligman, A.M. 1957. J. Histochem. Cytochem., 5: 420-436. (Cited by Burstone, 1962).
- Naik, Y.M. 1969. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Needham, A.E. 1952. "Regeneration and wound healing". John Wiley and Sons, New York.

- Nene, R.V. 1966. Doctoral thesis, M.S. University of Baroda, Baroda-2, INDIA.
- Nene, R.V. and George, J.C. 1965. Histochemical demonstration of glucose-6-phosphate dehydrogenase in muscle. J. Anim. Morphol. Physiol., 12: 90-99.
- Nene, R.V. and George, J.C. 1965b. A histophysiological study of some muscles of avian pectoral appendage. Pavo, 3: 35-46.
- Nolf, P. 1934a. Les nerfs extrinseques de l'intestin chez l'oiseau. 1. Les nerfs vagues. Arch. Int. Physiol., 39: 113-164.
- Nolf, P. 1934b. Les nerfs extrinseques de l'intestin chez l'oiseau. 2. Les nerfs coeliaques et mesenteriques. Arch. Int. Physiol., 39: 165-226.
- Norberg, B. 1950. Acta. Chem. Scand., 4: 1206-1215 (Cited by Burstone, 1962).
- Novikoff, A.B. 1961. Lysosomes and related particles. In "The Cell", Vol. 31, Eds., Brachet, J. and Mirsky, A.E., Academic Press Inc., New York.
- Novikoff, A.B. 1963. Lysosomes in the physiology and pathology of cells: Contribution of staining methods. In "Lysosomes", Eds., Reuck, A.V.S. and Cameron, M.F., Ciba Foundation Symposium, Little Brown and Co., Boston.

- Ogata, T. and Mori, M. 1964. Histochemical study of oxidative enzymes in vertebrate skeletal muscles. J. Histochem. Cytochem., 12: 183-187.
- Pearse, A.G.E. 1960. "Histochemistry, Theoretical and Applied". 2nd Ed., Little Brown and Co., Boston.
- Pelichova, H., Koldovsky, O., Heringova, A., Jirsova, V. and Kraml, J. 1967. Post natal changes of activity and electrophoretic pattern of jejunal and ileal non specific esterase and alkaline phosphatase of rat. Can. J. Biochem. 45: 1375-1384.
- Penney, D.G. and Cascarano, J. 1970. Anaerobic rat heart: Effects of glucose and tricarboxylic acid cycle metabolites on metabolism and physiological performance. Biochem. J., 118: 221-227.
- Pilo, B. 1969. Histochemical observations on cholinesterase activity in the liver of a migratory starling (Sternus roseus) and some non migratory birds. J. Anim. Morphol. Physiol., 16: 106-114.
- Pilo, B., Asnani, M.V. and Shah, R.V. 1972. Studies on wound healing and repair in pigeon liver 3. Histochemical studies on the acid and alkaline phosphatases during the process. J. Anim. Morphol. Physiol., 19: 205-212.

- Prakash, A. 1961. Distribution and differentiation of alkaline phosphatase in the gastro-intestinal tract of Steelhead trout. J. Exp. Zool., 146: 237-246.
- Radhakrishnan, N. 1972. Doctoral thesis, M.S.University of Baroda, Baroda-2, INDIA.
- Ramachandran, A.V. 1972. Doctoral thesis, M.S.University of Baroda, Baroda-2, INDIA.
- Remak, R. 1840. Nerve Beitrage zur kenntuis von organischen nervensystem. Med. Z. Ver. Heilk. Preuss., 9: 7-8.
- Remak, R. 1852. Uber mikroskopische Ganglien an den Asten des N vagus in der wand des Hagens bei wirbeltieren. Vers. Ges. Deut. Naturf. Aerzte. Wiesbader. p. 183.
- Rinaudo, M.T. and Giunta, C. 1967. Pyruvate carboxylase, malate dehydrogenase, fumarase and aspartate amino-transferase in the mitochondria and in the cytoplasm of liver of chick embryo. Enzymologica, 33: 201-210.
- Romanoff, A. 1960. "The Avian Embryo, Structural and Functional Development". The Macmillan Company, New York.
- Roodyn, D.B. 1956. The enzymatic properties of rat liver nuclei. 1. Estimation of the content to which contaminated material contributes to the activity observed in the nuclear fraction. Biochem. J., 64: 361-368.

- Roodyn, D.B. 1957. The binding of aldolase to isolated nuclei. Biochem. et. Biophys. Acta., 25: 129-131.
- Roodyn, D.B. 1959. A survey of metabolic studies on isolated mammalian nuclei. Internat. Rev. Cytol., 7: 279-344.
- Rosenthal, I.M., Bonting, S.L., Hogan, W. and Pirani, C.L. 1960. A.M.A.J. Disease Children, 99: 185-192 (Cited by Burstone, M.S., 1962).
- Rossi, F., Zatti, M. and Greenbaum, A.L. 1963. Evidence for the existence of the hexosemonophosphate pathway for glucose metabolism in the normal and denervated skeletal muscle. Biochem. J. 87: 43-48.
- Rossiter, R.J., McMurray, W.C. and Strickland, K.P. 1957. Fed. Proc., 16: 853 (Cited by Goodwin, T.W., 1960).
- Rossiter, R.J. and Strickland, K.P. 1960. The metabolism and function of phosphatides. In "Lipid Metabolism" Ed., Bloch, K., John Wiley and Sons.
- Saev, G.K. 1963. Some concepts of the intercellular function of alkaline phosphatase based on the investigation of the mechanism of their action. Enzymologica, 26: 169-175.
- Saini, P.K. and Done, J. 1972. The diversity of alkaline phosphatase from rat intestine. Isolation and purification of the enzyme(s). Biochem. Biophys. Acta., 258: 147-153.

- Salim Ali, 1968. "The Book of Indian Birds", Bombay Natural History Society, Bombay, INDIA.
- Sawyer, C.W. 1955. Further experiments on cholinesterase and reflex activity in Amblystoma larvae. J. Exp. Zool., 129: 561-578.
- Schmidt, A.J. 1962. Distribution of polysaccharides in the regenerating forelimb of the adult newt, Diemictylus viridescens (Triturus viridescens). J. Exp. Zool., 149: 171-1971.
- Schmidt, A.J. 1963. Localization of acid phosphatase in limb tissue of adult newt, Diemictylus viridescens. J. Exp. Zool., 152: 91-101.
- Schmidt, A.J. 1963b. Succinic, malic, α -glycerophosphate and lactic dehydrogenase in limb tissues of adult newt, Diemictylus viridescens. J. Exp. Zool., 153: 69-80.
- Schmidt, A.J. 1966a. Sudanophilic lipid of normal and regenerating limb tissues of the adult newt, Diemictylus viridescens. J. Morphol., 118: 57-78.
- Schmidt, A.J. and Weary, M. 1963. Localization of acid phosphatase in the regenerating forelimb of the adult newt, Diemictylus viridescens. J. Exp. Zool., 152: 101-113.

- Schofield, G.C. 1968. Anatomy of muscular and neural tissues in the alimentary canal. In "Hand Book of Physiology", Eds., Code, C.F. and Heidel, W., Section 6, Alimentary Canal, Vol.IV, Motility.
- Seifter, S., Seymour, D., Novic, B. and Muntwyler, E. 1950. The estimation of glycogen with anthrone reagent. Arch. Biochem., 25: 191.
- Shah, R.V. and Chakko, T.V. 1966. Mitochondrial localization of alkaline phosphatase in the adult and regenerating lizard muscle, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 13: 206-209.
- Shah, R.V. and Chakko, T.V. 1967a. The histochemical demonstration of alkaline phosphatase in the normal and regenerating tail of Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 14: 69-88.
- Shah, R.V. and Chakko, T.V. 1967b. Histochemical localization of glycogen and phosphorylase in the normal and regenerating tail of Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 14: 257-264.
- Shah, R.V. and Magon, D.K. 1969. Histochemical demonstration of α -glycerophosphate dehydrogenase (α GPDH) in the normal and regenerating tail of house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 16: 97-105.

- Shah, R.V. and Ramachandran, A.V. 1970. Lactate and malate dehydrogenases (LDH and MDH) in the regenerating tail of Mabuya carinata. Acta. Histochem. Cytochem., 3: 152-159.
- Shah, R.V. and Ramachandran, A.V. 1972. Aldolase activity in the normal and regenerating tail of the Scincid lizard, Mabuya carinata. J. Anim. Morphol., 19: 43-49.
- Shah, R.V. and Ramachandran, A.V. 1973. Glucose-6-phosphate dehydrogenase and malic enzymes in the normal and regenerating tail of the Scincid lizard, Mabuya carinata. Can. J. Zool., 51: 641-645.
- Shklyar, N.H. 1938. Biochem. J., 11: 387-392. (Cited by Romanoff, 1960).
- Siperstain, M.D. 1958. Glycolytic pathways: their relation to the synthesis of cholesterol and fatty acids. Diabetes, 7: 181.
- Sjorgren, S.J. 1941. Morphol. Jahrd., 86: 382-406. (Cited by Romanoff, 1960).
- Sobel, H.J. 1964. Phosphatases of rat thyroid and anterior pituitary glands during various phases of secretory activity. A cytochemical study. J. Endocri., 30: 323-336.
- Stein, J.M. and Padycula, H.A. 1962. Histochemical classification of individual skeletal muscle fibres of the rat. Am. J. Anat., 110: 103.

- Sullivan, G.E. 1962. Anatomy and embryology of the wing musculature of the domesticus fowl (Gallus).
Australian J. Zool., 10: 458.
- Szendzikowski, S., Patelski, J. and Pearse, A.G.E. 1961/62. Influence of cholinesterase inhibitors on lipolytic activity of rat aorta. Enzymol. Biol. Clin., 1:125-137.
- Thorbecke, G.J., Old, L.J., Benacerrae, B. and Clarke, D.A. 1961. A histochemical study of acid and alkaline phosphatase in mouse liver during various conditions modifying activity of the reticulo-endothelial system. J. Histochem. Cytochem., 9: 392-399.
- Vallyathan, N.V. and George, J.C. 1965. Histochemical demonstration of acid and alkaline phosphatase activity in the red and white fibres of the pigeon pectoralis. J. Anim. Morphol. Physiol., 12: 100-103.
- Verga, E., Kover, A., Kovacs, R. and Betenyl, E. 1957. Changes in the acetylcholine sensitivity and cholinesterase activity of skeletal muscles in the course of ontogenesis. Acta. Physiol. Acad. Sci. Hung., 11: 243-251.
- Verzar, F. and McDougall, E.J. 1936. "Absorption from the intestine", Long mans, Green, London.
- Vorbrodt, A. 1958. Histochemically demonstrable phosphatases and protein synthesis. Exp. Cell. Res., 15: 1-20.

- Weber, R. and Niehus, B. 1961. The acid phosphatase activity in the tail of *Xenopus* larvae during growth and metamorphosis. Helv. Physiol. Acta. 19: 103-117.
- Weinhouse, S., Millington, R.H. and Volk, M.E. 1950. Oxidation of isotopic palmitic acid in animal tissues. J. Biol. Chem., 185: 191.
- Weis-Fogh, T. 1952. Fat combustion and metabolic rate of flying locusts (*Schistocerca gregaris*). Phil. Trans. 237: 1.
- White, A., Handler, P. and Smith, E.L. 1964. "Principles of Biochemistry". International student ed., 3rd Ed. The Blakistan Div. McGraw-Hill Book Co., Kogakusha Co., Ltd., Tokyo.
- Williams, G.H. 1970. Developmental patterns of alkaline phosphatase activity in the small intestine of Syrian hamster. Int. J. Biochem. 1: 715-727.
- Wise, E.M. Jr. and Ball, E.G. 1964. Malic enzyme and lipogenesis. Pro. Natl. Acad. Sci. 52: 1255.
- Wolf, A., Kabat, E.A. and Newman, W. 1943. Histochemical studies on tissue enzymes. III. A study of the distribution of acid phosphatases with special reference to the nervous system. Am. Jour. Path., 19: 423-439.

- Yamamoto, T. 1961. An electron microscope study on development of uterine smooth muscle. J. Electronmicros., 10: 145-160.
- Yamauchi, A. and Burnstock, G. 1969a. Post-natal development of smooth muscles in the mouse vas deferens: A fine structural study. J. Anat., 104: 1-15.
- Yamauchi, A. and Burnstock, G. 1969b. Post-natal development of the innervation of the mouse vas deferens: A fine structural study. J. Anat., 104: 17-32.

ADDENDUM

- Domonkos, J. 1961. The metabolism of tonic and tetanic muscles. I. Glycolytic metabolism. Arch. Biochem. Biophys., 95: 138.
- Gaspar, N. 1957. Kiserletes orvostudomány, 9: 50 (Cited by Domonkos, J. 1961).
- Goss, R. J. 1972. In "Regulation of organ and tissue growth", Chapter 1, p. 2. Academic Press, New York, London.