

BIBLIOGRAPHY

- ALEXANDER, K. M. 1955. A comparison of the gross chemical composition of the red and white muscles in two fishes, Scatophagus argus and Labes rohita. J. Anim. Morphol. Physiol. 1 : 58.
- ALEXSAKHINA, N. V. 1953. Biokhimiya, 18 : 513, as cited by Domonkos, J. 1961. The metabolism of the tonic and tetanic muscles. 1. Glycolytic metabolism. Arch. Biochem. Biophys. 95 : 138.
- AMANO, K., BITO, M. AND KAWABATA, T. 1953. Handling effect upon biochemical change in fish muscle immediately after catch. 1. Difference of glycolysis in the frigate mackerel killed by various methods. Bull. Jap. Soc. Sci. Fish. 19 : 487.
- AMLACHER, E. 1961. Rigor mortis in fish. in : Fish as Food. vol. 1. ed. Georg Borgstrom, Academic Press, New York, p. 388.
- ANDERSSON-CEDERGREN, E. 1959. Ultrastructure of motor endplates and sarcoplasmic components of mouse skeletal muscle fiber. J. Ultrastruct. Res. suppl. 1.
- ANDERSSON-CEDERGREN, E. AND MUSCATELLO, U. 1962. Some morphological and biochemical aspects of the sarcotubular system in frog skeletal muscle cell. Biochem. Pharmacol. 9 : 71.
- ANDERSSON-CEDERGREN, E. AND MUSCATELLO, U. 1963. The participation of the sarcotubular system in glycogen metabol-

- 1sm. J. Ultrastruct. Res. 8 : 391.
- AZZONE, G. F., CARAFOLI, E. AND MUSCATELLO, U. 1960. Biochemical properties of skeletal muscle mitochondria. 11. The ATPase activity and the albumen effect. Expt. Cell Res. 21 : 456.
- AZZONE, G. F., EEG-OLOFSSON, O., ERNSTER, L., LUFT, R. AND SZABOLCSI, G. 1961. Studies on isolated human skeletal muscle mitochondria. Expt. Cell Res. 22 : 415.
- BAKER, J. R. 1946. Histochemical recognition of lipines. Quart. J. Micr. Sci. 87 : 447.
- BARDEN, H. AND LAZARUS, S. S. 1964. Histochemistry of adenosine triphosphatase in normal and dystrophic mouse muscle. Lab. Invest. 13 : 1345.
- BATE-SMITH, E. C. 1948. The physiology and chemistry of rigor mortis, with special reference to the aging of beef. Adv. in Food Res. 1 : 1.
- BATE-SMITH, E. C. AND BENDALL, J. R. 1949. Factors determining the time course of rigor mortis. J. Physiol. (London) 110 : 47.
- BENDALL, J. R. 1964. Proc. Roy. Soc. B. 142 : 409 as cited by Needham, D. M. 1960 in : Structure and Function of Muscle, vol. II. ed. G. H. Bourne, Academic Press, New York.
- * BERGMAN, R. A. AND WALKER, D. G. 1959. The cytochemical localization of oxidative enzymatic activity and glycogen

- in frog striated muscle. Bull. Johns Hopkins Hosp.
104 : 179.
- BERSWORTH, F. C. 1954. The Versenes, Bersworth Chemical Co.,
Framingham, Massachusetts, U. S. A.
- BILINSKI, E. 1963. Utilization of lipids by fish i. Fatty acid
oxidation by tissue slices from dark and white muscle
of rainbow trout (Salmo gairdneri). Can. Jour. Biochem.
Physiol. 41 : 107.
- BING, R. J., SIEGEL, A., UNGAR, I, AND GILBERT, M. 1954. Metabol-
ism of human heart. Am. J. Med. 16 : 504.
- BLACK, E. C. 1955. Blood levels of haemoglobin and lactic acid
in some fresh water fishes following exercise.
J. Fish. Res. Bd. Can. 12 : 917.
- BLACK, E. C. 1956. Appearance of lactic acid in the blood of
Kamloops and lake trout following live transportation.
Canad. Fish. Culturist, 18 : 20.
- BLACK, E. C. 1957 a. Alterations in the blood level of lactic
acid in certain salmonoid fishes following muscular
activity. i. Kamloops trout Salmo gairdneri.
J. Fish. Res. Bd. Can. 14 : 117.
- BLACK, E. C. 1957 b. Alterations in the blood level of lactic
acid in certain salmonoid fishes following muscular
activity. ii. Lake trout Salvelinus namaycush.
J. Fish. Res. Bd. Can. 14 : 645.
- BLACK, E. C. 1957 c. Alterations in the blood level of lactic
acid in certain salmonoid fishes following muscular
activity. iii. Sockeye salmon Oncorhynchus nerka.
J. Fish. Res. Bd. Can. 14 : 807.

- BLACK, E. C. 1958. Energy stores and metabolism in relation to muscular activity in fishes, in : The Investigation of Fish Power Problems. ed. P. A. Larkin, H. R. MacMillan lectures in Fisheries University of British Columbia. 51 p.
- BLACK, E. C., WING-GAY CHIU., FORBES, F. D. AND HANSLIP, A. R. 1959. Changes in pH, carbonate and lactate of the blood of yearling Kamloops trout Salmo gairdneri during and following severe muscular activity. J. Fish. Res. Bd. Can. 16 : 391.
- BLACK, E. C., ROBERTSON, A. C., HANSLIP, A. R. AND WING-GAY CHIU. 1960. Alterations in glycogen, glucose and lactate in rainbow and Kamloops trout, Salmo gairdneri following muscular activity. J. Fish. Res. Bd. Can. 17 : 487.
- BLACK, E. C., ROBERTSON, A. C. AND PARKER, R. R. 1961. In : Comparative Physiology of Carbohydrate Metabolism in Heterothermic Animals. ed. A. W. Martin. Univ. Washington Press, Seattle, Washington, p. 168.
- BODDEKE, R., SLIJPER, E. J. AND VAN DER STELT, A. 1959. Histological characteristics of the body musculature of fishes in connection with their mode of life. Koninkl. Nederl. Akademie van Wetenschappen, Proc. C., 62 : 576.
- BORGSTROM, B. 1953. On the mechanism of the hydrolysis of glycerides by pancreatic lipase. Acta Chem. Scand. 7 : 557.

- BOURNE, G. H. 1943. The distribution of alkaline phosphatase in various tissues. Quart. J. Exp. Physiol. 32 : 1.
- BRAEKKAN, O. R. 1956. Function of the red muscle in fish. Nature, 178 : 747.
- BRAEKKAN, O. R. 1959. A comparative study of vitamins in the trunk muscles of fishes. Fiskeridirektorat. Skrifter Ser. Teknol. Undersok. 3 : 1.
- BRANDES, C. H. AND DIETRICH, R. 1953. Zusammenfassende Betrachtungen über den Fett- und Wassergehalt im essbaren Anteil des Herings. Fette u. Seifen, 55 : 533.
- BURT, J. R. AND JONES, N. R. 1961. Changes in sugar phosphates of chilled codling (Gadus ^callarias) muscle. J. Sci. Food Agric. 12 : 344.
- CAIN, D. F. , INFANTE, A. A. AND DAVIES, R. E. 1962. Chemistry of muscle contraction. Adenosine triphosphate and phosphorylcreatine as energy supplies for single contractions of working muscle. Nature, 196 : 214.
- CAMERON, G. R. 1930. The staining of calcium. J. Path. Bact. 33 : 929.
- CARLSON, F. D. AND SIGER, A. 1960. J. Gen. Physiol. 44 : 33 as cited by Mommaerts et al. 1962a.
- CHANDRA-BOSE, D. A., CHINOY, N. J. AND GEORGE, J. C. 1964. Studies on the structure and physiology of the flight muscles of birds. 10. Certain biochemical differences in the cellular organization of the fowl pectoralis. Pavo 2 : 61.

- * CHANDRA-BOSE, D. A. AND GEORGE, J. C. 1964. Studies on the structure and physiology of the flight muscles of birds. 11. Cellular organization and distribution of fat and succinic dehydrogenase in the pectoralis of some passerines. J. Anim. Morphol. Physiol. (C. J. George Felicitation Number) 11 : 90.
- * CHANDRA-BOSE, D. A. AND GEORGE, J. C. 1965. Studies on the structure and physiology of the flight muscles of birds. 13. Characterization of the avian pectoralis. Pavo, (in press).
- CHAPPELL, J. B. AND PERRY, S. V. 1953. The respiratory and adenosinetriphosphatase activities of skeletal muscle mitochondria. Biochem. J. 55 : 586.
- CHAPPELL, J. B. AND PERRY, S. V. 1955. The stimulation of adenosinetriphosphatase activity of myofibrils and L-myosin by 2 : 4 dinitrophenol. Biochim. Biophys. Acta, 16 : 285.
- CHINYOY, N. J. 1963. Histochemical localization of myoglobin in the pigeon breast muscle. J. Anim. Morphol. Physiol. 10 : 74.
- CHINYOY, N. J. AND GEORGE, J. C. 1964. Cellular organization and certain histophysiological features of the avian abdominal musculature. Pavo, 2 : 12.
- CHINYOY, N. J. AND GEORGE, J. C. 1965. Cholinesterases in the pectoral muscle of some vertebrates. J. Physiol. London, (in press).

- COLE, W. V. 1955. Motor endings in the striated muscle of vertebrates. J. Comp. Neurol. 102 : 671.
- CORDIER, D. AND CORDIER, M. 1957. Phosphorolyse du glycogène du muscle strié chez les poissons marins. Compt. rend. soc. biol. (Paris) 151 : 1909.
- CORI, C. F. 1956. In : Enzymes : Units of Biological Structure and Function. ed. O. H. Gaebler, Academic Press, Inc., New York, p. 573.
- * CORI, G. T. AND ILLINGWORTH, B. 1956. The effect of epinephrine and other glycogenolytic agents on the phosphorylase content of muscle. Biochim. Biophys. Acta, 21 : 105.
- COUPLAND, R. E. AND HOLMES, R. L. 1957. The use of cholinesterase techniques for the demonstration of peripheral nervous structures. Quart. J. Micr. Sci. 98 : 327.
- CROSTI, N. 1960. Calcium deposition in the forelimbs of the chick embryo. Anat. Rec. 136 : 453.
- DAHL, L. K. 1952. A simple and sensitive histochemical method for calcium. Proc. Soc. Exp. Biol. Med. 80 : 474.
- DIETRICH, M. A. 1953. A histological study of the scales of large mouth black bass (Micropterus salmoides). Quart. J. Micr. Sci. 94 : 71.
- DIXON, M. 1943. Manometric methods, Cambridge University Press.
- DREWS, G. A. AND ENGEL, W. K. 1961. An attempt at histochemical localization of myoglobin in skeletal muscle by the Benzidine-peroxidase reaction. J. Histochem. Cytochem. 9 : 206.

- DRUMMOND, G. I. AND BLACK, E. C. 1960 Comparative physiology. Fuel of muscle metabolism. Ann. Rev. Physiol. 22 : 169.
- DUBOWITZ, V. AND PEARSE, A. G. E. 1960. A comparative histochemical study of oxidative enzyme and phosphorylase activity in skeletal muscle. Histochemie, 2 : 105.
- EDWARDS, W. H. 1953. The preparation of animal transparencies for class use. Microscope, 9 : 238.
- ENGEL, W. K. 1962. The essentiality of histochemical and cytochemical studies of skeletal muscle in the investigation of neuromuscular disease. Neurology, 12 : 778.
- ERANKÖ, O. AND PALKAMA, A. 1961. Improved localization of phosphorylase by the use of polyvinyl pyrrolidone and high substrate concentration. J. Histochem. Cytochem. 9 : 585.
- * FAHIMI, H. D. AND AMARSINGHAM, C. R. 1964. Cytochemical localization of lactic dehydrogenase in white skeletal muscle. J. Cell Biol. 22 : 29.
- FAWCETT, D. W. AND REVEL, J. P. 1961. The sarcoplasmic reticulum of a fast acting fish muscle. J. Biophys. Biochem. Cytol. 10 : suppl. 89.
- FLECKENSTEIN, A., JANKE, J., DAVIES, R.E. AND KREBS, H. A. 1954. Chemistry of muscle contraction. Contraction of muscle without fission of ATP or CP. Nature, 174 : 1081.
- FLETCHER, W. M. AND HOPKINS, F. G. 1907. Lactic acid in amphibian muscle. J. Physiol. London. 35 : 247.

- FREIMAN, D. G. AND KAPLAN, N. 1960. Studies on the histochemical differentiation of enzymes hydrolyzing adenosine triphosphate. J. Histochem. Cytochem. 8 : 159.
- * FRITZ, I. B., DAVIS, D. G., HOLTROP, R. H. AND DUNDEE, H. 1958. Fatty acid oxidation by skeletal muscle during rest and activity. Am. J. Physiol. 194 : 379.
- FUKUDA, H. 1958. Studies on succinic dehydrogenase of fish. 5. Difference of succinic dehydrogenase activity between various fishes and fish organs. Bull. Jap. Soc. Sci. Fish. 24 : 24.
- GASPAR, N. 1957. Kísérletes Orvostudomány, 9 : 50 as cited by Domonkos, J. 1961. The metabolism of tonic and tetanic muscles. 1. Glycolytic metabolism. Arch. Biochem. Biophys. 95 : 138.
- GEORGE, J. C. 1962. A histophysiological study of the red and white muscles of the mackerel. Am. Mid. Nat. 68 : 487.
- GEORGE, J. C. 1964. Muscle lipase. J. Anim. Morphol. Physiol. (C. J. George Felicitation Number) 11 : 233.
- GEORGE, J. C. 1965. Evolution of the bird and bat pectoral muscles. Pape, 3 (in press).
- GEORGE, J. C. AND AMBADKAR, P. M. 1963. Histochemical demonstration of lipids and lipase activity in rat testis. J. Histochem. Cytochem. 11 : 420.

- GEORGE, J. C. AND BHAKTHAN, N. M. G. 1960 a. A study of the fibre diameter and certain enzyme concentrations in the flight muscles of some butterflies. J. Exp. Biol. 37 : 308.
- GEORGE, J. C. AND BHAKTHAN, N. M. G. 1960 b. The fibre diameter and certain enzyme concentrations in the flight muscles of some moths. J. Anim. Morphol. Physiol. 7 : 141.
- GEORGE, J. C. AND BHAKTHAN, N. M. G. 1963. Intracellular distribution of lipase and succinic dehydrogenase in the flight muscle of the beetle, Heliccopris bucephalus. J. Anim Morphol. Physiol. 10 : 47.
- GEORGE, J. C. AND IYPE, P. T. 1959. A study of the lipase activity in the developing chick heart. J. Expt. Zool. 141 : 291.
- GEORGE, J. C. AND IYPE, P. T. 1960. Improved histochemical demonstration of lipase activity. Stain Technol. 35 : 151.
- GEORGE, J. C. AND IYPE, P. T. 1960 a. A histochemical study of the atrioventricular bundle (Bundle of His) and the myocardium of the sheep heart. J. Anim. Morphol. Physiol. 7 : 78.
- GEORGE, J. C. AND IYPE, P. T. 1962. Lipase activity in the developing chick liver. Proc. Soc. Exp. Biol. Med. 109 : 826.
- GEORGE, J. C. AND IYPE, P. T. 1963. Lipase activity of pigeon

breast muscle particulate fractions and its metabolic significance. Am. J. Physiol. 204 : 165.

GEORGE, J. C. AND JYOTI, D. 1955. The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. J. Anim. Morphol. Physiol. 2 : 37.

GEORGE, J. C. AND JYOTI, D. 1957. Studies on the structure and physiology of the flight muscles of birds.
2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morphol. Physiol. 4 : 119.

GEORGE, J. C. AND JYOTI, D. 1958. Studies on the structure and physiology of the flight muscles of bats.
2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morphol. Physiol. 5 : 57.

GEORGE, J. C. AND NAIK, R. M. 1957. Studies on the structure and physiology of the flight muscles of bats. 1. The occurrence of two types of fibres in the pectoralis major muscle of the bat (Hipposideros speoris) Their relative distribution, nature of the fuel store and mitochondrial content. J. Anim. Morphol. Physiol. 4 : 96.

GEORGE, J. C. AND NAIK, R. M. 1959. Studies on the structure and physiology of the flight muscles of birds.
4. The fibre architecture of the pectoralis major

- muscle of the pigeon. Biol. Bull. 116 : 239.
- GEORGE, J. C. AND SCARIA, K. S. 1957. Lipase activity in the vertebrate heart muscle and its relation to basal metabolism. J. Anim. Morphol. Physiol. 4 : 107.
- GEORGE, J. C., SUSHEELA, A. K. AND SCARIA, K. S. 1958. A quantitative and histochemical study of lipase activity in the pectoralis major muscle of the bat. Naturwissenschaften, 45 : 93.
- GEORGE, J. C. AND SUSHEELA, A. K. 1961. A histophysiological study of the rat diaphragm. Biol. Bull. 121 : 471.
- GEORGE, J. C., SUSHEELA, A. K. AND VALLYATHAN, N. V. 1963. Cytoplasmic (non-mitochondrial) lactic and succinic dehydrogenases in the red and white muscle fibres. J. Anim. Morphol. Physiol. 10 : 24.
- GEORGE, J. C. AND TALESARA, C. L. 1961 a. Histochemical observations on the succinic dehydrogenase ^{and} cytochrome oxidase activity in the pigeon breast muscle. Quart. J. Micr. Sci. 102 : 131.
- GEORGE, J. C. AND TALESARA, C. L. 1961 b. A quantitative study of the distribution pattern of certain oxidizing enzymes and a lipase in the red and white fibres of the pigeon breast muscle. J. Cell. Comp. Physiol. 58 : 253.
- GEORGE, J. C. AND TALESARA, C. L. 1961 c. The succinic dehydrogenase levels of the pectoral muscles of a few representative types of birds and a bat in relation to fibre diameter, muscle weight and body weight. Comp. Biochem. Physiol. 3 : 267.
- GEORGE, J. C. AND TALESARA, C. L. 1962 a. Histochemical demon-

- stration of certain DPN-linked dehydrogenases and aldolases in the red and white fibres of the pigeon breast muscle. Quart. J. Micr. Sci. 103 : 41.
- GEORGE, J. C. AND TALESARA, C. L. 1962 b. Lipase activity of the particulate fractions of the pigeon breast muscle and its significance in the metabolism of the muscle. J. Cell. Comp. Physiol. 60 : 33.
- GEORGE, J. C. AND VALLYATHAN, N. V. 1964. Lipase and succinic dehydrogenase activity of the particulate fractions of the breast muscle homogenate of the migratory starling Sturnus roseus in the pre migratory and post migratory periods. J. Cell. Comp. Physiol. 63 : 381.
- GEORGE, J. C., VALLYATHAN, N. V. AND SCARIA, K. S. 1958. Lipase activity in the insect flight muscle. Experientia, 14 : 250.
- GEREBTZOFF, M. A. 1959. Cholinesterases. A histochemical contribution to the solution of some functional problems. Pergamon Press, London.
- GOLLNICK, P. D. AND HEARN, G. R. 1961. Lactic dehydrogenase activities of heart and skeletal muscles of exercised rats. Am. J. Physiol. 201 : 694.
- GOMORI, G. 1953. Microscopic Histochemistry. University of Chicago Press, Illinois.
- GORNALL, A. G., BARDAWILL, C. S. AND DAVID, M. M. 1949. Determination of serum proteins by means of the Biuret

- reaction. J. Biol. Chem. 177 : 751.
- GOULD, M. K. AND RAWLINSON, W. A. 1959. Biochemical adaptation as a response to exercise. 1. Effects of swimming on the levels of lactic dehydrogenase, malic dehydrogenase and phosphorylase in muscles of 8, 11 and 15 week old rats. Biochem. J. 73 : 41.
- GOULD, M. K. AND RAWLINSON, W. A. 1959. Biochemical adaptation as a response to exercise. 2. Adenosine triphosphatase and creatine phosphokinase activity in muscles of exercised rats. Biochem. J. 73 : 44.
- GREEN, D. E. 1955. Oxidation and synthesis of fatty acids in soluble enzyme systems of animal tissues. Clin. Chem. 1 : 53.
- GREEN, D. E. 1960. The synthesis of fat. Scientific American, 202 : 46.
- GREENE, C. W. 1913. The fat absorbing function of the alimentary tract of the king salmon. Bull. U. S. Bur. Fish. 33 : 149.
- * GUILLORY, R. J. AND MOMMAERTS, W. F. H. M. 1962. The state of activity of phosphorylase in frog sartorius muscle. Biochim. Biophys. Acta, 65 : 316.
- HAMOIR, G. 1953. Myoglobin from carp muscle. Nature, 171 : 345.
- HARMAN, J. W. AND OSBORNE, U. R. 1953. The relationship between mitochondria and myofibrils in pigeon skeletal muscle. J. Exp. Med. 98 : 81.
- HAWK, R. AND BROWN, D. H. 1959. Preparation and properties of uridinediphosphoglucose glycogen transferase from rabbit muscle. Biochim. Biophys. Acta. 33 : 556.

- HEARN, G. R. AND GOLLNICK, P. D. 1961. Effects of exercise on the adenosinetriphosphatase activity in skeletal and heart muscle of rats. Int. Z. angew. Physiol. einsch. Arbeitsphysiol. 19 : 23.
- HEARN, G. R. AND WAINIO, W.W. 1956. Succinic dehydrogenase activity of the heart and skeletal muscle of exercised rats. Am. J. Physiol. 185 : 348.
- HEARN, G. R. AND WAINIO, W. W. 1957. Am. J. Physiol. 190 : 206, as cited by Gollnick, P. D. and Hearn, G. R. 1961.
- HEGDEKAR, B. M. 1964. A study on certain biochemical and histophysiological aspects of orthopteran fat body. Doctorate thesis, M. S. University of Baroda.
- HESS, R. AND PEARSE, A. G. E. 1961. Dissociation of UDPG glucose glycogen. Proc. Soc. Exp. Biol. N. Y., 106 : 895.
- HESS, R., SCARPELLI, D. G. AND PEARSE, A. G. E. 1958. Cytochemical localization of pyridine nucleotide-linked dehydrogenases. Biophys. Biochem. Cytol. 4 : 753.
- HOCHACHKA, P. W. AND HAYES, F. R. 1962. The effect of temperature acclimation on pathways of glucose metabolism in the trout. Canad. Jour. Zool. 40 : 261.
- HOCHACHKA, P. W. AND SINCLAIR, A. C. 1962. Glycogen stores in trout tissues before and after stream planting. J. Fish. Res. Bd. Can. 19 : 127.
- HOGEBOM, G. H., SCHNEIDER, W. C. AND PALADE, G. E. 1948. Cytochemical studies of mammalian tissues. i. Isolation of intact mitochondria from rat liver, some biochemical properties of mitochondria and submicros-

- copie particulate material. J. Biol. Chem. 172 : 619.
- HOOD, R. C. AND NEILL, V. M. 1948. A modification of the alizarin red S technic for demonstrating bone formation. Stain Technol. 23 : 209.
- HORI, S. H. AND CHANG, J. P. 1963. Histochemical study of ATPase in cytoplasm. J. Histochem. Cytochem. 11 : 71.
- HOSKIN, F. C. G. 1959. Intermediate metabolism of electric tissue in relation to function. iii. Oxidation of substrates by tissues of Electrophorus electricus as compared to other vertebrates. Arch. Biochem. Biophys. 85 : 141.
- HUXLEY, A. F. 1959. Local activation of muscle. Ann. New York Acad. Sci. 81 : 446.
- HUXLEY, A. F. 1964. Muscle. Ann. Rev. Physiol. 26 : 131.
- HUXLEY, A. F. AND TAYLOR, R. E. 1958. Local activation of striated muscle fibers. J. Physiol. 144 : 426.
- IDLER, D. R. AND BITNERS, I. 1959. Biochemical studies on sockeye salmon during spawning migration.
5. Cholesterol, fat, protein and water in the body of the standard fish. J. Fish. Res. Bd. Can. 16 : 235.
- IDLER, D. R. AND CLEMENS, W. A. 1959. Energy expenditure of Fraser river sockeye salmon during migration, spawning and death, Prog. Rept. Int. Pac. Salmon Fish. Comm.
- JEBSEN, J. W. 1954. Arsberetning Vedkommende Norges Fiskerier No. 3, 18.

- JEDEKIN, L. A. AND WEINHOUSE, S. 1954. Studies on the incorporation of palmitate-1-C¹⁴ into tissue lipids in vitro. Arch. Biochem. Biophys. 50 : 134.
- JONAS, R. E. E. AND BILINSKI, E. 1964. Utilization of lipids by fish. iii. Fatty acid oxidation by various tissues from sockeye salmon (Oncorhynchus nerka) J. Fish. Res. Bd. Can. 21 : 653.
- JONES, N. R. 1962. Fish muscle enzymes and their technological significance. Proc. N. A. T. O. Course. Glasgow, 1960. Published as "Recent Advances in Food Science". eds. Hawthorn, J. and Leitch, J. H. Butterworths, London, 1962.
- JONES, N. R. AND BURT, J. R. 1960. Analyst, 85 : 810, as cited by Jones, N. R. 1962.
- KARNOVSKY, M. J. AND HIMMELHOCH, S. R. 1961. The use of ethylene diamine tetraacetic acid disodium in the histochemical demonstration of triphosphopyridine nucleotide linked dehydrogenase. J. Histochem. Cytochem. 9 : 203.
- KENNEDY, E. P. AND LEHNINGER, A. L. 1949. Oxidation of fatty acids and tricarboxylic acid cycle intermediates by the isolated rat liver mitochondria. J. Biol. Chem. 179 : 957.
- KOELLE, G. B. AND FRIEDENWALD, J. S. 1949. A histochemical method for localizing cholinesterase activity. Proc. Soc. Exp. Biol. Med. 70 : 617.

- KORZHUEV, P. A. 1961. Quantitative characterization of haemoglobin and myoglobin of various groups of vertebrates. Proc. Fifth Intern. Congr. Biochem. Moscow pp. 201.
- * KREBS, E. G. AND FISCHER, E. H. 1955. Phosphorylase activity of skeletal muscle extracts. J. Biol. Chem. 216 : 113.
- * KREBS, E. G., GRAVES, D. J. AND FISCHER, E. H. 1959. Factors affecting the activity of muscle phosphorylase b kinase. J. Biol. Chem. 234 : 2867.
- KUN, E. AND ABOOD, L. G. 1949. Colorimetric estimation of succinic dehydrogenase by triphenyl tetrazolium chloride. Science, 109 : 144.
- LACHANCE, J. P., POPJAK, G. AND DE WAARD, A. 1958. The role of microsomes in fatty acid synthesis. Biochem. J. 68 : 7.
- LELOIR, L. F., OLAVARRIA, J. M., GOLDEMBERG, S. H. AND CARMINATTI, H. 1959. Biosynthesis of glycogen from uridine diphosphate glucose. Arch. Biochem. Biophys. 81 : 508.
- LEONARD, S. L. AND WIMSATT, W. A. 1959. Phosphorylase and glycogen levels in skeletal muscle and liver of hibernating and non-hibernating bats. Am. J. Physiol. 197 : 1059.
- LORCH, E., ABRAHAM, S. AND CHAIKOFF, I. L. 1963. Fatty acid synthesis by complex systems. The possibility of

regulation by microsomes. Biochim. Biophys. Acta,
70 : 627.

LOVE, R. M., LOVERN, J. A. AND JONES, N. R. 1959. The chemical
composition of fish tissues. Dept. Sci. Industr. Res.
London, Food Invest. Special Rept. 69 : 62. H. M.
Stationery Office.

LUNDIN, S. J. 1962. Comparative studies of cholinesterases
in body muscles of fishes. J. Cell. Comp. Physiol.
59 : 93.

Lyon, J. B. AND PORTER, J. 1963. The relation of phosphorylase
to glycogenolysis in skeletal muscle and heart of
mice. J. Biol. Chem. 238 : 1.

MACLEOD, R. A. 1960. Cited by Black et al. 1961 in :
Comparative physiology of Carbohydrate Metabolism
in Heterothermic Animals, ed. Martin W. A. Univ.
Washington Press, Seattle. p. 90.

* MACLEOD, R. A. 1961. Glycolysis, in : Comparative Physiology
of Carbohydrate Metabolism in Heterothermic
Animals, ed. Martin, W. A. Univ. Washington Press,
Seattle, p. 115.

MAENGWYN-DAVIES, G. D., FRIEDENWALD, J. S. AND WHITE, R. T.
1952. Histochemical studies of alkaline phosphatase
in the tissues of the rat using frozen sections.
11. Substrate specificity of enzymes hydrolyzing
adenosinetriphosphate, muscle and yeast adenylic
acids and creatine phosphate at high pH, the

- histochemical demonstration of myosin ATPase. J. Cell. Comp. Physiol. 39 : 395.
- MANNAN, A., FRASER, D. I. AND DYER, W. J. 1961. Proximate composition of Canadian Atlantic fish. 1. Variation in composition of different sections of the flesh of Atlantic halibut (Hippoglossus Hippoglossus). J. Fish. Res. Bd. Can. 18 : 483.
- MARTIN, H. F. AND PEERS, F. G. 1953. Oat lipase. Biochem. J. 55 : 523.
- MARTIN, G. AND TARR, H. L. A. 1960 as cited by Black et al. 1961 in : Comparative Physiology of Carbohydrate Metabolism in Heterothermic Animals, ed. Martin, W. A. Univ. Washington Press, Seattle, p. 115.
- MATSUURA, F. AND HASHIMOTO, K. 1954. Bull. Jap. Soc. Sci. Fish. 20 : 308.
- MATTHES, K. J., ABRAHAM, S. AND CHAIKOFF, I. L. 1960. Fatty acid synthesis from acetate by normal and diabetic rat liver homogenate fractions. 11. Effect of microsomes and oxidation of substrates. J. Biol. Chem. 235 : 2560.
- MCCANCE, R. A., HUTCHINSON, A. O., DEAN, R. F. A. AND JONES, P. E. H. 1949. The cholinesterase activity of the serum of newborn animals and of colostrum. Biochem. J. 45 : 493.
- McGEE-RUSSELL, S. M. 1958. Histochemical methods for calcium. J. Histochem. Cytochem. 6 : 22.

- MEYERHOF, O. 1920. Die Energieumwandlungen im Muskel. 111.
Kohlenhydrat- und Milchsäureumsatz im Froschmuskel.
Pflüg. Arch. ges. Physiol. 185 : 11.
- MIESCHER-RUSCH, F. 1883. 14. Contributions to the biology of
the Rhine Salmon. U. S. Comm. Fish and Fisheries
Commissioner's Report. 1880, 427.
- MILLER, R. B., SINCLAIR, A. C. AND HOCHACHKA, P. W. 1959.
Diet, glycogen reserves, and resistance to fatigue
in hatchery rainbow trout. J. Fish. Res. Bd. Can.
16 : 321.
- MILLONIG, G. AND PORTER, K. R. 1961. Proc. European Regional
Conf. Electron microscopy, Delft, 1960, 2 : 655,
as cited by Andersson-Cedergren, E. and Muscatello,
U. 1963.
F.H.M.
- MOMMAERTS, W. 1955. Am. J. Physiol. 182 : 3, as cited by
Mommaerts et al. 1962 a.
- MOMMAERTS, W. F. H. M., SERAYDARIAN, K. AND WALLNER, A. 1962 a.
Demonstration of phosphocreatine splitting as an
early reaction in contracting frog sartorius muscle.
Biochim. Biophys. Acta, 63 : 75.
- MOMMAERTS, W. F. H. M., OLMSTED, M., SERAYDARIAN, K. AND
WALLNER, A. 1962 b. Contraction with and without
demonstrable splitting of energy-rich phosphate
in turtle muscle. Biochim. Biophys. Acta, 63 : 82.
- MONTAGNA, W. AND BOURNE, G. H. 1957. Some histochemical
observations on the resting human mammary gland.
Acta anat. 31 : 231.
- MUSCATELLO, U., ANDERSSON-CEDERGREN, E., AZZONE, G. F. AND

- VON DER DECKEN, A. 1961. The sarcotubular system of frog skeletal muscle. A morphological and biochemical study. J. Biophys. Biochem. Cytol. 10 : 201.
- MUSCATELLO, U., ANDERSSON-CEDERGREN, E. AND AZZONE, G. F. 1962. The mechanism of muscle fiber relaxation adenosine triphosphatase and relaxing activity of the sarcotubular system. Biochim. Biophys. Acta, 63 : 55.
- NANNI, G., BALDINI, I. AND NOVELLI, A. 1963. Influence of pH on mitochondria. 11. Regulation of biochemical activity. Giorn. Biochim. 12 : 289.
- NENE, R. V. AND GEORGE, J. C. 1964. A histophysiological study of some muscles of the avian pectoral appendage. Pavo, 3 (in press).
- NENE, R. V. AND GEORGE, J. C. 1965 a. Histochemical localization and distribution of uridine diphosphate glucose glycogen transglucosylase in pigeon pectoralis. Pavo, 3 (in press).
- NENE, R. V. AND GEORGE, J. C. 1965 b. Histochemical demonstration of glucose-6-phosphate dehydrogenase in muscle. J. Anim. Morphol. Physiol. (in press).
- NEPTUNE, E. M. Jr., SUDDUTH, H. C., BRIGANCE, W. H. AND BROWN, J. D. 1963. Lipid glyceride synthesis by rat skeletal muscle. Am. J. Physiol. 204 : 933.
- NEWMAN, W., FEIGIN, I., WOLF, A. AND KABAT, E. A. 1950. Histochemical studies on tissue enzymes. iv. Distribution of some enzyme systems which liberate phosphate at

pH 9.2 as determined with various substrates and inhibitors; demonstration of three groups of enzymes.
Am. J. Path. 26 : 257.

NOGUCHI, E. AND YAMAMOTO, J. 1955. Studies on the arai phenomenon (the muscle contraction caused by perfusing water). iv. On the rigor mortis of white meat fish and of red meat fish. Bull. Jap. Soc. Sci. Fish. 20 : 1023.

NOVIKOFF, A. B., HAUSMAN, D. A. AND PODBER, E. 1958. The localization of adenosine triphosphatase in liver-
in situ staining and cell fractionation studies.
J. Histochem. Cytochem. 6 : 61.

OGATA, T. 1960. The differences in some labile constituents and some enzymatic activity between the red and white muscle. J. Biochem. (Tokyo), 47 : 726.

OGATA, T. AND MORI, M. 1963. A histochemical study of hydrolytic enzymes in muscle fibres of various animals.
J. Histochem. Cytochem. 11 : 645.

OGATA, T. AND MORI, M. 1964. Histochemical study of oxidative enzymes in vertebrate skeletal muscles. J. Histochem. Cytochem. 12 : 183.

ONO, T. AND NAGAYAMA, F. 1957. Enzymatic studies on the glycolysis in fish muscle. 1. Activity of phosphorylase.
Bull. Jap. Soc. Sci. Fish. 23 : 260.

ONO, T., NAGAYAMA, F., OSAWA, H. AND TAKAHASHI, B. 1957. Enzymatic studies on the glycolysis of fish muscle.

1. Activity of phosphorylase. J. Tokyo Univ. Fish.
43 : 37.

ONO, T., SENO, J., NAGAYAMA, F. AND HIKOTA, K. 1959. Studies
on the fat metabolism of fish. 2. Histological and
chemical studies on fat and phosphorus in rainbow
trout. J. Tokyo Univ. Fish. 45 : 79.

PADYKULA, H. A. AND HERMAN, E. 1955. Factors affecting the
activity of adenosine triphosphatase and other
phosphatases as measured by histochemical techniques.
11. The specificity of the histochemical method for
adenosine triphosphatase. J. Histochem. Cytochem.
3 : 161.

PADYKULA, H. A. AND GAUTHIER, G. F. 1963. Cytochemical studies
of adenosinetriphosphatases in skeletal muscle
fibers. J. Cell Biol. 18 : 87.

PALASI, C. V. AND LARNER, J. 1960. Levels of activity of the
enzymes of the glycogen cycle in the rat tissues.
Arch. Biochem. Biophys. 26 : 270.

PATON, D. N. 1898. The physiology of salmon in fresh water.
J. Physiol. 22 : 333.

* PEACHEY, L. D. AND HUXLEY, A. F. 1962. Structural identificat-
ion of twitch and slow striated muscle fibres of the
frog. J. Cell Biol. 13 : 177.

PEACHEY, L. D. AND PORTER, K. R. 1959. Intracellular impulse
conduction in muscle cells. Science, 129 : 721.

PEARSE, A. G. E. 1960. Histochemistry : Theoretical and Applied,

J. & A. Churchill Ltd., London.

PENTEGOV, B. P., MENTOV, YU N. AND KURNAEV, E. F. 1928.

Physicochemical characteristics of the breeding migration fast of (Amur river) keta salmons.

Bull. Pac. Sci. Fishery Res. St. (Vladivostok)
1 : 3.

PORTER, K. R. AND BRUNI, C. 1959. An electron microscope study of the early effects of 3' Me DAB on rat liver cells. Cancer Research, 19 : 997.

PORTER, K. R. AND PALADE, G. E. 1957. Studies on the endoplasmic reticulum. iii. Its form and distribution in striated muscle cells. J. Biophys. Biochem. Cytol. 3 : 269.

RALL, T. W., WOSILAIT, W. D. AND SUTHERLAND, E. W. 1956. The interconversion of phosphorylase a and phosphorylase b from dog heart muscle. Biochim. Biophys. Acta, 20 : 69.

REGER, J. F. 1961. The fine structure of neuromuscular junction and the sarcoplasmic reticulum of extrinsic eye muscles of Fundulus heteroclitus. J. Biophys. Biochem. Cytol. 10 : 111.

REVEL, J. P. 1962. The sarcoplasmic reticulum of the bat cricothyroid muscle. J. Cell Biol. 12 : 571.

REVEL, J. P., NAPOLITANO, L. AND FAWCETT, D. W. 1960. Identification of glycogen in electron micrographs of thin tissue sections. J. Biophys. Biochem. Cytol.

8 : 575.

- RULON, R. R., SCHOTTELIUS, D. D. AND SCHOTTELIUS, B. A. 1961. Effect of stimulation on phosphorylase levels of excised anterior tibial muscles of the mouse. Am. J. Physiol. 200 : 1236.
- RUSKA, H. A., EDWARDS, G. A. AND CAESAR, R. A. 1958. A concept of intracellular transmission of excitation by means of the endoplasmic reticulum. Experientia, 14 : 117.
- SANDLER, M. AND BOURNE, G. H. 1962. Intranuclear localization of adenosine triphosphatase. J. Histochem. Cytochem. 10 : 636.
- SASAKO, M. AND TAKEUCHI, T. 1963. Histochemical and electron microscopic observations of glycogen synthesized from glucose-1-phosphate by phosphorylase and branching enzyme in human muscle. J. Histochem. Cytochem. 11 : 342.
- SCHMID, R., ROBBINS, P. W. AND TRAUT, R. R. 1959. Glycogen synthesis in muscle lacking in phosphorylase. Proc. Nat. Acad. Sci. Wash. 45 : 1236.
- SCHNEIDER, W. C. 1948. Intracellular distribution of enzymes. 3. The oxidation of octanoic acid by rat liver fractions. J. Biol. Chem. 176 : 259.
- SCHNEIDER, W. C. AND HOGEBOOM, G. H. 1956. Biochemistry of cellular particles. Ann. Rev. Biochem. 28 : 201.
- SCHULZE, W. AND WOLLENBERGER, A. 1962. Elektronenmikroskopischer Nachweis von Adenosentriphosphatase. Aktivitat im

- Herzmuskel. Proceedings of the Fifth International Congress Electron Microscopy, ed. Breese, S. S. Jr. p. M-10, New York, Academic Press Inc., U. S. A.
- SCHULZE, W. AND WOLLENBERGER, A. 1963. Zum histochemischen und elektronen mikroskopischen Nachweis von Adenosentriphosphatase. Aktivitat in den mitochondrien und anderen Skukturelementen dir Herzmuskelfaser. Monatsberichte der Deutschen Akademie der Wissenschaften zu Berlin, Band 5, Heft 1, 34.
- SEIDRA, S. N. 1950. Decreasing the time required for making an alizarin skeleton preparation. Stain Technol. 25 : 223.
- SEIFTER, S., DAYTON, S., NOVIC, B. AND MUNTWYLER, V. 1950. The estimation of glycogen with anthrone reagent. Arch. Biochem. 25 : 191.
- SENIOR, J. R. AND ISSELBACHER, K. J. 1962. Direct esterification of monoglycerides with palmityl coenzyme A by intestinal epithelial subcellular fractions. J. Biol. Chem. 237 : 1454.
- SINGER, T. P. AND BARRON, E. S. G. 1944. Effect of sulfhydryl reagents on adenosinetriphosphatase activity of myosin. Proc. Soc. Exp. Biol. Med. 56 : 120.
- SIPERSTEIN, M. D. 1958. Glycolytic pathways : their relation to the synthesis of cholesterol and fatty acids. Diabetes, 7 : 181.
- SKOGLUND, C. R. 1961. Functional analysis of swim bladder muscles

- engaged in sound production of the toadfish. J. Biophys. Biochem. Cytol. 10 : suppl. 187.
- SLAUTTERBACK, D. B. 1965. Mitochondria in cardiac muscle cells of the canary and some other birds. J. Cell Biol. 24 : 1.
- SMITH, D. S. 1961. The organization of the flight muscle in a dragonfly, *Aeshna* sp. (Odonata), J. Biophys. Biochem. Cytol. 11 : 119.
- SMITH, J. C., FOLDES, V. M. AND FOLDES, F. F. 1963. Distribution of cholinesterase in normal human muscle. Canad. J. Biochem. Physiol. 41 : 1713.
- SOMMER, J. R. AND SPACH, M. S. 1964. Electron microscopic demonstration of ATPase in myofibrils and sarco-plasmic membranes of cardiac muscle of normal and abnormal dogs. Am. J. Pathol. 44 : 491.
- STEIN, Y., TIETZ, A. AND SHAPIRO, B. 1957. Glyceride synthesis by rat liver mitochondria. Biochim. Biophys. Acta, 26 : 286.
- STETTEN, D. Jr. AND STETTEN, M. R. 1960. Glycogen metabolism. Physiol. Revs. 40 : 505.
- SUSHEELA, A. K. 1963. Lipase and succinic dehydrogenase activities of the particulate fractions of the rat diaphragm, in : Doctorate thesis, M. S. University of Baroda.
- SUYAMA, M., KOIKE, J. AND SUZUKI, K. 1960. J. Tokyo Univ. Fish. 46 : 51.
- TAKEUCHI, T. AND GLENNER, G. G. 1960. Histochemical demonstration of a pathway for polysaccharide synthesis from

- uridine diphosphoglucose. J. Histochem. Cytochem.
8 : 227.
- TARR, H. L. A. 1950. The acid soluble phosphorus compounds of
fish skeletal muscle. J. Fish. Res. Bd. Can. 7 : 608.
- THURSTON, C. E. 1958. Food Research, 23 : 619, as cited by
Mannan et al. 1961.
- THURSTON, C. E. AND MACMASTER, P. P. 1960. Food Research,
25 : 229, as cited by Mannan et al. 1961.
- TRAUT, R. R. 1962. Glycogen synthesis from UDPG. Activation
of glycogen synthetase by glucose-6-phosphate
(Doctorate Thesis, Faculty of Rockefeller Inst.)
as cited by Cabib, E. 1963. Carbohydrate Metabolism.
Ann. Rev. Biochem. 32 : 321.
- UMBREIT, W. W., BURRIS, R. H. AND STAUFFER, J. F. 1957.
Manometric Techniques. Burgess Publishing Co.
Minneapolis.
- UMEMURA, K. 1951. Respiratory enzymes of Tia1 (fish red muscle).
Nagoya J. Med. Sci. 14 : 81.
- VALLYATHAN, N. V. AND GEORGE, J. C. 1963. Phosphorylase 'a' in
bird and bat breast muscles. J. Anim. Morphol.
Physiol. 10 : 15.
- VALLYATHAN, N. V. AND GEORGE, J. C. 1964. Effect of exercise
on phosphorylase and succinic dehydrogenase levels
in pigeon breast muscles J. Anim. Morphol. Physiol.
(C. J. George Felicitation Number) 11 : 186.
- VALLYATHAN, N. V. AND GEORGE, J. C. 1965. Histochemical

- demonstration of acid and alkaline phosphatases in the red and white fibres of the pigeon pectoralis. J. Anim. Morphol. Physiol. (in press).
- VAN WIGHE, M., BLANCHAEER, M. C. AND JACYK, W. R. 1963. The oxidation of lactate and α -glycerophosphate by red and white skeletal muscle. 11. Histochemical studies. J. Histochem. Cytochem. 11 : 505.
- VERATTI, E. 1902. Recherche sulle fine strutture della fibra muscolare striata. Memorie Ist. Lomb., Cl. di sc., e nat., 19 : 87.
- VILLAR-PALASI, C. AND LARNER, J. 1958. A uridine coenzyme - linked pathway of glycogen synthesis in muscle. Biochim. Biophys. Acta, 30 : 449.
- VILLAR-PALASI, C. AND LARNER, J. 1960. Levels of activity of the enzymes of the glycogen cycle in rat tissues. Arch. Biochem. Biophys. 86 : 270.
- WACHSTEIN, M. AND MEISEL, E. 1957. Histochemistry of hepatic phosphatases at physiologic pH with special reference to the demonstration of bile canaliculi. Amer. J. Clin. Path. 27 : 13.
- WEIS-FOGH, T. 1952. Fat combustion and metabolic rate of flying locusts (Schistocerca gregaria). Phil. Trans. B. 237 : 1.
- WERTHEIMER, E. AND BEN-TOR, V. 1952. Fat utilization by muscle. Biochem. J. 50 : 573.
- WILLIAMS, T. W. Jr. 1946. The differentiation of placoid, ctenoid

and cycloid scales by means of alizarin red S.

Stain Technol. 21 : 55.

WILLS, E. D. 1960. The relation of metals and -SH groups to the activity of pancreatic lipase. Biochim. Biophys. Acta, 40 : 481.

YAKOVLEV, N. N. 1950. Order of biochemical changes in muscle in training and breaking of training. Sechenov. J. Physiol. 36 : 744.

Yampol'skaya, L. I. AND YAKOVLEV, N. N. 1951. Super compensation of muscle glycogen content during period of rest after work of various rhythms and duration. Sechenov. J. Physiol. 37 : 110.

YAMPOL'SKAYA, L. I. 1952. Biochemical changes in the muscles of trained and untrained animals under the influence of small loads. Fizol. Zhur. S. S. S. R. 38 : 91.

YOUNG, D. R. AND PRICE, R. 1961. Utilization of body energy reserves during work in dogs. J. Appl. Physiol. 16 : 351.