

References

- Agarwal, S. K., 1957. Kutch Mesozoic: A study of the Jurassic of Kutch with special reference to the Jhura Dome. *Journal Paleontological Society of India*, pp.119-130.
- Alpert, S.P., 1974. Systematic review of the genus *Skolithos*. *Journal of Paleontology*, 48, pp.661-669.
- Anderson, A.M., 1981. The Umfolozia arthropod trackways in the Permian Dwyka and Eccra series of South Africa. *Journal of Paleontology*, pp.84-108.
- Arkell, W. J., 1956. Jurassic geology of the world. Hafner Publishing Company.
- Atkinson, R. J. A. 1974. Behavioural ecology of the mud-burrowing crab *Goneplax rhomboides*. *Marine Biology*, 25, pp.239-252
- Azpeitia Moros, F. 1933. Datos para el estudio paleontológico del flysch de la Costa Cantabrica y de algunos otros puntos de España. *Boletín del Instituto Geológico y Minero de España* 53: pp1-65. 19 pls.
- Badve, R. M. and Ghare, M. A., 1978. Jurassic ichnofauna of Kutch-I. *Biovigyanam*, 4, pp.125-140.
- Bardhan, S. and Datta, K., 1987. Biostratigraphy of Jurassic Chari Formation: a study in Keera Dome, Kutch, Gujarat. *Journal of Geological Society of India* 30, pp.121-131.
- Bather, F. A., 1925. U-Shaped Burrows Near Blea Wyke. *Proceedings of the Yorkshire Geological Society*, 20(2), pp.185-199.
- Berger, W., 1957. Eine spiralförmige Lebensspur aus dem Rupel der bayrischen Beckenmolasse. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 1957, pp.538-540.
- Beynon, B. M. and Pemberton, S. G., 1992. Ichnological signature of a brackish water deposit: an example from the Lower Cretaceous Grand Rapids Formation, Cold Lake oil sands area, Alberta. In: S.G. Pemberton (org.) *Applications of Ichnology to petroleum exploration*, Society of Sedimentary Geologists, pp.199-221
- Beynon, B. M., Pemberton, S. G., Bell, D. D. and Logan, C. A., 1988. Environmental implications of ichnofossils from the Lower Cretaceous Grand Rapids Formation, Cold Lake oil sands deposit. In: D.P. James & D.A. Leckie (eds.) *Sequences, stratigraphy, sedimentology: surface and subsurface*, Canadian Society of Petroleum Geologists, pp. 275-289
- Bhalla, S. N. and bhalla, A. T. N., 1991. Callovian-Oxfordian foraminifera from Jhurio hill, Kutch, Western India. *Revue de paléobiologie*, 10(1), pp.85-114.
- Billings, E., 1862. New species of fossils from different parts of the Lower, Middle and Upper Silurian rocks of Canada. *Palaeozoic fossils*, 1(4), pp.96-185.

- Binney, E. W., 1852. *On Some Trails and Holes Found in Rocks of the Carboniferous Strata: With Remarks on the Microconchus Carbonarius*. Cave & Sever printers.
- Birkenmajer, K., 1959. Seria czertezicka-nowa seria skalkowa Pienin. *Acta Geologica Polonica*, 9(4), pp.499-518.
- Biswas, S. K., 1980. Mesozoic rock-stratigraphy of Kutch, Gujarat *Quarterly Journal of Geological, Mining and Metallurgical Society of India* 43, pp.1-51.
- Biswas, S. K., 1981. Basin framework, paleoenvironment and depositional history of the Mesozoic sediments of Kutch. Western India, *Quarterly Journal Geological Mineralogical, Metallurgical Society of India* 53, pp. 56-85.
- Biswas, S. K., 1982. Rift basins in Western India and their hydrocarbon prospects with special reference to Kutch basin. *AAPG Bulletin.*, 66(10), pp. 1467-1513.
- Biswas, S. K., 1993. *Geology of Kutch*, KDM Institute of Petroleum Exploration, Dehradun, pp. 450
- Biswas, S. K., and Despande S. V., 1970, Geological and Tectonic Maps of Kutch. *Bulletin of Oil and Natural Gas Commission*. 7(2) pp. 115-116
- Biswas, S. K., 1971. Note on the geology of Kutch, *Quarterly Journal of Geological, Mining and Metallurgical Society of India*, 43, pp.223-236
- Biswas, S. K., 1974. Landscape of Kutch. A morphotectonic analysis. *Indian Journal of Earth Science*. 1, pp.177-190.
- Biswas, S. K., 1977. Mesozoic rock-stratigraphy of Kutch, Gujarat. *Quarterly Journal of the Geological Mineralogical and Metallurgical Society of India*, 49, pp.1-51.
- Biswas, S. K., 1978. On status of the Bhuj and Umia series of Kutch, W. India. In Proceedings of VIIth Indian colloquium micropaleontology and stratigraphy (pp. 6-16).
- Biswas, S. K., 1980. Structure of Kutch-Kathiawar region, Western India. In Proceeding 3rd Indian Geological Congress, Pune. pp. 255-272.
- Biswas, S. K., 1981. Basin framework, palaeo-environment and depositional history of the Mesozoic sediments of Kutch basin, western India. *Quarterly Journal of the Geological, Mining and Metallurgical Society of India*. 53,pp.56-85
- Biswas, S. K., 1982. Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch basin. *AAPG Bulletin*, 66(10), pp.1497-1513.
- Biswas, S. K., 1983. Cretaceous of Kachchh-Kathiawar region. In Symposium on Cretaceous of India: palaeoecology, palaeogeography and time boundaries (pp. 40-65).
- Biswas, S. K., 1987. Regional tectonic framework, structure and evolution of the western marginal basins of India. *Tectonophysics*, 135(4), pp.307-327.

- Biswas, S. K., 1991. Stratigraphy and sedimentary evolution of the Mesozoic Basin of Kutch, Western India. In: S.K. Tandon, Charu C. Pant and S.M. Casshyap (Eds.), *Sedimentary Basins of India, Tectonic Context*. Gyanodaya Prakashan, Nainital, pp.74-103.
- Biswas, S. K., 1993. *Geology of Kutch – A compilation of Field Reports (1957-1972)*, KDM Institute of Petroleum Exploration, 450pp.
- Biswas, S. K., 2003. Structure and tectonics of Kutch Basin, Western India, with special reference to earthquakes. *Journal of Geological Society of India (Online archive from Vol 1 to Vol 78)*, 61(5), pp.626-629.
- Biswas, S. K., 2016. Mesozoic and Tertiary Stratigraphy of Kutch* (Kachchh) - A review. *Geological Society of India, Special Publication no. 6*, pp.1-24.
- Biswas, S. K. and Deshpande, S. V., 1968. Basement of Mesozoic sediments of Kutch, Western India, *Journal of the Geological, Mining, and Metallurgical Society of India*. 40, pp.1-7.
- Biswas, S. K., and Deshpande, S. V., 1973. A note on the mode of eruption of the Deccan Trap lavas with special reference to Kutch. *Journal of Geological Society of India (Online archive 14(2))*, pp.134-141.
- Biswas, S. K. and Deshpande, S. V., 1983. Tectonic map of Kachchh (Kutch). Institute of Petroleum Exploration, Oil & Natural Gas Commission, Dehra Dun, India.
- Bjerstedt, T. W., 1988. Trace fossils from the early Mississippian price delta, southeast west Virginia. *Journal of Paleontology*, pp.506-519.
- Blanford, W. T. 1867 On the Geology of a portion of Cutch. *Memoirs of the Geological Survey of India*, v. 4 (2), pp. 17-38.
- Bockelie, J. F., 1994. Plant roots in core, 177–199. *The Palaeobiology of Trace Fossils*.
- Boggs S., 2006. *Principles of sedimentology and stratigraphy*, 4th edition. Prentice Hall, New Jersey, 662p
- Bown, T. M., and Ratcliffe, B. C., 1988. The origin of Chubutolithes Ihering, ichnofossils from the Eocene and Oligocene of Chubut Province, Argentina. *Journal of Paleontology*, 62, pp.163–167.
- Brady, L. F., 1947. Invertebrate tracks from the Coconino Sandstone of northern Arizona. *Journal of Paleontology*, pp.466-472.
- Bromley, R. G., 1996. *Trace fossils: Biology, taphonomy and applications* (2nd ed.). London: Chapman & Hall, 361p.
- Bromley, R. G., 1990. *Trace fossils: Biology and Taphonomy*, Unwin Hyman, London. 280pp.
- Bromley, R. G., Pemberton S. G. and Rahmani R. A. 1984. A Cretaceous woodground: The *Teredolites* ichnofacies. *Journal of Paleontology*, 58, pp.488-498

- Bromley, R. G. and Asgaard, U., 1993. Endolithic community replacement on a Pliocene rocky coast. *Ichnos: An International Journal of Plant & Animal*, 2(2), pp.93-116.
- Bromley, R. G. and Ekdale, A. A., 1984. Chondrites: a trace fossil indicator of anoxia in sediments. *Science*, 224(4651), pp.872-874.
- Bromley, R. G. and Ekdale, A.A., 1998. Ophiomorpha irregulaire (trace fossil): redescription from the Cretaceous of the Book Cliffs and Wasatch Plateau, Utah. *Journal of Paleontology*, 72(4), pp.773-778.
- Bromley, R. G. and Frey, R. W., 1974. Redescription of the trace fossil Gyrolithes and taxonomic evaluation of Thalassinoides, Ophiomorpha and Spongeliomorpha. *Bulletin of the Geological Society of Denmark*, 23(3-4), pp.311-335.
- Bromley, R. G. and Frey, R. W., 1974. Redescription of the trace fossil Gyrolithes and taxonomic evaluation of Thalassinoides, Ophiomorpha and Spongeliomorpha. *Bulletin of the Geological Society of Denmark*, 23(3-4), pp.311-335.
- Bromley, R. G., 1990, Trace Fossils. Biology and Taphonomy: *Special Topics in Palaeontology* 3: Unwin Hyman, London, 280 p
- Bromley, R. G., 1996. Trace Fossils: Biology, Taphonomy and Applications. Chapman and Hall, London, 361pp.
- Bromley, R. G., Uchman, A., Gregory, M. R. and Martin, A. J., 2003. Hillichnus lobosensisigen. et isp. nov., a complex trace fossil produced by tellinacean bivalves, Paleocene, Monterey, California, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 192(1-4), pp.157-186.
- Bromley, R. G., Uchman, A., Gregory, M. R. and Martin, A. J., 2003. Hillichnus lobosensis igen. et isp. nov., a complex trace fossil produced by tellinacean bivalves, Paleocene, Monterey, California, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 192(1-4), pp.157-186.
- Bromley, R. G., Uchman, A., Gregory, M. R. and Martin, A. J., 2003. Hillichnus lobosensis igen. et isp. nov., a complex trace fossil produced by tellinacean bivalves, Paleocene, Monterey, California, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 192(1-4), pp.157-186.
- Brongniart, A., 1828. *Histoire des végétaux fossiles ou recherches botaniques et géologiques sur les végétaux renfermés dans les diverses couches du globe* (Vol. 1). éditeur non identifié.
- Brongniart, A. T., 1823. Observations sur les Fucoïdes. Société d'Histoire Naturelle de Paris, Mémoire 1, 301-320
- Brown Jr, L. F. and Fisher, W. L., 1977. Seismic-stratigraphic interpretation of depositional systems: examples from brazilian rift and pull-apart basins: section 2. Application of seismic reflection configuration to stratigraphic interpretation.

- Buatois L. A. and Mángano M. G., 2011. The De'ja`vu effect: Recurrent patterns in the exploitation of ecospace, the establishment of the mixed layer, and the distribution of matgrounds. *Geology* 39, pp.1163-1166.
- Buatois L. A. and Mángano M. G., 2012. An Early Cambrian shallow-marine ichnofauna from the Puncoviscana Formation of northwest Argentina: The interplay between sophisticated feeding behaviors, matgrounds and sea-level changes. *Journal of Paleontology*, 86, pp.7–18.
- Buatois, L. A. and Mángano, M. G., 1995. The paleoenvironmental and paleoecological significance of the lacustrine Mermia ichnofacies: an archetypical subaqueous nonmarine trace fossil assemblage. *Ichnos: An International Journal of Plant & Animal*, 4(2), pp.151-161.
- Buatois, L.A. and Mángano, M.G., 2011. *Ichnology: Organism-substrate interactions in space and time*. Cambridge University Press.
- Buatois, L. A., Mángano, M. G., Alissa, A. and Carr, T. R., 2002. Sequence stratigraphic and sedimentologic significance of biogenic structures from a late Paleozoic marginal-to open-marine reservoir, Morrow Sandstone, subsurface of southwest Kansas, USA. *Sedimentary Geology*, 152(1-2), pp.99-132.
- Buatois, L. A., Mangano, M. G., Mikuláš, R. and Maples, C. G., 1998. The ichnogenus *Curvolithus* revisited. *Journal of Paleontology*, 72(4), pp.758-769.
- Buatois, L. A., Wisshak, M., Wilson, M. A. and Mángano, M. G., 2017. Categories of architectural designs in trace fossils: a measure of ichnodisparity. *Earth-Science Reviews*, 164, pp.102-181.
- Catuneanu, O., 2002. Sequence stratigraphy of clastic systems: concepts, merits, and pitfalls. *Journal of African Earth Sciences*, 35(1), pp.1-43.
- Catuneanu, O., 2006. *Principles of Sequence Stratigraphy*. Elsevier, Amsterdam. 375 pp
- Catuneanu, O., 2017. Sequence stratigraphy: Guidelines for a standard methodology. In *Stratigraphy & timescales* Academic Press. 2, pp.1-57.
- Catuneanu, O., Abreu, V., Bhattacharya, J. P., Blum, M. D., Dalrymple, R. W., Eriksson, P. G., Fielding, C. R., Fisher, W. L., Galloway, W. E., Gibling, M. R., Giles, K. A., Holbrook, J. M., Jordan, R., Kendall, C. G. S. C., Macurda, B., Martinsen, O. J., Miall, A. D., Neal, J. E., Nummedal, D., Pomar, L., Posamentier, H. W., Pratt, B. R., Sarg, J. F., Shanley, K. W., Steel, R. J., Strasser, A., Tucker, M. E., Winker, C., 2009. Towards the standardization of sequence stratigraphy. *Earth Science Review*. 92, pp.1–33.
- Catuneanu, O., Galloway, W. E., Kendall, C. G. S. C., Miall, A. D., Posamentier, H. W., Strasser, A. and Tucker, M. E., 2011. Sequence stratigraphy: methodology and nomenclature. *Newsletters on stratigraphy*, 44(3), pp.173-245.

- Catuneanu, O., Hancox, P. J., Cairncross, B. and Rubidge, B. S., 2002. Foredeep submarine fans and forebulge deltas: orogenic off-loading in the underfilled Karoo Basin. *J. Afr. Earth Sci.* 35 (4), 489–502. Catuneanu, O., 2002. Sequence stratigraphy of clastic systems: concepts, merits, and pitfalls. *Journal of African Earth Sciences*, 35, pp.1–43.
- Chamberlain, C. K., 1971. Morphology and ethology of trace fossils from the Ouachita Mountains, southeast Oklahoma. *Journal of Paleontology*, pp.212-246.
- Christie-Blick, N. and Driscoll, N. W., 1995. Sequence stratigraphy. *Annual Review of Earth and Planetary Sciences*, 23(1), pp.451-478.
- Collinson, J. D., 1969. The sedimentology of the Grindslow shales and the Kinderscout grit; a deltaic complex in the Namurian of northern England. *Journal of Sedimentary Research*, 39(1), pp.194-221.
- Cox, L. R., 1940. The Jurassic lamellibranch of Kutch (Cutch). *Palaeontol. Indica*, 9, pp.157.
- D'Alessandro, A., Bromley, R. G. and Stemmerik, L., 1987. *Rutichnus*: a new ichnogenus for branched, walled, meniscate trace fossils. *Journal of Paleontology*, 61(6), pp.1112-1119.
- Dam, G., 1990. Taxonomy of trace fossils from the shallow marine Lower Jurassic Neill Klintner Formation, east Greenland. *Bulletin of the Geological Society of Denmark*, 38(1-2), pp.119-144.
- Darngawn, J. L., Patel, S. J., Joseph, J. K. and Shitole, A. D., 2018. Palaeoecological significance of trace fossils of Chorar Island, Eastern Kachchh Basin, Western India. *Journal of the Palaeontological Society of India*, 63(2), pp.169-180.
- Darngawn, J. L., Patel, S. J., Joseph, J. K. and Shitole, A.D., 2019. Genetic sequence stratigraphy on the basis of ichnology for the Middle Jurassic basin margin succession of Chorar Island (eastern Kachchh Basin, western India). *Geologos*, 25, pp.1-11
- Davies, N. S., Sansom, I. J., Albanesi, G.L. and Cespedes, R., 2007. Ichnology, palaeoecology and taphonomy of a Gondwanan early vertebrate habitat: Insights from the Ordovician Anzaldo Formation, Bolivia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 249(1-2), pp.18-35.
- Dawson, J. W., 1890. On burrows and tracks of invertebrate animals in Palaeozoic rocks, and other markings. *Quarterly Journal of the Geological Society*, 46(1-4), pp.595-618.
- De Gibert, J., Domènech, R. and Martinell, J., 2004. An ethological framework for animal bioerosion trace fossils upon mineral substrates with proposal of a new class, fixichnia. *Lethaia*, 37(4), pp.429-437.
- De Gibert, J.M. and Benner, J.S., 2002. The trace fossil *Gyrochorte*: ethology and paleoecology. *Revista Espanola de paleontologia*, 17, pp.1-12.
- Desai, B. G. and Thakkar, M. G., 2016. Ichnological events associated with evolution of Kachchh rift basin, Western India. *Recent Studies on the Geology of Kachchh*, 6, pp.114-128.

- Desai, B. G., Patel, S. J., Shukla, R. and Surve, D., 2008. Analysis of ichnoguilds and their significance in interpreting ichnological events: A study from Jhuran Formation (Upper Jurassic), western Kachchh, India. *Journal of Geological Society of India*, 72, pp.458-466.
- Deshpande, S. V. and Merh, S. S., 1980. Mesozoic sedimentary model of Wagad hills, Kutch, western India. *Journal of Geological Society of India (Online archive from Vol 1 to Vol 78)*, 21(2), pp.75-83.
- Deshpande, S. V. and Merh, S. S., 1980. Mesozoic sedimentary model of Wagad hills, Kutch, western India. *Journal of Geological Society of India (Online archive from Vol 1 to Vol 78)*, 21(2), pp.75-83.
- Desio, A., 1940. Vestigia problematiche paleozoiche della Libia. Istituto di Geologia, Paleontologia e Geografia Fisica *della R. Università di Milano, Serie P*, 20, pp.47–92.
- Dunham, R. J., 1962. Classification of Carbonate Rocks According to Depositional Textures. In: Ham, W. E. (Ed.): Classification of Carbonate Rocks. *American Association of Petroleum Geology Memoirs* 1, pp.108-121
- Dzik, J., 2005. Behavioral and anatomical unity of the earliest burrowing animals and the cause of the “Cambrian explosion”. *Paleobiology*, 31(3), pp.503-521.
- Ehrenberg, K. 1944. Ergänzende Bemerkungen zu den seinerzeit aus dem Miozan von Burgschleinitz beschriebenen Gangkernen und Bauten dekapoder Krebse. *Paläontologische Zeitschrift*, 23, 345–359
- Eichwald, E. d', 1860. *Lethaea rossica ou Paléontologie de la Russie*, 1,1 — E. Schweizerbart, Stuttgart: 1-681; Atlas: pp.1-34.
- Ekdale, A. A., 1985. Paleoecology of the marine endobenthos. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 50, pp.63-81.
- Ekdale, A. A., 1988. Pitfalls of paleobathymetric interpretations based on trace fossil assemblages. *Palaaios*, 3, pp.464-72.
- Ekdale, A. A., Bromley, R. G. and Pemberton, S. G., 1984a. Ichnology - the use of trace fossils in sedimentology and stratigraphy. *SEPM Short Course*, 15.
- Ekdale, A. A., Bromley, R. G. and Pemberton, S. G., 1984b. Ichnology: Trace Fossils in Sedimentology and Stratigraphy, *Society of Economic Paleontologists and Mineralogists. Short Course* 15, pp.317.
- Ekdale, A. A., 1985. Paleoecology of the marine endobenthos. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 50(1), pp.63-81.
- Ekdale, A. A., 1992. Muckraking and mudslinging: the joys of deposit-feeding. *Short courses in Paleontology*, 5, pp.145-171.

- Ekdale, A. A., Bromley, R.G. and Loope, D. B., 2007. Ichnofacies of an ancient erg: a climatically influenced trace fossil association in the Jurassic Navajo Sandstone, southern Utah, USA. In *Trace Fossils* (pp. 562-574). Elsevier.
- Ekdale, A. A., Bromley, R. G. and Pemberton, S. G., 1984. Ichnology: Trace Fossils in Sedimentology and Stratigraphy: SEPM Short Course No. 15. *Society of Economic Paleontologists and Mineralogists*, 317p.
- Ekdale, A. A., Muller, L. N. and Novak, M. T., 1984. Quantitative ichnology of modern pelagic deposits in the abyssal Atlantic. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 45(2), pp.189-223.
- Ekdale, E. G. and Ekdale, A. A., 2018. *Hillichnus lobosensis*, an unusually complex trace fossil of burrowing bivalves from the Paleogene of southern California, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 493, pp.119-125.
- Embry, A. F., 2001. The six surfaces of sequence stratigraphy. In *AAPG Hedberg Research Conference on Sequence Stratigraphic and Allostratigraphic Principles and Concepts, Dallas, August* (pp. 26-29).
- Embry, A. F., Johannessen, E. P., Vorren, T. O., Bergsager, E., Dahl-Stamnes, O. A., Holter, E., Johansen, B., Lie, E. and Lund, T. B., 1992. *Arctic geology and petroleum potential*, pp.121-146
- Farrow, G.E., 1966. Bathymetric zonation of Jurassic trace fossils from the coast of Yorkshire, England. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2, pp.103-151.
- Fillion, D. and Pickerill, R., 1984. Systematic ichnology of the Middle Ordovician Trenton Group, St Lawrence Lowland, eastern Canada. *Atlantic Geology*, 20(1), pp.1-41.
- Fillion, D. and Pickerill, R.K. 1990. Ichnology of the Upper Cambrian? to Lower Ordovician Bell Island and Wabana groups of eastern Newfoundland, Canada. *Palaeontographica Canadiana*, 7, 119 p.
- Flügel, E. and Munnecke, A., 2010. *Microfacies of carbonate rocks: analysis, interpretation and application*, pp. 976,
- Folk, R. L., 1974. Petrology of sedimentary rocks. Austin, Texas, Hemphill, 182pp.
- Folk, R. L., 1959. Practical petrographic classification of limestones. *AAPG bulletin*, 43(1), pp.1-38.
- Folk, R. L., 1962. Spectral subdivision of limestone types. 62-84pp.
- Frazier, D. E., 1974. Depositional Episodes: Their Relationship to the Quaternary Stratigraphic Framework in the North western Portion of the Gulf Basin. University of Texas at Austin Bureau of Economic Geology *Geological Circular 74-1*. 28 pp.
- Frey, R. W. 1975. The realm of ichnology, its strengths and limitations. In R. W. Frey (ed.), *The study of trace fossils*, 13-38. New York: SpringerVerlag.

- Frey, R. W. and Howard J. D., 1990. Trace fossils and depositional sequences in a clastic shelf setting, Upper Cretaceous of Utah: *Journal of Paleontology*, 64, pp. 803-820.
- Frey, R. W. and Seilacher, A. 1980. Uniformity in marine invertebrate ichnology. *Lethaia*, 13, pp.183–207.
- Frey, R. W., 1973. Concepts in the study of biogenic sedimentary structures. *Journal of Sedimentary Petrology*, 43, pp.6-19.
- Frey, R. W., (Ed.), 1975. The Study of Trace Fossils: A Synthesis of Principles, Problems, and Procedures in Ichnology, Springer-Verlag, New York, 562 pp.
- Frey, R. W. and Howard, J. D., 1985. Trace fossils from the Panther Member, Star Point Formation (Upper Cretaceous), Coal Creek Canyon, Utah. *Journal of Paleontology*, pp.370-404.
- Frey, R. W. and Pemberton, S. G., 1985. Biogenic structures in outcrops and cores. I. Approaches to ichnology. *Bulletin of Canadian Petroleum Geology*, 33(1), pp.72-115.
- Frey, R. W. and Pemberton, S. G., 1985. Biogenic structures in outcrops and cores. I. Approaches to ichnology. *Bulletin of Canadian Petroleum Geology*, 33(1), pp.72-115.
- Frey, R. W. and Pemberton, S. G., 1985. Biogenic structures in outcrops and cores. I. Approaches to ichnology. *Bulletin of Canadian Petroleum Geology*, 33(1), pp.72-115.
- Frey, R. W. and Pemberton, S. G., 1987. The Psilonichnus ichnocoenose, and its relationship to adjacent marine and nonmarine ichnocoenoses along the Georgia coast. *Bulletin of Canadian Petroleum Geology*, 35(3), pp.333-357.
- Frey, R. W. and Seilacher, A., 1980. Uniformity in marine invertebrate ichnology. *Lethaia*, 13(3), pp.183-207.
- Frey, R. W., 1973. Concepts in the study of biogenic sedimentary structures. *Journal of Sedimentary Research*, 43(1).
- Frey, R. W., Howard, J. D. and Pryor, W. A., 1978. Ophiomorpha: its morphologic, taxonomic, and environmental significance. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 23, pp.199-229.
- Frey, R. W., Pemberton, S. G. and Saunders, T. D., 1990. Ichnofacies and bathymetry: a passive relationship. *Journal of Paleontology*, 64(1), pp.155-158.
- Fritsch, A., 1908. *Problematica silurica*. R. Gerard.
- Fu, S., 1991. Funktion, Verhalten und Einteilung fucoider und lophocteniider Lebensspuren. *Courier Forschungsinstitut Senckenberg*. 135, pp.1–79.
- Fürsich, F. T. and Oschmann, W., 1993. Shell beds as tools in basin analysis: the Jurassic of Kachchh, western India. *Journal of the Geological Society*, 150(1), pp.169-185.
- Fürsich, F. T., 1974a. Ichnogenus Rhizocorallium. *Paläontologische Zeitschrift*, 48(1), pp.16-28.

- Fürsich, F. T., 1974b. On Diplocraterion Torell 1870 and the significance of morphological features in vertical, spreiten-bearing, U-shaped trace fossils. *Journal of Paleontology*, pp.952-962.
- Fürsich, F. T., 1974. On Diplocraterion Torell 1870 and the significance of morphological features in vertical, spreiten-bearing, U-shaped trace fossils. *Journal of Paleontology*, pp.952-962.
- Fürsich, F. T., 1975. Trace fossils as environmental indicators in the Corallian of England and Normandy. *Lethaia*, 8(2), pp.151-172.
- Fürsich, F. T., Alberti, M. and Pandey, D. K., 2013. Stratigraphy and paleoenvironments of Jurassic rocks of Kachchh: *Field Guide. Beringeria, Special Issue 7*, 174p.
- Fürsich, F. T., Alberti, M. and Pandey, D. K., 2014. Stratigraphy and Palaeoenvironments of the Jurassic Rocks of Kachchh: Field Guide. Freunde der nordbayerischen Geowissenschaften. *Beringeria, Special Issue 7*, pp. 1–174.
- Fürsich, F. T., Alberti, M. and Pandey, D. K., 2014. *Stratigraphy and palaeoenvironments of the Jurassic Rocks of Kachchh: field guide*. Beringeria Special Issue, 7, 174p.
- Fürsich, F. T., Alberti, M. and Pandey, D. K., 2014. *Stratigraphy and Palaeoenvironments of the Jurassic Rocks of Kachchh: Field Guide*. Freunde der nordbayerischen Geowissenschaften. *Beringeria, Special Issue 7*, pp. 1–174.
- Fürsich, F.T., Oschmann, W., Jaitly, A.K. and Singh, I.B., 1991. Faunal response to transgressive-regressive cycles: example from the Jurassic of western India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 85(3-4), pp.149-159.
- Fürsich, F. T., Oschmann, W., Singh, I. B. and Jaitly, A. K., 1992. Hardgrounds, reworked concretion levels and condensed horizons in the Jurassic of western India: their significance for basin analysis. *Journal of the Geological Society*, 149(3), pp.313-331.
- Fürsich, F. T., Palmer, T. J. and Goodyear, K. L., 1994. Growth and disintegration of bivalve-dominated patch reefs in the Upper Jurassic of southern England. *Palaeontology*, 37(1), pp.131-171.
- Fürsich, F. T., Pandey, D.K., Callomon, J.H., Jaitly, A.K. and Singh, I.B., 2001. Marker beds in the Jurassic of the Kachchh Basin, western India: their depositional environment and sequence-stratigraphic significance. *Journal of the Palaeontological Society of India*, 46, pp.173-198.
- Fürsich, F. T., Pandey, D. K., Callomon, J. H., Jaitly, A. K. and Singh, I. B. 2001. Marker Beds in the Jurassic of the Kachchh Basin, Western India: Their depositional environment and sequence stratigraphic significance. *Journal of Paleontological Society of India*, 46, pp.173-198.
- Galloway, W. E., 1989. Genetic stratigraphic sequences in basin analysis I: architecture and genesis of flooding-surface bounded depositional units. *AAPG bulletin*, 73(2), pp.125-142.

- Geinitz, H. B., 1842. *Charakteristik der Schichten und Petrefacten des sächsisch-böhmischen Kreidegebirges; Mit 25 Steindrucktafeln: "Die" sächsisch-böhmische Schweiz, die Oberlausitz und das Innere von Böhmen; Mit VIII Steindrucktafeln* (Vol. 3). Arnold.
- Genise, J. E. and Bown, T. M., 1994. New trace fossils of termites (Insecta: Isoptera) from the late Eocene-early Miocene of Egypt, and the reconstruction of ancient isopteran social behavior. *Ichnos: An International Journal of Plant & Animal*, 3(3), pp.155-183.
- Genise, J. F. and Bown, T. M., 1994. New Miocene scarabeid and hymenopterous nests and early Miocene (Santacrucian) paleoenvironments, Patagonian Argentina. *Ichnos: An International Journal of Plant & Animal*, 3(2), pp.107-117.
- Genise, J. F., Mángano, M. G., Buatois, L. A., Laza, J. H. and Verde, M., 2000. Insect trace fossil associations in paleosols: the Coprinisphaera ichnofacies. *Palaaios*, 15(1), pp.49-64.
- Genise, J. F., Melchor, R. N., Bellosi, E. S., González, M. G. and Krause, M., 2007. New insect pupation chambers (Pupichnia) from the Upper Cretaceous of Patagonia, Argentina. *Cretaceous Research*, 28(3), pp.545-559.
- Genise, J. F., Melchor, R. N., Bellosi, E. S., González, M. G. and Krause, M., 2007. New insect pupation chambers (Pupichnia) from the Upper Cretaceous of Patagonia, Argentina. *Cretaceous Research*, 28(3), pp.545-559.
- Ghare, M. A. and Kulkarni, K. G., 1986. Jurassic ichnofauna of Kutch II: Wagad region. *Biovigyanam*, 12, pp.44-62.
- Ghosh, D. N., 1969. Biostratigraphic classification of Patcham-Chari sequence at the Jumara section, Kutch. Proceeding 56th session of *Indian Science congress Association*, 3, pp.214.
- Goldring, R. 1964. Trace fossils and the sedimentary surface in shallow water marine sediments. *Developments in Sedimentology*, 1, pp.136-43.
- Gong, Y. M. and Si, Y. L., 2002. Classification and evolution of metazoan traces at a topological level. *Lethaia*, 35(3), pp.263-N.
- Grant, C. W., 1840. XXV.—Mémorial to illustrate a Geological Map of Cutch. Transactions of the Geological Society of London, 2(2), pp.289-329.
- Gregory, J. W. 1900. The corals, Jurassic fauna of Cutch. Memoirs of the Geological Survey of India. *Palaeontologica indica* (Calcutta). Part 2(2): 1-195
- Gregory, J. W., 1893. Jurassic Fauna of Cutch: The Echinoidea of Cutch. The Echinoidea of Cutch. *Palaeontologica Indica, Series IX*, 2, Part 1
- Gregory, J. W., 1906. IV.—Fossil Echinoidea From Sinai And Egypt. *Geological Magazine*, 3(5), pp.216-227.

- Hakes, W. G. 1977. Trace fossils in Late Pennsylvanian Cyclothems, Kansas, In: Crimes T. P. and Harper, J. (eds.); Trace fossils –II, *Geological Journal, Special Issue*. 9, pp.209-226.
- Haldeman, S. S., 1840. Supplement to Number One of "A monograph of the Limniades, or fresh-water univalve shells of North America," containing descriptions of apparently new animals in different classes, and the names and characters of the subgenera in Paludina and Anculosa. J. Dobson, Philadelphia.
- Hall, J., 1847. *Palaeontology of New York*, Vol. 1. C. Van Benthuyssen, Albany, 362p.
- Hall, J., 1843. *Geology of New York*. Part IV. Survey of the Fourth Geological District. 683 pp.
- Hall, J., 1852. *Palaeontology of New-York* (Vol. 2). C. van Benthuyssen.
- Hall, J., 1847. *Palaeontology of New York, Volume 1. Containing descriptions of the organic remains of the Lower Division of the New York System (equivalent of the Lower Silurian rocks of Europe)*, 338Albany, N.Y.: C. van Benthuyssen, State of New York.
- Hallam, A., 1978. Eustatic cycles in the Jurassic. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 23, pp.1-32.
- Hallam, A., 1988. A re-evaluation of Jurassic eustasy in the light of new data and the revised Exxon curve. In: Wilgus, C.K. et al., (eds.) *Sea-level Changes: an integrated approach*. Society of Economic Paleontologists and Mineralogists, Special Publications, 42, 261–273.
- Hammersburg, S. R., Hasiotis, S. T. and Robison, R. A., 2018. Ichnotaxonomy of the Cambrian spence shale member of the langston formation, Wellsville Mountains, northern Utah, USA. *Paleontological Contributions*, 2018(20), pp.1-66.
- Häntzschel, W. 1952: Die Lebensspur Ophiomorpha Lundgren ira Miozän bei Hamburg, ihre weltweite Verbreitung und Synonymie. *Mitteilungen Staatsinst. Hamburg* 21, pp.142-153
- Häntzschel, W. and Kraus, O., 1972. Names based on trace fossils (ichnotaxa): request for a recommendation. ZN (S.) 1973. *Bulletin of Zoological Nomenclature*, 29, pp.137-141.
- Hantzschel, W., 1962. Trace fossils and problematica: in Moore, et. al., *Treatise on invertebrate paleontology*, Part W, Miscellanea: Geological Society of America and Kansas University Press Part. W, pp.177-245,
- Hantzschel, W., 1975. Trace fossils and problematica. In. *Treatise on invertebrate paleontology. Part W*, Special Publication, pp.269.
- Haq, B. U. and Al-Qahtani, A.M., 2005. Phanerozoic cycles of sea-level change on the Arabian Platform. *GeoArabia*, 10(2), pp.127-160
- Haq, B. U., Hardenbol, J. and Vail, P. R., 1988. Mesozoic and Cenozoic chronostratigraphy and cycles of sea-level change. *Society of Economic Paleontologists and Mineralogists*. Special Publication no. 42, pp.71-108.

- Haq, B. U., Hardenbol, J. A. N. and Vail, P. R., 1987. Chronology of fluctuating sea levels since the Triassic. *Science*, 235(4793), pp.1156-1167.
- Hardas, M. G., 1968. Geology of the area to the south and southwest of bhuj DIST Kutch Gujarat with special reference to its stratigraphy sedimentation and structure.
- Harms, J. C., Southard, J. B., Spearing, D. R., and Walker, R. G., 1975, Depositional environments as interpreted from primary sedimentary structures and stratification sequences: *Society for Sedimentary Geology (SEPM) Short Course 2*, 161p.
- Hedberg, H. D., 1976. International stratigraphic guide, Wiley, New York, 200p.
- Hedberg, H. D., 1972. International guide to stratigraphic classification, terminology and usage, Report No.7, International Sub-commission on Stratigraphic Classification.
- Heer, O., 1877. *Flora fossilis Helvetiae: Die vorweltliche flora der Schweiz*. J. Wurster & comp.
- Heer, O., 1865. *Die Urwelt der Schweiz*. Schulthess, Zürich, 622 pp.
- Heinberg, C. and Birkelund, T., 1984. Trace-fossil assemblages and basin evolution of the Vardekløft Formation (Middle Jurassic, central East Greenland). *Journal of Paleontology*, pp.362-397.
- Heinberg, C., 1973. The internal structure of the trace fossils Gyrochorte and Curvolithus. *Lethaia*, 6(3), pp.227-238.
- Helland-Hansen, W. and Martinsen, O.J., 1996. Shoreline trajectories and sequences: description of variable depositional-dip scenarios. *Journal of Sedimentary Research*, 66(4), pp.670–688.
- Holmes, A., 1965. *Principles of Physical Geology*. Ed. Thomas Nelson, London 2nd Edition. 1288pp
- Howard, J. D. and Frey, R. W., 1984. Characteristic trace fossils in nearshore to offshore sequences, Upper Cretaceous of east-central Utah. *Canadian Journal of Earth Sciences*, 21(2): pp.200-219.
- Howard, J. D. and Reineck, H. E., 1981. Depositional facies of high-energy beach-to-offshore sequence: comparison with low-energy sequence. *AAPG Bulletin*, 65(5), pp.807-830.
- Howard, J. D. and Singh, I. B., 1985. Trace fossils in the Mesozoic sediments of Kachchh Western India. Palaeogeography, Palaeoclimatology, *Palaeoecology*, 52(1-2), pp.99-121.
- Hunt, A. P. and Lucas, S. G., 2007. Tetrapod ichnofacies: a new paradigm. *Ichnos*, 14(1-2): 59-68.
- Hunt, D. and Tucker, M. E., 1992. Stranded parasequences and the forced regressive wedge systems tract: deposition during base-level fall. *Sedimentary Geology*, 81, pp.1–9.

- Jaikrishna, Singh, I. B and Jafar S. A., 1983. Implication of new data on Mesozoic rock on Kachchh, Western India, *Nature*, 305, pp.709-792
- James, W. M., 1879. Are we automata?. *Mind*, pp.1-22.
- Jensen, S., 1997. Trace fossils from the Lower Cambrian Mickwitzia sandstone, south-central Sweden, pp.1-110
- Jensen, S., 1997: Trace fossils from the Lower Cambrian Mickwitzia Sandstone, south-central Sweden. *Fossils and Strata* 42, pp.1–110
- Johnson, J. G. and Murphy, M. A., 1984. Time-rock model for Siluro-Devonian continental shelf, western United States. *Geological Society of America Bulletin*, 95(11), pp.1349-1359.
- Johnson, J. G., Klapper, G. and Elrick, M., 1996. Devonian transgressive-regressive cycles and biostratigraphy, northern Antelope Range, Nevada: establishment of reference horizons for global cycles. *Palaaios*, pp.3-14.
- Joseph, J. K and Patel, S. J., 2015. Ichnology of mixed siliciclastic-carbonate sedimentary cycles and their sequence stratigraphic context: Kaladongar Formation (Middle Jurassic) of Kachchh, western India. *VoluminaJurassica*, 13(2), pp.81-100.
- Joseph, J. K. and Patel, S. J., 2018. Facies characterisation of a shallow-water deltaic succession: the Upper Jurassic Wagad Sandstone Formation of Kachchh, western India. *Geologos*, 24.
- Joseph, J. K., Patel, S. J. and Bhatt, N. Y., 2012. Trace fossil assemblages in mixed siliciclastic-carbonate sediments of the Kaladongar Formation (Middle Jurassic), Patcham island, Kachchh, Western India. *Journal of the Geological Society of India*, 80(2), pp.189-214.
- Joseph, J. K., Patel, S. J. and Bhatt, N. Y., 2016, November. Stratigraphy and Depositional Environment of Sediments of the Goradongar Formation, Goradongar Range, Patcham Island, Kachchh. In Recent Studies on the Geology of Kachchh. Conference Proceedings of *Geological Society of India* (pp. 32-45).
- Joseph, J. K., Patel, S. J., Darngawn, J. L. and Shitole, A. D., 2020. Ichnological analysis of Jurassic shallow to marginal marine deposits: example from Wagad Highland, Western India. *Ichnos*, 27(1), pp.35-63.
- Joshi, P. N., 2002. Study of ethnobotanical angiosperms of Bhuj and Mandvi talukas of Kachchh, Gujarat. *Unpublished PhD Thesis*, Bhavanagar University, Bhavanagar.
- Kalkowsky, E., 1908. Oolith und Stromatolith im norddeutschen Buntsandstein. *Zeitschrift der deutschen geologischen Gesellschaft*, pp.68-125.
- Kappeler, P. M., 2012. The behavioral ecology of strepsirrhines and tarsiers. *The evolution of primate societies*, 17, p.42.
- Karant, R. V., 2010. Structure and tectonics of Kachchh region. *Geospatial World*, online article. <https://www.geospatialworld.net/article/structure-and-tectonics-of-kachchh-region/>.

- Kennedy, W. J., 1967. Burrows and surface traces from the Lower Chalk of Southern England. *Bulletin of the British Museum (Natural History) Geology* 15: 125–167
- Kern, J. P. and Warme, J. E., 1974. Trace fossils and bathymetry of the Upper Cretaceous Point Loma Formation, San Diego, California. *Geological Society of America Bulletin*, 85(6), pp.893-900.
- Kim, J. Y., 1994. A unique occurrence of *Lockeia* from the Yeongheung Formation (Middle Ordovician), Yeongweol, Korea. *Ichnos: An International Journal of Plant & Animal*, 3(3), pp.219-225.
- Kitchin, F. L., 1900. The Jurassic fauna of Cutch. The Brachiopoda. Memoirs of the Geological Survey of India, Palaeontologia Indica, ser., 9, 3, p.87.
- Knaust, D., 2015. Trace fossils from the continental Upper Triassic Kågeröd Formation of Bornholm, Denmark. *Annales Societatis Geologorum Poloniae*, 85(3), 481–492.
- Knaust, D., 2004. Cambro-Ordovician trace fossils from the SW-Norwegian Caledonides. *Geological Journal*, 39(1), pp.1-24.
- Knaust, D., 2012. Trace-fossil systematics. *Developments in sedimentology*, 64, pp.79-101.
- Knaust, D., 2013. The ichnogenus *Rhizocorallium*: classification, trace makers, palaeoenvironments and evolution. *Earth-Science Reviews*, 126, pp.1-47.
- Krejci-Graf, K., 1932. Parallelisierung des südosteuropäischen Pliozäns. *Geologische Rundschau*, 23(6), pp.300-339.
- Krishna, J., 1984. Current status of the Jurassic stratigraphy in Kachchh, Western India. *International symposium of Jurassic Stratigraphy, Copenhagen*, 3, pp.731-742.
- Krishna, J. and Cariou, E., 1986. The Callovian of Western India: New data on the biostratigraphy, biogeography of the Ammonites and correlation with Western Tethys (Submediterranean Province). *Newsletters on Stratigraphy*, pp.1-8.
- Krishna, J. and Pathak, D.B., 1991. Ammonoid biochronology of the Upper Jurassic Kimmeridgian stage in Kachchh, India. *Journal of the Palaeontological Society of India*, 36, pp.1-13.
- Krishna, J. and Pathak, D.B., 1993. Late Lower Kimmeridgian-Lower Tithonian virgatospinctins of India: evolutionary succession and biogeographic implications. *Geobios*, 26, pp.227-238.
- Krishna, J., 1984. Current status of the Jurassic stratigraphy of Kachchh, western India. In *International Symposium on Jurassic Stratigraphy*, 3, pp.731-742).
- Krishna, J., 1987. An overview of the Mesozoic stratigraphy of Kachchh and Jaisalmer basins. *Journal of the Palaeontological Society of India*, 32, pp.136-149.

- Krishna, J., Pandey, B. and Pathak, D. B., 2009. Characterization of *Dichotomoceras* in the Oxfordian of Kachchh. *Journal of the Geological Society of India*, 74(4), pp.469.
- Krishna, J., Singh, I. B., Howard, J. D. and Jafar, S. A., 1983. Implications of new data on Mesozoic rocks of Kachchh, western India. *Nature*, 305 (5937), pp.790-792.
- Krishnan, M. S. 1968. Geology of India and Burma. Higginbothams (P) Limited, Madras, India, 536pp.
- Książkiewicz, M., 1968. O niektórych problematykach z fliszu Karpat Polskich (Część III). In *Annales Societatis Geologorum Poloniae*, 38(1), pp. 3-17.
- Książkiewicz, M., 1970. Geologia Sidziny koło Jordanowa (Karpaty Zachodnie). In *Annales Societatis Geologorum Poloniae*, 40(3-4), pp. 377-391).
- Książkiewicz, M., 1977. Trace fossils in the Flysch of the Polish Carpathians. *Paleontologie Polonica*. 36, pp.208.
- Kulkarni, K. G. and Ghare, M. A., 1989. Stratigraphic distribution of ichnotaxa in Wagad region, Kutch, India. *Journal of Geological Society of India (Online archive from Vol 1 to Vol 78)*, 33(3), pp.259-267.
- Kulkarni, K. G. and Ghare, M. A., 1991. Locomotory traces (Repichnia) from the Jurassic sequence of Kutch, Gujarat. *Journal of Geological Society of India (Online archive from Vol 1 to Vol 78)*, 37(4), pp.374-387.
- Lebesconte, P., 1883. Oeuvres posthumes de Marie Rouault,... publiées par les soins de P. Lebesconte, suivies de: les *Cruziana* et *Rysophycus*, connus sous le nom général *Bilobites*, sont-ils des végétaux ou des traces d'animaux, 11, pp.466-472.
- Lessertisseur, J., 1956. Sur un bilobite nouveau du Gothlandien de L'Ennedi (Tchad, AEF), *Cruziana* ancora. *Bulletin de la Société Géologique de France*, 6(1-3), pp.43-47.
- Lockley, M. G., 1991. *Tracking dinosaurs: a new look at an ancient world*. CUP Archive.
- Lord, G. D. 1985. *Stratigraphy, petrography, and depositional environments of the Twin Creek Limestone-Arapien Shale, northern and central Utah*, 87Salt Lake City: University of Utah. M.Sc. dissertation
- Lord, G. D., 1985. Stratigraphy, petrography and depositional environments of the Twin Creek Limestone Arapien Shale, northern and central Utah. Unpublished. M.Sc. Thesis, University of Utah. 87pp.
- Loutit, T. S., Hardenbol, J., Vail, P. R., Baum, G. R., 1988. Condensed sections: the key to age-dating and correlation of continental margin sequences. In: Wilgus, C. K., Hastings, B. S., Kendall, C. G. St. C., Posamentier, H.W., Ross, C. A., Van Wagoner, J. C. (eds.), *Sea Level Changes – An Integrated Approach*. SEPM Special Publication, 42, pp.183–213.
- Lundgren, S. A. B., 1891. Studier öfver fossilörande lösa block. *Geologiska Föreningens I Stockholm Förhandlingar*, 13, pp.111-121. 13, pp.111-121.

- M'Coy, F. 1850. On some genera and species of Silurian *Radiata* in the collection of the University of Cambridge. *Annals and Magazine of Natural History*, 6(2), pp.270-290.
- Maliva, R.G. and Siever, R., 1988. Diagenetic replacement controlled by force of crystallization. *Geology*, 16(8), pp.688-691.
- Mangano, M. G., Buatois, L. A., West, R. R. and Maples, C. G., 1998. Contrasting behavioral and feeding strategies recorded by tidal-flat bivalve trace fossils from the Upper Carboniferous of eastern Kansas. *Palaaios*, 13(4), pp.335-351.
- Mangano, M. G., Buatois, L. A., West, R. R. and Maples, C. G., 1998. Contrasting behavioral and feeding strategies recorded by tidal-flat bivalve trace fossils from the Upper Carboniferous of eastern Kansas. *Palaaios*, 13(4), pp.335-351.
- Martins-Neto, M. A. and Catuneanu, O., 2010. Rift sequence stratigraphy. *Marine and Petroleum Geology*, 27(1), pp.247-253.
- Martinsen, O.J. and Helland-Hansen, W., 1995. Strike variability of clastic depositional systems: Does it matter for sequence-stratigraphic analysis *Geology*, 23(5), pp.439-442.
- Martinsson, A., 1965. Aspects of a Middle Cambrian thanatotope on Oland. *Geologiska Förening in Stockholm Förhandlingar*, 87, pp.181-230.
- Martinsson, A., 1970. Toponymy of trace fossils, in *Trace Fossils* (eds T. P. Crimes and J. C. Harper), *Geological Journal Special Issues*, 3, pp.323-30.
- Maurya D. M., Thakkar M. G., Patidar A. K., Bhandari S, Goyal B., Chamyal L. S., 2008. Late Quaternary geomorphic evolution of the coastal zone of Kachchh, western India. *Journal of Coastal Research*, 1, pp746-58.
- McCave, I. N., Manighetti, B. and Robinson, S. G., 1995. Sortable silt and fine sediment size/composition slicing: parameters for palaeocurrent speed and palaeoceanography. *Paleoceanography*, 10(3), pp.593-610.
- McIlroy, D., (ed.) 2004. *The Application of Ichnology to Palaeoenvironmental and Stratigraphic Analysis*. Geological Society, London, Special Publications, 228, 3-27. The Geological Society of London.
- McPherson, J. G., Shanmugam, G. and Moiola, R. J., 1987. Fan-deltas and braid deltas: varieties of coarse-grained deltas. *Geological Society of America Bulletin*, 99(3), pp.331-340.
- Meena, R. L., Korvadia, V. T., Dave, A.B. and Joshi, P. N., 2008. A Note on Greater Rann of Kachchh, Kachchh District, Gujarat with Special Reference to Flamingo City. *Indian Forester*, 134(10), pp.1393-1397.
- Mehta, L., 2001. The manufacture of popular perceptions of scarcity: Dams and water-related narratives in Gujarat, India. *World development*, 29(12), pp.2025-2041.

- Merh, S. S. and Patel, P. P., 1988. Quaternary geology and geomorphology of the Ranns of Kutch. In *Proceedings of the National Seminar on Recent Quaternary Studies in India* (eds Patel, MP and Desai, ND), MS University of Baroda, Vadodara (pp. 377-391).
- Mial, A. D. 2000. *Principles of Sedimentary Basin Analysis*. Ed. Mial A. D 3rd edition. 616pp.
- Miall, A.D., 1984. Variations in fluvial style in the lower Cenozoic synorogenic sediments of the Canadian Arctic Islands. *Sedimentary Geology*, 38(1-4), pp.499-523.
- Miller III, W., 1986. Discovery of trace fossils in Franciscan turbidites. *Geology*, 14(4), pp.343-345.
- Miller III, W., 2003. Paleobiology of complex trace fossils. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 192(1-4), pp.3-14.
- Miller III, W., 2012. On the doctrine of ichnotaxonomic conservatism: the differences between ichnotaxa and biotaxa. *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, pp.295-304.
- Miller, W., III (Ed.) (2007). *Trace Fossils: Concepts, Problems, Prospects*. Elsevier, Amsterdam, 632pp.
- Mitchum Jr, R., Vail, P., Sangree, J., 1977. Seismic stratigraphy and global changes of sea level: Part 6. Stratigraphic interpretation of seismic reflection patterns in depositional sequences: Section 2. Application of seismic reflection configuration to stratigraphic interpretation. *AAPG Memoir* 26, pp.117-133.
- Mitchum Jr, R. M., Vail, P. R. and Thompson III, S., 1977. Seismic stratigraphy and global changes of sea level: Part 2. The depositional sequence as a basic unit for stratigraphic analysis: Section 2. Application of seismic reflection configuration to stratigraphic interpretation.
- Mitra, K. C., Bardhan, S. and Bhattacharya, D., 1979. A study of Mesozoic stratigraphy of Kutch, Gujarat, with special reference to rock-stratigraphy and biostratigraphy of Keera dome. *Bulletin Indian Geologists Association*, 12, pp.129-143
- Mount J. 1985. Mixed siliciclastic and Carbonate sediments: a proposed first-order textural and compositional classification. *Sedimentology*, 32, pp.435-442.
- Myrow, P. M., 1995. *Thalassinoides* and the enigma of Early Paleozoic open-framework burrow systems. *Palaios*. 10, pp.58-74.
- Nagy, J., Tovar, F. J. R. and Reolid, M., 2016. Environmental significance of Ophiomorpha in a transgressive–regressive sequence of the Spitsbergen Paleocene. *Polar Research*, 35(1), pp.241-292.
- Needham, S. J., Worden, R. H. and Cuadros, J., 2006. Sediment ingestion by worms and the production of bio-clays: a study of macrobiologically enhanced weathering and early diagenetic processes. *Sedimentology*, 53(3), pp.567-579.

- Nemec, W. and Steel, R. J., 1988. What is a fan delta and how do we recognize it. *Fan Deltas: sedimentology and tectonic settings*, 3, pp.13.
- Neto de Carvalho, C. and Rodrigues, N.P.C., 2007. Compound *Asterosoma ludwigae* Schlirf, 2000 from the Jurassic of the Lusitanian Basin (Portugal): conditional strategies in the behaviour of Crustacea. *Journal of Iberian Geology*, 33(2), pp.295-310.
- Nichols, G., 2009. *Sedimentology and stratigraphy*. John Wiley & Sons.
- Nicholson, H. A. and Hinde, G. J., 1875. Notes on the fossils of the Clinton, Niagara and Guelph formations of Ontario, with descriptions of new species. *Canadian Journal of Sciences, Literature, and History, New Series*, 14, pp.137-140.
- Nicholson, H. A., 1873. III. Contributions to the study of the errant Annelides of the older palaeozoic rocks. *Proceedings of the Royal Society of London*, 21(139-147), pp.288-290.
- Norton, I. O. and Sclater, J. G., 1979. A model for the evolution of the Indian Ocean and the breakup of Gondwanaland. *Journal of Geophysical Research: Solid Earth*, 84(B12), pp.6803-6830.
- Nummedal, D. and Swift, D. J., 1987. Transgressive stratigraphy at sequence-bounding unconformities: some principles derived from Holocene and Cretaceous examples. Eds. Dag Nummedal, Orrin H. Pilkey, James D. Howard. In, *Sea-Level Fluctuation and Coastal Evolution*. SEPM Special Publication
- Nummedal, D., Mack, G. H. and Giles, K. A., 2004. Tectonic and eustatic controls on Upper Cretaceous stratigraphy of northern New Mexico. *The Geology of New Mexico—A Geologic History*, 11, pp.169-182.
- Palij, V. M., 1974. Bilobate traces from the deposit of baltic series in Dniestr region. Doklady. An USSR series B 1, pp.499-503
- Pandey, J. and Dave, A. 1993. Studies in the Mesozoic foraminifera and chronostratigraphy of Western Kutch, Gujarat. *Palaeontology of India* 1, pp. 1-221.
- Pandey, J. and Dave, A., 1998. Stratigraphy of Indian Petroliferous Basins (p. 248). *Dona Paula: National Institute of Oceanography*.
- Paranjape, A. R., Kulkarni, K. G. and Gurav, S. S., 2013. Significance of *Lockeia* and associated trace fossils from the Bada Bagh Member, Jaisalmer Formation, Rajasthan. *Journal of Earth System Science*, 122(5), pp.1359-1371.
- Pascoe, E. H., 1959. A Manual of the Geology of India and Burma, 2 (3rd edn.), pp.485-1343.
- Patel, G. D., 1971. Gujarat State Gazetteers (Kachchh District), Govt. of Gujarat, Ahmedabad.
- Patel, J. M., 2012 Ichnological studies of Mesozoic sediments in Kas hills and surrounding areas Kachchh Mainland Western India. *Unpublish Thesis*.

- Patel, S. and Patel, N., 2015. Sedimentological and palaeoecological significance of the trace fossils of the Jurassic rocks of the Jhura Dome, Mainland Kachchh, western India. *Volumina Jurassica*, 13(2), pp.101-140.
- Patel, S. J. and Desai, B. G., 2009. Animal-sediment relationship of the crustaceans and polychaetes in the intertidal zone around Mandvi, Gulf of Kachchh, Western India. *Journal of the Geological society of India*, 74(2), pp.233-259.
- Patel, S. J., Bhatt, N. Y. and Desai, B. G., 2008. Asteriacitesquinquefolius-Asteroid Trace Maker from the Bhuj Formation (Lower Cretaceous) of the Mainland Kachchh, Western India. *Journal-Geological Society of India*, 71(1), p.129.,
- Patel, S. J., Darngawn, J. L., Joseph, J. K. and Shitole, A.D., 2018. Stratigraphy and Sedimentology of Middle Jurassic Sequence of Chorar Island, Patan District, Kachchh Basin, Gujarat. *Journal of the Geological Society of India*, 92(4), pp.419-426.
- Patel, S. J., Darngawn, J. L., Joseph, J. K. and Shitole, A.D., 2018. Stratigraphy and Sedimentology of Middle Jurassic Sequence of Chorar Island, Patan District, Kachchh Basin, Gujarat. *Journal of the Geological Society of India*, 92(4), pp.419-426.
- Patel, S. J., Darngawn, J. L., Joseph, J. K. and Shitole, A. D., 2018. Stratigraphy and Sedimentology of Middle Jurassic Sequence of Chorar Island, Patan District, Kachchh Basin, Gujarat. *Journal of the Geological Society of India*, 92(4), pp.419-426.
- Patel, S. J., Desai, B. G. and Shukla, R., 2009. Paleoecological significance of the trace fossils of Dhosa oolite Member (Jumara formation), Jhura Dome, Mainland Kachchh, western India. *Journal of the Geological Society of India*, 74(5), p.601.
- Patel, S. J., Desai, B. G., Vaidya, A. D. and Shukla, R., 2008. Middle Jurassic trace fossils from Habo Dome, Mainland Kachchh, western India. *Journal of Geological Society of India*, 71(3), p.345.
- Patel, S. J., Jaquelin, K. J. and Bhatt, N. Y., 2010. Sequence stratigraphic significance of sedimentary cycles and trace fossils in the Middle Jurassic rocks of Kuar Bet area, Patcham Island, Kachchh, Western India. Gondwana Geological Magazine Special Publication, 12, pp.189-197.
- Patel, S. J., Joseph, J. K. and Bhatt, N. Y., 2014. Ichnology of the Goradongar Formation, Goradongar Hill Range, Patcham Island, Kachchh, Western India. *Journal of the Geological Society of India*, 84(2), pp.129-154.
- Patel, S. J., Nenuji, V. and Joseph, J. K., 2012. Trace fossils from the Jurassic rocks of Gangta Bet, eastern Kachchh, western India. *Journal of the Palaeontological Society of India*, 57(1), pp.59-73.
- Patel, Y. S., Patel, R. M., Joshi, P. N. and Dabgar, Y. B., 2011. Study of angiospermic flora of Kachchh district, Gujarat, India. *Life Sci Leaflet*, 19, pp.739-768.

- Pattison, S.A.J., 1992, Recognition and interpretation of estuarine mudstones (central basin mudstones) in the tripartite valley-fill deposits of the Viking Formation, central Alberta: in Pemberton, S.G., ed., Applications of ichnology to petroleum exploration-A core workshop: *Society of Economic Paleontologists and Mineralogists*, Core Workshop no. 17, pp.319-337
- Pazos, P. J. and Fernandez, D. E., 2010. Three-dimensionally integrated trace fossils from shallow-marine deposits in the Lower Cretaceous of the Neuquén Basin (Argentina): *Hillichnus agrioensis* isp. nov. *Acta Geologica Polonica*, 60(1), pp.105-118.
- Pemberton G. S., Spila M., Pulham A. J., Saunders T., Maceachern J. A., Robbins D. and Sinclair I. K., 2001. Ichnology and sedimentology of shallow to marginal marine systems: Ben Nevis and Avalon Reservoirs, Jeanne D'Arc Basin. *Geological Association of Canada*, Short Course Notes 15: 343 pp.
- Pemberton, S. G. and Frey, R. W. 1982 Trace fossil nomenclature and the *Planolites-Palaeophycus* dilemma. *Journal of Paleontology*, 56, pp.843-881.
- Pemberton, S. G., and Frey, R. W., 1984. *Ichnology of storm-influenced shallow marine sequence: Cardium Formation (Upper Cretaceous) at Seebe, Alberta*, In: D.F.Stott and D.J.Glass (eds.), The Mesozoic of middle North America. *Canadian Society of Petroleum Geologists Memoirs*, 9, pp.281-304.
- Pemberton, S. G., Spila, M., Pulham, A. J., Saunders, T., MacEachern, J. A., Robbins, D. and Sinclair, I. K., 2001. Ichnology and sedimentology of shallow to marginal marine systems: Ben Nevis and Avalon Reservoirs, Jeanne d'Arc Basin. *Geological Association of Canada, St. John's Newfoundland*, Short Course Notes, 15: 353.
- Pemberton, S. G. and Frey, R. W., 1982. Trace fossil nomenclature and the *Planolites-Palaeophycus* dilemma. *Journal of Paleontology*, pp.843-881
- Pemberton, S. G. and Gingras, M. K., 2005. Classification and characterizations of biogenically enhanced permeability. *AAPG bulletin*, 89(11), pp.1493-1517.
- Pemberton, S.G., MacEachern, J.A. and Saunders, T., 2004. Stratigraphic applications of substrate-specific ichnofacies: delineating discontinuities in the rock record. *Geological Society, London, Special Publications*, 228(1), pp.29-62.
- Pettijohn, F. J., 1975. Sedimentary rocks (Vol. 3). New York: Harper & Row.
- Picard, M. D. and Uygur, K. 1982. "Mixed terrigenous-carbonate rocks in Jurassic Arapien Shale of central Utah". In *Overthrust belt of Utah*, Edited by: Nielson, D. L. 181–198. Salt Lake City: *Utah Geological Association Publication* 10.
- Pickerill, R. A., 1994. Nomenclature and taxonomy of invertebrate trace fossils. *The paleobiology of trace fossils*, pp.3-42.
- Pickerill, R. K., Romano, M. and Meléndez, B., 1984. Arenig trace fossils from the Salamanca area, western Spain. *Geological Journal*, 19(3), pp.249-269.

- Pillion, D. and Pickerill, R. K. 1990. Ichnology of the Upper Cambrian? to Lower Ordovician Bell Island and Wabana groups of eastern Newfoundland, Canada. *Palaeontographica Canadians*, 7, pp.119
- Plint, A. G., 1988. Sharp-based shoreface sequences and “offshore bars” in the Cardium Formation of Alberta: Their relationship to relative changes in sea level. Special Publication no. 42
- Poddar, M. C., 1964. Mesozoic of Western India, their geology and oil possibilities. 22nd *International Geological Congress, New Delhi, Report 220*, pp.130-139.
- Pollard, J. E. 1981. A comparison between the Triassic trace fossils of Cheshire and South Germany. *Palaeontology*. 24, pp.555-558.
- Pollard, J. E., Goldring, R. and Buck, S.G., 1993. Ichnofabrics containing Ophiomorpha: significance in shallow-water facies interpretation. *Journal of the Geological Society*, 150(1), pp.149-164.
- Posamentier, H., and Allen, G., 1999. Siliciclastic sequence stratigraphy—concepts and applications. *SEPM Concepts in Sedimentology and Paleontology* 7, pp.210.
- Posamentier, H. W., Jervy, M. T. and Vail, P. R., 1988. Eustatic controls on clastic deposition II—conceptual framework. In: C. K. Wilgus et al (eds.), Sea level changes: an integrated approach. *SEPM, Special Publication, No. 420*, pp.109-124.
- Quenstedt, F.A., 1879. Petrefactenkunde Deutschlands. Korallen (Sternkorallen) Erste Abtheilung, Sechster Band, Drittes Heft, Atlas. *Fues's Verlag. (R. Reisland), Leipzig*, 337, pp.496.
- Rai, J. and Jain, S., 2013. Pliensbachian Nannofossils from Kachchh: Implications on the Earliest Jurassic Transgressive Event on the Western Indian Margin. *Zitteliana*, 53, pp.105-120.
- Rajnath, R., 1932., A contribution to the stratigraphy of Cutch. *The Quarterly journal of the Geological, Mining and Metallurgical Society of India*, 4, pp.161-174.
- Raju, K. C. B., 1995, January. Strategies to combat drought in Kutch. In *Workshop on strengthening of community participation in disaster reduction and role of NGOs, January*, pp.13-15.
- Rao, Y. B., 1964. Report on seismic investigation in West Kutch and Banni area of North Kutch, *Report of Party No. C 2*
- Reading, H. G. and Levell, B. K., 1996. Controls on the sedimentary rock record. *Sedimentary environments: processes, facies and stratigraphy*, 3, pp.5-36.
- .
- Reise, K., 1985. Predator control in marine tidal sediments.
- Rhoads, D.C. and Morse, J.W., 1971. Evolutionary and ecologic significance of oxygen-deficient marine basins. *Lethaia*, 4(4), pp.413-428.

- Rhoads, D. C., 1975. The paleoecological and environmental significance of trace fossils. In *The study of trace fossils* (pp. 147-160). Springer, Berlin, Heidelberg.
- Richter, C. P., 1927. Animal behavior and internal drives. *The Quarterly Review of Biology*, 2(3), pp.307-343.
- Richter, R., 1853. Thüringische Graptolithen. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 5, pp.439-464.
- Richter, R. 1937. Marken und Spuren aus allen Zeiten I–II. *Senckenbergiana*, 19:150–169.
- Richter-Bernberg, G. and Schott, W., 1963. Jurassic and Cretaceous at the western border of Gondwana Shield in India, and the stratigraphy of oil possibilities. In *Proceedings of the Second Symposium on the Development of Petroleum Resources of Asia and the Far East, Mineral Resource Development Series, 1*, pp.230-236).
- Rieth, A., 1932. Neue Funde spongeliomorpher Fucoiden aus Jura Schwabens, *Geologie und Palaeontologie* 19, pp.257–294.
- Rindsberg, A. K. 2012. Ichnotaxonomy: finding patterns in a welter of information. In *Developments in sedimentology*. Elsevier, 64: pp. 45-78.
- Rindsberg, A.K., 2012. Ichnotaxonomy: finding patterns in a welter of information. In *Developments in sedimentology* (Vol. 64, pp. 45-78). Elsevier.
- Rioul, M., Dugué, O., Jan du Chêne, R., Ponsot, C. and Fily, G., 1991. Outcrop sequence stratigraphy of the anglo-Paris basin, middle to upper Jurassic (Normandy, Maine, Dorset). *Bulletin des Centres de recherches exploration-production Elf-Aquitaine*, 15(1), pp.101-194.
- Ritcher, R., 1850. Aus der Thuringischen Grauwacke. *Deutsche Geologische Gesellschaft, Zeitschrift*, 2, pp.555-588
- Roberts, D., 1969. Trace fossils from the Hovin Groups, Nord-Trøndelag, and their bathymetric significance. *Norges geologiske undersøkelse*, 258, pp.228-236.
- Rodríguez-Tovar, F. J. and Pérez-Valera, F. 2008. Trace fossil *Rhizocorallium* from the Middle Triassic of the Betic Cordillera, Southern Spain: characterization and environmental implications. *Palaaios*, 23, pp.78-86.
- Rodríguez-Tovar, F. J., Pérez-Valera, F., 2008. Trace fossil *Rhizocorallium* from the Middle Triassic of the Betic Cordillera, Southern Spain: characterization and environmental implications. *Palaaios* 23, pp.78-86.
- Rouault, M., 1850. Note préliminaire sur une nouvelle formation découverte dans le terrain silurien inférieur de la Bretagne. *Société Géologique de France Bulletin, série*, 2, pp.724-744.
- Ruban, D. A., 2015. Mesozoic long-term eustatic cycles and their uncertain hierarchy. *Geoscience Frontiers*, 6(4), pp.503-511.

- Sageman, B. B., Wignall, P. B. and Kauffman, E. G., 1991. Biofacies models for oxygen-deficient facies in epicontinental seas: tool for paleoenvironmental analysis, in *Cycles and Events in Stratigraphy*, Springer-Verlag, Berlin, pp.542- 64.
- Salter, J. W., 1857. On Annelide-burrows and Surface-markings from the Cambrian Rocks of the Longmynd. No. 2. *Quarterly Journal of the Geological Society*, 13(1-2), pp.199-206.
- Saporta, G. de. 1872-1873. Paleontologie francaise ou description des fossiles de la France. 2 ser. Vegetaux. Plantes Jurassiques. G. Masson, Paris, 1, pp.506.
- Sarjeant, W. A. S. and Kennedy, W. J. 1973. Proposal of a code for the nomenclature of trace fossils. *Canadian Journal of Earth Sciences*, 10, pp.460–475.
- Sarjeant, W. A. S., 1979. Code for trace fossil nomenclature. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 28, pp.147-167.
- Savrda, C. E., 1992. Trace fossils and benthic oxygenation, in *Trace Fossils* (eds C. G. Maples and R. R. West), *Short Courses in Paleontology*, 5, pp.172-96.
- Savrda, C. E. and Bottjer, D. J., 1986. Trace fossil model for reconstruction of paleo-oxygenation in bottom waters. *Geology*, 14, pp.3-6.
- Savrda, C.E. and Bottjer, D.J., 1989. Trace-fossil model for reconstructing oxygenation histories of ancient marine bottom waters: application to Upper Cretaceous Niobrara Formation, Colorado. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 74(1-2), pp.49-74.
- Savrda, C. E. and Bottjer, D. J., 1991. Oxygen-related biofacies in marine strata: an overview and update. *Geological Society, London, Special Publications*, 58(1), pp.201-219.
- Savrda, C.E., 1991. Teredolites, wood substrates, and sea-level dynamics. *Geology*, 19(9), pp.905-908.
- Savrda, C.E., 2007. Taphonomy of trace fossils. In *Trace fossils* (pp. 92-109). Elsevier.
- Scheiber, J. 2002. The role of an organic slime matrix in the formation of pyritized burrow trails and pyrite concretions. *Palaos*, 17, pp.104–109.
- Schlirf M, Uchman A and Kmmel M 2001 Upper Triassic (Keuper) non-marine trace fossils from the Hasberge area (Franconia, southeastern Germany); *Paläontologische Zeitschrift*. 75(1), pp.71-96.
- Schlirf, M., 2000. Upper Jurassic trace fossils from the Boulonnais (northern France). *Geologica et Palaeontologica*, 34, pp.145-213.
- Schlirf, M., 2005. *Revision and description of Keuper (Middle Ladinian to Rhaetian) invertebrate trace fossils from the southern part of the Germanic Basin and studies of related material* (Doctoral dissertation, Universität Würzburg).
- Schlirf, M., Uchman, A. and Kmmel, M., 2001. Upper Triassic (Keuper) non-marine trace fossils from the Haberge area (Franconia, south-eastern Germany). *PalZ*, 75(1), pp.71-96.

- Schmid, H., 1876. *Die Dogmatik der evangelisch-lutherischen Kirche: dargestellt und aus den Quellen belegt*. Heyder & Zimmer.
- Seilacher, A., 1967. Fossil behaviour. *Scientific American*, 217, pp.72–80.
- Seilacher, A., 1990. Aberrations in bivalve evolution related to photo and chemosymbiosis. *Historical Biology*. 3, pp.289-311
- Seilacher, A., 2007 Trace Fossil analysis. *Springer-Verlag Berlin Heidelberg*, 226p.
- Seilacher, A., 1953. Studien zur palichnologie. I. Über die methoden der palichnologie. *Neues Jahrbuch für Geologie und Palaontologie, Abhandlungen*, 96, pp.421-452.
- Seilacher, A., 1954. Die geologische bedeutung fossiler lebensspuren. *Zeitschrift der deutschen geologischen Gesellschaft*, pp.214-227.
- Seilacher, A., 1963. *Lebensspuren und Salinitätsfazies: Fortschritt Geologie Rheinland und Westfalen*. 10, pp.81-91
- Seilacher, A., 1964a. Biogenic sedimentary structures. *Approaches to paleoecology*, pp.296-316.
- Seilacher, A., 1964b. Sedimentological classification and nomenclature of trace fossils. *Sedimentology*, 3, pp.256–253.
- Seilacher, A., 1967a. Bathymetry of trace fossils. *Marine Geology*, 5, pp. 413-428.
- Seilacher, A., 1967b. Fossil behavior. *Scientific American*, 217(2), pp.72-83.
- Seilacher, A., 2007. *Trace Fossil analysis*. Springer-Verlag Berlin Heidelberg, 226p
- Seilacher, A., and Seilacher, E. .1994. Bivalvian trace fossils: A lesson from actuopaleontology. *Cour. Forsch. Inst. Senck.*, v. 169, pp. 5-15. *Courier Forschungsinstitut Senckenberg*. 169, pp5-15
- Selley, R.C., 2000. *Applied sedimentology*. Elsevier, pp.523
- Sengupta S 2007 *Introduction to sedimentology*; Second edition, (New Delhi, India: CBS Publishers & Distributor) pp. 339.
- Shringarpure, D. M., 1984. Mesozoic of Kutch (India): Middle Jurassic to Lower Cretaceous depositional environments a revealed by biosedimentary structures. *In Symposium on Mesozoic terrestrial ecosystems*, 3, pp.227-230.
- Shringarpure, D. M., 1986. Trace fossils at omission surfaces from the Mesozoic of Kutch, Gujarat, Western India. *The Quarterly Journal of the Geological, Mining, and Metallurgical Society of India*, 54, pp. 131-148.
- Siedlecka, A., 1967. Geology of the eastern part of the Meråker area.
- Simpson, S., 1957. On the Trace fossil Chondrite. *Quarterly Journal of Geological Society of Lond.on*. 107, pp.475-499.

- Simpson, S. 1975. *Classification of trace fossils*. In: Frey, R.W. (Ed.), *The Study of Trace Fossils*, Springer, Berlin, Heidelberg, New York, pp.39-54.
- Singh, C. S. P., Jaitly, A. K. and Pandey, D. K., 1982. First report of some Bajocian-Bathonian (Middle Jurassic) ammonoids and the age of the oldest sediments from Kachchh, W. India. *Newsletters on Stratigraphy*, pp.37-40.
- Singh, H. S., 2001. *Natural Heritage of Gujarat: Forests and Wildlife in Gujarat*. Gujarat Ecological Education and Research Foundation.
- Singh, I. B., 1989. Dhosa Oolite-a transgressive condensation horizon of Oxfordian age in Kachchh, western India. *Journal of Geological Society of India* (Online archive from Vol 1 to Vol 78), 34(2), pp.152-160.
- Sloss, L. L., Krumbein W. C., and Dapples, E. C., 1949. Integrated facies analysis. In: C. R. Longwell, Editor, *Sedimentary Facies in Geologic History Memoir* Geological Society of America, 39, pp.91-124.
- Smith, R. M. H., Mason, T. R. and Ward, J. D. 1993. Flash-flood sediments and ichnofacies of the Late Pleistocene Homeb Silts, Kuiseb River, Namibia. *Sedimentary Geology*, 85: 579-599.
- Spath, L. F., 1927-1933. Revision of the Jurassic cephalopod fauna of Kachchh (Cutch). *Memoirs of the Geological Survey of India. Palaeontologia Indica*, New Series. 9 (1-6), pp.945.
- Stanley, T. M. and Feldmann, R. M., 1998. Significance of nearshore trace-fossil assemblages of the Cambro-Ordovician Deadwood Formation and Aladdin Sandstone, south Dakota. *Annals of Carnegie Museum*, 67(1), pp.1-51.
- Steno, N., 1916. *Preliminary discourse to a dissertation on a solid body naturally contained within a solid*. Vol. 11 Macmillan.
- Sternberg, W.P., 1833. Versuch einer geognostischen botanischen Darstellung der flora der Vorwelt, 2, parts 5-6:
- St-Onge, G., Mulder, T., Piper, D.J., Hillaire-Marcel, C. and Stoner, J.S., 2004. Earthquake and flood-induced turbidites in the Saguenay Fjord (Québec): a Holocene paleoseismicity record. *Quaternary Science Reviews*, 23(3-4), pp.283-294.
- Surlyk, F., 1991. Sequence stratigraphy of the Jurassic-lowermost Cretaceous of East Greenland. *AAPG bulletin*, 75(9), pp.1468-1488.
- Taylor, A. M. and Gawthorpe, R. L., 1993, January. Application of sequence stratigraphy and trace fossil analysis to reservoir description: examples from the Jurassic of the North Sea. In *Geological Society, London, Petroleum Geology Conference series* 4(1), pp.317-335.
- Thakkar, M. G., 2017. *Geomorphological Field Guide Book on Kachchh Peninsula* (Edited by Amal Kar). Indian Institute of Geomorphologists, Allahabad, pp.49

- Tiwari, B. S. 1948. Geology of Habo Hills, Cutch State, Abstract Proceeding. 35th Indian Science Congress. Pt.III, pp.148.
- Tonkin, N. S., 2012. Deltas. In *Developments in sedimentology*, 64, pp. 507-528). Elsevier.
- Torell, O., 1870. Petrificata Suecana Formationis Cambricae. Lunds university of Arkansaw 6. Avdel. 2, No. VIII: 1-14
- Trewin, N. H., 1994. Depositional environment and preservation of biota in the Lower Devonian hot-springs of Rhynie, Aberdeenshire, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 84, pp.433–442.
- Tyson, R. V. and Pearson, T. H., 1991. Modern and ancient continental shelf anoxia: an overview, in *Modern and Ancient Continental Shelf Anoxia* (eds R. V. Tyson and T. H. Pearson), *Geological Society, London, Special Publications*, 58, pp.1-24.
- Uchman, A. and Krenmayr, H. G., 1995. Trace fossils from lower Miocene (Ottangian) molasse deposits of Upper Austria. *Paläontologische Zeitschrift*, 69(3), pp.503-524.
- Uchman, A., 1995. Taxonomy and palaeoecology of flysch trace fossils: The Marnosoarenacea Formation and associated facies (Miocene, Northern Apennines, Italy). *Beringeria*, 15, pp. 1-115.
- Uchman, A., 1998. Taxonomy and ethology of flysch trace fossils: Revision of the marian książkiewicz collection And studies of complementary material. *Annales Societatis Geologorum Poloniae*, 68, pp.105-218.
- Uchman, A., 1999. Ichnology of the Rhenodanubian flysch (Lower Cretaceous–Eocene) in Austria and Germany. *Beringeria* 25, pp.65–171.
- Uchman, A., Hanken, N. M. and Binns, R., 2005. Ordovician bathyal trace fossils from metasiliciclastics in central Norway and their sedimentological and paleogeographical implications. *Ichnos*, 12(2), pp.105-133.
- Vail, P. R., 1987. Seismic stratigraphy interpretation using sequence stratigraphy: Part 1: Seismic stratigraphy interpretation procedure. pp.1-10
- Vail, P. R., 1991. The stratigraphic signatures of tectonics, eustasy and sedimentology-an overview. *Cycles and events in stratigraphy*, pp.617-659.
- Van Wagoner, J.C., 1995. Sequence stratigraphy and marine to nonmarine facies architecture of foreland basin strata, Book Cliffs, Utah, USA, pp.137-223
- Van Wagoner, J. C., Mitchum Jr, R. M., Posamentier, H. W. and Vail, P. R., 1987. Seismic stratigraphy interpretation using sequence stratigraphy: Part 2: Key definitions of sequence stratigraphy, pp.11-14
- Van Wagoner, J.C., 1990. Siliciclastic sequence stratigraphy in well logs, cores, and outcrops. *AAPG Methods in Exploration Series*, 7, pp.8-17.

- Van Wagoner, J.C., Mitchum, R.M., Campion, K.M. and Rahmanian, V.D., 1990. Siliciclastic sequence stratigraphy in well logs, cores, and outcrops: concepts for high-resolution correlation of time and facies. *American Association of Petroleum Geologists Methods in Exploration Series*, 7, pp.55.
- Van Wagoner, J.C., Posamentier, H.W., Mitchum, R.M., Vail, P.R., Sarg, J.F., Loutit, T.S. and Hardenbol, J., 1988. An overview of sequence stratigraphy and key definitions. In: C. K. Wilgus, B. S. Hastings, C. G. St. C. Kendall, H. W. Posamentier, C. A. Ross and J. C. Van Wagoner, Editors, *Sea Level Changes – An Integrated Approach*, Special Publication Society of Economic Paleontologists and Mineralogists *SEPM*, 42, pp.39–45.
- Van Wagoner, J.C., Posamentier, H.W., Mitchum, R.M.J., Vail, P.R., Sarg, J.F., Loutit, T.S. and Hardenbol, J., 1988. An overview of the fundamentals of sequence stratigraphy and key definitions. *SEPM* 42,
- Vialov O. S., 1968. Materials to classification of trace fossils and traces of activity of organisms. *Paleontologicheskoy Sbornik*, 5(1), pp.125-129. (In Russian).
- von Fischer-Ooster, K., 1858. *Die fossilen Fucoiden der Schweizer-Alpen: nebst Erörterungen über deren geologisches Alter; mit 18 Tafeln*. Huber.
- Von Otto, E., 1854. *Additamenta zur Flora des quadergebirges in Sachsen: II heft, enthalten meist noch nicht oder wenig bekannte fossile pflanzen: mit neun lithographirten doppeltafeln*. Gustav Mayer.
- Waagen, G.F., 1857. Galleries and Cabinets of Art in Great Britain: Being an Account of More Than Forty Collections of Paintings, Drawings, Sculptures, Mss., &c. &c. Visited in 1854 and 1856, and Now for the First Time Described. London, Murray.
- Waagen, W. (1873-1876) Jurassic fauna of Kutch. The cephalopods. *Memoirs of the Geological Survey of India, Palaeontology India*, 9 (1-4), pp.247.
- Waagen, W., 1871. Abstract of the results of examination of the ammonite fauna of Kutch, with remarks on their distribution among the beds, and probable age. *Record Geological Survey of India*. 4, pp.89-101.
- Waagen, W., 1875. Jurassic fauna of Kutch. *Palaeontologia Indica. Geological Survey of India, Memoir*, 9(1), p.247.
- Waagen, W. H., 1871. Abstract of results of examination of the ammonite-fauna of Kutch, with remarks on their distribution among the beds, and probable age. *Records of Geological Survey of India*, 4, pp.89-101.
- Wadell, H., 1932. Volume, shape, and roundness of rock particles. *The Journal of Geology*, 40(5), pp.443-451.
- Wadell, H., 1932. Volume, shape, and roundness of rock particles. *Journal of Geology* 40, pp.443–451.

- Walcott, C. D., 1890. Description of a new genus and species of inarticulate brachiopod from the Trenton Limestone. *Proceedings of the United States National Museum*.
- Weimer, R. J. and Hoyt, J. H., 1964. Burrows of *Callianassa major* Say, geologic indicators of littoral and shallow neritic environments. *Journal of Paleontology*, pp.761-767.
- Weltje, G. J. and von Eynatten, H., 2004. Quantitative provenance analysis of sediments: review and outlook. *Sedimentary Geology*, 171(1-4), pp.1-11.
- Wignall, P., 1991. Dysaerobic trace fossils and ichnofabrics in the Upper Jurassic Kimmeridge Clay of southern England. *Palaaios*, 6, pp.264-270.
- Williams, H., Turner, F. J. and Gilbert, C. M., 1982. *Petrography: An introduction to the study of rocks in thin section*.
- Williamson, W.C., 1887. XII. On the organisation of the fossil plants of the coal-measures.—Part XIII. *Heterangium tiliæoides* (williamson) and *kaloxydon hookeri*. *Philosophical Transactions of the Royal Society of London.(B.)*, 178, pp.289-304
- Woodward, S., 1830. *A synoptic table of British organic remains*, i–xiii, pp.1–50. London: Longman & John Stacy.
- Worsley, D. and Mørk, A., 2001. The environmental significance of the trace fossil *Rhizocorallium jenense* in the Lower Triassic of western Spitsbergen. *Polar Research*, 20(1), pp.37-48.
- Wynne A. B., and Fedden. T., 1868-1872. Memoir on the geology of Kutch, to accompany the map compiled by A. B. Wynne and F. Fedden, during the seasons of 1867-68 and 1868-69. *Memoirs of Geological Survey of India*. 9, pp.289.
- Wynne, A. B., 1872. Memoir on the geology of Kutch, to accompany the map compiled by A. B. Wynne and F. Fedden, during the seasons of 1867-68 and 1868-69., *Memoirs of Geological Survey of India*, 9, pp.1-289.
- Wynne, A. B., 1872. Memoir on the geology of Kutch, to accompany the map compiled by A. B. Wynne and F. Fedden, during the seasons of 1867-68 and 1868-69. *Memoirs of Geological Survey of India*. 9, pp.289.
- Xiaochi, L. and Grant-Mackie, J.A., 1993. Jurassic sedimentary cycles and eustatic sea-level changes in southern Tibet. *Palaeogeography, palaeoclimatology, palaeoecology*, 101(1-2), pp.27-48.
- Yanin, B. T. and Baraboshkin, E. Y., 2013. *Thalassinoides* burrows (decapoda dwelling structures) in lower cretaceous sections of southwestern and central Crimea. *Stratigraphy and Geological Correlation*, 21(3), pp.280-290.
- Young, F. G., 1972. Early Cambrian and older trace fossils from the southern Cordillera of Canada. *Canadian Journal of Earth Sciences*, 9(1), pp.1-17.
- Zenker, J. C., 1836. *Historisch-topographisches Taschenbuch von Jena und seiner Umgebung*. Friedrich Frommann, Jena (338 pp.).

- Zhao, G., Ye, S., Yuan, H., Ding, X., Wang, J. and Laws, E.A., 2018. Surface sediment properties and heavy metal contamination assessment in river sediments of the Pearl River Delta, China. *Marine pollution bulletin*, 136, pp.300-308.
- Zherikhin, V. V., 2003. Insect trace fossils, their diversity, classification and scientific importance. *Acta zoologica cracoviensia*, 46(Suppl.).