

References

-
- Abensperg-Traun, M. and Steven, D.E.** (1995) The effects of pitfall trap-diameter on ant species richness (Hymenoptera: Formicidae) and species composition of the catch in a semi-arid eucalypt woodland. *Australian Journal of Ecology*, **20**: 282-287.
- Agosti, D., J. D. Majer, L. E. Alonso, and T. R. Schultz.** (2000) *Ants: Standard Methods for Measuring and Monitoring Biodiversity*. Smithsonian Institution Press. Washington DC. 280 pp.
- Andersen, A. N.** (1997) Using Ants as bioindicators: Multiscale Issues in Ant Community Ecology. *Conservation Ecology*, **1** : 8.
- Andersen A. N.** (1995) A classification of Australian ant communities, based on functional groups which parallel plant life-forms in relation to stress and disturbance. *Journal of Biogeography*, **22**:15–29.
- Andersen A.N.** (1993) Ants as indicators of restoration success at a uranium mine in tropical Australia. *Restoration Ecology*, **1**: 156-167.
- Andersen, A. N.** (1991) Responses of ground-foraging ant communities to three experimental fire regimes in a Savanna forest of tropical Australia. *Biotropica*, **23** : 575–585.
- Andersen A.N.,Fisher A.,Hoffmann B.D.,Read, J.L.,Richards R.**(2004) Use of terrestrial invertebrates for biodiversity monitoring in Australian rangelands, with particular reference to ants. *Australian Ecology*, **29** (1): 87-92(6).
- Angilletta MJ, Wilson RS, Niehaus AC, Sears MW, Navas CA.** (2007) Urban Physiology: City Ants Possess High Heat Tolerance. *PLoS ONE*, **2**(2): e258.
- Anu A, Sabu TK.** (2006) Biodiversity analysis of forest litter ant assemblages in the Wayanad region of Western Ghats using taxonomic and conventional diversity measures. 13pp. *Journal of Insect Science*, **7**; 06, available online: insectscience.org/7.06.
- Banks C.J, Macaulay E.D.M.** (1967) Effects of *Aphis fabae* Scop. and of its attendant ants and insect predators on yields of field beans (*Vicia faba* L.). *Annals of Applied Biology*, **60** : 445–453.

-
- Beattie A.J.** (1985) *The Evolutionary Ecology of Ant-Plant Mutualisms*. Cambridge University Press.
- Benhin, J.K.A.** (2006) Agricultural and deforestation in the tropics: A critical theoretical and empirical review. *AMBIO: A Journal of the Human Environment*, **35**: 9-16.
- Bestelmeyer B.T., Agosti D., Alonso L.E., Brandao C.R.F., Brown W.L., Delabie J.H.C. and Silvestre R.** (2000) Field techniques for the study of ground-dwelling ants. In: *Ants: Standard Methods for Measuring and Monitoring Biodiversity* (Agosti D., Majer J.D., Alonso L.E. and Schultz T.R., Eds), Smithsonian Institution Press, Washington, DC pp 122–144.
- Bharti H. and Alpert G.D.** (2007) *Ants of India*. Downloaded from www.antdiversity.com/ 13 April 2009.
- Bharti, H.** (2001) Two new species of Pheidole (Myrmicinae: Formicidae: Hymenoptera) from India. *Journal of Entomological Research* **25**(3): 243-247.
- Bingham C.T.** (1903). *Hymenoptera*, Vol. 2. *Ants and Cuckoo-wasps*. Taylor and Francis London, 506 pp.
- Bolger D.T., Suarez A.V., Crooks K.R., Morrison S.A., Case T.J.** (2000) Arthropods in urban habitat fragments in southern California: area, age, and edge effects. *Ecological Applications*, **10**:1230–1248.
- Bolton, B.** (2003) Synopsis and classification of Formicidae. *Memoirs of the American Museum Entomological Institute*, **71**: 1-370.
- Bolton, B.** (1995) *A new general catalogue of the Ants of the World*. Harvard University Press, Cambridge, Massachusetts, USA.
- Bolton, B.O** (1994) *Identification guide to the ant genera of the world*. Harvard University Press, Cambridge, MA. 222 pp.
- Bronstein, J. L.** (1998) The contribution of ant-plant protection studies to our understanding of mutualism. *Biotropica*, **30**: 150 – 161.
- Carroll, C.R and Risch, S.,** (1990) An evaluation of ants as possible candidates for biological control in tropical annual agroecosystems. In: Gliessman, S.R. (Ed.), *Agroecology: Researching the Ecological Basis for Sustainable Agriculture*. Springer-Verlag, New York, 30–46.

-
- Cesard Nicolas** (2004) Harvesting and Commercialisation of *kroto* (*Oecophylla smaragdina*) in the Malingping area, West Java, Indonesia. Koen Kusters and Brian elcha(Editors). *Forest products, Livelihoods and Conservation. Case studies of Non-Timber Forest Product Systems*. Volume1-Asia. Published by Center for International Forestry Research, Indonesia.
- Chang, V. and A.K. Ota.** (1990) Ant control in Hawaiian drip irrigation Systems. *In Applied Myrmecology a World Perspective*. (eds.Vander Meer, R. K.; K. Jaffe and A Cedeno) Westview Press, Boulder CO. 708-715 pp.
- Chung, A. Y. C. and Maryati, M.** (1996). A comparative study of the ant fauna in a primary and secondary forest in Sabah, Malaysia. *In Tropical rainforest research-current issues. Monographiae biologicae* (eds. D. S. Edwards, W. E. Booth and S. C. Choy), pp. 357-366. Kluwer Academic Publishers, London.
- Clark, D. B.; Guayasamin, C.; Pazamino, O.; Donoso, C.; Paez De Villacis, Y.** (1982) The tramp ant *Wasmannia auropunctata*: Autecology and effects on ant diversity and distribution on Santa Cruz Island, Galapagos. *Biotropica* **14**: 196–207.
- Creighton, W.S.** (1950) The ants of North America. *Bulletin of the Museum of Comparative Zoology*, 104:1–585.
- Crist, TO and JA MacMahon** (1991) Foraging patterns of *Pogonomyrmex occidentalis* (Hymenoptera: Formicidae) in a shrub-steppe ecosystem: the roles of temperature, trunk trails, and seed resources. *Environmental Entomology*, **20**: 265-275.
- Crist, TO and JA Wiens** (1994) Scale effects of vegetation on forager movement and seed harvesting by ants. *Oikos*, **69**: 37-46.
- Cushman JH, Addicott J.F.** (1991) Conditional interactions in ant-plant-homopteran mutualisms. pp. 143-161 In: Cutler DF, Huxley CR (eds.) *Interactions Between Ants and Plants*. Oxford University Press.
- Dauber, J., D. Schroeter, and V. Wolters** (2001) Species specific effects of ants on microbial activity and N-availability in the soil of an old-field. *European Journal of Soil Biology*, **37**: 259–261.

-
- Dave ,M.** (2002) *Bioinformatics on the ecological and evolutionary divergence of herbaceous plants growing in Baroda region*. Ph.D Thesis submitted to Department of Botany, The M.S.University of Baroda, Vadodara.
- Davidson , D . W . , Cook , S . C . , Snelling , R . and Chua , T . H .** (2003) Explaining the abundance of ants in lowland tropical rainforest canopies . *Science* , **300** , 969 – 972.
- DeBach, P.** (1964) The scope of biological control. Chap. I. In: P. DeBach (ed.), *Biological Control of Insect Pests and Weeds*. Reinhold Publ. Co., New York. 844 p.
- de la Fuente , M . A . S . and Marquis , R . J .** (1999) The role of ant-tended extrafloral nectarines in the protection and benefit t of a neotropical rainforest tree. *Oecologia* , **118** :192 – 202 .
- Dostál, P., M. Březnova, V. Kozlíčková, T. Herben, and P. Kovář** (2005) Ant induced soil modification and its effect on plant below-ground biomass. *Pedobiologia*, **49**: 127—137.
- Duc, Huynh Tri and Hao, Pham Tan** (2001) IPM on Mango by Using Green Ant *Oecophylla smaragdina* (Fab) as a Key Element in Tan Phu Thanh, Cantho, Mekong Delta. Downloaded from www.ctu.edu.vn on 12.04.2009.
- Fernandes, W. D.; Reis, L. A. G. and Parré, J. C.** (1999), Formigas como agentes de controle natural de pragas em plantações de milho com plantio direto e convencional. *Naturalia*, **24**, 237-239.
- Folgarait Patricia J.** (1998) Ant biodiversity and its relationship to ecosystem functioning: a review . *Biodiversity and Conservation*, **7**(9): 1221-1244.
- Fritz R. S. D. H. Morse** (1981) Nectar parasitism of *Asclepias syriaca* by ants: effect of nectar levels, pollinia insertion, pollinaria removal and pod production. *Oecologia*, **50**: 316-319.
- Gabet, E. J., O. J. Reichman and E. W. Seabloom** (2003) The effects of bioturbation on soil processes and sediment transport. *Annual Review of Earth and Planetary Sciences*, **31**: 249–73.
- Gadagkar, R., Nair, P., Chandrashekara, K. and Bhat, D.M.** (1993) Ant species richness and diversity in some selected localities in Western Ghats, India. – Hexapoda, **5**: 79-94.

Galen C. (1999) Flowers and enemies: predation by nectar-thieving ants in relation to variation in floral form of an alpine wildflower, *Polemonium viscosum*.

Oikos, **85**: 426-434.

Galen C. and Butchart B. (2003) Ants in your plants: effects of nectar-thieves on pollen fertility and seed-siring capacity in the alpine wild flower, *Polemonium viscosum*. *Oikos*, **101**: 521-528.

Gomez J. M. (2000) Effectiveness of ants as pollinators of *Lobularia maritima*: effects on main sequential fitness of the host plant. *Oecologia*, **122**: 90-97.

Gove, A.D., Majer, J.D., Rico-Gray, V. (2005) Methods for conservation outside of formal reserve systems: the case of ants in the seasonally dry tropics of Veracruz, Mexico. *Biological Conservation*, **126**: 328–338.

Greenslade P. and Greenslade P.J.M. (1971) The use of baits and preservatives in pitfall traps. *Journal of the Australian Entomological Society*, **10**: 253–260.

Haemig, P. D. (1992) Competition between ants and birds in a Swedish forest. *Oikos*, **65**: 479–483.

Haemig, P. D. (1996) Interference from ants alters foraging ecology of great tits. *Behavioural Ecology and Sociobiology*, **38**: 25–29.

Hanks, L. M., and C. S. Sadof. (1990) The effect of ants on nymphal survivorship of *Coccus viridis* (Homoptera: Coccidae). *Biotropica*, **22**: 210-213.

Hart, A. G., C. Anderson and F. L. W. Ratnieks (2002) Task partitioning in leafcutting ants. *Acta Ethologica*, **5**: 1–11.

Hashimoto, Y., Yamane, S. and Maryati, M. (2001) How to design an inventory method for ground-level ants in tropical forests. *Nature and Human Activities*. **6**: 25-30.

Heil, M., Fiala, B., Kaiser, W. and Linsenmair, K.E. (1998) Chemical contents of *Macaranga* food bodies: adaptations to their role in ant attraction and nutrition. *Functional Ecology*, **12**: 117-122.

Herbers, J.M. and S. Grieco. (1994) Population structure of *Leptothorax ambiguus*, a facultatively polygynous and polydomous ant species. *Journal of Evolutionary Biology*, **7**: 581-598.

-
- Henderson, P. A. & Seaby, R. M. H.** (1998) Species Diversity & Richness, 2.3. Pisces Conservation Ltd.
- Hickman, J.C.** (1974) Pollination by ants: a low-energy system. *Science*, **184**: 1290-1292.
- Hoffman B.** (2006) *Pheidole megacephala* (insect). CSIRO Sustainable Ecosystems. <http://www.invasivespecies.net/> (1 February 2007).
- Hole, F.D.** (1961) A classification of pedoturbations and some other processes and factors of soil formation in relation to isotropism and anisotropism. *Soil Science*, **91**:375-377.
- Hölldobler, B. and Wilson, E. O.** (1990) *The Ants*. Belknap Press of Harvard University, Cambridge, MA. 733p.
- Hurlbert SH.** (1971) The nonconcept of species diversity: a critique and alternative parameters. *Ecology*, **52**:577-586.
- Inouye, D.W. and Taylor, O.R.** (1979) A temperate region plant–ant–seed predator system: consequences of extrafloral nectar secretion by *Helianthella quinquinervis*. *Ecology*, **60**: 1–7.
- Janzen, D. H.** (1983) *Costa Rican natural history*. University of Chicago Press, Chicago, IL.
- Janzen, D. H.** (1969) Birds and the ants x acacias interaction in Central America, with notes on birds and other myrmecophytes. *Condor*, **71**: 240-256.
- Janzen, D.H.** (1966) Coevolution and mutualism between ants and acacias in Central America. *Evolution*, **20**: 249-275.
- Jim C.Y.** (1998) Soil characteristics and management in an urban park in Hong Kong. *Environmental Management*, **22**:683–695.
- Kamura, CM. et al.** (2007) Ant communities (Hymenoptera: Formicidae) in an urban ecosystem near the Atlantic Rainforest. *Brazilian Journal of Biology* **67**(4): pp. 635-641 .Downloaded from <<http://www.scielo.br/> on 12.04.2009.
- Karpakakunjaram, Vedham and Nair, Padmini and Varghese, Thresiamma and Royappa, George and Kolatkar, Milind and Gadagkar, Raghavendra,** (2003) *Contributions to the Biology of the Queenless Ponerine Ant Diacamma Ceylonense Emery (Formicidae)*. In: *Journal of the Bombay Natural History Society*, **100** (2-3): 533-543.

-
- Khoo, K. C. and Ho, C. T.** (1992) The influence of *Dolichoderus thoracicus* (Hymenoptera: Formicidae) on losses due to *Helopeltis theivora* (Heteroptera: Miridae), black pod disease, and mammalian pests in cocoa in Malaysia. *Bulletin of Entomological Research*, **82**:485-491.
- Kremen, C.** (1993) Terrestrial arthropod assemblages: their use in conservation planning. *Conservation Biology*, **7**: 796-808.
- Kremen, C., Colwell, R.K., Erwin, T.L., Murphy, D.D., Noss, R.F., and Sanjayan, M.A.** (1993) Terrestrial arthropod assemblages: their use in conservation planning. *Conservation Biology* **7**:796-808.
- Kulhavy, D.L., W.G. Ross and R.R. Cahal III** (1998) *Atta texana*, Texas leaf-cutting ant, on Typic Quartzipsamments: ecological considerations. In: McManus, M.L. and A.M. Liehold, (eds.) *Proceedings: Population dynamics, impacts, and integrated management of forest defoliating insects*. U.S. Department of Agriculture, Forest Service General Technical Report, NE-247: 166-173.
- Kumar Dolly and M.S.Shiva Kumar** (2003) Abundance and diversity of Butterflies in Vadodara district, Gujarat. *Indian Journal of Environmental Sciences*, **11**(2):145-148.
- Kumar, S., K.T. Shrihari, P. Nair, T. Varghese and R. Gadagkar** (1997) Ant species richness at selected localities of Bangalore. *Insect Environment*, **3**: 3-5.
- Latke JE.** (2000) Specimen processing: building and curating an ant collection. In: Agosti D, Majer JD, Alonso LE, Schultz TR, editors. *Ants: Standard Methods for Measuring and Monitoring Biodiversity*, pp. 155–171. Smithsonian Institution Press, Washington, DC.
- Legendre, L. and Legendre, P.** (1998) Numerical ecology. *Second edition*. – *Developments in Environmental Modelling 20*. Amsterdam, Elsevier Scientific Publishing, 870 pp.
- Lessard J-P and Buddle CM.** (2005) The effects of urbanization on ant assemblages (Hymenoptera: Formicidae) associated with the Molson Nature Reserve, Quebec, *The Canadian Entomologist Volume 137* : 215.

-
- Leston , D .** (1973) The ant mosaic-tropical tree crops and the limiting of pest and diseases . *Proceedings of the National Academy of Sciences USA*, **19**: 311- 341.
- Lobry de Bruyn, L.A.** (1999) Ants as bioindicators of soil function in rural environments. *Agricultural Ecosystem Environment* , **74**: 425-441.
- Lockaby, B. G., Adams, J. C.**(1985) Pedoturbation of a Forest Soil by Fire Ants .*Soil Science Society of America Journal* , **49** : 220-223.
- Longino J.T.** (2000) What to do with the data. In: *Ants: Standard Methods for Measuring and Monitoring Biodiversity* (Agosti D, Majer JD, Alonso LE and Schultz TR, eds), Smithsonian Institution Press, Washington, DC, 186-203.
- Loope ,Lloyd L. and Krushelnicky, Paul D.** (2007) Current and Potential Ant impacts in the Pacific Region. *Proceedings of the Hawaiian Entomological Society*,**39** : 69-73.
- Lord, J. M., and D. A. Norton** (1990) Scale and the spatial concept of fragmentation. *Conservation Biology*, **4** : 197-202.
- Luck, R. And Dahsten, D.** (1974) Natural decline of a pine needle scale (*Chionaspis pinifoliae* (Fitch)) outbreak at South Lake Tahoe, California, Following cessation of adult mosquito control with malathion. *Ecology*, **54** (4) : 893-904.
- MacMahon, J.A, Mull, J.F, Crist, T.O.** (2000) Harvester ants (*Pogonomyrmex* spp.): their community and ecosystem influences. *Annual Review of Ecology and Systematics*, **31**: 265-291.
- Magurran, A.E.** (1983) *Ecological Diversity and its Measurement*. Princeton University Press, Princeton NJ.
- Majer, J.E.** (1983) Ants: bioindicators of mine side rehabilitation, land use and land conservation. *Environmental Management*, **7**: 375-383.
- Majer, J. D.** (1985) Recolonisation by ants of rehabilitated mineral sand mines on North Stradbroke Island, Queensland, with particular reference to seed removal. *Australian Journal of Ecology*, **10**: 31-48.
- Majer, J. D. and K. R. Brown** (1986) The effects of urbanisation on the ant fauna of the Swan Coastal Plain near Perth, Western Australia. *Journal of the Royal Society of Western Australia*, **69** : 13- 17.

Majer, J.D. (1992) Ant recolonization of rehabilitated bauxite mines of Poços de Caldas, Brazil. *Journal of Tropical Ecology* 8: 97-108.

Majer, J.D., Delabie, J.H.C. (1999) Impact of tree isolation on arboreal and ground ant communities in cleared pasture in the Atlantic rain forest region of Bahia, Brazil. *Insectes Sociaux*, **46** : 281–290.

Marsh A.C. (1984) The efficacy of pitfall traps for determining the structure of a desert ant community. *Journal of the Entomological Society of South Africa*, **47**:115–120.

Martins V. F., Guimarães P. R., Silva R. R., Semir J. (2006) Secondary seed dispersal by ants of *Ricinus communis* (Euphorbiaceae) in the Atlantic Forest in Southeastern Brazil: influence on seed germination. *Sociobiology*, **47**: 265-274.

Matson, P. A., W. J. Parton, A. G. Power, and M. J. Swift (1997) Agricultural intensification and ecosystem properties. *Science*, **277**: 504-509.

McCook, H.C. (1882) *The honey ants of the garden of the gods and the occident ants of the American plains*. Philadelphia: J. B. Lippincott & Co. Philadelphia, 188 pp.

McGlynn TP. (1999) The worldwide transfer of ants: geographical distribution and ecological invasions. *Journal of Biogeography*, **26** : 535-548.

Mody, K. and Linsenmair, K.E. (2003) Finding its place in a competitive ant community: leaf fidelity of *Camponotus sericeus* *Insectes Sociaux*, **50** :191–198.

Naidu, Bhumika (2008) Diversity and Conservation of Insects : A habitat Approach. Thesis submitted to Department of Zoology, The M.S University of Baroda, Vadodara.

Narendra, A. and Kumar, S.M. (2006) *On A Trail With Ants: A Handbook of the Ants of Peninsular India*. Tholasi Prints, Bangalore. 208 pp.

Nestel ,D. and Dickschen, F. (1990) The foraging kinetics of ground ant communities in different Mexican coffee agroecosystems . *Oecologia* , **84** : 58 – 63 .

-
- Oliver I., Pik A., Britton D., Dangerfield J. M., Beattie A. J. and Colwell R. K.** (2000) Virtual biodiversity assessment systems: The application of bioinformatics technologies to the accelerated accumulation of biodiversity information. *Bioscience*, **50** : 441–50.
- Oudhia, P.**(1998) Medicinal insects and spiders . *Insects Environment*, **4** (2): 57-58.
- Panait, L. A.** (2004). *Ant foraging revisited*. Submitted to the Ninth International Conference on the Simulation and Synthesis of Living Systems (ALIFE9).
- Pardeshi, Manoj K.** (2008) *Insect pests, their control and management in Agro ecosystem of Gujarat: with special emphasis on termites*. Thesis submitted to Department of Zoology, The M.S. University of Baroda, Vadodara.
- Pascal Jouquet , Jens Dauber , Jan Lagerlof, Patrick Lavelle , Michel Lepage** (2006) Soil invertebrates as ecosystem engineers: Intended and accidental effects on soil and feedback loops. *Applied Soil Ecology*, **32** (2):153-164.
- Peck, S. L., B. McQuaid, and C. L. Campbell** (1998) Using ant species (Hymenoptera, Formicidae) as a biological indicator of agroecosystem condition. *Environmental Entomology* , **27** (5).
- Peet, R. K.** (1974) The measurement of species diversity. *Annual Review of Ecology and Systematics*, **5**: 285-307.
- Peng, R. K., Christian, K.** (2004) The weaver ant, *Oecophylla smaragdina* (Hymenoptera: Formicidae), an effective biological control agent of the red-banded thrips, *Selenothrips rubrocinctus* (Thysanoptera: Thripidae) in mango crops in the Northern Territory of Australia. *International Journal of Pest Management*, **50** (2): 107-114 .
- Perfecto, I., Castin~eiras, A.** (1998) Deployment of the predaceous ants and their conservation in agroecosystems. In: Barbosa, P. (Ed.), *Conservation Biological Control*. Academic Press, New York, pp. 269–289.
- Philpott , S . , Greenberg , R . , Bichier , P . and Perfecto , I .** (2004) Impacts of major predators on tropical agroforest arthropods: comparisons within and across taxa . *Oecologia* , **140** : 140 – 149 .

-
- Philpott , S. M. and Foster, P. F.**(2005) Nest-site limitation in coffee agroecosystems: artificial nests promote maintenance of arboreal ant diversity . *Ecological Applications* , **15** : 1478 – 1485 .
- Philpott SM, Armbrrecht I.** (2006) Biodiversity in tropical agroforests and the ecological role of ants and ant diversity in predatory function. *Ecological Entomology*, **31**: 369-377.
- Pierce, N. E., M. F. Braby, A. Heath, D. J. Lohman, J. Mathew, D. B. Rand, and M. A. Travassos** (2002) The ecology and evolution of ant association in the Lycaenidae (Lepidoptera). *Annual Review of Entomology*, **47**: 733-771.
- Pimentel, D., U. Stachow, D. A. Takacs, H. W. Brubaker, A. R. Dumas, J. J. Meaney, J. A. S. O'Neil, D. E. Onsi and D. B. Corzilius** (1992) Conserving biological diversity in agricultural/forestry systems. *BioScience*, **42**: 354-362.
- Pyle R, Bentzien M, Opler P.** (1981) Insect conservation. *Annual Review of Entomology*, **26** : 233–258.
- Raine, R. M.; Kansas, J. L.** (1990) Black bear seasonal food habits and distribution by elevation in Banff National Park, Alberta. *International Conference Bear Research and Management*, **8**: 297-304.
- Rastogi, N., Nair, P., Kolatkar, M., William, H. and Gadagkar, R.** (1997) Ant fauna of the Indian Institute of Science campus- Survey and some preliminary observations. *Journal of Indian Institute of Science*, **77**:133-140.
- Risch, S.J. and C.R. Carroll** (1982) Effect of a keystone predaceous ant, *Solenopsis geminata*, on arthropods in a tropical agroecosystem. *Ecology*, **63**: 1979-1983.
- Roberts , D. L. , Cooper , R. J. and Petit , L. J.** (2000) Use of premontane moist forest and shade coffee agroecosystems by army ants in western Panama . *Conservation Biology* , **14** :192 – 199.
- Robson, Simon K.A. And Kohout, Rudolf J.** (2007) A review of the nesting habits and socioecology of the ant genus *Polyrhachis* Fr. Smith. *Asian Myrmecology* , **1**: 81 – 99.
- Roth, D. S., Perfecto and B. Rathcke** (1994) The effects of management systems on ground foraging ant diversity in Costa Rica. *Ecological Applications*, **4**: 423-436.

-
- Ruano, Francisca , Tinaut, Alberto , and Soler, Juan José** (2000) High surface temperatures select for individual foraging in ants .*Behavioural Ecology* **11**: 396-404.
- Rudgers JA.** (2004) Enemies of herbivores can shape plant traits: selection in a facultative ant-plant mutualism. *Ecology*, **85**: 192–205.
- Sabnis ,S.** (1967) *A Study of the flora and vegetation of Baroda and environ including account of the Cyperaceae of Gujarat* . Thesis submitted to the M. S University of Baroda, Baroda.
- Sabu TK, Vineesh PJ, Vinod KV.** (2008) Diversity of forest litter-inhabiting ants along elevations in the Wayanad region of the Western Ghats. 14pp. *Journal of Insect Science*, **8**:69, available online: insectscience.org/8.69.
- Savitha S., Narayani Barve and Priya Davidar** (2008) Response of ants to disturbance gradients in and around Bangalore, India. *Tropical Ecology*, **49**(2): 235-243.
- Schmidt, Fernando A. and Diehl, Elena** (2008) What is the effect of soil use on ant communities?. *Neotropical entomology* [online], **37** (4): 381-388.
- Shannon, C. and Weaver, W.** (1949) *The mathematical theory of communication*. – Urbana, University of Illinois Press, 117 pp.
- Smith, F.** (1860) Catalogue of hymenopterous insects collected by Mr A.R. Wallace in the Islands of Bachian, Kaisaa, Amboyne, Gilolo, and at Dory in New Guinea. *Journal of the Linnean Society. Zoology*, **4** : 93–143.
- Soberón, M. J., and B. J. Lorente** (1993) The use of species accumulation functions for the prediction of species richness. *Conservation Biology*, **7** : 480–488.
- Stapley , J .H.** (1973) Insect pests of coconuts in the Pacific Region . *Outlook on Agriculture* , **7** : 17 – 22 .
- Suarez, A., Bolger, D. And Case, T.** (1998) Effects of fragmentation and invasion on native ant communities in coastal southern California. *Ecology*, **79** (6): 2041-2056.
- Suvák, Martin** (2007) The ants (Hymenoptera: Formicidae) in the Stubble-Fields of East Slovakia. *Acta Zoologica Universitatis Comenianae*, **47** (1): 21–33.

Thompson B., McLachlan S. (2007) The effects of urbanization on ant communities and myrmecochory in Manitoba, Canada. *Urban Ecosystems*, **10**:43–52.

Tschinkel WR. (2005) The nest architecture of the ant, *Camponotus socius*. *Journal of Insect Science*, **5** : 9. Available online: insectscience.org/5.9.

Torgersen, T., and E.L. Bull (1995) Down logs as habitat for forest-dwelling ants - the primary prey of pileated woodpeckers in northeastern Oregon. *Northwest Science*, **69**: 294-303.

Torgerson, T. R., R. R. Mason, and R. W. Campbell (1990) Predation by birds and ants on two forest insect pests in the Pacific Northwest. *Studies in Avian Biology* , **13**:14-19. URL <http://www.consecol.org/vol1/iss1/art8>.

Traniello, James F.A and Levings, SC. (1986) Intracolony and intercolony patterns of nest dispersion in the ant *Lasius neoniger*—correlations with territoriality and foraging ecology. *Oecologia*, **69** : 413–419.

Traniello, James F.A. (1989) Foraging Strategies of Ants. *Annual Review of Entomology* , **34** : 191 – 210.

Van Mele P, Cuc N.T.T. (2001) Farmers' perceptions and practices in use of *Dolichoderus thoracicus* (Smith) (Hymenoptera: Formicidae) for biological control of pests of sapodilla. *Biological Control*, **20** : 23–29.

Varghese, T. (2004) Taxonomic studies on ant genera of the Indian Institute of Science Campus with notes on their nesting habits. *Perspectives on Biosystematics and biodiversity T.C.N.Com.*.Vol., 485-502.

Wagner D. (2000) Pollen viability reduction as a potential cost of ant association for *Acacia constricta* (Fabaceae). *American Journal of Botany*, **87**: 711-715.

Wang, D., B. Lowery, J.M. Norman, and K. McSweeney (1996) Ant burrow effects on water flow and soil hydraulic properties of Sparta sand. *Soil & Tillage Research* , **37**: 83-93.

Walters, A. C. and D. A. Mackay (2004) "Comparisons of Upper Thermal Tolerances Between the Invasive Argentine ant (Hymenoptera: Formicidae), and Two Native Australian Ant Species." *Annals of the Entomological Society of America*. **97** (5): 971-975.

-
- Ward, P. S.** (2001) Taxonomy, phylogeny and biogeography of the ant genus *Tetraponera* (Hymenoptera: Formicidae) in the Oriental and Australian regions. *Invertebrate Taxonomy*, **15** : 589-665.
- Weber. N.** (1966) "Gardening Ants: The Attines". *Science*, **153** : 584.
- Way , M . J .** (1963) Mutualism between ants and honeydew-producing Homoptera . *Annual Review of Entomology* , **8** : 307 – 344.
- Way , M . J . and Khoo , K . C .** (1992) Role of ants in pest-management . *Annual Review of Entomology* , **37** : 479 – 503 .
- Way, M. J. and Khoo, K. C.** (1989) Relationships between *Helopeltis theobromae* damage and ants with special reference to Malaysian cocoa smallholdings. *Journal of Plant Protection in the Tropics*, **6**:1-11.
- Western, D. and M. C. Pearl** (eds.) (1989) *Conservation for the Twenty-First Century*, New York:Oxford University Press, New York.
- Wheeler WM.** (1910) *Ants: Their Structure, Development and Behavior*. New York: Columbia University Press.
- Whitford, W. G.** (2003) The functional significance of cemented nest caps of the harvester ant, *Pogonomyrmex maricopa*. *Journal of Arid Environments*, **53** : 281–284.
- Wyatt R.** (1980) The impact of nectar-robbing ants on the pollination system of *Asclepias curassavica*. *Bulletin of the Torrey Botanical Club*, **107**: 24-28.
- Yamaguchi T.** (2005) Influence of urbanization on ant distribution in parks of Tokyo and Chiba City, Japan II. *Analysis of species. Entomological Science*, **8** : 17–25.
- Yilmaz S., Toy S., Irmak M.A., Yilmaz H.** (2007) Determination of climatic differences in three different land uses in the city of Erzurum, Turkey. *Building Environment*, **42** : 1604–1612.