

INDEX

SECTION I INTRODUCTION

1.	Introduction	1
1.1.	Enzyme Immobilization	2
1.1.1.	Carrier-Binding Method	2
1.1.1.1.	Physical Adsorption Method	3
1.1.1.2.	Ionic Binding Method	3
1.1.1.3.	Covalent Binding Method	4
1.1.2.	Cross-Linking	5
1.1.3.	Entrapment of Enzymes	6
1.2.	Neural Network	8
1.3.	References	11
2.	The Enzymes	13
2.1.	Enzyme Nomenclature	13
2.1.1.	Enzyme Classification and Nomenclature	14
2.1.2.	Enzyme Subclasses	14
2.2.	α -Amylase (EC 3.2.1.1)	17
2.2.1.	Position of α -Amylase in the Classification Tree	17
2.2.2.	α -Amylase (EC 3.2.1.1)	18
2.2.3.	Structures	18
2.2.4.	Catalytic Mechanism	21
2.2.5.	Characterization	22
2.2.5.1.	Fourier Transform Infra-Red Spectroscopy (FTIR)	22
2.2.5.2.	Differential Scanning Calorimetry (DSC)	24
2.2.6.	Estimation of α -Amylase	24
2.3.	Papain (EC 3.4.22.2)	27
2.3.1.	Position of Papain in the Classification Tree	28
2.3.2.	Papain (EC 3.4.22.2)	28
2.3.3.	Structures	29
2.3.4.	Characterization	30
2.3.4.1.	Fourier Transform Infra-Red Spectroscopy (FTIR)	30
2.3.4.2.	Differential Scanning Calorimetry (DSC)	30
2.3.5.	Estimation of Papain	32
2.4.	Pepsin (EC 3.4.23.1)	34
2.4.1.	Position of Pepsin in the Classification Tree	35
2.4.2.	Pepsin (EC 3.4.23.1)	35
2.4.3.	Structures	36
2.4.4.	Characterization	37
2.4.4.1.	Fourier Transform Infra-Red Spectroscopy (FTIR)	37
2.4.4.2.	Differential Scanning Calorimetry (DSC)	39
2.4.5.	Estimation of Pepsin	39
2.5.	References	41
3.	The Bio-Polymers	52
3.1.	Alginate	52

3.1.1.	Structures	52
3.1.2.	Gelling Mechanism	54
3.1.3.	Biocompatibility of Alginates	56
3.1.4.	Alginate in Drug Delivery and Cell Encapsulation	56
3.1.5.	Characterization	57
3.1.5.1.	Fourier Transform Infra-Red Spectroscopy (FTIR)	57
3.1.5.2.	Differential Scanning Calorimetry (DSC)	59
3.2.	Carrageenan	60
3.2.1.	Manufacture of Carrageenan	60
3.2.2.	Molecular Structure & Solubility	61
3.2.2.1.	Solubility	63
3.2.2.2.	Stability in Solution	63
3.2.2.3.	Reaction with other Electrically Charged Hydrocolloids	64
3.2.3.	Gelling Mechanism & Rheology	64
3.2.3.1.	Rheology	67
3.2.4.	Characterization	68
3.2.4.1.	Fourier Transform Infra-Red Spectroscopy (FTIR)	68
3.2.4.2.	Differential Scanning Calorimetry (DSC)	68
3.3.	Chitosan	70
3.3.1.	Structure	70
3.3.2.	Polyelectrolyte Complex (PEC) Formation	71
3.3.3.	Applications of Chitosan and Chitosan-Alginate PEC	74
3.3.4.	Characterization	75
3.3.4.1.	Fourier Transform Infra-Red Spectroscopy (FTIR)	75
3.3.4.2.	Differential Scanning Calorimetry (DSC)	77
3.3.5.	Chitosan Digested by pepsin	77
3.4.	References	78
4.	Literature Survey	87
4.1.	Alginate	87
4.2.	Carrageenan	91
4.3.	Chitosan	96
4.4.	References	101
5.	Scope of the Work	107
5.1.	References	108

SECTION II MATERIALS & METHODS

6.	Alginate Beads	109
6.1.	Alginate-Amylase Beads	109
6.1.1.	Materials	109
6.1.2.	Preparation of Beads	109
6.1.3.	Characterization of Beads	110
6.1.3.1.	Estimation of α -Amylase (Dextrinogenic Assay)	110
6.1.3.2.	Determination of Entrapment Efficiency	111
6.1.3.3.	Determination of T50 and T90	111
6.1.3.4.	Particle Size Measurements	112
6.1.3.5.	Angle of Repose Measurements	112
6.1.3.6.	Effect of pH on Release Profile	113

6.1.3.7.	Fourier Transform Infra-red Spectroscopy (FTIR)	113
6.1.3.8.	Differential Scanning Calorimetry (DSC)	114
6.1.3.9.	Scanning Electron Microscopy (SEM)	114
6.1.4.	Curve Fitting	114
6.1.5.	Factorial Design	116
6.1.6.	Desirability Function	119
6.1.7.	Preparation of Capsule Formulation, Packaging, and Stability Study	120
6.2.	Alginate-Papain Beads	121
6.2.1.	Materials	121
6.2.2.	Preparation of beads	121
6.2.3.	Evaluation of beads	122
6.2.3.1.	Determination of Entrapment Efficiency	122
6.2.3.2.	Determination of pH Dependent Release Profile	122
6.2.3.3.	Determination of T50 and T90	123
6.2.3.4.	Particle Size Measurements	123
6.2.3.5.	Angle of Repose Measurements	124
6.2.3.6.	Differential Scanning Calorimetry (DSC)	124
6.2.3.7.	Scanning Electron Microscopy	124
6.2.4.	Factorial design and the desirability function	125
6.3.	Alginate-Papain Beads (Neu. Net.)	129
6.3.1.	Materials	129
6.3.2.	Preparation of Beads	129
6.3.3.	Factorial Design	130
6.3.4.	Neural Network Software and Network Topology	131
6.3.5.	Characterization of Beads	133
6.3.5.1.	Estimation of Papain	133
6.3.5.2.	Determination of Entrapment Efficiency	134
6.3.5.3.	Effect of pH on Release Profile	134
6.3.5.4.	Determination of T50 and T90	135
6.3.5.5.	Particle Size Measurements	135
6.3.5.6.	Angle of Repose Measurements	135
6.3.5.7.	Fourier Transform Infra-red Spectroscopy (FTIR)	136
6.3.5.8.	Differential Scanning Calorimetry (DSC)	136
6.3.5.9.	Scanning Electron Microscopy (SEM)	137
6.3.6.	Preparation of Capsule Formulation & Stability Study	137
6.4.	References	138
7.	Carrageenan Beads	141
7.1.	Carrageenan-Amylase Beads	141
7.1.1.	Materials	141
7.1.2.	Characterization of carrageenan	141
7.1.3.	Preparation of beads	142
7.1.4.	Factorial design	143
7.1.5.	Composite index	144
7.1.6.	Curve fitting	145
7.1.7.	Characterization of beads	147
7.1.8.	Estimation of α -Amylase (Dextrinogenic Assay)	147
7.1.9.	Determination of Entrapment Efficiency	148
7.1.10.	Determination of T50 and T90	148
7.1.11.	Particle Size Measurements	149

7.1.12.	Fourier Transform Infra-Red Spectroscopy (FTIR)	149
7.1.13.	Differential Scanning Calorimetry (DSC)	149
7.1.14.	Scanning Electron Microscopy (SEM)	150
7.1.15.	Preparation of capsule formulation & stability study	150
7.2.	Carrageenan-Papain Beads	151
7.2.1.	Materials	151
7.2.2.	Preparation of Beads	151
7.2.3.	Experimental Design	152
7.2.4.	Composite Index	155
7.2.5.	Curve Fitting and Release Mechanism	156
7.2.6.	Characterization of Beads	158
7.2.6.1.	Estimation of Active Papain	158
7.2.6.2.	Estimation of Total Papain	159
7.2.6.3.	Determination of Entrapment Efficiency	160
7.2.6.4.	'In vitro' Dissolution and Determination of T50 and T90	160
7.2.6.5.	Particle Size Measurements	161
7.2.6.6.	Effect of pH on Release Profile	161
7.2.6.7.	Fourier Transform Infra-Red Spectroscopy (FTIR)	161
7.2.6.8.	Differential Scanning Calorimetry (DSC)	162
7.2.6.9.	Scanning Electron Microscopy (SEM)	162
7.2.7.	Preparation of Capsule Formulation, Packaging, and Stability Study	163
7.3.	Carrageenan-Pepsin Beads	164
7.3.1.	Materials	164
7.3.2.	Preparation of Beads	164
7.3.3.	Box-Behnken Design	165
7.3.4.	Curve Fitting	168
7.3.5.	Characterization of Beads	170
7.3.5.1.	Estimation of Pepsin	170
7.3.5.2.	Determination of Entrapment Efficiency	171
7.3.5.3.	Determination of T50 and T90	172
7.3.5.4.	Particle Size Measurements	172
7.3.5.5.	Effect of pH on Release Profile	172
7.3.5.6.	Fourier Transform Infra-Red Spectroscopy (FTIR)	173
7.3.5.7.	Differential Scanning Calorimetry (DSC)	173
7.3.5.8.	Scanning Electron Microscopy (SEM)	174
7.3.6.	Preparation of Capsule Formulation, Packaging, and Stability Study	174
7.4.	References	175
8.	Chitosan-Alginate Beads	179
8.1.	Chitosan-Alginate Amylase Beads	179
8.1.1.	Materials	179
8.1.2.	Preparation of Chitosan-Alginate PEC Beads	179
8.1.3.	33 Full Factorial Design (FFD)	182
8.1.4.	Curve Fitting	185
8.1.5.	Characterization of Beads	187
8.1.5.1.	Estimation of α -Amylase (Dextrinogenic Assay)	187
8.1.5.2.	Determination of Entrapment Efficiency	187
8.1.5.3.	Determination of T50 and T90	188
8.1.5.4.	Particle Size Measurements	188
8.1.5.5.	Effect of pH on Release Profile	188

8.1.5.6.	Fourier Transform Infra-Red Spectroscopy (FTIR)	189
8.1.5.7.	Differential Scanning Calorimetry (DSC)	189
8.1.5.8.	Scanning Electron Microscopy (SEM)	190
8.1.6.	Preparation of Capsule Formulation, Packaging, and Stability Study	190
8.2.	Chitosan-Alginate Papain Beads	191
8.2.1.	Materials	191
8.2.2.	Preparation of chitosan-alginate PEC beads	191
8.2.3.	Central composite design (CCD)	193
8.2.4.	Composite index	196
8.2.5.	Curve fitting	197
8.2.6.	Characterization of beads	199
8.2.6.1.	Estimation of papain (Dextrinogenic assay)	199
8.2.6.2.	Determination of entrapment efficiency	200
8.2.6.3.	Determination of T50 and T90	200
8.2.6.4.	Particle size measurements	201
8.2.6.5.	Effect of pH on release profile	201
8.2.6.6.	Fourier transform infra-red spectroscopy (FTIR)	202
8.2.6.7.	Differential scanning calorimetry (DSC)	202
8.2.6.8.	Scanning electron microscopy (SEM)	202
8.2.7.	Preparation of capsule formulation, packaging, and stability study	203
8.3.	References	204

SECTION III MATERIALS & METHODS

9.	Alginate Beads	207
9.1.	Alginate-Amylase Beads	207
9.1.1.	Effect of the Factors on Responses	207
9.1.1.1.	% Entrapment	207
9.1.1.2.	T50	208
9.1.1.3.	T90	212
9.1.1.4.	Particle Size	212
9.1.1.5.	Angle of Repose	212
9.1.2.	Interactions between the Factors	213
9.1.3.	Optimization of the Process using the Desirability Function	213
9.1.4.	Evaluation of Model using Cross-Validation	214
9.1.5.	Curve Fitting and Release Mechanism	216
9.1.6.	Characterization of Optimal Formulation	218
9.1.6.1.	Effect of pH on Release Profile	218
9.1.6.2.	Fourier Transform Infra-red Spectroscopy (FTIR)	220
9.1.6.3.	Differential Scanning Calorimetry (DSC)	221
9.1.6.4.	Morphology of the Beads	223
9.1.7.	Stability Study	224
9.1.8.	Conclusions	225
9.2.	Alginate-Papain Beads	226
9.2.1.	pH dependent release profile	226
9.2.2.	Effect of the factors on responses	227
9.2.2.1.	% Entrapment	227
9.2.2.2.	T50	232
9.2.2.3.	T90	232
9.2.2.4.	Particle Size	233

9.2.2.5.	Angle of Repose	233
9.2.3.	Interactions between the factors	234
9.2.4.	Optimization of the process using the desirability function	234
9.2.5.	Evaluation of model	235
9.2.6.	Differential scanning calorimetry (DSC)	237
9.2.7.	Morphology of the beads	238
9.2.8.	Conclusions	240
9.3.	Alginate-Papain Beads (Neu.Net.)	242
9.3.1.	Optimization of Neural Network	242
9.3.2.	Effect of the Factors on Responses	243
9.3.2.1.	% Entrapment	243
9.3.2.2.	T50	249
9.3.2.3.	T90	250
9.3.2.4.	Particle Size	250
9.3.2.5.	Angle of Repose	251
9.3.3.	Optimization of the Process using the Graphical Evaluation	251
9.3.4.	Evaluation of Model using Cross-Validation	252
9.3.5.	Characterization of Optimal Formulation	253
9.3.5.1.	Effect of pH on Release Profile	253
9.3.5.2.	Fourier Transform Infra-red Spectroscopy (FTIR)	255
9.3.5.3.	Differential Scanning Calorimetry (DSC)	257
9.3.5.4.	Morphology of the Beads	257
9.3.6.	Stability Study	259
9.3.7.	Conclusions	260
9.4.	References	261
10.	Carrageenan Beads	263
10.1.	Carrageenan-Amylase Beads	263
10.1.1.	Effect of the factors on responses	263
10.1.1.1.	% Entrapment	263
10.1.1.2.	T50 and T90	268
10.1.1.3.	Particle Size	269
10.1.2.	Interactions between the factors	269
10.1.3.	Optimization of the process using the composite index	270
10.1.4.	Evaluation of model using cross-validation	270
10.1.5.	Curve fitting and release mechanism	272
10.1.6.	Characterization of optimal formulation	275
10.1.6.1.	Fourier transform infra-red spectroscopy (FTIR)	275
10.1.6.2.	Differential scanning calorimetry (DSC)	277
10.1.6.3.	Morphology of the beads	279
10.1.7.	Stability study	280
10.1.8.	Conclusions	281
10.2.	Carrageenan-Papain Beads	283
10.2.1.	Effect of the Factors on Responses	283
10.2.1.1.	% Entrapment	283
10.2.1.2.	T50 and T90	288
10.2.1.3.	Particle Size	289
10.2.2.	Interactions between the Factors	290
10.2.3.	Optimization of the Process using the Composite Index	290
10.2.4.	Evaluation of Model using Cross-Validation	291

10.2.5. Curve Fitting and Release Mechanism	292
10.2.6. Characterization of Optimal Formulation	297
10.2.6.1. Effect of pH on Release Profile	297
10.2.6.2. Fourier Transform Infra-Red Spectroscopy (FTIR)	297
10.2.6.3. Differential Scanning Calorimetry (DSC)	300
10.2.6.4. Morphology of the Beads	302
10.2.7. Stability Study	303
10.2.8. Conclusions	305
10.3. Carrageenan-Pepsin Beads	307
10.3.1. Effect of the factors on responses	307
10.3.1.1. % Entrapment	307
10.3.1.2. T50 and T90	311
10.3.1.3. Particle Size	311
10.3.2. Interactions between the factors	312
10.3.3. Optimization of the process using the response surfaces	312
10.3.4. Evaluation of model using cross-validation	313
10.3.5. Curve fitting and release mechanism	314
10.3.6. Characterization of optimal formulation	318
10.3.6.1. Effect of pH on Release Profile	318
10.3.6.2. Fourier Transform Infra-Red Spectroscopy (FTIR)	319
10.3.6.3. Differential Scanning Calorimetry (DSC)	321
10.3.6.4. Morphology of the Beads	323
10.3.7. Stability study	324
10.3.8. Conclusions	326
10.4. References	327
11. Chitosan-Alginate Beads	329
11.1. Chitosan-Alginate Amylase Beads	329
11.1.1. Principle of PEC Formation	329
11.1.2. Effect of the Factors on Responses	330
11.1.2.1. % Entrapment	330
11.1.2.2. T50 and T90	332
11.1.2.3. Particle Size	334
11.1.3. Interactions between the Factors	335
11.1.4. Optimization of the Process using the Response Surfaces	335
11.1.5. Evaluation of Model using Cross-Validation	336
11.1.6. Curve Fitting and Release Mechanism	337
11.1.7. Characterization of Optimal Formulation	342
11.1.7.1. Effect of pH on Release Profile	342
11.1.7.2. Fourier Transform Infra-Red Spectroscopy (FTIR)	344
11.1.7.3. Differential Scanning Calorimetry (DSC)	347
11.1.7.4. Morphology of the Beads	349
11.1.8. Stability Study	350
11.1.9. Conclusions	353
11.2. Chitosan-Alginate Papain Beads	354
11.2.1. Principle of PEC formation	354
11.2.2. Effect of the factors on responses	355
11.2.2.1. % Entrapment	355
11.2.2.2. T50 and T90	356
11.2.2.3. Particle Size	359

11.2.3. Interactions between the factors	360
11.2.4. Optimization of the process using the composite index	360
11.2.5. Evaluation of model using cross-validation	361
11.2.6. Curve fitting and release mechanism	362
11.2.7. Characterization of optimal formulation	367
11.2.7.1. Effect of pH on Release Profile	367
11.2.7.2. Fourier Transform Infra-Red Spectroscopy (FTIR)	369
11.2.7.3. Differential Scanning Calorimetry (DSC)	372
11.2.7.4. Morphology of the Beads	374
11.2.8. Stability Study	375
11.2.9. Conclusions	378
11.3. References	379

SECTION IV SUMMARY & CONCLUSIONS

Summary & Conclusions	383
-----------------------	-----