

BIBLIOGRAPHY

- Adams, M. J. 2000. Pond permanence and the effects of exotic vertebrates on anurans. *Ecological Application*, **10**: 559–568.
- Aditya, G. and Raut, S. K. 2001. Predation of water bug *Sphaerodema rusticum* (Fabricius) on the snail *Pomacea bridgesi* (Reeve), introduced in India. *Current science*, **81** (11): 1413-1414.
- Alcala, C. 1962. Breeding behavior and early development of frogs of Negros, Philippine Islands. *Copeia*, **1962**: 1679-1726.
- Alexander, M. A. and Eischeid, J. K. 2001. Climate variability in regions of amphibian declines. *Conservation biology*, **15**: 930-942.
- Alford, R. A. and Harris, R. N. 1988. Effects of larval growth history on anuran metamorphosis. *American Naturalist*, **131**: 91-106.
- Alford, R. A. and Richards, S. J. 1999. Global amphibian declines: A problem in applied ecology. *Annual Review of Ecology and Systematics*, **30**: 133-165.
- Alfred, J. R. B. 2002. Biodiversity with special reference to animals of India. Platinum Jubilee Lecture. *Proceedings of Indian Science Congress*. pp14-13
- Altig, R. 1970. A key to the tadpoles of the continental United States and Canada. *Herpetologica*, **26**: 180-207.
- Altig, R. and Johnston, G. F. 1989. Guilds of anuran larvae: relationships among developmental modes, morphologies, and habitats. *Herpetological Monographs*, **1989** (3): 81-109.
- Altig, R. and McDiarmid, R. W. 1999. Body plan: Development and morphology. In R. W. McDiarmid and R. Altig (Eds.), *Tadpoles: The biology of anuran larvae*, pp. 24-51. University Of Chicago Press, Chicago.
- Altig, R., McDiarmid, R. W., Nichols, K. A. and Ustach, P. C. 1998. A key to the anuran tadpoles of the United States and Canada. *Contemporary Herpetology Information Series 2*: 1-58.
- APHA, AWWA, WEF. 1998. *Standard methods for the examination of water and wastewater*, American Public Health Association, Washington DC.
- Andren, C., Marden, M. and Nilson, G. 1989. Tolerance to low pH in a population of Moor frogs, *Rana arvalis*, from an acidic and a neutral environment: a possible cause of rapid evolutionary response to acidification. *Oikos*, **56**: 215-223.
- Andrews, M. I., George, S. and Joseph, J. 2005a. Amphibian fauna of Kerala: community structure. *Zoos' Print Journal*, **20** (6): 1889-1895.
- Andrews, M. I., George, S. and Joseph, J. 2005b. Community structure of amphibians at three protected areas of Kerala. *J. Bombay Nat. His. Soc.*, **102** (1): 27-32.
- Ash, A. N. 1988. Disappearance of salamanders from clear cut plots. *J. Elisha Mitchell Sci. Soc.* **104**:116–122.
- Babbitt, K. J., and Jordan, F. 1996. Predation on *Bufo terrestris* tadpoles: Effects of cover and predator identity. *Copeia*, **1996**:1854-1888.

- Baker, J. M. and Waights. 1994. The effects of nitrate on tadpoles of tree frog *Litoria caerulea*. *Herpetology Journal*, **4**: 106-108.
- Balakrishna, T.A., Katre, S. and Gundappa, K.R. 1982a Taxonomy and Myogen Patterns of some Caecilians on the Indian Subcontinent. *Current Science*, **51**: 848-849.
- Barandun, I. and Reyer, H. U. 1997. Reproductive ecology of *Bombina variegata*: characterization of spawning ponds. *Amphibia-Reptilia*, **18**: 143-154.
- Barghigiani, C., Ranieri De S. 1992. Mercury content in different size of important edible species of the northern Tyrrhenian-Sea. *Mar. Pollu. Bull.* **24**: 114-116.
- Barinaga, M. 1990. Where have all the froggies gone? *Science*, **247**: 1033-1034.
- Barks, J. H. 1977. Effects of abandoned lead and zinc mines and tailings piles on water quality in the Joplin area, Missouri. *USGS water-resources investigations report*. U.S. A. Geological Survey, Rolla, Mo, USA.
- Barr, D. J. S. 1990. *Handbook of Protoctista*, I. Margulis, J. O. Corliss, M. Melkonian and D. J. Chapman. (Eds.) pp. 454-466. Jones and Bartlett, Boston.
- Beebee, T. J. C. 1996. *Ecology and conservation of amphibians*. Chapman and Hall, London.
- Beebee, T. J. C. and Griffiths, R. A. 2005. The amphibian decline crisis: A watershed for conservation biology? *Biological Conservation*, **25**: 271-285.
- Begon, M., Harper, J. L. and Townsend, C. R. 1996. *Ecology: Individuals, Populations and Communities*. pp. 945. Blackwell Scientific Publications, Oxford, UK.
- Beiswenger, R. E. 1975. Structure and Function in aggregation of tadpoles of the American toad, *Bufo americanus*. *Herpetologica*, **31**: 222-233.
- Beiswenger, R. E. 1978. Responses of Bufo Tadpoles (Amphibia, Anura, Bufonidae) to Laboratory Gradients of Temperature. *Journal of Herpetology*, **12** (4): 499-504.
- Beiswenger, R. E. and Test, F. H. 1967. Effects of environmental temperature on movements of tadpoles of the American toad, *Bufo terrestris americanus*. *Pap. Michigan Acad. Sci. Arts Lett.* **51**: 127-141.
- Berger, L., Speare, R. and Hyatt, A. D. 1999a. Chytrid fungi and amphibian declines: Overview, implications and future directions. A. Campbell, (Ed.), In: *Declines and disappearances of Australian frogs*. Environment Australia: Canberra: 23-33.
- Berger, L., Speare, R. and Kent, A. 1999b. Diagnosis of chytridiomycosis in amphibians by histologic examination. World Wide Web file, <http://www.jcu.edu.au/school/phtm/PHTM/frogs/histo/chhisto.htm>.
- Berger, I., Speare, R., Hyatt, A. and Marantelli, G. 2000. Overview of *Batrachochytrium* and frog declines. *Proceedings of getting the jump on amphibian disease*, Cairns, Australia. Pp. 22.
- Berger, I., Speare, R., Daszak, P., Green, D. E., Cunningham A., Goggin, I., et al. 1998. Chytridiomycosis causes amphibian mortality associated with population declines in the rain forests of Australia and central America. *Proceedings of National Academy of Science, USA*. **95**: 9031-9036.
- Berven, K. A., and B. G. Chandra. 1988. The relationship among egg size, density and food level on larval development in the wood frog (*Rana sylvatica*). *Oecologia* **75**: 67-72.
- BCPP CAMP Report. 1997. Amphibians of India. *Zoo Outreach Organization*, India.
- Bhaduri, J. L. and Daniel, J. C. 1956. The tadpoles of *Uperodon globulosum* (Günther). *J. Bombay Nat. His. Soc.*, **53** (4): 713-716.

- Bhatt, K. R., Vyas, R. and Singh, M. 1999. Herpetofauna of Gir Protected area. *Zoos' Print Journal*, **14** (5): 27-30.
- Bhatta, G. 1997. Caecilian Diversity of the Western Ghats: In search of the rare animals. *Current Science*, **73**: 183-187.
- Bhatta, G. 1998. A field guide to the caecilians of the Western Ghats. *Indian Journal Of Bioscience*, **23** (1): 73-85.
- Bhatta, G. and Prashanth, P. 2004. *Gegeneophis nadkarnii* – a caecilian (Amphibia: Gymnophiona: Caeciliidae) from Bondla Wildlife Sanctuary, Western Ghats. *Current Science*, **87** (3): 388-392.
- Bhatta, G., Dinesh, K. P., Prashanth, P. and Kulkarni, N. U. 2007. A new species of *Gegeneophis* Peters (Amphibia: Gymnophiona: Caeciliidae) from Goa, India *Zootaxa*, **1409**: 51-59.
- Biju, S. D. 2001. Synopsis to the frog fauna of the Western Ghats, India. *Occasional Publication of the Indian Society for Conservation Biology*, 1: pp. 24.
- Biju, S. D. and Bossuyt, F. 2003. New frog family from India reveals an ancient biogeographical link with Seychelles, *Nature*, **425**: 711-714.
- Biju, S. D. and Bossuyt, F. 2005a. A new species of *Philautus* (Anura, Ranidae, Rhacophorinae) from Ponmudi hill in the Western Ghats of India. *Journal of Herpetology*, **39** (3): 349-353.
- Biju, S. D. and Bossuyt, F. 2005b. A new species of frog (Ranidae, Rhacophorinae) *Philautus* from the rainforest canopy in the Western Ghats, India. *Current Science*, **88** (1): 175-178.
- Biju, S. D. and Bossuyt, F. 2005c. Two new species of *Philautus* (Anura, Ranidae, Rhacophorinae) from Ponmudi hill in the Western Ghats of India. *Copeia*, **2005** (1): 29-37.
- Biju, S. D. and Bossuyt, F. 2006. Two new species of *Philautus* (Anura, Ranidae, Rhacophorinae) from the Western Ghats, India. *Amphibia-Reptilia*, **27** (1): 1-9.
- Birdsall, C. W., Grueand, C. E., Anderson, A. 1986. Lead concentrations in bullfrog *Rana catesbeiana* and green frog *Rana clamitans* tadpoles inhabiting highway drainages. *Environ. Pollut. Ser. A* **40**: 233-247.
- Bishop, C. A., Mahony, N. A., Struger, J., Ng, P., Pettit, K. E. 1999. Anuran Development, Density and Diversity in Relation to Agricultural Activity in the Holland River Watershed, Ontario, Canada. *Environmental Monitoring and Assessment*, **57**: 21-43.
- Black, J. H. 1970. A possible stimulus for the formulation of some aggregations in tadpoles of *Scaphiopus bombifrons*. *Proc. Oklahoma Acad. Sci.* **49**: 13-14.
- Blaustein, A. R. and Keisecker, J. M. 2002. Complexity in conservation: Lessons from the global decline of amphibian populations. *Ecology Letters*, **5**: 597-608.
- Blaustein, A. R. and Wake, D. B. 1990. Declining amphibian populations: A global phenomenon. *Trends in Ecology and Evolution*. **5**: 203-204.
- Blaustein, A. R., Belden, L.K., Olson, D.H., Green, D.M., Root, T.L. and Kiesecker, J.M. 2001. Amphibian breeding and climate change. *Conservation Biology*, **15** (6): 1804-1809.
- Blaustein, A. R., Romansic, J. M., Kiesecker, J. M. and Hatch, A. C. 2003. Ultraviolet radiation, toxic chemicals and amphibian population declines. *Diversity and Distributions*, **9**: 123-140.

- Blaustein, A. R., Wake, D. B. and Sousa, W.P. 1994. Amphibian declines: Judging stability, persistence, and susceptibility of populations to local and global extinctions. *Conservation Biology*, **8**: 60–71.
- Blaustein, I., Friedman, J. and Fahima, T. 1996. Larval salamander drive temporary pool community dynamics: Evidence from an artificial pool experiment. *Oikos*, **76**: 392–402.
- Bosh, J., Martínez-solano, I. and García-prís, M. 2000. Evidence of a Chytrid fungus infection involved in the decline of the Common Midwife Toad (*Alytes obstetricans*) in protected areas of central Spain. *Biological conservation*, **97**: 331–337.
- Boulenger, G.A. 1890. *Fauna of British India including Ceylon and Burma Reptilia and Batrachia*. London.
- Boulenger, G. A. 1920. A monograph of the south Asian, Papuan, Melanesian and Australian frogs of the genus *Rana*. *Records of the Indian Museum*, **20**:1-226.
- Boulenger, G. A., Annandale, N. 1918. Further observations on *Rana tigrina*. *Records of the Indian Museum* **15**: 51–67.
- Boyer, R. and Grue, C. E. 1995. The need for water quality criteria for frogs. *Environmental Health Perspectives*, **103** (4): 352-357.
- Bradford, D. F. 1989. Allotropic distribution of native frogs and introduced fishes in high Sierra Nevada lakes of California: Implication of the negative effect of fish introductions. *Copeia*, **1989**: 775-778.
- Bragg, A. N. 1940. Observations on the ecology and natural history of anura: Habits, habitat, and breeding of *Bufo cognatus* (Say). *American Natural History*, **74**: 322-349.
- Bragg, A. N. 1954. Aggregational behavior and feeding reactions in tadpoles of the Savannah Spadefoot. *Herpetologica*, **10**: 97-102.
- Bragg, A. N. 1968. The formation of feeding schools in tadpoles of Spadefoots. *The Washmann Journal Of Biology* **26** (1): 11-16.
- Brattstrom, B. H. 1962. Thermal control of aggregation behavior in tadpoles. *Herpetologica*, **18**: 38-46.
- Brattstrom, B. H. and Warren , J. W. 1955. Observations on the ecology and behavior of the Pacific Tree Frog, *Hyla regilla*. *Copeia*, **1955**: 181-191.
- Breden, F. and Kelly, C. H. 1982. The effect of conspecific interactions on metamorphosis in *Bufo americanus*. *Ecology*, **63**: 1682-1689.
- Brockelman, W. Y. 1969. An analysis of density effects and predation in *Bufo americanus* tadpoles. *Ecology*, **50**: 632–644.
- Brodie, E. D. Jr., and Formanowijcz, D. R. 1987. Anti-predator mechanisms of larval anurans: Protection of palatable individuals. *Herpetologica* **43**: 369-373.
- Brodie, E. D., Jr., Formanowicz, D. R. and Brodie, E. D III. 1978. The development of noxiousness of *Bufo americanus* tadpoles to aquatic insect predators. *Herpetologica*, **34**: 302-306.
- Bronmark, C. and Edenhamn, P. 1994. Does the presence of fish affect the distribution of Tree Frogs (*Hyla arborea*)? *Conservation biology*, **8**: 841-845.
- Bronmark, C., Rundle, S. D. and Erlandsson, A. 1991. Interactions between freshwater snails and tadpoles: Competition and facilitation. *Oecologia*, **87**: 8-18.
- Bruce, R.C., Beachy, C.K., Lenzo, P.G., Pronych, S.P. and Wassersug, R.J. 1994. Effects of lung reduction on rheotactic performance in amphibian larvae. *Journal of Experimental Zoology*, **268**: 377–380.

- Caldwell, J. P. and De Araujo, M. C. 1998. Cannibalistic interactions resulting from indiscriminate predatory behaviour in tadpoles of Poison Frogs (anura: dendrobatidae). *Biotropica*, **30**: 92–103.
- Calef, G. W. 1973. Natural mortality of tadpoles in a population of *Rana aurora*. *Ecology*, **54**: 741–758.
- Canton J. H. and Slooff, W. 1982. Toxicity and accumulation studies of cadmium (Cd^{2+}) with freshwater organisms of different trophic levels. *Ecotoxicology and Environmental Safety*, **6**: 113-128.
- Carey, C. I. 1993. Hypothesis concerning the causes of the disappearance of Boreal Toads from the mountains of Colorado. *Conservation Biology*, **7**: 355–362.
- Carey, C. and Alexander, M. A. 2003. Climate change and amphibian declines: Is there a link? *Diversity and Distributions*, **9**: 111-121.
- Carey, C. and Bryant, C. J. 1995. Possible interrelationships among environmental toxicants, amphibian development and decline of amphibian populations. *Environment Health Perspective*, **103**: 13–17.
- Carey, C. Cohen, N., Rollins-Smith, L. 1999. Amphibian declines: An immunological perspective. *Dev. Comp. Immunology*, **23**: 459-472.
- Carpenter, S. R., Kitchell, J. F. and Hodgson, J. R. 1985. Cascading trophic interactions and lake productivity. *Bioscience*, **35**: 634-639.
- Cecil, S. G. and Just, J. J. 1979. Survival rate, population density and development of a naturally occurring anuran larvae (*Rana catesbiana*). *Copeia*, **1979**: 447-552.
- Chanda, S. K. 2002. *Handbook - Indian Amphibians*. Zoological Survey of India, Kolkata. pp. 335.
- Chanda, S.K. and Ghosh, A.K. 1988. Addenda to the amphibian fauna of India. *J. Bombay nat. Hist. Soc.* **85**, 626-627.
- Chapin, F. S. III, Zavaleta, E. S., Eviner, V. T., Naylor, R. L., Vitousek, P. M., Reynolds, H. L. et al., 2000. Consequences of changing biodiversity. *Nature*, **405**: 234-242.
- Chari, V. K. and Daniel, J. C. 1953. The tadpole of *Rana leithii* (Boulenger). *J. Bombay Nat. Hist. Soc.*, **51**: 512-514.
- Chau, Y. K. and Kulikovsky-Cordeiro, O. T. R. 1995. Occurrence of nickel in the Canadian environment. *Environ. Rev.* **3**, 95-117.
- Clark, L., and Hall, R. J. 1985. Effects of elevated ion and aluminum concentrations on the survival of amphibian embryos and larvae. *Canadian Journal Of Zoology*. **63**:116-123.
- Cloudsley-Thompson, J. 1999. *The Diversity of Amphibians and Reptiles*. Springer Publ., New York.
- Cook, R. P. 1983. Effects of acid precipitation on embryonic mortality of Ambystoma salamanders in the Connecticut Valley of Massachusetts. *Biological Conservation*, **27**: 77-88.
- Cooke, A. S. 1981. Tadpoles as indicators of harmful levels of pollution in the field. *Environment Pollution Series, A* **25**: 123-133.
- Corn, P.S. and Bury, R. B. 1989. Logging in western Oregon: Responses of headwater habitats and stream amphibians. *For. Ecol. Manage.*, **29**: 39–57.
- Corn, P.S. and Bury, R. B. 1990. Sampling methods for terrestrial amphibians and reptiles. U.S Department of Agriculture, Forest Service. General Technical Report, PNW-GTR-256.

- Cornell, H. V. 1999. Unsaturation and regional influences on species richness in ecological communities: A review of the evidence. *Ecoscience*, **6**: 303-315.
- Costa, H. H and Balasubramaniam, S. 1965. The food of the tadpoles of *Rhacophorus cruciger cruciger* (Blyth) in Ceylon. *Journal of Science*, **5**: 105-109.
- Crowder, L. B. and Cooper, W. E. 1982. Habitat structural complexity and the interaction between bluegills and their prey. *Ecology*, **63**: 1802-1813.
- Crowder, W. C., Nie, M, Ultsch, G. R. 1998. Oxygen uptake in Bullfrog tadpoles (*Rana catesbeiana*). *Journal of Experimental Zoology*. **280**: 121-134.
- Crump, M. L. 1971. Quantitative analysis of the ecological distribution of tropical herpetofauna. *Kansas Museum Nat. His.*, **3**:1-62. University of Kansas Publication.
- Crump, M. L. 1972. Territoriality and mating behaviour in *Dendrobates granuliferus* (Anura: Dendrobatidae). *Herpetologica* **28**: 195-198.
- Crump, M. L. 1974. Reproductive strategies in tropical anuran communities. Misc. pub. *Kansas Museum. Nat. His.*, **61**: 1-68. University of Kansas Publication.
- Crump, M. L. 1983. Opportunistic cannibalism by amphibian larvae in temporary aquatic environments. *American Naturalist*, **121**: 281-287.
- Crump, M. L. 1986. Cannibalism by younger tadpoles: Another hazard of metamorphosis. *Copeia*, **1986**:1007-1009.
- Crump, M. L. 1989. Effect of habitat drying on developmental time and size at metamorphosis in *Hyla pseudopuma*. *Copeia*, **1989**: 794-797.
- Crump, M. L. 1990. Possible enhancement of growth in tadpoles through cannibalism. *Ibid.* **1990**: 560-564.
- Cummins, C. P. 1986. Effects of aluminum and low pH on growth and development in *Rana temporaria* tadpoles. *Oecologia*, **69**: 248-252.
- Crump, M. L. and Scott, N. J. Jr. Visual encounter surveys. In W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek and M. S. Foster (Eds.), 1994. *Measuring and monitoring biological diversity: Standard methods for amphibians*. Smithsonian Institution Press, Washington.
- Dahanukar, N. and Padhye, A. 2005. Amphibian diversity and distribution in Tamhini, northern Western Ghats, India. *Current Science*, **88** (9): 1496-1501.
- Daniel, J. C. 1963. Field guide to the amphibians of Western India, Part 1 & 2. *J. Bombay Nat. His. Soc.* **60**, 415-438, 690-702.
- Daniel, J. C. 1975. Field guide to the amphibians of the western India, Part 3. *J. Bombay Nat. His. Soc.* **72** (2): 506-522.
- Daniel, J. C. 2000. *Book of Indian Reptiles and Amphibians*. Bombay Nat. His. Soc., India.
- Daniels, R. J. R. 1991. The problem of conserving amphibians in the Western Ghats, India. *Current Science* **60** (11): 630-632.
- Daniels, R. J. R. 1992. Geographical distribution patterns of amphibians of Western Ghats, India. *Journal of Biogeography*, **19**: 521-529.
- Das, I. 1996. Resource use and foraging tactics in a south Indian anuran community. *J. South Asian Nat. His.*, **2** (1): 1-30.
- Dash, M. C. and Mahanta, J. K. 1993. Quantitative analysis of the community structure of tropical amphibian assemblages and its significance to conservation. *Journal of Biosciences*, **18** (1): 121-139.

- Daszak, P., Berger, L., Cunningham, A. A., Hyatt, A. D., Green D. E. and Speare, R. 1999. Emerging infectious diseases and amphibian population declines. *Emerging Infectious Diseases*, 5 (6): 735-748.
<http://www.cdc.gov/ncidod/eid/vol5no6/daszak.htm>
- Daszak, P., Cunningham, A. A. and Hyatt, A. D. 2003. Infectious disease and amphibian population declines. *Diversity and Distribution*, 9: 141-150.
- De bortoli, M., Gaglione, P., Malvicini, A. and Polvani, C. 1968. Concentration factors for strontium and cesium in fish of the lakes in the region of Varese (northern Italy). *Giorn. Fisica sanit. Radioprot.*, 12: 324-331.
- Department of Science and Technology. 1991. District Map Planning Series, Vadodara. National Atlas and thematic mapping organization.
- Dethier, M. N. and Duggins, D. O. 1984. An 'indirect commensalism' between marine herbivores and the importance of competitive hierarchies. *American Naturalist*, 124: 205-219.
- Deuti, K. 1996. The Himalayan Salamander. *Cobra*, 23: 35-37.
- Dey, M. and Gupta, A. 2002. A note on morphometry of tadpole and adult of *Microhyla ornata* (Dumeril & Bibron) (Anura: Microhylidae). *Zoos' Print Journal* 17(12): 951-953.
- Dickman, M. 1968. The effect of grazing by tadpoles on the structure of periphyton community. *Ecology*, 49: 1188-1190.
- Dimmit, A. and Ruibal, R. 1980. Exploitation of food resources by Spadefoot Toads (*Scaphiopus*). *Copeia* 1980: 854-862.
- Dubois, A. 1992. Notes sur la clasifcation des Ranidae (Amphibiens Anoures). *Bull. Mensuel. Soc. Linneenne de Lyon*. 61 (10): 305-352.
- Dubois, A., Ohler, A. and Biju, S. D. 2001. A new genus and species of Ranidae (Amphibia, Annura) from south-west India. *Alytes*, 19: 53-79.
- Duellman, W. E. 1978. The biology of an equatorial herpetofauna in Amazonian Ecuador. *Misc. Pub. Mus. Nat. His.*, University of Kansas, 65: 1-352.
- Duellman W. E. and Trueb, L. 1986. *Biology of amphibians*. McGraw-Hill Book Company, New York.
- Duellman, W. E. and Lescure, J. 1973. Life history and ecology of the hylid frog *Osteocephalus taurinus*, with observations on larval behavior. *Occ. Pap. Mus. Nat. Hist. Univ. Kansas*, 13: 1-12.
- Duméril, A. H. and Bibron, G. 1841. *Erpetologie generale ou Histoire Naturelle complete des reptiles*. Vol. 8. Paris.
- Dunham, A. E., Grant, B. W. and Overall, K. L. 1989. Interfaces between biophysical and physiological ecology and the population ecology of terrestrial ectotherms. *Physiol. Zool.* 62: 335-355.
- Dunson W. A., Wyman R. L. and Corbett E. S. 1992. A symposium on amphibian declines and habitat acidification. *Journal of Herpetology* 26: 349-342.
- Dunson, W. A. and Travis, J. 1991. The role of abiotic factors in community organization. *American Naturalist*, 138: 1067-1091.
- Dutta, S. K. 1997. *Amphibians of India and Sri Lanka*. Odyssey Publishing House. Bhubaneswar, Orissa, India.
- Dutta, S. K. and Mohanthi-Hejmadi, P. 1976. Breeding and life history of the Indian bull Frog *Rana tigerina* (Daudin). *Prakruti-Utkal University Journal-Science*, 13: 51-59.

- Dutta, S. K., Sushree, J. and Mohanthi-Hejmadi, P. 1990–1991. Breeding and development of *Ramanella variegata* (Anura; Microhylidae). *J. Zoo. Soc. India* **42–43**: 55–76.
- Ehrenfeld, J. G. 2000. Evaluating wetlands within an urban context. *Ecological Engineering*, **15**: 253 – 265.
- Elmberg, J. 1993. Threats to boreal frogs. *Ambio.*, **22**: 254–255.
- Eterovick, P. C. and Barros, I.S. 2003. Niche occupancy in south-eastern Brazilian tadpole communities in montane-meadow streams. *Journal of Tropical Ecology*, **19**: 439–448.
- Farlowe, V. 1928. Algae of ponds as determined by an examination of the intestinal contents of tadpoles. *Biological Bulletin*, **55**: 443–448.
- Feller, A. E. and Hedges, B. 1998. Molecular evidence of the early history of living amphibians. *Molecular Phylogeny and Evolution*, **9**: 509–516.
- Ferguson, H. S. 1904. "Travancore Batrachians," *J. Bombay Nat. His. Soc.*, **15**: Pp. 499.
- Fisher, R. N. and Shaffer H. B. 1996. The decline of amphibians in California's Great Central Valley. *Conservation Biology*, **10**: 1387–1397.
- Freda, J. 1986. The influence of acidic pond water on amphibians a review. *Water, Air, Soil Pollution*, **30**: 439–450.
- Freda, J. and Dunson, W. A. 1985. Field and laboratory studies on ion balance and growth rates of ranid tadpoles chronically exposed to low pH. *Copeia*, **1985**: 415–423.
- Freda, J. and Dunson, W. A. 1986. Effects of low pH and other chemical variables on the local distribution of amphibians. *Copeia*, **1986**: 454–466.
- Freda, J., Sadinski, W. J. and Dunson, W. A. 1991. Long term monitoring of amphibian populations with respect to the effects of acidic deposition. *Water, Air, Soil Pollution*, **55**: 445–462.
- Friberg, L., Piscator, M., Nordberg, G. F. and Kjellstrom, T. 1974. *Cadmium in Environment*. Second Edition. CRC Press, Boca Raton, FL.
- Flecker, A.S., Feifarek, B.P. and Taylor, B.W. Ecosystem Engineering by a Tropical Tadpole: Density-Dependent Effects on Habitat Structure and Larval Growth Rates *Copeia*, **1999** (2): 495–500.
- Frost, D. R., Grant, T., Faivovich, J., Bain, R. H., Haas, A., Haddad, C. F. B., de Sa, R. O., Channing, A., Wilkinson, M., Donnellan, S. C., Raxworthy, C., Campbell, J. A., Blotto, B. L., Moler, P., Drewes, R. C., Nussbaum, R. A., Lynch, J. D., Green, D. M. and Wheeler, W. C. 2006. The amphibian tree of life. *Bulletin of the American Museum of Natural History*, **297**: 1–370.
- Frost, D. R. 2007. Amphibian species of the world: An online reference. Version 5.0 (1 February, 2007). <http://research.amnh.org/herpetology/amphibia/index.php>. American museum of natural history, New York, USA.
- Gamradt, S. C. and Kats, L. B. 1996. Effect of introduced crayfish and mosquito fish on California Newts. *Conservation Biology*, **10**: 1155–1162.
- Gascon, C. 1992. Aquatic predators and tadpole prey in central Amazon: Field data and experimental manipulations. *Ecology*, **73**: 971–980.
- Ghate, H. V. and Padhye, A. D. 1996. Impact of urbanization on amphibians of Pune. *Zoos' Print Journal*, **11**: 14 –16.
- Girish, S. and Saidapur, S. K. 1999. Mating and nesting behaviour and early development in the Tree Frog *Polypedates maculatus*. *Current Science*, **76** (1): 91–92.

- Glooschenko, V., Weller, W. F., Smith, P. G. R., Alvo, R. and Archbold, J. H. G. 1992. Amphibian distribution with respect to pond water chemistry near Sudbury, Ontario. *Canadian Journal of Fisheries and Aquatic Sciences*, **49** (1): 114-121.
- Goodsell, J.A. and Kats, L.B. 1999. Effect of introduced mosquitofish on Pacific treefrogs and the role of alternative prey. *Conservation Biology*, **13**:921-924.
- Gosner, K. L. 1959. Systematic variations in tadpole teeth with notes on food. *Ibid*, **15**: 203-210.
- Gosner, K. L. 1960. A simplified table for staging anuran embryos and larvae with notes on identification. *Herpetologica*, **16**: 183-190.
- Gosner, K. L. and Black, I.H. 1957. The effects of acidity on the development and hatching of New Jersey Frogs. *Ecology*, **38**: 256-262.
- Gotthard, K. and Nylin, S. 1995. Adaptive plasticity and plasticity as adaptation: a selective review of plasticity in animal morphology and life history. *Oikos*, **74**: 3-17.
- Government of Gujarat, Gazetteer of India, Gujarat State, Vadodara district, pp. 830. Gujarat Government Publication, Ahmedabad.
- Government of India. 2001. Census of India 2001 (Provisional) Slum Population in Million Plus Cities (Municipal Corporations): Part A: Retrieved from [http://www.censusindia.net/results/slum 1 m plus.html](http://www.censusindia.net/results/slum%201%20plus.html)
- Gower, D. J., Bhatta, G., Giri, V., Oommen, O. V., Ravichandran, M. S. and Wilkinson, M. 2004. Biodiversity in the Western Ghats: The discovery of new species of caecilian amphibians. *Current Science*, **87**: 739-740.
- Green, D. M. 1997. Amphibians in decline: Canadian studies of a global problem. *Herpetological Conservation*, Vol. 1. St. Louis: Society for the Study of Amphibians and Reptiles.
- Gromko, M. H., Mason, E. S. and Smith-Gill, S. J. 1973. Analysis of the crowding effect in *Rana pipiens* tadpoles. *Journal of Experimental Zoology*, **186**: 63-72.
- Gundappa, K. R., Balakrishna, T. A., and Shakuntala. 1981. Ecology of *Ichthyophis glutinosus* (Linn.) (Apoda: Amphibia). *Current Science*, **50** (11): 480-483.
- Gunther, A. 1858. Catalogue of the Batrachia and Salientia in the collection of British Museum, London. *Trustees of British Museum*, **16**: Pp. 160.
- Hall, R. J. and Henry, P. F. P. 1992. Review: Assessing effects of pesticides on amphibians and reptiles: Status and Needs. *Herpetology Journal*, **2**: 65-71.
- Hamer, A. J., Makings, J. A., Lane, S. J. and Mahony, M. J. 2004. Amphibian decline and fertilizers used on agricultural land in southeastern Australia. *Agriculture, Ecosystems & Environment*, **102** (3): 299-305.
- Harris, P. M. 1995. Are autecologically similar species also functionally similar? A test in pond communities. *Ecology*, **76**: 544-552.
- Hart, B. J. 1990. Behavioral adaptations to pathogens and parasites: Five strategies. *Neuroscience and Biobehavioral Reviews* **14**: 273-294.
- Hayes, T., Chan, R. and Licht, P. 1993. Interactions of temperature and steroids on larval growth, development and metamorphosis in a toad (*Bufo boreas*). *Journal of Experimental Zoology*, **266**: 206-215.
- Hazelwood, E. 1970. Frog pond contaminated. *British Journal of Herpetology*, **4**: 177-185.
- Hecnar, S. J. 1995. Acute and chronic toxicity of ammonium nitrate fertilizer to amphibians from southern Ontario. *Environmental Toxicology and Chemistry*, **14**: 2131-2137.

- Hecnar, S. J. and M'Closkey, R. T. 1996. Regional dynamics and the status of amphibians. *Ecology*, **77**: 2091–2097.
- Hegner, R. W. 1923. Observation and experiments on Euglenoidina in the digestive tract of frog and toad tadpoles. *Biological Bulletin*, **45**:162-180.
- Hemelaar, A. S. M. 1983. Age of *Bufo bufo* in amplexus over the spawning period. *Oikos*, **40**:1-5.
- Hendricks, F. S. 1973. Intestinal contents of *Rana pipiens* Schreber (Ranidae) larvae. *Southwestern Naturalist*, **18**: 99-101.
- Hengl, T. J. and Burgin, S. 2002. Reproduction and larval growth of the urban dwelling Brown Striped Marsh Frog *Limnodynastes peronii*. *Australian Zoologist* **32**: 369-388.
- Herreid, C. F. II, and Kinney, S. 1967. Temperature and development of the wood frog *Rana sylvatica* in Alaska. *Ecology*, **48**: 579-590.
- Hero, J.M. 1991. Predation, palatability and the distribution of tadpoles in Amazon rain forest. Ph. D Thesis, Griffith University.
- Heyer, W. R. 1973. Ecological interactions of frog larvae at a seasonal tropical location in Thailand. *J. Herpetol.*, **7**: 337-361.
- Heyer, W. R. 2003. Ultraviolet-B and amphibian. *BioScience*, **53**: 540-541.
- Heyer, W. R., Donnelly, M. A., McDiarmid, R. W., Hayek, L. C. and Fister, M. S. 1994. *Measuring and Monitoring Biological Diversity Methods for Amphibians*. Pp. 690. Smithsonian Institution Press, Washington D.C., U.S.A.
- Heyer, W. R., McDiarmid, R. W. and Weigmann, D. L. 1975. Tadpoles, predation and pond habitats in the tropics. *Biotropica*, **7**:100-111.
- Hillis, T. L. and Parker, G. H. 1993. Age and proximity to local ore-smelters as determinants of tissue metal levels in Beaver (*Castor canadensis*) of the Sudbury(Ontario) area. *Environmental Pollution*, **80**: 67-72.
- Hiragond, N. C. and Saidapur, S. K. 1999. Description of tadpoles of *Rana temporalis* from South India. *Current Science*, **76** (3): 442-444.
- Hiragond, N. C., Shanbha, B. A. and Saidapur, S. K. 2001. Description of the tadpole of a stream breeding frog, *Rana curtipes*. *Journal of Herpetology* **35** (1): 166-168.
- Holomuzki, J. R., Collins, J. P. and Brunkow, P. E. 1994. Trophic control of fishless ponds by Tiger Salamander larvae. *Oikos*, **71**: 55-64.
- Hofrichter, R. 2000. *Amphibians: The World of Frogs, Toads, Salamanders and Newts*. New York: Firefly Books.
- Howard, R. D. 1978. The influence of male-defended oviposition sites on early embryo mortality in Bullfrogs. *Ecology*, **59**: 789-798.
- Hsu, M. J., Selvaraj, K. and Agoramoorthy, G. 2006. Taiwan's industrial heavy metal pollution threatens terrestrial biota. *Environmental Pollution*, **143** (2): 327-334.
- Hseu, Z.Y. 2004. Evaluating heavy metal contents in nine composts using four digestion methods. *Bioresource Technology*, **95** :53–59.
- Huey D. W. and Beitinger, T. L. 1980. Hematological responses of larval *Rana catesbeiana* to sub lethal nitrate exposure. *Bull. Environ. Contam. Toxicol.*, **25**: 574-577.
- Huey, R. B. and Kingsolver, J. G. 1993. Evolution of resistance to high temperature in ectotherms. *American Naturalist*, **142**: 21-46.

- Inger, R. F. 1969. Organization of communities of frogs along small rain forest streams in Sarawak. *Journal of Animal Ecology*, **38**: 123-148.
- Inger, R. F. 1980. Densities of floor dwelling frogs and lizards in lowland forests in Southeast Asia and Central America. *American Naturalist*, **115**: 761-770.
- Inger, R. F. 1999. Distributions of amphibians in southern Asia and adjacent islands. W. E. Dulleman, (Ed.), *Patterns of Distribution of Amphibians: A Global Perspective*. pp. 445-482. John Hopkins University Press, USA.
- Inger, R. F. and Colwell, R. K. 1977. Organization of contiguous communities of amphibians and reptiles in Thailand. *Ecological Monograph*, **47**: 229-253.
- Inger, R. F. and Greenberg. 1966. Ecological and competitive relations among three species of frogs (Genus: *Rana*). *Ecology*, **47**: 746-759.
- Inger, R. F. and Voris, H. K. 1993. A comparison of amphibian communities through time and from place to place, in Bornean forest. *Journal of Tropical Ecology*, **9**: 409-433.
- Inger, R. F., Orlov, N. and Darevsky, I. 1999. Frogs of Vietnam: A report on new collections. *Fieldiana: Zoology Memoires*, New series, No. 92: 1-46.
- Inger, R. F., Shaffer, H. B., Koshy, M. and Bakde, R. 1987. Ecological structure of a herpetological assemblage in South India. *Amphibia Reptilia*, **8**: 189-202.
- Jancovich, J. K., E. W. Davidson, J. F. Morado, B. L. Jacobs, and J. P. Collins. 1997. Isolation of a lethal virus from the endangered tiger salamander, *Ambystoma tigrinum stebbinsi*. *Diseases of Aquatic Organisms*, **31**: 161-67.
- James, S. C. 2005. *Amphibian metamorphosis and juvenile terrestrial performance following chronic cadmium exposure in the aquatic environment*. Ph. D Thesis submitted to University of Missouri, Columbia.
- Jenssen, T. A. 1967. Food habits of the Green Frog, *Rana clamitans* before and during metamorphosis. *Copeia*, **1967**: 214-218.
- John, K. R. and D. Fenster. 1975. The effects of partitions on the growth rate of crowded *Rana pipiens* tadpoles. *American Midlands Naturalist*, **93**: 123-130.
- Johnson, P. T. J and Chase, J. M. 2004. Parasites in the food web: Linking amphibian malformations and aquatic eutrophication. *Ecological Letters*, **7**: 521-526.
- Kamat, N. D. 1962. On the intestinal contents of tadpoles and algae of small ponds. *Current Science*, **16**: Pp. 300.
- Kats, L. B. and Ferrer, R. P. 2003. Alien predators and amphibian declines: Review of two decades of science and the transition to conservation. *Diversity and Distribution*, **9**: 99-110.
- Kats, L. B., Kiesecker, J. M., Chivers, D. P. and Blaustein, A. R., 2002. Effects of UV-B radiation on anti-predator behaviour in amphibians: Reply to Cummins. *Ethology*, **108**: 649-654.
- Kats, L. B., Petranka, J. W. and Sih, A., 1988. Antipredator defenses and the persistence of amphibian larvae with fishes. *Ecology*, **69**: 1865-1870.
- Katz, L. C., Potel, M. J. and Wassersug, R. J. 1981. Structure and mechanisms of schooling in tadpoles of the Clawed Frog, *Xenopus laevis*. *Animal Behaviour*, **29**: 20-33.
- Kaufman, G. A. and Gerlanc, N. M. 2005. Habitat of Origin and Changes in water chemistry influence development of Western Chorus Frogs. *Journal of Herpetology*, **39** (2): 254-265.
- Kerr, J. B. and McElroy, C. T. 1993. Evidence for large upward trends of ultraviolet-B radiation linked to Ozone depletion. *Science*, **262**: 1032-1034.

- Khan and Malik, S. A. 1987. Reproductive strategies in a subtropical anuran population in arid Punjab, Pakistan. *Biologia (Lahore)*, **33**: 279-303.
- Khan, M. S. 2002. Riparian tadpoles of Punjab, Pakistan: *Bufo stomaticus* Lütken, 1862. *Bull. Chicago Herp. Soc.* **37** (12): 216-219.
- Khanna, 1998. Urbanisation – a boon or a bane; Biodiversity conservation: Some apprehensions. *Zoos' Print Journal*, **13** (12): 32-34.
- Kiesecker, J. M., Blaustein, A. R. and Belden, L. K. 2001. Complex causes of amphibian population declines. *Nature*, **410**: 681-684.
- Knapp, R. A. and Matthews, K. R. 2000. Non-native fish introductions and the decline of the Mountain Yellow-legged Frog from within protected areas. *Conservation Biology*, **14**: 428-438.
- Knutson, M. G., Sauer, J. R., Olsen, D. A., Mossman, M. J., Hemesath, L. M. and Lannoo, M. J. 1999. Effects of landscape composition and wetland fragmentation on frog and toad abundance and species richness in Iowa and Wisconsin, USA. *Conservation Biology*, **13**: 1437–1446.
- Krebs, C. J. 1999. *Ecological Methodology*. 2nd Ed. Pp. 620. Benjamin Cummings Publications, California.
- Krishna, S. N., Krishna, S. B. and Vijayalaxmi, K. K. 2004. Breeding ecology of a rare Microhylid, *Ramanella Montana*, in the forests of Western Ghats, India. *Current science*, **87** (1): 80-82.
- Krishnamurthy, S. V. 2003. Amphibian assemblages in undisturbed and disturbed areas of Kudremukh National Park, central Western Ghats, India. *Environmental Conservation*, **30** (3): 274-282.
- Kruse, K. C. and Stone, B. M. 1984. Largemouth bass (*Micropterus salmoides*) learn to avoid feeding on toad (*Bufo*) tadpoles. *Animal Behaviour*. **32**: 1035-1039.
- Kumar, S. M. and Ravindranath, S. 1998. *Water Studies: Methods for monitoring water quality*. Pp. 246.
- Kumar, N., Soni, H. and Kumar, R. N. 2006. Biomonitoring of selected freshwater macrophytes to assess lake trace element contamination: a case study of Nal Sarovar Bird Sanctuary, Gujarat, India. *J. Limnol.*, **65**(1): 9-16.
- Kupferberg, S. J. 1997a. Facilitation of periphyton production by tadpole grazing: Functional differences between species. *Freshwater Biology*, **37**: 427-439.
- Kupferberg, S. J. 1997b. The role of larval diet in anuran metamorphosis. *American Zoologist*, **37**: 146–159.
- Kupferberg, S. J., Marks, J. C. and Power, M. E. 1994. Effects of variation in natural algal and detritus diets on larval anuran (*Hyla regilla*) life-history traits. *Copeia*, **1994**: 446-457.
- Kuramoto, M. and Joshy, S. H. 2002. Tadpoles of *Indirana beddomii* (Anura: Ranidae). *Hamadryad*, **27** (1): 71-77.
- Kuzmin, S. 1994. The problem of declining amphibian populations in the Commonwealth Independent States and adjacent territories. *Alytes* **12**: 123–134.
- Latreille, P. A. 1825. *Familles naturelles du règne animal*. Paris, Baillière: [i-v] + 1-570.
- Laurila, A. 1998. Breeding habitat selection and larval performance of two anurans in freshwater rock-pools. *Ecography*, **21** :484–494.

- Laurila, A. and Kujasalo J. 1999. Habitat duration, predation risk and phenotypic plasticity in Common Frog (*Rana temporaria*) tadpoles. *Journal of animal ecology*, **68**: 1123-1132.
- Lauwerys, R. R. and Hoet, P. 1993. *Industrial chemical exposure: Guidelines for biological monitoring*. Lewis Publishers, Boca Raton, Florida, USA.
- Lee, Y. H. and Stuebing, R. B. 1990. Heavy Metal Contamination in the River Toad, *Bufo juxtasper* (Inger), Near a Copper Mine in East Malaysia. *Bulletin of Environmental Contamination and Toxicology*, **45**: 272-279.
- Lefcort, H., Meguire, R. A., Wilson, L. H. and Ettinger, W. F. 1998. Heavy metals alter the survival, growth, metamorphosis, and antipredatory behavior of Columbia Spotted Frog (*Rana luteiventris*) tadpoles. *Archives of Environmental Contamination and Toxicology* **35**: 447-456.
- Leips, J. and Travis, J. 1994. Metamorphic responses to changing food levels in two species of hydrid frogs. *Ecology*, **75**: 1345-1356.
- Levin, R. 1966. The strategy and model building in population biology. *American Scientist*, **54**: 421-431.
- Li, J. and Lin, C. 1935. Studies on the "Rain Frog" *Kaloula borealis*. The food and feeding of the embryos and adults. *Peking Natural History Bulletin*, **10**: 45-53.
- Licht, L. E. 1967. Growth inhibition in crowded tadpoles: Intraspecific and interspecific effects. *Ecology*, **48**: 336-345.
- Licht, L. E. 1968. Unpalatability and toxicity of toad eggs. *Herpetologica*, **24**: 93-98.
- Linnaeus. 1758. *Systema Naturae per Regne Tria Naturae, Secundum Classes, Ordines, Genera, Species, cum Characteribus, Differentiis, Synonymis, Locis*. Editio Decimia, Reformata Tomus I. Laurentii Salvii, Holmiae.
- Ling, R. W., Vanamberg, J. P. and Werner, J. K. 1986. Pond acidity and its relationship to larval development of *Ambystoma maculatum* and *Rana sylvatica* in upper Michigan. *Journal of Herpetology*, **20**: 230-236.
- Lips, K. R. 1998. Decline of a Tropical Montane Amphibian Fauna. *Conservation Biology*, **12** (1): 106-117.
- Lips, K. R. 1999. Mass mortality and population declines of anurans at an upland site in western Panama. *Conservation Biology* **13**: 117-125.
- Lizana, M. and Pedraza, E. M. 1998. The effects of UV-B radiation on toad mortality in Mountainous areas of central Spain. *Conservation Biology*, **12**: 703-707.
- Loumbourdis, N. S. 2005. Hepatotoxic and nephrotoxic effects of Cadmium in the frog *Rana ridibunda*, *Archives of Toxicology*, **79** (8): 434-440.
- Loumbourdis, N. S. and Wray, D. 1998. Heavy metal concentration in the frog *Rana ridibunda* from a small river of Macedonia, northern Greece. *Environment International*, **24** (4): 427-431.
- Loumbourdis, N. S., Kostaropoulos, I., Theodoropoulou, B. and Kalmanti, D. 2007. Heavy metal accumulation and metallothionein concentration in the frog *Rana ridibunda* after exposure to chromium or a mixture of chromium and cadmium. *Environmental Pollution*, **145** (3): 787-792.
- Loumbourdis, N. S., Kyriakopoulou-Sklavounou, P. and Zachariadis, G. 1999. Effects of Cadmium exposure on bioaccumulation and larval growth in the frog *Rana ridibunda*. *Environmental Pollution*, **104**: 429-433.

- Lynch, J. D. 1973. The transition from archaic to advanced frogs. In *Evolutionary biology of the Anurans: Contemporary research on major problems*. pp. 133-182. Columbia University Missouri Press, Columbia.
- Macan, T. T. 1966. The influence of predation on the fauna of a moorland fish pond. *Arch. Hydrobiol.*, **61**: 432-452.
- Magurran, A. E. 1988. *Ecological Diversity and its Measurement*. Princeton University Press, Princeton, U.S.A.
- Mahanta, J. K., Swain, S. K. and Dash, M. C. 1997. Morphometric relationships in tropical anurans and their relationship to some life history parameters. *J. Bombay. Nat. Hist. Soc.*, **94**(2): 276-282.
- Mahapatro, B. K. and Dash, M. C. 1990. Breeding behaviour and morphometric relation of *Bufo stomaticus* Lutken (Anura: Amphibia). *J. Bombay. Nat. Hist. Soc.* **88**: 20-25.
- Manly, B. F. J. 1990. *Multivariate Statistical Methods*. Chapman and Hall, New York.
- Mara, W. P. 1994. *Breeding and keeping frogs and toads*. T. F. H. Publications Inc, Neptune city, New Jersey.
- Marco, A. and Blaustein, A. R. 1999. The effects of nitrites on behaviour and metamorphosis of the Cascades Frogs (*Rana casadae*). *Environ. Toxicol. Chem.* **18**: 946-949.
- Mattison, C. 1987. *Frogs and Toads of the world*. Facts on file Inc, New York.
- Maurice and Burton, R. 1988. Caecilia: In *Encyclopedia of the Animal Kingdom*. McDonald Publ. London.
- McCann, 1932. Notes on Indian batrachians. *J. Bombay. Nat. Hist. Soc.*, **32**:152-180.
- McCann, C. 1938. The Reptiles and Amphibia of Cutch State. *J. Bombay Nat. His. Soc.*, **40** (3): 427.
- McCollum, S. A. and Van Buskirk, J. 1996. Costs and benefits of a predator induced polyphenism in the Grey Treefrog *Hyla chrysoscelis*. *Evolution*, **50**: 583-593.
- McDiarmid, R. W. and Altig, R. 1999. *Tadpoles: The Biology of Anuran*. Chicago: University of Chicago Press.
- McKinney, M. L. 2002. Urbanization, biodiversity, and conservation. *BioScience*, **52**(10): 883-890.
- McLntyre, P. B. and McCollum, S. A. 2000. Responses of Bullfrog tadpoles to hypoxia and predators. *Oecologia*, **125**: 301-308.
- Menne, T. 1994. Quantitative aspects of nickel dermatitis: Sensitization and eliciting threshold concentrations. *Sci Total Environ* **148**:275-281
- Menge, B. A. 1995. Indirect effects in marine rocky intertidal interaction webs: Patterns and importance. *Ecological Monographs*, **65**: 21-74.
- Mills, N. E. and Semlitsch, R. D. 2004. Competition and predation mediate the indirect effects of an insecticide on southern Leopard Frogs. *Ecological Applications* **14**: 1041-1054.
- Ministry of Environment and Forest. 2005-06. *Annual Report*. Government of India, New Delhi, India.
- Mohanty-Hejmadi, P. and Dutta, S. K. 1977. Breeding habits and development of *Rana cyanophlyctis* Schneider. *J. Bombay Nat. His. Soc.*, **76** (2): 291-296.
- Mohanty-Hejmadi, P. and Dutta, S. K. 1981. Inter and Intraspecific predation by *Rana tigerina* tadpoles. *Pranikee*, **2**: 51-55.

- Mohanty-Hejmadi, P. and Dutta, S. K., 1988. Life history of the Common Indian Tree Frog, *Polypedates maculatus* (Gray, 1834) (Anura: Rhacophoridae). *J. Bombay Nat. Hist. Soc.*, **85** (3): 512-517.
- Mohanty-Hejmadi, P., Dutta, S. K. and Khan, I. 1980. Life history of Indian frogs-III: The Ornate Frog *Microhyla ornata*. *J. Zoo. Soc. India* **32**: 43-48.
- Mohanty-Hejmadi, P., Dutta, S. K. and Mallick, S. C. 1979. Life history of Indian frogs-II: The Marbled Balloon Frog *Uperodon systoma* Schneider. *J. Zoo. Soc. India*, **31**: 65-72.
- Mohanty-Hejmadi, P., Dutta, S. K. and Parida, S. 1979. Life history of Indian frogs – I: The Burrowing Frog *Rana breviceps* Schneider. *J. Zoo. Soc. India*, **31**: 29-37.
- Mora, M. A. and Anderson, D. W. 1995. Selenium, Boron and heavy metals in birds from the Mexicali valley, Baja California, Mexico. *Bull. Environ. Contam. Toxicol.* **54**: 198-206.
- Morin, P. J. 1983. Predation, competition and the composition of larval anuran guilds. *Ecological Monographs*, **31**: 119-138.
- Mullally, D. P. 1953. Observations on the ecology of the toad *Bufo canorus*. *Copeia*, **1953**: 182-183.
- Myers, N., Mittermeier, R. A., Mittermeier, C. G., da Fonescaand, G. A. B. and Kent, J. 2000. Biodiversity hotspots for conservation priorities. *Nature*, **403**: 853-858.
- Naik, Y. M. and Patel, C. 1986. Record of the Fungoid frog *Rana malbarica* (Bibron) in Navsari (Gujarat state). *J. Bombay Nat. Hist. Soc.*, **83** (3): 672.
- Naik, Y. M. and Vinod, K. R. 1992. Amphibians of Shoolpaneshwar Sanctuary. *Cobra* **8**: 7-10.
- Naik, Y. M. and Vinod, K. R. 1996. Amphibian fauna of Gujarat: An updated checklist with key to the identification of species. *J. Anim. Morphol. Physiol.*, **43** (2): 191-194.
- Naik, Y. M. and Vinod, K. R. 1993. The distribution of amphibians in Gujarat state, India. *Hamadryad*, **18**: 28-34.
- Nathan, J. M. and James, V.G. 1972. The role of protozoa in the nutrition of tadpoles. *Copeia*, **1972**: 669-679.
- Nebeker, A. V., Schuytema, G. S., Otti, S. L. 1995. Effects of cadmium on growth and bioaccumulation in the Northwestern salamander *Ambystoma gracile*. *Archives of Environmental Contamination and Toxicology* **29**: 492-499.
- Nebeker, A. V., Schuytema, G. S. and Otti, S. L. 1994. Effects of cadmium on limb regeneration in the northwestern salamander *Ambystoma gracile*. *Arch. Environ. Contain. Toxicol.*, **27**: 318-329.
- Newman, R. A. 1987. Effects of density and predation on *Scaphiopus couchii* tadpoles in desert ponds. *Oecologia*, **71**: 301-307.
- Newman, R. A. 1988. Adaptive plasticity in development of *Scaphiopus couchii* tadpoles in desert ponds. *Evolution*, **42**: 774-783.
- Newman, R. A. 1989. Developmental plasticity of *Scaphiopus couchii* in an unpredictable environment. *Ecology*, **70**: 1775-1787.
- Newman, R. A. 1992. Adaptive plasticity in amphibian metamorphosis. *Bioscience*, **42**: 671-678.
- Nichols, D. K., Pessier, A. P. and Longcore, J. E. 1998. Cutaneous chytridiomycosis: An emerging disease? *Proceedings of the American Association of Zoo Veterinarians*, pp. 269-271.

- Nie, M. J., Crim, D., Ultsch, G. R. 1999. Dissolved oxygen, temperature, and habitat selection by Bullfrog (*Rana catesbeiana*) tadpoles. *Copeia*, **1999**:153–162.
- Nilsson, R. 1950. Aspects on the toxicity of Cadmium and its compounds. *Ecol. Res. Committee (Sweden) Bull. No. 7*: 1-147.
- Nirmal Kumar, J. I., Soni, H. and Kumar, R. N. 2006. Biomonitoring of selected freshwater macrophytes to assess lake trace element contamination: A case study of Nal Sarovar Bird Sanctuary, Gujarat, India. *Journal of Limnology*, **65** (1): 9-16.
- Noble, G. K. 1927. The value of life history data in the study of the evolution of the amphibians. *Ann. N.Y. Academy of Science*, **30**: 31-128.
- Noble, G. K. 1931. *The biology of the Amphibia*. McGraw-Hill book Co., New York and London.
- Noland, R. and Ultsch, G. R. 1981. The Roles of Temperature and Dissolved Oxygen in Microhabitat Selection by the Tadpoles of a Frog (*Rana pipiens*) and a Toad (*Bufo terrestris*) *Copeia*, **1981**: 645-652.
- Nussbaum, R. A. and Wilkinson, M. 1989. On the Classification and Phylogeny of Caecilians (Amphibia: Gymnophiona), A Critical Review. *Herpetological Monographs*, **3**: 1-42.
- Nussbaum, R. A. 1992. Caecilians. In H. G. Cogger and R. G. Zweifel, (Eds.), *Reptiles and Amphibians*. pp. 52-59. Smith Mark Publ. New York.
- Odendaal, F. J., Bull, C. M. and Richards, S. J. 1984. Interactions during feeding between tadpoles of *Ranidella signifera* and *R. riparia*. *Journal of Herpetology*, **18**: 489-492.
- Ohlendorf, H. M., Hothem, R. L. and Aldrich, T. W. 1988. Bioaccumulation of Selenium by snakes and frogs in the San Joaquin Valley, California. *Copeia*, **1988**: 704-710.
- Oldham, R. S., Lathan, D. M., Hilton-Brown, D., Towns, M., Cooke, A.S. and Burn, A. 1997. The effect of ammonium nitrate fertilizer on frog (*Rana temporaria*) survival. *Agric. Ecosys. Environ.*, **61**: 69-74.
- Orians, G. H., Wittenberger, J. F. 1991. Spatial and temporal scales in habitat selection. *America Naturalist*, **137**: S29–S49.
- Orton, G. L. 1953. The systematics of vertebrate larvae. *Systematic Zoology*, **2**: 63-75.
- Ovaska, K., Davis, T. M. and Flamarique, I. N. 1997. Hatching success and larval survival of the frogs *Hyla regilla* and *Rana aurora* under ambient and artificially enhanced solar ultraviolet radiation. *Canadian Journal of Zoology*, **75**:1081–1088.
- Oza, G. M. 1990. Ecological effects of the frog's legs trade. *Environmentalist*, **10**: 39–41.
- Packer, W. C. 1960. Bioclimatic influences on the breeding migration of *Taricha rivularis*. *Ecology*, **41**: 509- 517.
- Padhye, A. D. and Ghate, H. V. 1988a. Predation of *Microhyla* tadpoles by *Gambusia*. *J. Bombay Nat. Hist. Soc.*, **86**: 201.
- Padhye, A. D. and Ghate, H. V. 1988b. Spawning in the frog *Microhyla ornata* (Dumeril and Bibron). *J. Bombay Nat. Hist. Soc.*, **86**: 363-367.
- Padhye, A. D. and Ghate, H. V. 1989. Preliminary photographic record and description of various developmental stages of the frog *Microhyla ornata* (Dumeril and Bibron). *Herpeton*, **2** (1): 2-7.
- Pandian, T. J. and Marian, M. P. 1985. Predicting anuran metamorphosis and energetics. *Physiological Zoology*, **58**: 538–552.

- Parker, G. H. 2004. Tissue metal levels in Muskrat (*Ondatra zibethica*) collected near the Sudbury (Ontario) ore-smelters; Prospects for biomonitoring marsh pollution. *Environmental Pollution*, **129**: 23-33.
- Parmesan, C. and Yohe, G. 2003. A globally coherent fingerprint of climate change impacts across natural systems. *Nature*, **421**: 37-42.
- Pearman, P. B. 1995. Effects of pond size and consequent predator density on two species of tadpoles. *Oecologia*, **102**: 1-8.
- Pechmann, J. H. K. and Wake, D. B. 1997. Declines and disappearances of amphibian populations. *Principles of Conservation Biology*, 2nd. Edn., G. K. Meffe & C. R. Carroll (Eds.), Sinauer Associates, Sunderland, Mass, USA. pp. 135-137.
- Pechmann, J. H. K. and Wilbur, H. M. 1994. Putting declining amphibian populations in perspective: Natural fluctuations and human impacts. *Herpetologica*, **50**: 65-84.
- Pechmann, J. H. K., Scott, D. E., Gibbons, J. W. and Semlitsch, R. D. 1989. Influence of wetland hydroperiod on diversity and abundance of metamorphosing juvenile amphibians. *Wetlands Ecology and Management*, **1**: 3-11.
- Pechmann, J. H. K., Scott, D. E., Semlitsch, R. D., Caldwell, J. P., Vitt, L. J. and Gibbons, J. W. 1991. Declining amphibian populations: The problem of separating human impacts from natural fluctuations. *Science*, **253**: 892-895.
- Petranka, J. W. 1983. Fish predation: A factor affecting the spatial distribution of a stream-dwelling salamander. *Copeia*, **1983**: 624-628.
- Petranka, J. W. and Sih, A. 1986. Environmental Instability, Competition, and Density-Dependent Growth and Survivorship of a Stream-Dwelling Salamander. *Ecology*, **67** (3): 729-736.
- Pierce, B. A. 1985. Acid tolerance in amphibians. *Bioscience*, **35**: 239-243.
- Pierce, B. A. 1993. The effects of acid precipitation on amphibians. *Ecotoxicology*, **2**: 65-77.
- Pierce, B. A., and Montgomery, J. 1989. Effects of short term acidification on growth rate of tadpoles. *Journal of Herpetology*, **23**: 97-102.
- Pillai, R. S. 1986. Amphibian Fauna of Silent Valley, Kerala, S. India. *Records of Zoological Survey of India*, **84**: 229-242.
- Pilo, B., Manoj. E., Dhuru, S. and Siliwal, M. 2004. Additional records of *Ichthyophis bombayensis* Taylor (1960), in and around Dangas, Gujarat. *Zoos' Print Journal*, **19** (7): 1546-1548.
- Piveteau, J. 1937. Paléontologie de madagascar. Xxiii. Un amphibien du trias inferieur. *Annales de paléontologie* **26**: 135-177.
- Polis, G. A. and Myers, C. A. 1985. A survey of intraspecific predation among reptiles and amphibians. *Journal of Herpetology*, **19**: 99-107.
- Porter, K. R. 1972. *Herpetology*. W. B. Saunders Co., Philadelphia. Pp. 524.
- Pough, F. H. 1983. Amphibians and Reptiles as low-energy systems. In W. P. Aspey and S. I. Lustick, (Eds.). *Behavioral Energetics: The cost of survival in vertebrates*. pp. 141-188. Ohio State University Press, Columbus.
- Poulin, R., Wolf, N. G. and Kramer, D. L. 1987. The effect of hypoxia on the vulnerability of guppies (*Poecilia reticulata*, Poeciliidae) to an aquatic predator (*Astronotus ocellatus*, Cichlidae). *Environ. Biol. Fishes* **20**: 285-292.

- Pounds, A., Fogden, M. and Campbell, J. 1999. Biological response to climate change on a tropical mountain. *Nature*, **398**: 611-614.
- Pounds, J. A. and Crump, M. L. 1994. Amphibian declines and climate disturbance: The case of the Golden Toad and the Harlequin Frog. *Conservation Biology*, **8**: 72-85.
- Power, T., Clark, K. L., Harfenist, A. and Peakall, D. B. 1989. A review and evaluation of the amphibian toxicological literature. *Tech. Rep. 61, Can. Wildlife Serv. National Parks, California. Conservation Biology* **7**: 882-888.
- Pryor, G. S. 2003. Growth rates and digestive abilities of Bullfrog tadpoles (*Rana catesbeiana*) fed algal diets. *Journal of Herpetology*, **37**: 560-566.
- Pulliam, H. R. and Danielson, B. J. 1991. Sources, sinks, and habitat selection: A landscape perspective on population dynamics. *American Naturalist*, **137**: S50-S66.
- Putnam, R. W. and Bennett A. F. 1981. Thermal dependence of behavioural performance of anuran amphibians. *Animal Behaviour*, **29**: 502-509.
- Pyke, G.H. 1999. "Green and Golden Bell Frog." *Nature Australia*, **26**(4): 50-59.
- Ramani, V. P., Patel, K. P., Patel, K. C., George, V., Pandya, R. R. and Maliwal, G. L. 2004. Heavy metal content of different effluents and their relative availability in soils irrigated with effluent waters around major industrial cities of Gujarat. *Journal of the Indian Society of Soil Science*, **52** (1): 89-94.
- Rao, C. R. N. 1917. On the occurrence of irridocyte in the larva of *M. ornata* (Boulenger). *Records of Indian Museum*, **13**: 281-292.
- Ravichandran, M. S. and Pillai, R. S. 1996. Present Status of Indian Caecilians (Gymnophiona: Amphibia). *Zoos' Print Journal*, **11**: 1-3.
- Read, J. L. and Tyler, M. J. 1994. Natural levels of abnormalities in the Trilling Frog (*Neobatrachus centralis*) at the Olympic dam mine. *Bull. Environ. Toxicol. Contam.* **53**: 25-31.
- Richards, C. M. 1958. The inhibition of growth in crowded *Rana pipiens* tadpoles. *Physiological Zoology*, **31**: 138-151.
- Richmond, N. D. 1947. Life history of *Scaphiopus holbrooki holbrooki* (Harlan). Part I: Larval development and behaviour. *Ecology*, **28**: 53-67.
- Richter, S. C. and Seigel, R. A. 2002. Annual variation in the population ecology of the endangered Gopher Frog, *Rana sevosia* (Goin and Netting). *Copeia*, **2002**: 962-972.
- Riley, P. D. S., Busteed, T. G., Kats, B. L., Vandergon, T., Lee, L., Dagit, R., *et al.* 2005. Effects of Urbanization on the Distribution and abundance of Amphibians and Invasive Species in Southern California Streams. *Conservation Biology*, **19** (6): 1894-1907.
- Robert Hofrichter, R. (Ed.), 2000. *The encyclopedia of Amphibians*, Key Porter Books Ltd ,Canada.
- Roberts, T. M., Heppleston, P.B. and Roberts, R. D. 1976. Distribution of heavy metals in tissues of the common seal (*Phoca vitulinu*). *Marine Pollution Bulletin*, **7**: 194-196.
- Rosenberg, E. A and Pierce, B. A. 1995. Effect of initial mass on growth and mortality at low pH in tadpoles of *Pseudacris clarkia* and *Bufo valliceps*. *Journal of Herpetology*, **25**:181-185.
- Roth, A. H. and Jackson, J. F. 1987. The effect of pool size on recruitment of predatory insects and on mortality in a larval anuran. *Herpetologica*, **43**: 224-232.

- Rouse J. D., Bishop, C. A. and Struge, J. 1999. Nitrogen Pollution: An Assessment of Its Threat to Amphibian Survival. *Environmental Health Perspectives*, **107** (10): 799-803.
- Rowe, C., Kinney, O., Fiori, A. and Congdon, J. 1996. Oral deformities in tadpoles (*Rana catesbeiana*) associated with coal ash deposition: Effects on grazing ability and growth. *Freshwater Biology*, **36** (3): 723-730.
- Rubbo, M. J. and Kiesecker, J. M. 2005. Amphibian Breeding Distribution in an Urbanized Landscape. *Conservation Biology*, **19** (2): 504-511.
- Saber, P. A. and Dunson, W. A. 1978. Toxicity of bog water to embryonic and larval anuran amphibians. *Journal of Experimental Zoology*, **204**: 133-142.
- Sabnis, J. H. and Kolhatkar, B. L. 1977. Observation on the food preference of *Rana cyanophlyctis* tadpoles. *Comp. Physio. Eco.*, **2** (4): 232-233.
- Sabnis, J. H. and Kuthe, K. S. 1980. Observations on food and growth of *Bufo melanostictus* tadpoles. *J. Bombay Nat. Hist. Soc.*, **77**: 21-25.
- Saidapur, S. K. 1989. Reproductive cycles of amphibians. In S. K. Saidapur, (Ed.). *Reproductive Cycles of Indian Vertebrates*. pp. 166-224. Allied Publishers, New Delhi.
- Sarkar, A. K. 1984. Ecological studies on the amphibian of Gujarat. *Bull. Zool. Soc. India*. **6** (1- 3): 87-93.
- Savage, R. M. 1952. Ecological, Physiological and Anatomical observation on some species of anuran tadpoles. *Proceedings of Zoological Society of London*, **122**: 467-512.
- Savino, J. F. and Stein, R. A. 1982. Predator-prey interactions between largemouth bass and bluegills as influenced by simulated, submersed vegetation. *Trans. Amer. Fish. Soc.*, **111**: 255-266.
- Sawyer, C.N., McCarty, P.L., Parkin, G.F., 1994. Chemistry for Environmental Engineering. McGraw-Hill International Editions. pp.658.
- Schoener T. W. 1993. On the relative importance of direct versus indirect effects in ecological communities. Mutualism and Community Organization: In H. Kawanabe, J. E. Cohen and K. Iwasaki, (Eds.). *Behavioral, Theoretical and Food-Web Approaches*. pp. 365-411. Oxford University Press, New York.
- Schroeder, H. A. and Balassa, J. J. 1961. Abnormal trace metals in man: cadmium. *Journal of Chronic Diseases*, **14**: 236-258.
- Schuytema, G. S. and Nebekar, A. V. 1999. Comparative effects of ammonium and nitrate compounds on Pacific Tree Frog and African Clawed Frog embryos. *Arch. Environ. Contam. Toxicol.* **36**: 200-206.
- Scott, D. E. 1990. Effects of larval density in *Ambystoma opacum*: An experiment in large-scale field enclosures. *Ecology*, **71**: 296-306.
- Seale, D. B. 1980. Influence of amphibian larvae on primary production, nutrient flux, and competition in a pond ecosystem. *Ecology*, **61**: 1531-1550.
- Seale, D. B. and Beckvar, N. 1980. The Comparative ability of anuran larvae (Genera: *Hyla*, *Bufo* and *Rana*) to ingest suspended blue green algae. *Copeia*, **1980**: 495-503.
- Seba, 1735. *Locupletissimi Rerum Naturalium Thesauri Accurata Descriptio, et Iconibus Artificiosissimis Expressio, per Universam Physices Historiam*. Tom. 2, Janssonio-Waesbergios, and J. Westinium, & G. Smith, Amstelaedami.
- Sekar, A. G. 1987. A note on the breeding habits of Jerdon's Ramnella *Ramanella Montana* (Jerdon, 1854). *J. Bombay Nat. Hist. Soc.*, **84**: 231-232.

- Sekar, A. G. 1990a. Observation on the developmental stages of tadpoles of the Malabar Gliding Frog *Rhacophorus malabaricus* Jerdon, 1890 (Anura: Rhacophoridae). *J. Bombay Nat. Hist. Soc.*, **87** (1): 223-226.
- Sekar, A. G. 1990b. Notes on morphometry, ecology, behaviour and food of tadpoles of *Rana curtipes* Jerdon, 1853. *J. Bombay Nat. Hist. Soc.*, **87**: 312-313.
- Sekar, A. G. 1992a. A study on the food habits of six anuran tadpoles. *J. Bombay Nat. Hist. Soc.*, **89** (1): 9-16.
- Sekar, A. G. 1992b. Morphometry, habitat, behaviour and food of tadpoles Leith's Frog *Rana leithii*. *J. Bombay Nat. Hist. Soc.*, **89** (2): 259-261.
- Semlitsch, R. D. 1988. Allotropic distribution of two salamanders: Effects of fish predation and competitive interactions. *Copeia*, **1988**: 290-298.
- Semlitsch, R. D. 1998. Biological delineation of terrestrial buffer zones for pond breeding salamanders. *Conservation Biology*, **12** (5), 1113-1119.
- Semlitsch, R. D. and Bodie, J. R. 1998. Are small, isolated wetlands expendable? *Conservation Biology*, **12** (5), 1129-1133.
- Semlitsch, R. D., and Caldwell, J. P. 1982. Effects of density on growth, metamorphosis, and survivorship in tadpoles of *Scaphiopus holbrookii*. *Ecology*, **63**: 905-911.
- Semlitsch, R. D. and Gibbons, J. W. 1988. Fish predation in size-structured populations of tree frog tadpoles. *Oecologia* **75**: 321-326.
- Semlitsch, R. D. and Reyer, H. U. 1992. Performance of tadpoles from the hybridogenetic *Rana esculenta* complex: Interactions with pond drying and interspecific competition. *Evolution*, **46**: 665-676.
- Semlitsch, R. D. and Wilbur, H. M. 1988. Effects of pond drying time on metamorphosis and survival in the salamander *Ambystoma talpoideum*. *Copeia*, **1988**: 978-983.
- Shah, P. H. and Dubale, M. S. 1983. Retention of Cadmium in a freshwater fish, *Channa punctatus*. *Cellular and Molecular Life Sciences*, **39** (5): 522-523.
- Sih, A. 1992. Integrative approaches to the study of predation: General thoughts and a case study on sunfish and salamander larvae. *Annales Zoologica Fennica*, **29**: 183-198.
- Siliwal, M., Dhuru, S., Suresh, B., Naik, Y. M., and Pilo, B. 2003. Amphibians of Purna Wildlife Sanctuary, Dangs, Gujarat. *Zoos' Print Journal*, **18** (7): 1157-1158.
- Skelly, D. K. 1996. Pond drying, predators and the distribution of *Pseudacris* tadpoles. *Copeia*, **1996**: 599-605.
- Skelly, D. K. and Werner, E. E. 1990. Behavioral and life-historical responses of larval American toads to an odonate predator. *Ecology*, **71**: 2313-2322.
- Smith, D. C. 1983. Factors controlling tadpole populations of the Chorus Frog (*Pseudacris triseriata*) on Isle Royale. *Ecology*, **64** (3) 501-510.
- Smith, G. R., Rettig, J. E., Mittelbach, G. G., Valiulis, J. L. and Schaack, S. R. 1999. The effects of fish on assemblages of amphibians in ponds: A field experiment. *Freshwater Biology*, **41**: 829-837.
- Smith, R. A., Alexander, R. B. and Wolman, M.G. 1987. Water quality trends in the nations' rivers. *Science*, **235**: 1609-1615.
- Smith-Gill, S. J. and Berven, K. A. 1979. Predicting amphibian metamorphosis. *American Naturalist*, **113**: 563-585.
- Smith-Gill, S. J. and Gill, D. E. 1978. Curvilinearities in the competition equations: An experiment with ranid tadpoles. *American Naturalist*, **112**: 557-570.

- Soman, P. N. 1960. A note on amphibians of Kutch. *J. Bombay Nat. His. Soc.*, **57** (1): 226-227.
- Souder, W. 2000. A plague of frogs: The horrifying true story: New York Hyperion Press. Pp. 299.
- Sparling, D. W. and Lowe, T. P. 1996. Metal concentrations in tadpoles in experimental ponds. *Environmental Pollution*, **91**: 149-159.
- Sparrow, F. K. 1960. *Aquatic Phycomycetes* (The Univ. of Michigan Press, Ann Arbor, MI). pp. 16-18.
- Speare R, Berger L. 2000. Global distribution of chytridiomycosis in amphibians. Webpage on the amphibian diseases. <http://www.jcu.edu.au/school/PHTM/frogs/chyglob.htm>
- State of the Environment (SoE), Gujarat. 2001. Retrieved on 24/ 2007 from <http://gec.gov.in/newpage.htm#seaf>
- Steinwascher, K. 1978. Interference, exploitation and competition among tadpoles of *Rana utricularia*. *Ecology*, **59**: 1039-1046.
- Steinwascher, K. and Travis, J. 1983. Influence of food quality and quantity on early growth of two anurans. *Copeia*, **1983**: 238-242.
- Strauss, R. E. and Altig, R. 1992. Ontogenetic body form changes in three ecological morphotypes of Anuran tadpoles. *Growth, Development & Aging*, **56**: 3-16.
- Strauss, S. Y. 1991. Indirect effects in community ecology: Their definition, study, and importance. *Trends in Ecology and Evolution*, **6**: 206-210.
- Strijbosch, H. 1979. Habitat selection by amphibians during their aquatic phase. *Oikos*, **33**: 363- 372.
- Stuart, S. N., Chanson, J. S., Cox, N. A., Young, B. E., Rodrigues, A. S. L., Fischman, D. L. and Waller, R. W. 2004. Status and Trends of Amphibian Declines and Extinctions Worldwide. *Science*, **306**: 1783-1786.
- Suresh, B., George, R. and Naik, Y. M. 2005. Record of the Ornate Microhylid *Microhyla ornata* (Dumeril and Bibron) at Timbi (Vadodara district) and at Hathipura (Anand district) in central Gujara, *Frogleg*, **12**: 1.
- Taylor, B. E., Estes, R. A., Pechmann, J. H. K and Semlitsch, R. D. 1988. Trophic relations in a temporary pond: Larval salamanders and their micro-invertebrate prey. *Canadian Journal of Zoology*, **66**: 2191-2198.
- Taylor, E.H. 1968. *The Caecilians of the World: A Taxonomic Review*. pp. 848. University of Kansas Press. Lawrence, Kansas.
- Tejedo, M. 1991. Effects of Predation by two species of sympatric tadpoles on embryo survival in Natterjack toad (*Bufo calamita*). *Herpetologica*, **47**: 322-327.
- Tejedo, M. and Reques, R. 1994. Plasticity in metamorphic traits of Natterjack tadpoles: The interactive effects of density and pond duration. *Oikos*, **71**: 295-304.
- Test, F. H. and McCann, R. G. 1976. Foraging behaviour of *Bufo americanus* tadpoles in response to high density of micro organisms. *Copeia*, **1976**: 576-578.
- Thurnheer, S. and Reyer, H. U. 2000. Spatial distribution and survival rate of water frog tadpoles in relation to biotic and abiotic factors: A field experiment. *Amphibia-Reptilia*, **22**: 21-32.
- Torres-Orozco, R., Jimenez-Sierra, C. L., Vogt, R. C. and Villareal Benitez, J. L. 2002. Neotropical tadpoles: Spatial and temporal distribution and habitat use in a seasonal lake in Veracruz, Mexico. *Phyllomedusa*, **1**: 81-91.

- Travis, J. 1984. Anuran size at metamorphosis: Experimental test of a model based on interspecific competition. *Ecology*, **65**: 1155-1160.
- Turner, F. B. 1960. Population structure and dynamics of the Western Spotted Frog, *Rana pretiosa pretiosa* (Baird and Girard), in Yellowstone Park, Wyoming. *Ecological Monographs*, **30**: 251-278.
- Vasudevan, K., Kumar, A. and Chellam, R. 2001. Structure and composition of rain forest floor amphibian communities in Kalakad-Mundathurai Tiger Reserve. *Current Science*, **80** (3): 406-412.
- Vitt, L. J., Caldwell, J. P., Wilbur, H. M. and Smith, D. C. 1990. Amphibians as harbingers of decay. *BioScience*, **40**: 418.
- Vogiatzis, A. K. and Loumbourdis, N. S. 1998. Cadmium accumulation in liver and kidneys and hepatic metallothionein and glutathione levels in *Rana ridibunda* after exposure to CdCl₂. *Arch. Environ. Contam Toxicol.*, **34**: 64-68.
- Vogiatzis, A. K. and Loumbourdis, N. S. 2001. Exposure of *Rana ridibunda* to lead II. Impact of lead on various parameters of liver metabolism of the frog *Rana ridibunda*. *Journal of Applied Toxicology*, **21** (4): 269-274.
- Vyas, R. 1996. Amphibian fauna of Gujarat state: Updated list and regional distribution. *Zoos' Print Journal*, **11** (5): 12-13.
- Vyas, R. 2000. Supplementary note on herpetofauna of Gir forests. *Zoos' Print J.* **15** (5): 263-264.
- Vyas, R. 2004a. Notes on the distribution and natural history of *Ichthyophis bombayensis* (Gymnophiona: Ichthyophiidae). *Hamadryad*, **28** (1&2): 130-136.
- Vyas, R. 2004b. Records of Painted Frog (*Kaloula pulchra*) from Anand and Surat, Gujarat State. *Zoos' Print Journal*, **19** (4): 1444.
- Wake, D. B. 1991. Declining amphibian populations. *Science*, **253**: 860.
- Wake, D. B. 1998. Action on amphibians. *Trends in Ecology and Evolution*, **13**: 379-380.
- Waldman, B. and Tocher, M. 1998. Behavioral ecology, genetic diversity, and declining amphibian populations. In T. Caro, (Ed.) *Behavioural Ecology and Conservation Biology*. pp. 394-443. Oxford University Press, New York.
- Wassersug, R. 1972. The mechanism of ultraplanktonic entrapment in anuran larva. *Journal of Morphology*, **137**: 279-288.
- Wassersug, R. 1973. Aspects of social behaviour in anuran larvae. In J. L. Vial, (Ed.), *Evolutionary biology of the Anurans*. pp. 273-298. University of Missouri Press, Columbia.
- Wassersug, R. 1975. The adaptive significance of the tadpole stage with comments on the maintenance of complex life cycles in anurans. *American Zoologist*, **15**: 405-417.
- Wassersug, R. J., Lum, A. M. and Potel, M. J. 1981. An analysis of school structure for tadpoles (Anura: Amphibia). *Behav. Ecol. Sociobiol.*, **9**: 15-22.
- Weldon, C. 2002. Chytridiomycosis survey in South Africa. *Froglog*, **51**: 1-2.
- Weldon, C. H., DuPreez, L., Hyatt, A. D., Muller, R. and Speare, R. 2004. Origin of the Amphibian Chytrid Fungus. *Emerging Infectious Diseases*, **10** (12): 2100-2105.
- Weldon, C., Preez, L., Hyatt, A. D. Muller, R. and Speare, R. 2004. Origin of the Amphibian Chytrid Fungus. *Emerging Infectious Diseases*, **10** (12): 2100-2105.
- Wellborn, G. A., Skelly, D. K. and Werner, E. E. 1996. Mechanism creating community structure across a freshwater habitat gradient. *Annu. Rev. Ecol. Syst.*, **27**: 337-367.

- Werner, E. E. 1986. Amphibian metamorphosis: Growth rate, predation risk and the optimal size at transformation. *American Naturalist*, **128**: 319-341.
- Werner, E. E. 1992. Individual behavior and higher order species interactions. *American Naturalist*, **140**: 5- 32.
- Werner, E. E. Mittlebach, G. G, Hall, D. J. and Gilliam, J. F. 1983. Experimental tests of optimal habitat use in fish: The role of relative habitat profitability. *Ecology*, **64**: 1525-1539.
- Whittaker, R. H. 1970. *Communities and Ecosystems*. The Macmillan Company, Collier-Macmillan Limited. London.
- Wilbur, H. M. 1972. Competition, predation and the structure of the *Ambystoma-Rana sylvatica* community. *Ecology*, **53**: 3-21.
- Wilbur, H. M. 1976. Density-dependent aspects of metamorphosis in *Ambystoma* and *Rana sylvatica*. *Ecology*, **57**: 1289-1296.
- Wilbur, H. M. 1977a. Density-dependent aspects of growth and metamorphosis in *Bufo americanus*. *Ecology*, **58**: 196-200.
- Wilbur, H. M. 1977b. Interactions of food level and population density in *Rana sylvatica*. *Ecology*, **58**: 206-209.
- Wilbur, H. M. 1980. Complex life cycles. *Ann. Rev. Eco. Sys.* **11**: 67-93.
- Wilbur, H. M. 1987. Regulation of structure in complex systems: Experimental temporary pond communities. *Ecology*, **68**: 1437-1452.
- Wilbur, H. M. and Collins, J. P. 1973. Ecological aspects of amphibian metamorphosis. *Science*, **182**: 1305-1314.
- Wilbur, H. M. and Fauth, J. E. 1990. Experimental aquatic food webs: Interactions between two predators and two prey. *American Naturalist*, **135**: 176-204 .
- Wilkinson, M. and Nussbaum, R. A. 1992. Taxonomic status of *Pseudosiphonops ptychodermis* Taylor and *Mimosiphonops vermiculatus* Taylor (Amphibia: Gymnophiona: Caeciliidae) with description of a new species. *Journal of Natural History*, **26** (3): 675-688.
- Williamson, I. and Bull, C. M. 1999. Population ecology of the Australian Frog *Crinia signifera*: Larvae. *Wildlife Research*, **26**: 81-99.
- Wright, M. L., Blanchard, L. S., Jorey, S. T., Basso, C. A., Myers, Y. M. and Paquette, C. M. 1990. Metamorphic rate as a function of the light/dark cycle in *Rana pipiens* larvae. *Comparative Biochemistry and Physiology*, **96** (A): 215-220.
- Xu, Q. and Oldham, R. S. 1997. Lethal and sub lethal effects of nitrogen fertilizer ammonium nitrate in Common Toad (*Bufo bufo*) tadpoles. *Arch. Environ. Contam. Toxicol.* **32**: 298-303.
- Young, B. E., Lips, K. R., Reaser, J. K., Ibanez, R., Salas, A. W., Cedeno, J. R. et al. 2001. Population declines and priorities for amphibian conservation in Latin America. *Conservation Biology*, **15**: 1213-1223.
- Young, S. 1990. Twilight of the frogs. *New Scientist*, **126** (1713): 27.
- Zug, G. R. 1993. *Herpetology: An Introductory Biology of Amphibians and Reptiles*. Academic Press. Inc., San Diego.
- Zug, G. R., Vitt, L. J. and Caldwell, J. P. 2001. *Herpetology: An Introductory Biology of Amphibians and Reptiles* (2nd Edition), pp. 630. Academic Press, London, UK.

Zyadah, M. A. 1999. Accumulation of some heavy metals in *Tilapia zillii* organs from lake Manzalah, Egypt. *Turk. J. Zool.*, **23**: 365-372.