

BIBLIOGRAPHY

Adams C.M, N.G.Dengler and T.C.Hutchinson (1984). Acid rain effects on foliar histology of *Artemisia tilesii*. Can.J.Bot. 62(3), 463-474..

Addison,P.A., S.S.Malhotra and A.A.Khan (1984). Effect of sulphur dioxide on woody boreal forest species grown on native soils and tailings. J Environ. Qual.,13, 333-336.

Agrawal,A.L., C.V.Raiyani and T.S.Patel (1978). Role of traffic density and meteorology for air lead build up at cross roads of Ahmedabad. Indian J.Air Pollution Control 1(2),86-90.

Agrawal , M.P.K. Nandi and D.N.Rao (1982). Effect of ozone and sulphur dioxide pollutants separately and in mixtrue on chlorophyll and carotenoid pigments of *Oryza sativa* L. Water,Air & Soil Pollution. 18,449454.

Agrawal,P.C. and M.L.Mathur (1983). Meteorology and air pollution. Proc. Symp. on Air Pollution Control,Delhi,59-68.

Agrawal,M.,P.K.nandi and D.N.Rao (1983). Ozone and sulphur dioxide effects on *Panicum miliaceum* plants. Bull. Torrey Club., 110, 435-441.

Agrawal,M., P.K.Nandi and D.N.Rao (1985). Responses of *Vicia faba* plants to ozone pollution.Indian J. Environ. Hlth., 27(h),318-329.

Aggrawal,J.P.,(1988). Review of environmental studies conducted by Universities of Gujarat, GEER Foundation,1-5.

Ahmad K.J., M.Yunus, S.N.Singh, K.Srivatava, N.Singh and K.Kulshreshtha (1988). Survey of Indian Plants in relation to atmospheric pollution : A Research Report: Perspectives in Environmental Botany 2,286-306.

Ahmad, Soaliha, Fauzia, Ismaili and Javead Majeed (1986). Effect of atmospheric pollution on chlorophyll and protein contents of some plants growing in Karachi region. Pak. J. Sci. Ind.Res. 29(6), 464-467.

Ascher, R (1984). Effects of SO_2 on light modulated enzyme reactions In : Gaseous air pollutants and plant metabolism (Eds.M.J Whatley) Butterworth London.1st ed.

Alscher,R., J.L.Bower and W.Zipe (1987). The basis for different sensitivities of photosynthesis to SO_2 in two cultivars of pea. J.Exp.Bot., 38, 99-108.

Amiro,B.D. and T.J.Gillespie (1985). Leaf conductance response of Phaseolus vulgaris to ozone flux density. Atmos. Environ.,19, 807-810.

Amundson,R.G.(1983). Yield reduction of soybean due to exposure to sulphur dioxide and nitrogen dioxide in combination J.Environ. Qual.,12, 454-459.

Amundson,R.G., Kohut,A.W Schoettle, R.M.Raba and P.B.Reich (1987). Correlative reductions in whole plant photosynthesis and yield of winter wheat caused by ozone. Phytopathol., 77, 75-79.

Andrea, E.M. and D.P. Ormrod (1986). Visible injury and growth responses of young cuttings of *Populus canadensis* and *Populus nigra* to nitrogen dioxide and sulphur dioxide. Can. J. For. Res., 16, 1289-1292.

Anon (1981). Evidence for direct effects of SO_2 agriculture and forestry. In: Effects of SO_2 and its derivatives on health and Ecology. Vol-2, Natural ecosystems, Agriculture, Forestry and Fisheries Chap-3, International electric research exchange. Leatherhead. U.K.

Aoki, M.K. and Yabuki and T.Totsuka (1984). An evaluation of chlorophyll content of leaves based on the spectral reflectivity in several plants. Res. Rep. Natl. Inst. Environ. Stud., Jpn., 66, 125-127.

Aruga, Y and M. Monsi (1963). Chlorophyll amount as an indicator of organic matter production in bio communities. Plant and Cell Physiology. 4, 29-39.

Ashenden, T.W. and T.A. Mansfield (1978). Extreme Pollution sensitivity of grasses when SO_2 and NO_2 are present in the atmosphere together. Nature 273, 142-143.

Ashenden, T.W. and I.A.D. Williams (1980). Growth reductions in *Lolium multiflorum* and *Phleum pratense* L. as a result of SO_2 and NO_2 pollution. Environ. Pollut., 21, 131-139.

Atkinson C.J., W.E. Winner and H.A. Mooney (1987). A field portable gas exchange system for measuring CO_2 and water vapour exchange rates of leaves during fumigation with SO_2 . Plant Cell Environ., Biol. Abst.

Ayazloo, M., J.N.B. Bell and S.G. Garsed (1980). Modification of chronic sulphur dioxide injury to *Lolium perenne* L. by

different sulphur and nitrogen nutrient treatments Environ.. Pollut., 22, 295307.

Ayazloo,M.,S.G.Garsed and J.N.B. Bell (1982). Studies on the tolerance to sulphur dioxide of grass populations in polluted areas. Morphological and physiological investigation, New Phytol, 90. 109-126.

Ayer,S.K. and S.J.Bedi (1986). Effect of artificial fumigation of SO_2 on Triticum sativum law var.J-24 (Wheat). Ind.J.Air Pollut. Control.7, 75-87.

Ayer,S.K. and S.J.Bedi (1990)Effect of Artificial fumigation of SO_2 on Zea mays Linn.Pollution Research (in press).

Ayer, S.K. and S.J.Bedi (1991). Effect of industrial air pollution on Triticum aestivum L. var. J-24 (Wheat) Proc.Natl.Acad.Sci., India 61(b) 223-229.

Bagal P.K. and A.K. Shingte (1984) Effects of soil and foliar application of nitrogen on maize. J. Maharaja Agric. Univ.,9,38-39.

Baker, C.K., M.H.Unsworth and P. Greenwood (1982). Leaf injury on wheat plants exposed in the field in winter to SO_2 , Nature.299.

Baker,C.K. and A.E.Fullwood (1986). Leaf damage following crop spraying in winter barley (Hordeum vulgare cultivar) exposed to SO_2 . Crop Production. 5, 365-367.

Baker,C.K., J.J.Colls, A.E. Fullwood and G.G.R. Seaton (1986) Depression of growth and yield in winter barley exposed to sulphur dioxide in the field. New Phytol, 104, 233241.

Baker,C.K., A.E. Fullwood and J.J.Colls (1987). Tillerling and leaf area of winter barley exposed to sulphur dioxide in the field. New Phytol, 107,373-385.

Banerjee,A. R.K.Sarkar and S.Mukherji (1983). Reduction in soluble protein and chlorophyll contents in a few plants as indicators of automobile exhaust pollution. Int. J. Environ. Studies, 20, 239-243.

Barnes,J.D., A.W.Davison and T.A.Booth (1988) Ozone accelerates structural degradation of epicuticular wax on Norway spruce needless, New Phytol, 110.

Barton,J.R., S.B. McLaughlin,R.K.McConathy (1980). Effects of SO_2 on components of leaf resistance to gas exchange. Enviro. Pollu. (Series A) 21, 255-265.

Baxter. R. M.J. Emes and J.A. Lee (1989a) Effects of the bisulphite ion on growth and photosynthesis in Sphagnum cuspidatum Hoffm. New Phytol, 111. 457-462.

Baxter,R. and M.J.Emes (1989b). The relationship between extracellular metal accumulation and bisulphite tolerance in Sphagnum cuspidatum Hoffm. New Phytol III, 463-472.

Beck,E., A. Burkert and M.Hofmann (1983). Uptake of L-ascorbate by intact spinach chloroplasts, Plant Physiol, 73, 41-45.

Beckerson,D.W. and G.Hofstra (1979). Response of leaf diffusive resistance of radish, cucumber and soybean to O_3 , and SO_2 singly or in combination . Atmos. Environ., 13,1263-1268.

Bedi, S.J., M.D. Patel and K.G. Shah (1982). Ecomorphological and phytochemical studies to determine the pollutant and its source, causing damage to vegetation : A case study of damage to banana plantation. Indian J.Ecol. 9, 335-338.

Bell, J.N.B., and W.S. Clough (1973). Depression of yield in Ryegrass exposed to sulphur dioxide. Nature. 241, 47-49.

_____, A.J. Rutter, and J. Relton (1979). Studies on the effects of low levels of sulphur dioxide on the growth of Lolium perenne L., New Phytologist. 83. 627-643.

_____, (1982). Sulphur dioxide and growth of grasses; in: Effects of gaseous air pollutants in agriculture and horticulture (Eds. M.H. UIsworth and D.P. Ormrod) Butterworths. London 225-276.

_____, (1984). Air pollution problems in Western Europe. In Gaseous air pollutants and plants metabolism (Eds. M.J. Koziol and F.R. Wheatley). Butterworths, London, 3-24.

_____, (1985), SO₂ effects on the productivity of grass species. In Sulfur dioxide and vegetation (Eds. W.E. Winner, H.A. and R.A. Goldstein). Standford University Press, Standord (in press).

_____, (1986).. Effects of acid deposition on crops and forests. Experientia, 42, 363-371.

_____, and S.J. Bedi (1985). Effect of industrial air pollution on the dry weight and yield of tomato (Lycopersicon lycopersicum L.) Karsten. In Ecology and resoruce management in tropics. (Ed K.C. Mishra), Bhargava Book Depot, Varansi (India), I, 168-172.

Bennett,J.H. H.E. Lee & H.E. Heggested (1984), Biochemical aspects of plant tolerance to ozone and oxyradicals: Superoxide dismutase. In:Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R.Whatley). Butterworths, London. 413-424.

Black, V.J. (1982)..Effects ' of sulphur ioxide on physiological processes in plants In: Effects of gaseous air pollution in agriculture and horticulture (Eds. M.H.Unsworth and D.P.Ormrod), Butterworths, London 67-91.

Blanka,M.(1988). The accumulation of atmospheric pollutants by *Picea abies* Karst. Ekologia,7,95-105.

Boralkar,D.B. and S.B.Chaphekar (1979). Sulphur dioxide effects on Jower *Sorghum vulgare* Pers. Var. CSH-1. In proceedings of symposium on Environ. Biol., 361-366.

Boynton,D. (1954). Nutrition by foliar application. Ann. Rev. Pl. Physio.,5, 31-54.

Bradley, R.S. H.F. Diaz and J. . Eischeid (1987). Precipitation fluctuations over northern hemisphere land area since the mid 19th century, Science. 237. 171-175.

Brewer,R.F.,F.H.Sootherland, F.B.Guillement and R.K. Creveling (1960). Some effects of hydrogen fluoride gas on bearing navel orang trees. Proc. Amer. Soc. Hort. Sic.,76,208-214.

Bucher,J.B. (1984). Emission of volatiles from plants under air pollution stress. In Gaseous air pollutants and plant metabolism (Eds. M.J. Koziol and F.R.Whatley). Butterworths, London.399-412.

Bytnerowics,A., W.Dmuchowski and B.Molski (1980). The air pollution accumulation capabilities of some tree speices in the vicinity of the chemical plant in Torun. Roczn. Dendrol.,33, 15-27.

Bytnerowicz. A., D.M.Olszyk, G.Kats, P.J.Dawson, J. Wolf and C.R.Thompson (1987a). Effects of SO_2 on physiology, elemental content and injury development of winter wheat. Agric. Ecosystems Environ. 20, 37-47.

Bytnerowicz,A., P.R.Miller and D.M.Olszyk (1987b). Dry Deposition of nitrate, ammonium and sulfate to a *Ceanothus crassifolius* canopy and surrogate surfaces. Atmos. Environ.,21.1749-157.

Carlson, R.W. (1979). Reduction in the photosynthetic rate of *Acer*. *Quercus* and *Fraxinus* species caused by sulphur dioxide and ozone. Enviro. Pollut. 18, 159-170.

Carlson,R.W. and F.A.Bazzaz (1982). Photosynthetic and growth response to fumigation with SO_2 at elevated CO_2 for C_3 & C_4 plants. Oecologia Berl. 54, 50-54.

Carlson,R.W. (1983). The effect of SO_2 on photosynthesis and leaf resistance at varying concentrations of CO_2 . Environ. Pollut. 30, 309-321.

Castillo. F.J. C. Penel and H.Greppin (1984). Peroxidase release induced by O_3 in *Sedum album* leaves. Involvement of Ca^{2+} . Plant Phyrld 74, 846-85.

Castillo,F.J. and H. Greppin (1988). Extravellular ascorbic acid and enzyme activities related to ascorbic acid metabolism in *Sedum album* L. leaves after ozone exposure. Environ. Exp. Bot., 28, 231-238.

Chakrabarti T. (1987). Pollution control acts in India, Scavenger, 17. 30-31.

Champigny, M.L. and M.Gibbs (1969). Photosynthesis by isolated chloroplasts in the presence of antimycin A and ascorbic acid. Progress in Photosynthesis Research. 3, 1534-1537.

Choudhary C.S. and D.N.Rao (1977). Study of some factors in plants controlling their susceptibility to SO_2 pollution. Proc. Indian Natl., Sci. Acad. 43, 236-241.

Constantinidou,H.A and T.T. Kozlowski (1979). Effects of sulphur dioxide and ozone on Ulmus americana seedlings. I: Visible injury and growth Can. J. Bot., 57. 170-175.

Court, W.A. and J.G. Hendel (1989). Influence of removing lower leaves and topping height on agronomic and chemical characteristics of flue cured tobacco. Tobacco International, March 1, 39-41.

Cowling, D.W., L.H.P. Jones and D.R.Lockyer (1973). Increased yield through correction of sulphur deficiency in ryegrass exposed to sulphur dioxide Nature. London 242, 479-480.

Cowling D.W., and D.R. Lockyer (1978). The effect of SO_2 on Lolium perenne L. grown at different levels of sulphur and nitrogen nutrition J. Exp. Bot., 29, 257-265.

Cowling, D.W. and M.J. Koziol (1982). Mineral nutrition and plant response to air pollutants. In: Effects of gaseous air pollution in Agriculture and Horticulture by M.H.Unsworth and D.P.Ormrod. 362-372.

Cox, R.M. (1984). Sensitivity of forest plant reproduction to long-range transported air pollutants: In vitro and in vivo sensitivity of *Oenothera parviflora* L. Pollen to simulated acid rain. New Phytol., 97, 63-70.

Crittenden, P.D. and D.J. Read (1978). The effect of air pollution on plant growth with special reference to sulphur dioxide II. Growth studies with *Lolium perenne* L. New Phytol., 80, 49-62.

Darall, N.M. (1986). The sensitivity of net photosynthesis in several plant sp., to shortterm fumigation with sulfur dioxide. J. Exp. Bot., 37, 1313-1322.

Dassler, H.G. and S. Bortitz (1988). Air pollution and its influence on vegetation. Causes/Effects/Prophylaxis and Therapy. Dr.W.Junk Publishers, Dordrecht.

Dave, J.M. (1986). Air pollution Status of Indian cities 1972-82: Five year review. In: Proc. of the Natl. Seminar on Environ. Pollu. Cont. and monitoring. Chandigarh. 248-255.

Davies, T. (1980). Grasses more sensitive to SO_2 pollution in conditions of low irradiance and short days. Nature. 284, 483-485.

Davision, A.W. and I.F. Bailey (1982). SO_2 pollution reduces the freezing resistance of rye grass. Nature, 297, 400-402.

Dubey, P.S., L.Trivedi, K.Pawar and S.Shring, (1982). SO_2 concentration and correlated chlorophyll loss in tree species. Science and Culture. 48, 145-146.

Dueck. T.H.A., W.H.O.Ernst. J. Mooi and F.J.M.Pasman (1986). Effects of SO_2 , NO_x and O_3 in combination on the yield and reproduction of *Silene cucubalus* populations J. Plant Physiol., 122, 97-106.

Dugger,W.M. Jr. and R.L. Plamer (1969). Carbohydrate metabolism in leaves of rough lemon as influenced by ozone. Proceedings first international citrus symposium. 2, 711-715.

Dustin,C.D. and D.J. Raynal (1988). Effects of simulated acid rain on sugar maple seedling root growth. Environ Exp. Bot., 28, 231-238.

Elkley,T. and D.P.Ormrod (1979). Petunia cultivar sensitivity to ozone and sulphur dioxide. Scientia Hort. 11, 269-280.

Elkley, T. and D.P. Ormrod (1981) Absorption of ozone, sulphur dioxide and nitrogen dioxide by Petunia plants. Environ. Exp. Bot., 21, 63-70.

Elkley, T. and D.P.Ormrod and B.A.Marie (1988). Growth responses of crop plants in the vegetative stage to sulfur dioxide and nitrogen dioxide. Gartenbau Wisse Nschaft 53.61-64.

Fontan,J. and A Lopez (1984). Formation of aggressive oxidants in the atmosphere. In:Air Pollution and plants (Ed. C.Troyanowsky), 68-83.

Fowler,D. and M.H.Unsworth (1974). Dry deposition of sulphur dioxide on wheat Nature. 249, 389-390.

Fowler,D. and M.H.Unsworth (1979) Turbulent transfer of sulphur dioxide to a wheat crop, Quarterly Journal of Royal Meteorological Society, 105. 767-783.

Fowler,D. and Cape,J.N.(1982). Air pollutants in agriculture and horticulture. In: Effects of gaseous air pollution in agriculture and horticulture (Eds.M.H.Unsworth and D.P.Ormrod) Butterworths.London.1-26.

Fubrer, F and K.H.Erisman (1980). Tolerance of Aesculus hippocastanum L. to foliar accumulation of chloride affected by air pollution. Environmental pollution (Series A). 21, 249-254.

Furukawa,A. (1984). Defining pollution problems in the far east - a case study of Japanese air pollution problems. In: Gaseous air pollutants and plant metabolism (Eds.M.J.Kozioł and F.R.Whatley). Butterworths. London, 59-74.

Garrido, L.M. (1964). Determination of sulphur in plant material. Analyst.89, 61-66.

Garsed S.S. and A. Mochrie (1980). Translocation of sulphite in Vicia faba L. New Phytol. 84. 421-428.

Garsed.S.G., and A.J.Rulter (1982) Relative performance of confier populations in various tests for sensitivity to SO₂ and the implications for selecting trees for planting in polluted areas. New Phytol. 92: 349-367.

Garsed,S.G. (1984). Uptake and distribution of pollutants in the plant and residence time of active species. In Gaseous air pollutants and plant metabolism (Eds.M.J.Kozioł and F.R.Whatley). Butterworths. London. 83-104.

Godsizk,S.. and H.F. Linsken (1974). Concentration changes of free amino acids in primary bean leaves after cotninous and interrupted SO₂ fumigation and recovery. Environ. Pollut. 7,25-38.

Godzik,S and M.M.Sassen (1978). A scanning electron microscope examination on *Aesculus hippocastanum* L. leaves from control and air polluted areas. Environ. Pollut. 17,13-18.

Godzik,S and S.V.Krupa (1982). Effects of sulphur dioxide on the growth and yield of agricultural and horticultural crops. In:Effects of gaseous air pollutants in agriculture and horticulture (Eds. M.H. Unsworth and D.P.Ormrod). Butterworth, London, 247-265.

Goldsmith,J.R. and L.T. Friberg (1977). Effects of air pollution on human health. In: Air pollution 3rd Ed. (Eds. A.C.Stern) Academic Press, New York, 458-490.

Goodyear,S.N. and D.P.Ormrod (1988). Tomato response to concurrent and sequential nitrogen dioxide and ozone exposures. Environ. Pollut. 51. 315-326.

Greitner,C.S. and W.E.Winner (1989). Effects of O_3 on alder photosynthesis and symbiosis with *Frankia*. New Phytol. 111,647-656.

Guderian,R. and H. Stratmann, (1962). Freilandversuche zur Ermittlung Von Schwefeldioxid wir kungen auf die vegetation I. Teil : Ubersicht zur versuchsmethodik und versuchsaus werlung koln und opladen, Westdeutscher Verlag, Forsch,Ber. d.Landes, Nordrhein Westfalen Nr. 1118.

Guderian,R. (1977). Air pollution. Phytotoxicity of acidic gases and its significance in air pollution control. Springer-Verlag, Berlin. 75-97.

Gujarat Directory of Manufacturers (1986). INDEXTB, Gujarat, India.

Hallgren,J.E. and K.Gezelius (1982). Effects of SO_2 on photosynthesis and ribulose biphosphate carboxylase in pine tree seedlings. Physiologia plantarum. 54. 153-161.

Hallgren,J.E. (1984). Photosynthetic gas exchange in leaves affected by air pollutants. In: Gaseous air pollutants and plant (Eds.M.J.Koziol and F.R.Whatley) Butterworth,.London 147-156.

Harold,R.B. and W.W.Jones (1950). Sulphur dioxide fumigation of wheat with special reference to its effect on yield. Plant Physiology.

Hartree,E.F. (1972). Determination of Protein: A modification of the Lowry method that gives a linear photometric responses.Anal. Biochem 48, 422-427.

Heagle,A.S., D.E.Body and G.E.Neely (1974). Injury and yield responses of soybean to chronic doses of ozone and sulphur dioxide in the field. Phytopathology, 64, 132-136.

Heath,R.L. (1980). Initial events in injury to plants by air pollutants. Ann.Rev.Plant Physiol 31, 395-431.

Heck,W.W.(1984). Defining gaseous pollution problems in North America. In:Gaseous air pollutants and plant metabolism (Eds.M.J.Koziol and F.R.Whatley) Butterworths. London.35-48.

Heggested,H.E. and J.H.Bennett (1981). Photochemical oxidants potentiate yield losses in Snap beans attributable to sulfur dioxide. Science 213, 1008-1010.

Holden,M. (1965). Chemistry and biochemistry of plant pigments (Ed. Goodwin) Academic Press, New York, 461-488.

Hosker,R.P.Jr. and S.E.Lindberg (1982). Reivew: Atmospheric deposition and plant assimilation of gases and particles. Atmospheric Environment. 16, 889-910.

Huebert,D.B.,S.J.L.'Hirondelle and P.A.Addison (1985). The effects of sulphur dioxide on net CO_2 assimilation in the lichen *Evernia mesomorpha* Nyl. New Phytol.100,643-651.

Humphries E.C. (1956). In: Modern methods of plant analysis (Ed.K.Paech and M.V.Travey). SpringerVerlag, Germany, 486.

Indian Standard Institute (1975). Modified Jacobs and Hochheiser's method., 5182 (Part VI).

Ito,O., K.Okano, M.Kurowa and T. Totsuka (1984). Effects of NO_2 & O_3 alone or in combination on kidney bean plants I. Growth,partitioning of assimilates and root activities Res.Rep.Natl.Inst. Environ.Std. Jpn. 66:1-11.

Ito,O., K.Okano, M.Kurowa and T.Totsuka (1986). Effect of nitrogen dioxide and ozone exposure alone or in combination on kidney bean plants : Amino acid content and composition Soil Sci. Plant Butr. 32, 351-364.

Jablonski,P.P. and J.W.Anderson (1982).. Light dependent reduction of hydrogen peroxide by ruptured pea chloroplasts. Pl.Physiol. 69, 1407-1413.

Jensen,K.F. and B.RRoberts (1986). Changes in yellow poplar (*Liriodendron tulipifera*) stomatal resistance with sulphur dioxide and ozone fumigation. Environ. Pollut. 41, 235-246.

Jones,T. and T.A.Mansfield (1982). Studies on dry matter partitioning and distribution of C-labelled assimilates in plants of *Phleum pratense* exposed to SO_2 pollution. Environ. Pollut. 28: 199-207.

Kapoor,R.K. and V.K.Gupta (1985). Effectiveness of green belt to protect the Taj Mahal against air pollution. Paper presented at National Seminar on Pollution Control and Environment Management, NEERI, Nagpur.

Kasana,M.S. and T.A. Mansfield (1986). Effects of air pollutants on the growth and functioning of roots Proc. Indian Acad. Sci. (Plant Sci.) 96 (6),429-441.

Kato,M. and S.Shimiza (1985). Chlorophyll metabolism in higher plants VI. Involvement of peroxidase in chlorophyll degradation. Plant cell physiol., 26(7), 1291-1301.

Kats,G., P.J.Dauson,A.. Bytnerowicz J.W. Wolf (1985). Effects of ozone or sulphur dioxide on growth and yield of rice. Agric. Ecosystems Environ. 14, 103117.

Keller,T.H.(1981). Winter uptake of air borne SO₂ by shoots of deciduous spp. Environ Pollut. 26. 313-317.

Khan,A.A. and S.S.Malhotra (1982) Peroxidase activity as an indicator of SO₂ injury in Jack pine and white birch Biochem. Physiol Pflanzen 177. 643-650.

Khan,A.A. and S.S.Malhotra (1983). Protein biosynthesis in Jackpine and its inhibition by sulphur dioxide. Phytochem 22.1325-1328.

Khan.A.M.,V.Pandey, J. Shukla, N.Singh, M.Yunus, S.N.Singh and K.J.Ahmad (1990). Effect of Thermal power plant emissions on catharanthus roseus L.Bull. Environ. Contam Toxicol 44, 865-870.

Kress,L.W., J.M.Skelly and K.H. Hinkelmann (1982). Growth impact of O_3 , NO_2 and /or SO_2 on *Pinus taeda*. Environmental monitoring and Assessment, 1, 229-239.

Krishnayya,N.S.R. and S.J.Bedi (1986a). Effects of automobile lead pollution in *Cassia tora* L. and *Cassia occidentalis* L. Environ. Pollut. 40, 221-226.

Kirshnayya,N.S.R. and S.J.Bedi (1986b) Biochemical changes in high pollution zones. In:Proceedings of the seventh world clear air Congress 5, 220-221.

Krishnayya,N.S.R and S.J.Bedi (1988) Mitigating effects of exogenously supplied ascorbic acid on *Vigna catjang* walp germinating seeds exposed to sulphur dioxide,Current science, 57. 1020-1021.

Krishnayya,N.S.R and S.J.Bedi (1989). Effect of Sulphur dioxide and ascorbic acid on the plastid ultrastructure of *Azadirachta indica* leaves Annals. of Botany 64, 311-31.

Kirshnayya,N.S.R. and S.J.Bedi (1990). Differential response of three tree species growing at low levels of ambient air pollutants. Indian J.Ecol. 17(1) 1-5.

Kumar,S and C.B.Prakash (1978). Threat to the Tajmahal from the proposed refinery at Mathura, near Agra. Indian J. Air Pollu. Cont. 762, 142-145.

Kuppers,K. and G.Klumpp (1988). Effects of ozone, sulfur dioxide and nitrogen dioxide on gase exchange and starch economy in Norway Spruce (*Picea abies* L.Karsten). Geo Journal, 172. 271-275.

Klumpp,V.A.,G.Klumpp and R. Guderian (1988). Wuchsleistung und au[Bere Schadigungsmerkmale bei Buche nach Einwirkng van Ozon. Schwefel dioxide und stickstoff dioxide AFZ.43.731-734.

Kondo,N.T. Maruta, and K.Sugahara (1984). Effect of sulfite on stomatal aperture size in *Vicia* epidermal peels. Res. Rep.Natl. Inst. Environ. Std. Jpn. 65, 9-18.

Koziol,M.J. (1980). Effects of prolonged exposure to SO_2 on the growth and carbohydrae metabolism of soybean and Ryegrass Dphid. Theis, Univ.,. of Oxford,Oxford,U.K.

Koziol,M.J. and D.W. Cowling (1980). Growth of ryegrass (*Lolium percenne* L.) exposed to SO_2 . III Effects on free and storage carbohydrate concentration J.Exp. Bot. 31, 1687-1699.

Koziol,M.J. (1984). Interactions of gaseous pollutants with carbohydrate metabolism. In:Gaseous air pollutants and metabolism (Eds. M.J.Koziol and F.R.Whatley) Butterworths,London, 251-274.

Koziol,M.J. and C.F.Jordan (1978). Changes in carbohydrate levels in red kidney bean (*Phaseolus vulgaris* L.) exposed to sulphur dioxide J.Exp. Bot. 29, 1037-1043.

Kozlowski,T.T. and J.B.Mudd (1975). Introduction In: Physiological Ecology A series of monographs Taxa and treaties Responses of plants to air pollution Eds. Mudd J.B. and T.T. Kozlowskii) Academic Press. New York 1-6.

Kozlowski,T.T. (1980). Impacts of air pollution on forest ecosystems. Bioscience. 30, 88-93.

Larry,M. (1982). An experimental method for predicting plant yield response to pollution time series. Atmos. Environ. 16, 2247-2252.

Lauenroth,W.K., D.G.Milchunas and J.L. Dood (1983) Response of a grassland to sulphur and nitrogen additions under controlled SO₂ exposure. Environ. Exp. Bot. 23, 339-346.

LeBlanc, F. and D.N.Rao (1973). Effects of sulphur dioxide on Lichen and moss trans plants. Ecology. 54, 612-617.

Lee,E.H. and J.H. Bennett (1982) Superoxide dismutase: A possible protective enzyme against ozone injury in snap beans (*Phaseolus vulgaris* K.) Plant Physiol., 69, 1444-1449.

Lee,E.H.,J.A.Jersey, C.Gifford and J.Bennet (1984). Differential ozone tolerance in soybean and snapbeans: Analysis of ascorbic acid in O₃ susceptible and O₃ resistant cultivars by high-performance liquid chromatography. Environ Exp. Bot. 24, (331-341).

Leone I.A. and E. Brennan (1972). Modification of sulphur dioxide injury to tobacco and tomato by varying nitrogen nutrition. J. Air. Pollut. Control. Ass. 25, 544-547.

Lewin (1976). Vitamin C Its molecular biology and medical potential. Academic press. London.

L'Hirondelle,S.J., P.A.Addison, and D.B. Huebert (1986).Growth and physiological responses of aspen and jack pine to intermittent sulfur dioxide fumigation episodes Can. J. Bot. 64, 2421-2427.

Linzon,S.P.J. Temple and R.G.Pearson (1979). Sulphur concentration in plant foliage and related effects J. Air Pollut. Control. Ass. 29, 520-525.

Lorenzini G.L. and A.Panattoni (1986). Effects of chronic fumigations with sulphur dioxide on the growth of some agricultural species. Riv.Ortoflorofrutt. It.70.

Lorenzini,G.L. Guidi and A.Panattoni (1987). Evaluation of fungicide effects on ozone injury to tobacco plants Ann.Appl.Biol. 110.

Ludger, J.V.,E.AfIred, G.Tonneijck and Joh.M.Wijnands (1988). Crop loss due to air pollution in the Netherlands. Environmental pollution 53, 365-376.

Mass,F.M., L.J.De Kok, J.L.Peters and P.J.C. Kuiper (1987a). A comparative study on the effects of H_2S and SO_2 fumigation on the growth and accumulation of sulphate and sulphydryl compounds in *Trifolium pratense* L., *Glycine max* Merr, and *Phaseolus vulgaris* L.J. Exp. Bot., 38, 1459-1469.

Mass,F.M., L.J.De Kok,W.Strick Timmer and P.J.C. Kuiper (1987b). Plant responses to H_2S and SO_2 fumigation II. Differences in metabolism of H_2S and SO_2 in spinach. Physiol. Plant. 70, 722-728.

Mackenzie J.J., and M.T.El.Ashry (1989). Tree and Crop injury: A summary of the evidence, IO: Air pollution's toll on forests and crops. (Eds.Mackenzie,J.J. and M.T.EJ.Ashry) Publ. by Yale, Univ,. Press. New Haven CT (USA) 1-21.

MacLachlan,S. and S.Zalik (1963).. Plastid structure and free amino acid coroposition of a chlorophyll mutant of barley Can.J. Bot.,41, 1053-1062.

Malhotra,S.S. and D.Hocking (1976). Biochemical and Cytological effects of SO_2 on plant metabolism. New Phytologist.76,227-237.

Nandi P.K., M.Agrawal, S.B.Agrawal and D.N.Rao (1990). Physiological responses of Vicia faba plants to SO_2 . Ecotoxicol. Environ. Saf. 19(1), 64-71.

Norby,R.J. abnd T.T. Kozlowski (1981). Relative sensitivity of three species of woody plants to SO_2 at high or low exposure temperature. Oecologia (Berl.), 51, 33-36.

_____ and T.T.Kozlowski (1982). The role of stomata in sensitivity of Betula papyrifera seedlings to SO_2 at different humidities. Oecologia (Berl.) 53, 34-39.

_____ and R.J.Luxmoore (1983). Growth analaysis of soybean exposed to simulated acid and gaseous air pollutants New Phytol., 95. 277-287.

_____, D.D. Richter and R.J. Luxmoore (1985). Physiological processes in soybean inhibited by gaseous pollutants but not by acid rain. New Phytol., 100, 79-85.

Noyes,R.D. (1980). The comprative effects on SO_2 on photosynthesis and transplocation in bean. Physiological plant Pathology 16, 73-79.

Olszyk,D.M. and T.N. Tibbits (1982). Evaluation of injury to expanded and expanding leaves of peas exposed to SO_2 and O_3 . J.Amer.Soc. Hort. Sci. 107 (2), 266-271.

_____ and D.T.Tingey (1984). Fusicoccin and air pollutant injury to plants. Evidence for enhancement of SO_2 but not O_3 injury. Plant Physiol. 76, 400-402.

_____ and C.R.Thompson (1985). Effect of air pollutants on important grain and leagame field crops: Applicability to tropical areas. Perspectives in Environmental Botany (Eds. Rao,D.N., K.J.Ahmed, M.Yunus S.N. Singh).

Malhotra,S.S.(1977). Effects of aqueous sulphur dioxide on chlorophyll destruktiuon in *Pinus contorts* New Phytol.78,101-109.

Malhotra,S.S. and R.A.Blauel (1977). Effect of Sulphur dioxide on the forest ecosystem. Environmental Oil sands 714-719.

Malhotra,S.S. and S.K.Sarkar (1979). Effects on sulphur dioxide on sugar and free amino acid content on pine seedlings. Physiol Plant.,47, 223-228.

Malhotra,S.S. and A.A.Khan (1984). Biochemical and Physiological impact of major pollutants. In: Air Pollution and plant life (Eds. M.Treshow).John Wiley and Sons Ltd.) 113-157.

Mansfield and P.H. Freer Smith (1984). The role of stomata in resistance mechanisms. In "Gaseous air pollutants and plant metabolism". (Eds. M.J.Koziol and F.R. Whatley). Butterworths. London 131-146.

Mapson,L.W. (1958). Metabolism of ascorbic acid in plants. Part I Function. Ann.Rev Plant Physiol., 9. 119-150.

Marques,A.I and L.E. Anderson (1986). Effects of arsenite,sulphate on photosynthetic carbon metabolism in isolated pea (*Pisum sativum* L. Cv. Little marvel) Chloroplasts. Plant Physiol. 82, 488-493.

Matsuoka,Y. (1978) Injury of rice plants caused by sulphur dioxide and its mechanism. Jpn Agric. Res. 0.12, 183-186.

Matters,L.G. and J.G.Scandalios (1987) Synthesis of isozymes of superoxide dismutase in maize leaves in response to

O_3 , SO_2 and elevated O_2 J.Exp. Bot. 38, 842-852.

McCready,R.M., J.Guggolz,G.V. Sibires, and H.S.Ovens (1950). Determination of starch and amylose in vegetables, application to peas, Analys. Chem. 22, 1156-1158.

Meetham,A.R.,D.W.Bottom, A.H. Sellers, S.Cayton and D.Chambers (1981). Atmospheric Pollution Its History, Origins & Prevention. Pergamon Press. 109-122.

Mejstrik,V. (1980). The influence of low SO_2 concentration on growth reduction of Nicotiana tabacum L. Cv. samsun and Cucumis sativus L.Cv. Vnikat. Environ. Pollut. 21. 73-76.

Misra,S.G. and S.D.Tiwari (1990). Air pollution and health hazards In: New World Environmental series: Environmental pollution and health problems (Eds. R.Akhtar) Published by Ashish Publishing House, New Delhi 1-7.

Misra,S.G. and P.K. Shukla (1990).. Environmental pollution and health problems (Eds. Rais Akhtar) Published by Ashish publishing house New Delhi, 7-17.

Miyake, H.H. · Masumura. Y. Fujiuma and T.Totsuka (1989). Effects of low concentrfations of ozone on the fine structure of radish leaves. New Phytol., 111, 187-195.

Mudd,J.B. and T.T. Kozlawski (1975). (Eds. Response of plants to air pollutants). Physio.Ecol. Ser: Academic Press, NY.

Muir, P and McCune (1988). Lichens, tree growth and foliar symptoms of air pollution: Are the stories consistant? J. Environ. Qual. 17, 361-370.

Murray,F.F. (1984). Response of subterranean clover and Ryegrass to sulphur dioxide under field conditions. Environ. Pollut. 36, 239-249.

Murray, F. (1985). Changes in growth and quality characteristics of Lucerne (*Medicago sativa* L.) in response to sulphur dioxide exposure under field conditions J.Exp. Bot. 36, 449-457.

Muschinek,G.R. Alscher & L.E. Anderson (1987). The sensitivity of light modulation of enzyme activity to arsenite and sulphite and of photosynthetic induction to arsenite is determined by a cytoplasmic gene. J.Exp.Bot., 38. 1069-1975.

Nandi,P.K., S. Madhulika and D.N.Rao (1980). Effect of ozone SO_2 and their mixture on germination of phaseolus aureus seeds. Indian J.Air Poll.Control, 3, 50-55.

Nandi,P.K., M.Singh and D.N.Rao (1981). Potassium ascorbate as an antidote to SO_2 phytotoxicity. Beitr.Biol.Pflanzen, 55, 401-407.

Nandi,P.K., M.Agrawal and D.N.Rao (1985). SO_2 induced effects and their amebioration by Ca(OH)_2 solution in **Vigna sinensis** Plants. Scientia Hortic., 22, 47-53.

Olszyk and Tingey (1985). Metabolic basis for injury to plants from combination of O₃ and SO₂: Studies with modifiers of pollutant toxicity. Plant Physiol., 77. 935-939.

Olszyk,D.M., A.Bytnerowicz, G.Kats P.J.Dawson, J. Wolf and C.R.Thompson (1986). Effects of sulphur dioxide and ambient ozone on winter wheat and Lettuce. J Environ. Qual. 15(4) 363-369.

_____ and D.T. Tingey (1986). Joint action of O₃ and SO₂ in modifying plant gas exchange. Plant Physio., 82, 401-405.

_____, A.Bytnerowicz and C.A. Fox (1987). Sulphur dioxide effects on plants exhibiting crassulacean acid metabolism. Environ. Pollut., 43, 47-62.

Omasa,K., Y. Hashimoto and I.Aiga (1984). Image instrumentation of plants exposed to air pollutants (2) Relationship between SO₂ or NO₂ sorption and their acute effects on plant leaves. Res.Rep. Natl. Inst. Environ. Std. Jpn., 66, 81-90.

· Ormrod,D.P.(1982). Air pollutant interactions in mixtures. In Effects of gaseous air pollution In:agriculture and horticulture (Eds. M.H. Unsworth and D.P.Ormrod).Butterworth Scientific. London 307-331.

_____,J.L.Deveau, B.A.Marie and O.B.Allen (1988). Growth responses of maize, Soybean and tomato to sulphur dioxide and ozone exposure patterns utilising an incomplete block factorial incomplete design. Water Air and Soil Pollution 39, 187-199.

Pandey, S.N.and D.N.Rao (1978).Studies of coal smoke Sulphur dioxide pollution on wheat. I Exposure technique and

correlation of morphological effects, with sulphur dioxide dose. Indian J.Air Pollution Control 1(1), 9-15.

Pandey S.N and D.N.Rao (1979). Ecophysiological investigation of sulphur dioxide pollution effects on soyabean. In Proceedings of symposium on Environ.Biol., 173-182.

Pandey,S.N. (1982). Ameliorating effect of urea spray on wheat(Triticum aestivum) plants exposed to sulphur dioxide. Environ. pollut. 27. 73-82.

Pandya, N.R.and S.J.Bedi (1986). Effect of industrial air pollution on Solanum tuberosum. In Proceedings of the Seventh World Clean Air Congress. 4. 118-124.

Pandya N.R. (1989). Effects of industrial air pollution on some vegetables and Cash crops P.H.Thesis submitted at the Maharaja Sayajirao Universityof Baroda.

Pandya, | N and S.J.Bedi (1990). Induction of pollution resistance in tobacco. Ad. plant Sci. 3(2), 171-177.

Parthasarathy, R. (1984)! Random thoughts on urban Development, Published by VUDA.

Pawar,K., P.S.Dubey and L.P. Mull (1978). Air pollution damage in Azadirachta indica L. due to smoke of different origin. All India Symp. on Environmental Sciences and Human Welfare. Vikram Univ., Ujjain, India No.V.69.

Pell,E.J. Puente, (1986). Emission of ethulene by oat (Avena sativa) Cv. ogle) plants treated with ozone and simulated acid rain. New Phytol, 103. 709-716.

Petotlino,J.E. and I.A.Leone (1980). Saline aerosol: some effects on the physiology of *Phaseolus vulgaris* Eco. Epidem., 70.. 229-232.

Pfanz,H. and U.Heber (1986). Buffer capacities of leaves, leaf cells and leaf cell organelles in relation to fluxes of potentially acidic gases. Plant Physiol. 81. 591-602.

Plucinska,L.G. (1988). Effect of nitrogen dioxide on carbon dioxide exchange in scot pine seedlings, Photosynthetica (Prague), 22, 108-111.

Prasad,B.S., D.N.Rao, N.Singh and N.Pandey (1979). Survey of pollugenic effects on vegetation around a petroleum refinery, Proc. Symp. Environ. Biol. 211-216.

Prasad,B.J. and D.N.Rao (1979). Morphological responses of wheat plants to nitrogen dioxide exposures. Proc. Indian natn. Sci. Acad.B 45(2), 142-146.

Prasad,B.J. and D.N.Rao (1981). Effects of SO_2 exposure on carbohydrate contents, phytomass and caloric values of wheat plants. Water, Air and Soil Pollution, 16. 287-291.

Prasad,B.J. and D.N.Rao (1982). Relative sensitivity of a leguminous and a cereal crop to sulphur dioxide pollution. Environ. Pollut. (Series A). 29, 57-67.

Puckett., K.J.E. Nieboer, W.P. Flora and D.H.S. Richardson (1973). Sulphur dioxide: its effect on photosynthetic fixation in lichens and suggested mechanisms of phytotoxicity. New Phytologist. 72, 141-154.

Rand,M.C., A.E.Greenberg and M.S.Taras (1977). In:standard methods for the examination of water and waste water. American Public Health Association, Washington. 325-329.

Raza S.H. and Nirmala Babu Rao (1985) Effect of SO_2 on phytomass and certain chemical parameters in two varieties of *Zea mays* Indian J.Air. Pollution Control, 6(2),91-102.

Rao,C.S.G., P. Murharirae and A.K.Basu (1983) Studies on effect of air pollution on materials . Proc. Symp. on Air Pollution Control, 69-71.

Rao,D.N., P.K.Nandi and M.Agrawal (1985). Studies on the amelioration of air pollution effects trees pl. Res. 437-445.

Reich, P.B. and R.G.Amundson (1985). Ambient levels of ozone reduce net photosynthesis in tree and crop sciences. Science, 230, 566-570.

_____, and J.B.Lassoie (1985). Influence of low concentrations of ozone on growth,biomass partitioning and leaf senescence in young hybrid poplar plants Environ. Pollut. 39. 39-51.

_____,W.W.Schoettle, F.H.Stroo., J. Troioano and R.G.Amundson (1987). Effects of ozone and acid rain on white pine (*Pinus strobus*) seedlings grown in five soils. I. Net photosynthesis and growth. Can.J. Bot. 65. 977-987.

Rennenberg,H, (1984). The fate of excess sulphur in higher plants. Ann.Rev. Plant Physiol. 35, 121-153.

Richard,P.G. and T.A.Mansfield (1989). The sensitivity of early 20th century cultivars of wheat to air pollution. Environmental pollution 56,31-37.

Roberts,T.M., N.M. Darrall and P. Lane (1983). Effects of gaseous air pollution on Agriculture and Forestry in the U.K. Advanced Applied Biology, 9, 20-25.

Robert, L.R. and V.M.Schnipke (1983). Height growth and tissue sulphur content of fieldgrown tree seedlings from different sulphur dioxide environments. J. Environ.Hort., 1. 72-75.

Robert L.R., Wilson,J.J. Cascino and G.P. Smith (1987). Autoradiographic studies of ethylenediures distribution in woody plants. Environ. Pollut. 45. 81-86.

Rowlatt,S., D.V.Crawford, and M.H. Unsworth (1982). A quantitative study of the fate of sulphur dioxide deposited on the plants. In:Effects of gaseous Air Pollution in agriculture and horticulture (Eds. M.H.Unsworth and D.P.Ormrod) Butterworth Scientific, London, 410-462.

Rudolph,E. and F.Bukatsch (1966). Die Protochlorophyll(id)-Umwandlung and thre Beziehung zar photoxydation der Ascorbinsaure bei etiolierten keimpflanzen. Planta 69, 124-134.

Sabnis, S.D. (1967).A study of the flora nd vegetation of Baroda and environs including an account of the cyperacease of Gujarat. Vol.I. Ph.D. thesis submitted in Botany. The M.S.University of Baroda, Vadodara, India.

Sakaki,T and N.Kondo (1985). Inhibition of photosynthesis by sulphite in mesophyll, protoplasts isolated from Vicia faba L. in relation to intercellular sulphite accumulation. Plant cell Physiology. 26(6), 1045-1055.

Saxe, H. (1983). Long-term effects of low levels of SO_2 on bean plants (*Phaseolus vulgaris*). II. Immission response effects on biomass production : quantity and quality. Physiol Plant. 57, 101-107.

Schaffert, R.R. and G.R. Kingsley (1955). A rapid simple method for the determination of reduced, dehydro and total ascorbic acid in biological material. J Biol. Chem. 212, 59-69.

Schneider, H.S. (1987). Climate modelling: Scientific American 256, 72-80.

Schulz, H. (1986). Biochemical and factor analytical examinations for interpretations of sulphur dioxide indications in needles of *Pinus sylvestris*. Biochem. Physiol. Pflanzen. (Bpp), 181, 241-256.

Sekiya, J., G.L. Wilson and P. Filner (1982). Resistance to injury by sulphur dioxide correlation with its reduction to and emission of hydrogen sulphide in cucurbitaceae. Plant Physiol., 70, 432-437.

Sharma and J. Butler (1973). Leaf cuticular variations in *Trifolium repens* L. as indicators of environmental pollution. Environ. Pollut., 5. 287-293.

Sharma G.K., C. Chandler and L. Salemic (1980). Environmental pollution and leaf cuticular variation in Kudzu (*Pueraria* *tobacco* Willd.), Annals of Botany., 45, 77-80.

Sharma H.C. and D.N. Rao (1983). Effect of sulphur dioxide, hydrogen fluoride and their combination on wheat plants. Indian J. Environ. Health., 25, 169-174.

Sharma H.C. and D.N.Rao (1985). Responses of phaseolus aureus plants to SO_2 and HF Pollutants. Perspectives in Environmental Botany 131-149.

Shimazaki, K., T. Sakaki, D.Kondo and K. Sugahara (1980). Active oxygen participation in chlorophyll destruction and lipid peroxidation in SO_2 fumigated leaves of spinach. plant Physiol., 21, 1193-1204.

_____, K.Ito, N. Kondo and K. Sugahare (1984). Reversible inhibition of photosynthetic water splitting enzyme system by SO_2 fumigation assayed by chlorophyll fluorescence and EPR signal in Vivo. Res.Rep. Natl. Inst. Environ.Stud. Jpn., 66, 175-186.

Shimizu, H., A. Purukawa and T.T. Totsuko (1980). Studies on the effects of air pollutants on plants and mechanism of phytotoxicity. Res. Rep. Natl. Inst. Environ. Stud. 11, 9-11.

_____, T. Oikawa and T.Totsuka (1984). Effects of low concentrations of NO_2 and O_3 alone and in mixture on the growth of sunflower plants. Res. Rep. Natl. Inst. Environ. Stud.,Jpn., 65, 121-138.

Sij, J.W. and C.A. Swanson (1974). Short term Kinetic studies on the inhibition of photosynthesis by sulphur dioxide. Journal of Environmental quality, 3, 103-107.

Silberstein, L. and M. Galum (1988). Spectrophotometric estimation of chlorophyll in lichens containing anthroquinones in relation to air pollution assessments. Environ. Exp. Bot., 28, 145-150.

Silvius, J.E., C.H. Bear, S. Dodrill, and H. Patrick (1976). Photoreduction of sulfur dioxide by spinach leaves and isolated spinach chloroplasts. Plant Physiol., 57, 799-801.

Singh M and D.N. Rao (1982). The influence of ozone and SO₂ on Cicer arietinum L. J. Indian. Bot. Soc. 61, 51-58.

Singh, S.K. and D.N.Rao (1983). Evaluation of plants for their tolerance to air pollution . Symp. on Air Pollu. Conf. Prof. I Nov. 23-25 : 218.

Singh , S.N. , M. Yunus, K. Srivastava, K. Kulshreshtha, K.J. Ahmad (1985). Response of Calendula officinalis L. to long term fumigation with SO₂ Environ. Poll. Ser.A. 39, 17-25.

Singh, N and D.N.Rao (1985). Amelioration of SO₂ induced injury through foliar spray of urea. Indian J. Environ. Hlth. 27(4), 345-351.

Singh, P. (1985). Environmental Pollution and Management : Chugh Publication India : 25-28.

Singh, S.N., M. Yunus, K. Kulshreshtha, K. Srivastava and K.J. Ahmad (1988). Effect of SO₂ on growth and development of Dahlia rosea, Cav., Bull. Environ. Contam. Toxicol. 40, 743-751.

Singh. C. and C.S.Saimbi (1988) Some new inter-disciplinary approvals to an understanding of the problems of fluoride vis-a-vis Indian J. Environ. Hlth. 30(2),163-167.

Singh, N., S.N.Singh, K.Srivastava, M.Yunus, K.J. Ahmad, S.C.Sharma and A.N. Sharga (1990a). Relative sensitivity and tolerance of some Gladiolus cultivars to sulphur dioxide. Annals.of Botany 65, 41-44.

Singh, S.N., M. Yunus and N. Singh (1990b). Effect of sodium metabisulphite on chlorophyll, protein and nitrate reductase activity of tomato leaves. The Science of the total environment. 91, 269-274.

Sisodia, G.S. and S.J. Bedi (1986). Effect of industrial air pollution on Triticum aestivum L. var. Sonalika (What) II. Ind. J. Air. Pollut. Control. 7, 169-177.

Smith, F.A. and J.A. Raven (1979). Intracellular pH and its regulation. Annual Rev. Plant. Physiol. 30, 289-311.

Srivastava, K. and K.J. Ahmad (1982). Effects of air pollution on cuticular features of Croton. Spariflorus Morong, New. Botanist 9, 27-29.

Stern, A.C. (1977). The effects of air pollution Vol.II. Academic Press, New York.

Stratigakos, A. and D.P.Ormrod, (1985). Response of tomato to sulphur nutrition and SO₂. Water Air Pollut. 24, 19-26.

Tanaka, K., J. Furusawa, N. Kondo and K. Tanaka (1988). SO₂ tolerance of tobacco plants regenerated from paraquat tolerant cells. Plant Cell Physiol 29, 743-746.

Taniyama, T. and K. Sawanaka (1975). Studies on the mechanism of injurious effects of toxic gases on crop plants XII. On the characteristic in the growth and grain production of rice plant in air pollution area (Yokkaichicity) and the significance as the indicator plant for monitoring the air pollution. Proc Crop Sci Soc Japan 44(1) 74-85.

Taniyama T., K. Yamashita and T. Koike (1976). Studies on the mechanism of injurious effects of toxic gases on crop plants, XIII. Effects of ozone in the air on the apparent plants. Proceeding of the crop Science Society of Japan 45 (1), 9-16.

_____, T. Morishita and H. Hirata (1977). Damages of plants and decrease in agricultural productivity due to soil and air pollutants in Annaka City, Gunna prefecture. Report of the Environmental Science of Mie University, Japan 2, 107-144.

_____, (1979). Studies on injurious effects of air pollutants on crop plants XIV. Effects of air pollutants on apparent photosynthesis of rice and corn plants. Report of the Environmental Science of mie University, 4, 77-83.

Teh. K.H. and C.A. Swanson (1982). Sulfur dioxide inhibition of translocation in bean plants. Plant Physiol., 69. 88-92.

Thomas M.D., (1951). Gas damage to plants. Ann. Rev. Plant. Physiol. 2, 293-322.

Thomas B.S. (1988). Global warming the need for action. Ecoforum. A Journal of environmental liaison Centre, 12 (b).

Tingey, d.T. Fites R.C. and C. Wickliff (1973). Foliar sensitivity of Soybeans to ozone as related to several leaf parameters. Environ. Pollut. 4, 183-192.

Treshow, M. (1984). Epiloque : A biochemical overview. In Gaseous air pollutants and plant metabolism (Eds. M.J. Kozol and F.R. Whatley). Butterworths, London 425-437.

Trites, F.L. and R.G.S. Bidwell (1987). Effect of acidic precipitation on bean plants. Can. J. Bot. 65, 1121-1126.

Tucker,G.B. (1986). Trace gas trends in the southern hemisphere in "Clean air World Clean Air Congress" Sydney, 20(3), 74-75.

Ulrich,B (1984), Effects of air pollution on forest ecosystems and water - the principles demonstrated at a case study in a Central Europe. Atmos Environ, 18, 621-628.

Unsworth, M.H., P.N. Biscoe and H.R.Pinckney (1972). Stomatal responses to sulphur dioxide. Nature (London) 239. 458-459.

Varshney, S.R.K. and C.K. Varshney (1984). Effects of SO_2 on ascorbic acid in crop plants. Environ Pollut. 35, 285-290.

Vij, B.M., L. Trivedi, A Shevade and P.S. Dubey, (1981). Chlorophyll damage in tree spec. due to air pollution. Biol, Bull India 3(3), 193-194.

Vijayan R. and S.J.Bedi (1986). Use of leaf epidermis in air pollution impact study. In: Proceedings of National Seminar on Environmental Pollution Control & Monitoring Chandigarh India. 274-278.

Vijayan, R and S.J.Bedi (1988a). Studies on distribution and responses of herbs to air pollutants near a fertilizer complex IBC 5, 15-18.

Vijayan, R and S.J.Bedi (1988b) Effect of SO_2 fumigation on Syzygium cumini Skeels and its amelioration by ascorbic acid. Ind. J. Environ. Health. 30, 155-162.

Vijayan, R and S.J.Bedi (1989). Effect of chlorine pollution on three fruit tree species at Ranoli, near Baroda, India Environ. Pollut. 57, 97-102.

Wang, D., F.H. Bormann and D.F. Karnosky (1986).. Regional tree growth reductions due to ambient ozone evidence from field experiments. Environ. Sci. Technol. 20, 1122-1125.

Wellburn, A.R., T.M.Carron, H.S.Chan and D.C.Horsman (1976). In : Effect of air pollution on plants. pp 105-114 (Eds. T.A. Mansfield) Cambridge, Univ,. Press (Cambridge).

West, P.W. and G.C.Gaeke (1956). Fixation of sulphur dioxide as disulfito-mercurate (II) and subsequent colorimetric estimation. Anal. Chem. 28, 1816-1819.

Whitemore, M.E., W.J. Davies and T.A. Mansfield (1985). Air pollution and leaf growth. In: Control of leaf growth society for experimental biology., Seminar series 27 (Eds. N.R. baker, W.J. Davies and C.K. Ong.) Cambridge (GB) 295-318.

Wittwer, S.H. and F.G. Teubner, (1959) Foliar absorption of mineral nutrients. Ann. Rev. Plant. Physiol. 10, 21-27.

Wong,C.H., H. Klein and H.J. Jager (1977). The effect of SO_2 on the ultrastructure of Pisum and Zea chloroplasts. Angew Botanik, 51, 311-319.

Yenn E.W. and A.J. Will (1954). The estimation of carbohydrate in plant extracts by anthrone. Biochem.J., 57, 508-514.

Young, J.C. and F.A. Loewus (1975). Metabolic conversion ascorbic acid to oxalic acid in oxalate accumulating plants. Pl. Physiol., 56, 283-285.

Yunus, M. and K.J. Ahmed (1979). Use of epidermal traits of plants in pollution monitoring. In Proceedings of National seminar on Environmental Pollution and its Control. A status Review Bombay, India.

Zedler, B.R. Plarre and G.M. Rothe (1986). Impact of atmospheric pollution on the protein and amino acid metabolism of spruce *Picea abies* trees. Environ. Pollut. 40, 193-212.

Ziegler, I. (1975). The effect of SO_2 pollution on plant metabolism. Residue Reviews 56, 79-105.