

References

- Abbas, A., Khan, S. U., Khan, W. U., Saleh, T. A., Khan, M. H. U., Ullah, S., Ali, A., & Ikram, M. (2019). Antagonist effects of strains of *Bacillus* spp. against *Rhizoctonia solani* for their protection against several plant diseases: Alternatives to chemical pesticides. *Comptes Rendus Biologies*, 342(5–6), 124–135.
- Abd-Alla, M. H., El-Sayed, E.-S. A., & Rasmy, A.-H. M. (2013). Indole-3-acetic acid (IAA) production by *Streptomyces atrovirens* isolated from rhizospheric soil in Egypt. *J Biol Earth Sci*, 3(2), 182–193.
- Abdul-Baki, A. A., & Anderson, J. D. (1973). Vigor determination in soybean seed by multiple criteria 1. *Crop Science*, 13(6), 630–633.
- Abeles, F. B., Morgan, P. W., & Saltveit Jr, M. E. (2012). *Ethylene in plant biology*. Academic press.
- Adams, D O, & Yang, S. F. (1979). Ethylene biosynthesis: identification of 1-aminocyclopropane-1-carboxylic acid as an intermediate in the conversion of methionine to ethylene. *Proceedings of the National Academy of Sciences*, 76(1), 170–174.
- Adams, Douglas O, & Yang, S. F. (1977). Methionine metabolism in apple tissue: implication of S-adenosylmethionine as an intermediate in the conversion of methionine to ethylene. *Plant Physiology*, 60(6), 892–896.
- Afzal, I., Shinwari, Z. K., & Iqrar, I. (2015). Selective isolation and characterization of agriculturally beneficial endophytic bacteria from wild hemp using canola. *Pak. J. Bot*, 47(5), 1999–2008.
- Agosin, E., & Aguilera, J. M. (1998). Industrial production of active propagules of *Trichoderma* for agricultural uses. In G. E. Harman & C. P. Kubicek (Eds.), *Trichoderma and Gliocladium: Enzymes, biological control, and commercial applications* (Volume 2, pp. 205–227). Taylor & Francis Ltd.
- Agrios, G. N. (2005). *Plant pathology*. Elsevier.

Ahanger, M. A., Tyagi, S. R., Wani, M. R., & Ahmad, P. (2014). Drought tolerance: role of organic osmolytes, growth regulators, and mineral nutrients. In P. Ahmad & M. Wani (Eds.), *Physiological mechanisms and adaptation strategies in plants under changing environment* (pp. 25–55). Springer.

Ahemad, M., & Kibret, M. (2014). Mechanisms and applications of plant growth promoting rhizobacteria: current perspective. *Journal of King Saud University-Science*, 26(1), 1–20.

Ahmad, F., Ahmad, I., Aqil, F., Ahmed Wani, A., & Sousche, Y. S. (2006). Plant growth promoting potential of free-living diazotrophs and other rhizobacteria isolated from Northern Indian soil. *Biotechnology Journal: Healthcare Nutrition Technology*, 1(10), 1112–1123.

Akazawa, T., & Hara-Nishimura, I. (1985). Topographic aspects of biosynthesis, extracellular secretion, and intracellular storage of proteins in plant cells. *Annual Review of Plant Physiology*, 36(1), 441–472.

Aktar, M. W., Sengupta, D., & Chowdhury, A. (2009). Impact of pesticides use in agriculture: their benefits and hazards. *Interdisciplinary Toxicology*, 2(1), 1–12. <https://doi.org/10.2478/v10102-009-0001-7>

Aldesuquy, H. S., Mansour, F. A., & Abo-Hamed, S. A. (1998). Effect of the culture filtrates of Streptomyces on growth and productivity of wheat plants. *Folia Microbiologica*, 43(5), 465–470.

Alexander, B. J. R., & Stewart, A. (2001). Glasshouse screening for biological control agents of Phytophthora cactorum on apple (*Malus domestica*). *New Zealand Journal of Crop and Horticultural Science*, 29(3), 159–169.

Ali, M. G., & Kumar, S. (2005). Pigeonpea: Retrospect and Prospects. In M. G. Ali & S. Kumar (Eds.), *Advances in pigeonpea research* (pp. 1–22). Indian Institute of Pulses Research.

Alqarawi, A. A., Abd Allah, E. F., & Hashem, A. (2014). Alleviation of salt-induced adverse impact via mycorrhizal fungi in Ephedra aphylla Forssk. *Journal of Plant Interactions*,

9(1), 802–810.

Alqarawi, A. A., Hashem, A., Abd_Allah, E., Alshahrani, T., & Huqail, A. (2014). Effect of salinity on moisture content, pigment system, and lipid composition in *Ephedra alata* Decne. *Acta Biologica Hungarica*, 65(1), 61–71.

Alvindia, D. G. (2018). The antagonistic action of *Trichoderma harzianum* strain DGA01 against anthracnose-causing pathogen in mango cv.'Carabao.' *Biocontrol Science and Technology*, 28(6), 591–602.

Amroyan, E., Gabrielian, E., Panossian, A., Wikman, G., & Wagner, H. (1999). Inhibitory effect of andrographolide from *Andrographis paniculata* on PAF-induced platelet aggregation. *Phytomedicine*, 6(1), 27–31.

Anders S, Huber W. (2010). Differential expression analysis for sequence count data. *Genome Biology*, doi:10.1186/gb-2010-11-10-r106. (DESeq2)

Anderson, A. S., & Wellington, E. M. (2001). The taxonomy of *Streptomyces* and related genera. *International Journal of Systematic and Evolutionary Microbiology*, 51(3), 797–814.

Andrade, G., Mihara, K. L., Linderman, R. G., & Bethlenfalvay, G. J. (1997). Bacteria from rhizosphere and hyphosphere soils of different arbuscular-mycorrhizal fungi. *Plant and Soil*, 192(1), 71–79.

Anjaiah, V., Cornelis, P., & Koedam, N. (2003). Effect of genotype and root colonization in biological control of fusarium wilts in pigeonpea and chickpea by *Pseudomonas aeruginosa* PNA1. *Canadian Journal of Microbiology*, 49(2), 85–91.

Anwar, S., Ali, B., & Sajid, I. (2016). Screening of rhizospheric actinomycetes for various in-vitro and in-vivo plant growth promoting (PGP) traits and for agroactive compounds. *Frontiers in Microbiology*, 7, 1334.

Arnow, L. E. (1937). Colorimetric determination of the components of 3, 4-dihydroxyphenylalanine-tyrosine mixtures. *J. Biol. Chem*, 118(2), 531–537.

Artursson, V., Finlay, R. D., & Jansson, J. K. (2005). Combined bromodeoxyuridine

immunocapture and terminal-restriction fragment length polymorphism analysis highlights differences in the active soil bacterial metagenome due to *Glomus mosseae* inoculation or plant species. *Environmental Microbiology*, 7(12), 1952–1966.

Artursson, V., Finlay, R. D., & Jansson, J. K. (2006). Interactions between arbuscular mycorrhizal fungi and bacteria and their potential for stimulating plant growth. *Environmental Microbiology*, 8(1), 1–10.

Arul Jose, P., & Jebakumar, S. R. D. (2014). Successive nonstatistical and statistical approaches for the improved antibiotic activity of rare actinomycete *Nonomuraea* sp. JA18. *BioMed Research International*, 2014.

Ashry, N. A., & Mohamed, H. I. (2012). Impact of secondary metabolites and related enzymes in flax resistance and/or susceptibility to powdery mildew. *African Journal of Biotechnology*, 11(5), 1073–1077.

Askary, Tarique Hassan. (2015). Limitation, research needs and future prospects in the biological control of phytonematodes. In Tarique Hassan Askary & P. R. P. Martinelli (Eds.), *Biocontrol Agents of Phytonematodes* (pp. 446–454). CABI.

Askeland, R. A., & Morrison, S. M. (1983). Cyanide production by *Pseudomonas fluorescens* and *Pseudomonas aeruginosa*. *Applied and Environmental Microbiology*, 45(6), 1802–1807.

Augustine, S. K., Bhavsar, S. P., & Kapadnis, B. P. (2005). A non-polyene antifungal antibiotic from *Streptomyces albidoflavus* PU 23. *Journal of Biosciences*, 30(2), 201–211.

AUSVEG. (2022). *Fungal diseases in vegetable crops*. Fungal Diseases- An Overview. <https://ausveg.com.au/biosecurity-agrichemical/crop-protection/overview-pests-diseases-disorders/fungal-diseases/#:~:text=Some%20of%20the%20fungi%20are,Sclerotium%20species> – are soilborne diseases.

Awuchi, C. G., Ondari, E. N., Ogbonna, C. U., Upadhyay, A. K., Baran, K., Okpala, C. O. R., Korzeniowska, M., & Guiné, R. P. F. (2021). Mycotoxins affecting animals, foods, humans, and plants: Types, occurrence, toxicities, action mechanisms, prevention, and

detoxification strategies—A revisit. *Foods*, 10(6), 1279.

Ayyadurai, N., Ravindra Naik, P., Sreehari Rao, M., Sunish Kumar, R., Samrat, S. K., Manohar, M., & Sakthivel, N. (2006). Isolation and characterization of a novel banana rhizosphere bacterium as fungal antagonist and microbial adjuvant in micropropagation of banana. *Journal of Applied Microbiology*, 100(5), 926–937.

Azcón-Aguilar, C., & Bago, B. (1994). Physiological characteristics of the host plant promoting an undisturbed functioning of the mycorrhizal symbiosis. In S. Gianinazzi & H. Schüepp (Eds.), *Impact of arbuscular mycorrhizas on sustainable agriculture and natural ecosystems* (pp. 47–60). Springer.

Azizoglu, U. (2019). *Bacillus thuringiensis* as a biofertilizer and biostimulator: a mini-review of the little-known plant growth-promoting properties of Bt. *Current Microbiology*, 76(11), 1379–1385.

Bakker, P. A. H. M., Pieterse, C. M. J., & Van Loon, L. C. (2007). Induced systemic resistance by fluorescent Pseudomonas spp. *Phytopathology*, 97(2), 239–243.

Bale, J. S., Van Lenteren, J. C., & Bigler, F. (2008). Biological control and sustainable food production. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492), 761–776.

Balis, C. (1976). Ethylene-induced volatile inhibitors causing soil fungistasis. *Nature*, 259(5539), 112–114.

Bankevich, A., Nurk, S., Antipov, D., Gurevich, A. A., Dvorkin, M., Kulikov, A. S., Lesin, V. M., Nikolenko, S. I., Pham, S., Prjibelski, A. D., Pyshkin, A. V., Sirotnik, A. V., Vyahhi, N., Tesler, G., Alekseyev, M. A. & Pevzner, P. A. (2012). SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *Journal of computational biology*, 19(5), 455–477.

Barea, J.-M. (1997). Mycorrhiza-bacteria interactions on plant growth promotion. In A. Ogoshi, K. Kobayashi, Y. Homma, F. Kodama, N. Kondo, & S. Akino (Eds.), *Plant Growth Promoting Rhizobacteria*. (pp. 150–158.). OECD Press.

- Barea, J.-M., Azcón, R., & Azcón-Aguilar, C. (2002). Mycorrhizosphere interactions to improve plant fitness and soil quality. *Antonie van Leeuwenhoek*, 81(1), 343–351.
- Barea, J. M. (2000). Rhizosphere and mycorrhiza of field crops. In J. P. Toutant, E. Balazs, E. Galante, J. M. Lynch, J. S. Schepers, D. Werner, & P. A. Werry (Eds.), *Biological resource management connecting Science and Policy* (INRA, pp. 110–125). Springer.
- Barreto, T. R., Silva, A., Soares, A. C. F., & Souza, J. T. de. (2008). Population densities and genetic diversity of actinomycetes associated to the rhizosphere of Theobroma cacao. *Brazilian Journal of Microbiology*, 39(3), 464–470.
- Bashan, Y., & Holguin, G. (1997). Azospirillum–plant relationships: environmental and physiological advances (1990–1996). *Canadian Journal of Microbiology*, 43(2), 103–121.
- Beck, E., & Ziegler, P. (1989). Biosynthesis and degradation of starch in higher plants. *Annual Review of Plant Biology*, 40(1), 95–117.
- Bentley, S. D., Chater, K. F., Cerdeño-Tárraga, A. M., Challis, G. L., Thomson, N. R., James, K. D., ... & Hopwood, D. A. (2002). Complete genome sequence of the model actinomycete *Streptomyces coelicolor*A3 (2). *Nature*, 417(6885), 141-147.
- Begum, N., Qin, C., Ahanger, M. A., Raza, S., Khan, M. I., Ashraf, M., Ahmed, N., & Zhang, L. (2019). Role of arbuscular mycorrhizal fungi in plant growth regulation: implications in abiotic stress tolerance. *Frontiers in Plant Science*, 1068.
- Běhal, V. (2000). Bioactive products from Streptomyces. *Advances in Applied Microbiology*, 47, 113–147.
- Bekele-Tesemma, A. (2007). *Profitable agroforestry innovations for eastern Africa: experience from 10 agroclimatic zones of Ethiopia, India, Kenya, Tanzania and Uganda*. World Agroforestry Centre (ICRAF), Eastern Africa Region.
- Bélanger, R. R., Labbé, C., Lefebvre, F., & Teichmann, B. (2012). Mode of action of biocontrol agents: all that glitters is not gold. *Canadian Journal of Plant Pathology*,

34(4), 469–478.

Bellows, T. S., & Fisher, T. W. (1999). *Handbook of biological control: principles and applications of biological control* (Issue 632.96 B4).

Bentley, S. D., Chater, K. F., Cerdeño-Tárraga, A.-M., Challis, G. L., Thomson, N. R., James, K. D., Harris, D. E., Quail, M. A., Kieser, H., & Harper, D. (2002). Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3 (2). *Nature*, 417(6885), 141–147.

Bentwich, I. (2005). A postulated role for microRNA in cellular differentiation. *The FASEB Journal*, 19(8), 875–879.

Berdy, J. (2005). Bioactive microbial metabolites. *The Journal of Antibiotics*, 58(1), 1–26.

Berg, G., Köberl, M., Rybakova, D., Müller, H., Grosch, R., & Smalla, K. (2017). Plant microbial diversity is suggested as the key to future biocontrol and health trends. *FEMS Microbiology Ecology*, 93(5).

Berg, J. M., Tymoczko, J. L., & Stryer, L. (2007). *Biochemistry (Loose-Leaf)*. Macmillan.

Bibb, M. J. (2005). Regulation of secondary metabolism in streptomycetes. *Current Opinion in Microbiology*, 8(2), 208–215.

Birhane, E., Sterck, F. J., Fetene, M., Bongers, F., & Kuyper, T. W. (2012). Arbuscular mycorrhizal fungi enhance photosynthesis, water use efficiency, and growth of frankincense seedlings under pulsed water availability conditions. *Oecologia*, 169(4), 895–904.

Biró, B., Köves-Péchy, K., Vörös, I., Takács, T., Eggenberger, P., & Strasser, R. J. (2000). Interrelations between Azospirillum and Rhizobium nitrogen-fixers and arbuscular mycorrhizal fungi in the rhizosphere of alfalfa in sterile, AMF-free or normal soil conditions. *Applied Soil Ecology*, 15(2), 159–168.

- Blin, K., Wolf, T., Chevrette, M. G., Lu, X., Schwalen, C. J., Kautsar, S. A., ...&Medema, M. H. (2017). antiSMASH 4.0—improvements in chemistry prediction and gene cluster boundary identification. *Nucleic acids research*, 45(W1), W36-W41.
- Bolger, M., Schwacke, R., Gundlach, H., Schmutz, T., Chen, J., Arend, D., Oppermann, M., Weise, S., Lange, M., & Fiorani, F. (2017). From plant genomes to phenotypes. *Journal of Biotechnology*, 261, 46–52.
- Boller, T., Herner, R. C., & Kende, H. (1979). Assay for and enzymatic formation of an ethylene precursor, 1-aminocyclopropane-1-carboxylic acid. *Planta*, 145(3), 293–303.
- Bowles, T. M., Barrios-Masias, F. H., Carlisle, E. A., Cavagnaro, T. R., & Jackson, L. E. (2016). Effects of arbuscular mycorrhizae on tomato yield, nutrient uptake, water relations, and soil carbon dynamics under deficit irrigation in field conditions. *Science of the Total Environment*, 566, 1223–1234.
- Brader, G., Compañt, S., Mitter, B., Trognitz, F., & Sessitsch, A. (2014). Metabolic potential of endophytic bacteria. *Current Opinion in Biotechnology*, 27, 30–37.
- Braña, A. F., Fiedler, H. P., Nava, H., González, V., Sarmiento-Vizcaíno, A., Molina, A., ...& Blanco, G. (2015). Two *Streptomyces* species producing antibiotic, antitumor, and anti-inflammatory compounds are widespread among intertidal macroalgae and deep-sea coral reef invertebrates from the central Cantabrian Sea. *Microbial ecology*, 69(3), 512-524.
- Brannen, P. M., & Kenney, D. S. (1997). Kodiak®—a successful biological-control product for suppression of soil-borne plant pathogens of cotton. *Journal of Industrial Microbiology and Biotechnology*, 19(3), 169–171.
- Brasier, C. M. (1991). Ophiostoma novo-ulmi sp. nov., causative agent of current Dutch elm disease pandemics. *Mycopathologia*, 115(3), 151–161.
- Bredholdt, H., Galatenko, O. A., Engelhardt, K., Fjærvik, E., Terekhova, L. P., & Zotchev, S. B. (2007). Rare actinomycete bacteria from the shallow water sediments of the

Trondheim fjord, Norway: isolation, diversity and biological activity. *Environmental Microbiology*, 9(11), 2756–2764.

Bremner, J. M. (1965). Total nitrogen. *Methods of Soil Analysis: Part 2 Chemical and Microbiological Properties*, 9, 1149–1178.

Brescia, F., Vlassi, A., Bejarano, A., Seidl, B., Marchetti-Deschmann, M., Schuhmacher, R., & Puopolo, G. (2021). Characterisation of the antibiotic profile of Lysobacter capsici AZ78, an effective biological control agent of plant pathogenic microorganisms. *Microorganisms*, 9(6), 1320.

Brundrett, M. C. (2002). Coevolution of roots and mycorrhizas of land plants. *New Phytologist*, 154(2), 275–304.

Brundrett, M. C. (2009). Mycorrhizal associations and other means of nutrition of vascular plants: understanding the global diversity of host plants by resolving conflicting information and developing reliable means of diagnosis. *Plant and Soil*, 320(1), 37–77.

Bubici, G., Kaushal, M., Prigallo, M. I., Gómez-Lama Cabanás, C., & Mercado-Blanco, J. (2019). Biological control agents against Fusarium wilt of banana. *Frontiers in Microbiology*, 616.

Bücking, H., Liepold, E., & Ambilwade, P. (2012). The role of the mycorrhizal symbiosis in nutrient uptake of plants and the regulatory mechanisms underlying these transport processes. *Plant Sci*, 4, 108–132.

Budi, S. W. van, van Tuinen, D., Martinotti, G., & Gianinazzi, S. (1999). Isolation from the Sorghum bicolor mycorrhizosphere of a bacterium compatible with arbuscular mycorrhiza development and antagonistic towards soilborne fungal pathogens. *Applied and Environmental Microbiology*, 65(11), 5148–5150.

Bürstenbinder, K., Waduwara, I., Schoor, S., Moffatt, B. A., Wirtz, M., Minocha, S. C., Oppermann, Y., Bouchereau, A., Hell, R., & Sauter, M. (2010). Inhibition of 5'-methylthioadenosine metabolism in the Yang cycle alters polyamine levels, and impairs seedling growth and reproduction in Arabidopsis. *The Plant Journal*, 62(6), 977–988.

Butt, T. M., & Copper, L. G. (2000). Fungal biological control agents. *Pesticide Outlook*, 11(5), 186–191.

Cai, F., Yu, G., Wang, P., Wei, Z., Fu, L., Shen, Q., & Chen, W. (2013). Harzianolide, a novel plant growth regulator and systemic resistance elicitor from *Trichoderma harzianum*. *Plant Physiology and Biochemistry*, 73, 106–113.

Canarini, A., Kaiser, C., Merchant, A., Richter, A., & Wanek, W. (2019). Root exudation of primary metabolites: mechanisms and their roles in plant responses to environmental stimuli. *Frontiers in Plant Science*, 157.

Cappuccino, J. C., & Sherman, N. (1992). *Nitrogen cycle. Microbiology: a laboratory manual*. Benjamin/Cumming Pub. Co., New York.

Card, S., Johnson, L., Teasdale, S., & Caradus, J. (2016). Deciphering endophyte behaviour: the link between endophyte biology and efficacious biological control agents. *FEMS Microbiology Ecology*, 92(8).

Carpenter-Boggs, L., Loynachan, T. E., & Stahl, P. D. (1995). Spore germination of *Gigaspora margarita* stimulated by volatiles of soil-isolated actinomycetes. *Soil Biology and Biochemistry*, 27(11), 1445–1451.

Carter, M. V., & Price, T. V. (1974). Biological control of *Eutypa armeniaca*. II. Studies of the interaction between *E. armeniaca* and *Fusarium lateritium*, and their relative sensitivities to benzimidazole chemicals. *Australian Journal of Agricultural Research*, 25(1), 105–119.

Cassán, F., Perrig, D., Sgroy, V., Masciarelli, O., Penna, C., & Luna, V. (2009). *Azospirillum brasiliense* Az39 and *Bradyrhizobium japonicum* E109, inoculated singly or in combination, promote seed germination and early seedling growth in corn (*Zea mays* L.) and soybean (*Glycine max* L.). *European Journal of Soil Biology*, 45(1), 28–35.

Castillo, U. F., Strobel, G. A., Ford, E. J., Hess, W. M., Porter, H., Jensen, J. B., Albert, H., Robison, R., Condon, M. A. M., & Teplow, D. B. (2002). Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennedia nigriscans*. The GenBank accession number for the sequence determined in this work is

AY127079. *Microbiology*, 148(9), 2675–2685.

Chae, H. S., Faure, F., & Kieber, J. J. (2003). The eto1, eto2, and eto3 mutations and cytokinin treatment increase ethylene biosynthesis in *Arabidopsis* by increasing the stability of ACS protein. *The Plant Cell*, 15(2), 545–559.

Chand-Goyal, T., & Spotts, R. A. (1997). Biological control of postharvest diseases of apple and pear under semi-commercial and commercial conditions using three saprophytic yeasts. *Biological Control*, 10(3), 199–206.

Chaston, J. M., Suen, G., Tucker, S. L., Andersen, A. W., Bhasin, A., Bode, E., Bode, H. B., Brachmann, A. O., Cowles, C. E., & Cowles, K. N. (2011). The entomopathogenic bacterial endosymbionts *Xenorhabdus* and *Photorhabdus*: convergent lifestyles from divergent genomes. *PloS One*, 6(11), e27909.

Chater, K. F. (1993). Genetics of differentiation in *Streptomyces*. *Annual Review of Microbiology*, 47(1), 685–711.

Chen, Hua, Wu, M., Chen, Z., Wang, M., Lin, J., & Yang, L. (2013). Enhancing production of a 24-membered ring macrolide compound by a marine bacterium using response surface methodology. *Journal of Zhejiang University SCIENCE B*, 14(4), 346–354.

Chen, Huanwen, Pan, Z., Talaty, N., Raftery, D., & Cooks, R. G. (2006). Combining desorption electrospray ionization mass spectrometry and nuclear magnetic resonance for differential metabolomics without sample preparation. *Rapid Communications in Mass Spectrometry: An International Journal Devoted to the Rapid Dissemination of Up-to-the-Minute Research in Mass Spectrometry*, 20(10), 1577–1584.

Chen, Y., Zhou, D., Qi, D., Gao, Z., Xie, J., & Luo, Y. (2018). Growth promotion and disease suppression ability of a *Streptomyces* sp. CB-75 from banana rhizosphere soil. *Frontiers in Microbiology*, 8, 2704.

Chérif, M., Arfaoui, A., & Rhaiem, A. (2007). Phenolic compounds and their role in bio-control and resistance of chickpea to fungal pathogenic attacks. *Tunisian Journal of Plant Protection*, 2(1), 7–21.

Chen, S., Zhou, Y., Chen, Y., & Gu, J. (2018). fastp: an ultra-fast all-in-one FASTQ preprocessor. *Bioinformatics*, 34(17), i884-i890.

Chernin, L., Ismailov, Z., Haran, S., & Chet, I. (1995). Chitinolytic Enterobacter agglomerans antagonistic to fungal plant pathogens. *Applied and Environmental Microbiology*, 61(5), 1720–1726.

Chernin, L. S., De La Fuente, L., Sobolev, V., Haran, S., Vargas, C. E., Oppenheim, A. B., & Chet, I. (1997). Molecular cloning, structural analysis, and expression in Escherichia coli of a chitinase gene from Enterobacter agglomerans. *Applied and Environmental Microbiology*, 63(3), 834–839.

Christensen, H., & Jakobsen, I. (1993). Reduction of bacterial growth by a vesicular-arbuscular mycorrhizal fungus in the rhizosphere of cucumber (*Cucumis sativus* L.). *Biology and Fertility of Soils*, 15(4), 253–258.

Christou, P., & Twyman, R. M. (2004). The potential of genetically enhanced plants to address food insecurity. *Nutrition Research Reviews*, 17(1), 23–42.

Chuankun, X., Minghe, M., Leming, Z., & Keqin, Z. (2004). Soil volatile fungistasis and volatile fungistatic compounds. *Soil Biology and Biochemistry*, 36(12), 1997–2004.

Cohen, Y., & Coffey, M. D. (1986). Systemic Fungicides and the Control of Oomycetes. *Annual Review of Phytopathology*, 24(1), 311–338.
<https://doi.org/10.1146/annurev.py.24.090186.001523>

Compan, S., Duffy, B., Nowak, J., Clément, C., & Barka, E. A. (2005). Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. *Applied and Environmental Microbiology*, 71(9), 4951–4959.

Conrath, U., Beckers, G. J. M., Langenbach, C. J. G., & Jaskiewicz, M. R. (2015). Priming for enhanced defense. *Annual Review of Phytopathology*, 53, 97–119.

Contreras-Cornejo, H. A., Macías-Rodríguez, L., Del-Val, E. K., & Larsen, J. (2016). Ecological functions of *Trichoderma* spp. and their secondary metabolites in the rhizosphere: interactions with plants. *FEMS Microbiology Ecology*, 92(4), fiw036.

- Cotty, P. J., & Bhatnagar, D. (1994). Variability among atoxigenic *Aspergillus flavus* strains in ability to prevent aflatoxin contamination and production of aflatoxin biosynthetic pathway enzymes. *Applied and Environmental Microbiology*, 60(7), 2248–2251.
- Crocker, W. (1913). The effects of advancing civilization upon plants 1. *School Science and Mathematics*, 13(4), 277–289.
- Cui, Q., Lewis, I. A., Hegeman, A. D., Anderson, M. E., Li, J., Schulte, C. F., Westler, W. M., Eghbalnia, H. R., Sussman, M. R., & Markley, J. L. (2008). Metabolite identification via the madison metabolomics consortium database. *Nature Biotechnology*, 26(2), 162–164.
- Daniels, B. A., & Trappe, J. M. (1980). Factors affecting spore germination of the vesicular-arbuscular mycorrhizal fungus, *Glomus epigaeus*. *Mycologia*, 72(3), 457–471.
- Dastager, S. G., & Damare, S. (2013). Marine actinobacteria showing phosphate-solubilizing efficiency in Chorao Island, Goa, India. *Current Microbiology*, 66(5), 421–427.
- Dave, A., & Ingle, S. (2021). *Streptomyces* sp. S-9 promotes plant growth and confers resistance in Pigeon pea (*Cajanus cajan*) against Fusarium wilt. *3 Biotech*, 11(11), 1-13.
- de Oliveira, M. F., da Silva, M. G., & Van Der Sand, S. T. (2010). Anti-phytopathogen potential of endophytic actinobacteria isolated from tomato plants (*Lycopersicon esculentum*) in southern Brazil, and characterization of *Streptomyces* sp. R18 (6), a potential biocontrol agent. *Research in Microbiology*, 161(7), 565–572.
- DeBach, P. (1964). Biological control of insect pests and weeds. *Biological Control of Insect Pests and Weeds*.
- Degenhardt, J., Gershenson, J., Baldwin, I. T., & Kessler, A. (2003). Attracting friends to feast on foes: engineering terpene emission to make crop plants more attractive to herbivore enemies. *Current Opinion in Biotechnology*, 14(2), 169–176.
- Desai, N. C., Ardeshra, R. B., & Intwala, C. G. (2000). Increasing pigeonpea productivity by providing land configuration in vertisols. *International Chickpea and Pigeonpea Newsletter*, 7, 66–67.

Dhanasekaran, D., Thajuddin, N., & Panneerselvam, A. (2008). An antifungal compound: 4' phenyl-1-naphthyl-phenyl acetamide from *Streptomyces* sp. DPTB16. *Facta Universitatis Ser Med Biol*, 15(1), 7–12.

Dhole, N. P., Dar, M. A., & Pandit, R. S. (2021). Recent advances in the bioprospection and applications of chitinolytic bacteria for valorization of waste chitin. *Archives of Microbiology*, 203(5), 1953–1969.

Dighton, J. (2009). *Mycorrhizae* (M. B. T.-E. of M. (Third E. Schaechter (ed.); pp. 153–162). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-012373944-5.00327-8>

Dinos, G. P. (2017). The macrolide antibiotic renaissance. *British journal of pharmacology*, 174(18), 2967-2983.

dos Santos, R. M., Diaz, P. A. E., Lobo, L. L. B., & Rigobelo, E. C. (2020). Use of Plant Growth-Promoting Rhizobacteria in Maize and Sugarcane: Characteristics and Applications . In *Frontiers in Sustainable Food Systems* (Vol. 4). <https://www.frontiersin.org/article/10.3389/fsufs.2020.00136>

Droby, S., Wisniewski, M., Macarisin, D., & Wilson, C. (2009). Twenty years of postharvest biocontrol research: is it time for a new paradigm? *Postharvest Biology and Technology*, 52(2), 137–145.

Duan, G., Christian, N., Schwachtje, J., Walther, D., & Ebenhöh, O. (2013). The metabolic interplay between plants and phytopathogens. *Metabolites*, 3(1), 1–23.

Dubey, A., Farmer, A., Schlueter, J., Cannon, S. B., Abernathy, B., Tuteja, R., Woodward, J., Shah, T., Mulasmanovic, B., & Kudapa, H. (2011). Defining the transcriptome assembly and its use for genome dynamics and transcriptome profiling studies in pigeonpea (*Cajanus cajan* L.). *DNA Research*, 18(3), 153–164.

Dubey, R. C. (1993). Biopesticides: Biological control of plant pathogens, pests and weeds. In R. C. Dubey (Ed.), *A Textbook of Biotechnology* (pp. 457–475). S. Chand Publishing.

Duhoux, E., Rinaudo, G., Diem, H. G., Auguy, F., Fernandez, D., Bogusz, D., Franche, C., Dommergues, Y., & Huguenin, B. (2001). Angiosperm Gymnostoma trees produce root

nodules colonized by arbuscular mycorrhizal fungi related to Glomus. *New Phytologist*, 149(1), 115–125.

Dye, J. L. (1968). Solvated-electron reaction rates in amines. *Accounts of Chemical Research*, 1(10), 306–312.

El-Katatny, M. H. A., Somitsch, W., Robra, K.-H., El-Katatny, M. S., & Gübitz, G. (2000). Production of chitinase and b-1, 3-glucanase by Trichoderma harzianum for control of the phytopathogenic fungus Sclerotium rolfsii. *Food Technology and Biotechnology*, 38(3), 173–180.

El-Mohamedy, R. S. R., Shafeek, M. R., Abd El-Samad, E. E.-D. H., Salama, D. M., & Rizk, F. A. (2017). Field application of plant resistance inducers (PRIs) to control important root rot diseases and improvement growth and yield of green bean (*Phaseolus vulgaris* L.). *Australian Journal of Crop Science*, 11(5), 496–505.

El-Sayed, M. A., Valadon, L. R. G., & El-Shanshoury, A. (1987). Biosynthesis and metabolism of indole-3-acetic acid in *Streptomyces mutabilis* and in *Streptomyces atroolivaceus*. *Microbiols Letters*.

El-Shanshoury, A. R. (1991). Biosynthesis of indole-3-acetic acid in *Streptomyces atroolivaceus* and its changes during spore germination and mycelial growth. *Microblos.*, 67, 159–164.

El-Shatoury, S. A., El-Shenawy, N. S., El-Salam, A., & Ibrahim, M. (2009). Antimicrobial, antitumor and in vivo cytotoxicity of actinomycetes inhabiting marine shellfish. *World Journal of Microbiology and Biotechnology*, 25(9), 1547–1555.

El-Tarably, K A, Nassar, A. H., Hardy, G. E. S. J., & Sivasithamparam, K. (2009). Plant growth promotion and biological control of *Pythium aphanidermatum*, a pathogen of cucumber, by endophytic actinomycetes. *Journal of Applied Microbiology*, 106(1), 13–26. <https://doi.org/https://doi.org/10.1111/j.1365-2672.2008.03926.x>

El-Tarably, Khaled A. (2008). Promotion of tomato (*Lycopersicon esculentum* Mill.) plant growth by rhizosphere competent 1-aminocyclopropane-1-carboxylic acid deaminase-producing streptomycete actinomycetes. *Plant and Soil*, 308(1), 161–174.

<https://doi.org/10.1007/s11104-008-9616-2>

El-Tarably, Khaled A, Hardy, G. E. S. J., Sivasithamparam, K., Hussein, A. M., & Kurtböke, D. I. (1997). The potential for the biological control of cavity-spot disease of carrots, caused by *Pythium coloratum*, by streptomycete and non-streptomycete actinomycetes.

The New Phytologist, 137(3), 495–507.

El-Tarably, Khaled A, & Sivasithamparam, K. (2006). Non-streptomycete actinomycetes as biocontrol agents of soil-borne fungal plant pathogens and as plant growth promoters. *Soil Biology and Biochemistry*, 38(7), 1505–1520.

El-Tarably, Khaled A, Sykes, M. L., Kurtböke, I. D., Hardy, G. E. S. J., Barbosa, A. M., & Dekker, R. F. H. (1996). Synergistic effects of a cellulase-producing *Micromonospora carbonacea* and an antibiotic-producing *Streptomyces violascens* on the suppression of *Phytophthora cinnamomi* root rot of Banksia grandis. *Canadian Journal of Botany*, 74(4), 618–624.

Emerson, D., Agulto, L., Liu, H., & Liu, L. (2008). Identifying and characterizing bacteria in an era of genomics and proteomics. *BioScience*, 58(10), 925–936.

Engelkes, C. A., Nuclø, R. L., & Fravel, D. R. (1997). Effect of carbon, nitrogen, and C: N ratio on growth, sporulation, and biocontrol efficacy of *Talaromyces flavus*. *Phytopathology*, 87(5), 500–505.

Ernst, R. R., Bodenhausen, G., & Wokaun, A. (1987). *Principles of nuclear magnetic resonance in one and two dimensions* (Issue BOOK).

Errakhi, R, Lebrihi, A., & Barakate, M. (2009). In vitro and in vivo antagonism of actinomycetes isolated from Moroccan rhizospherical soils against *Sclerotium rolfsii*: a causal agent of root rot on sugar beet (*Beta vulgaris* L.). *Journal of Applied Microbiology*, 107(2), 672–681.

Errakhi, Rafik, Bouteau, F., Lebrihi, A., & Barakate, M. (2007). Evidences of biological control capacities of *Streptomyces* spp. against *Sclerotium rolfsii* responsible for damping-off disease in sugar beet (*Beta vulgaris* L.). *World Journal of Microbiology and Biotechnology*, 23(11), 1503–1509.

Fabre, B., Armau, B., Etienne, G., Legendre, F., & Tiraby, G. (1988). A simple screening method for insecticidal substances from actinomycetes. *The Journal of Antibiotics*, 41(2), 212–219.

Fan, F., Hamada, M. S., Li, N., Li, G. Q., & Luo, C. X. (2017). Multiple fungicide resistance in *Botrytis cinerea* from greenhouse strawberries in Hubei Province, China. *Plant Disease*, 101(4), 601–606.

Fan, Q., Tian, S., Liu, H., & Xu, Y. (2002). Production of β-1, 3-glucanase and chitinase of two biocontrol agents and their possible modes of action. *Chinese Science Bulletin*, 47(4), 292–296.

FAO. (2008). *FAO Statistical Databases*. FAOSTAT.

Farhat, M. Ben, Boukhris, I., & Chouayekh, H. (2015). Mineral phosphate solubilization by *Streptomyces* sp. CTM396 involves the excretion of gluconic acid and is stimulated by humic acids. *FEMS Microbiology Letters*, 362(5), fnv008. <https://doi.org/10.1093/femsle/fnv008>

Farhat, M. Ben, Farhat, A., Bejar, W., Kammoun, R., Bouchaala, K., Fourati, A., Antoun, H., Bejar, S., & Chouayekh, H. (2009). Characterization of the mineral phosphate solubilizing activity of *Serratia marcescens* CTM 50650 isolated from the phosphate mine of Gafsa. *Archives of Microbiology*, 191(11), 815–824.

Farid, M. A., El-Enshasy, H. A., El-Diwany, A. I., & El-Sayed, E. A. (2000). Optimization of the cultivation medium for natamycin production by *Streptomyces natalensis*. *Journal of Basic Microbiology: An International Journal on Biochemistry, Physiology, Genetics, Morphology, and Ecology of Microorganisms*, 40(3), 157–166.

Feng, Jiayu, Zhang, J., Zhang, J., He, Y., Zhang, R., Chen, C., & Liu, G. (2017). Enhanced methane production of vinegar residue by response surface methodology (RSM). *Amb Express*, 7(1), 1–8.

Feng, Juntao, Zhang, W., Han, L., & Zhang, X. (2011). Statistical optimization of medium components to improve the antibiotic activity of *Streptomyces* sp. 19G-317. *African Journal of Agricultural Research*, 6(19), 4424–4431.

Figueiredo, M. do V. B., Seldin, L., Araujo, F. F. de, & Mariano, R. de L. R. (2010). Plant growth promoting rhizobacteria: fundamentals and applications. In *Plant growth and health promoting bacteria* (pp. 21–43). Springer.

Fox, J. E., Gulledge, J., Engelhaupt, E., Burow, M. E., & McLachlan, J. A. (2007). Pesticides reduce symbiotic efficiency of nitrogen-fixing rhizobia and host plants. *Proceedings of the National Academy of Sciences of the United States of America*, 104(24), 10282–10287. <https://doi.org/10.1073/pnas.0611710104>

Fox, T. R., Lee Allen, H., Albaugh, T. J., Rubilar, R., & Carlson, C. A. (2007). Tree nutrition and forest fertilization of pine plantations in the southern United States. *Southern Journal of Applied Forestry*, 31(1), 5–11.

Franco-Correa, M., Quintana, A., Duque, C., Suarez, C., Rodríguez, M. X., & Barea, J.-M. (2010). Evaluation of actinomycete strains for key traits related with plant growth promotion and mycorrhiza helping activities. *Applied Soil Ecology*, 45(3), 209–217.

Frank, B. (2005). On the nutritional dependence of certain trees on root symbiosis with belowground fungi (an English translation of AB Frank's classic paper of 1885). *Mycorrhiza*, 15(4), 267–275.

Fravel, D. R. (2005). Commercialization and implementation of biocontrol. *Annu. Rev. Phytopathol.*, 43, 337–359.

Früh, T., Chemla, P., Ehrler, J., & Farooq, S. (1996). Natural products as pesticides: two examples of stereoselective synthesis. *Pesticide Science*, 46(1), 37–47.

Fyfe, C., Grossman, T. H., Kerstein, K., & Sutcliffe, J. (2016). Resistance to macrolide antibiotics in public health pathogens. *Cold Spring Harbor Perspectives in Medicine*, 6(10), a025395.

Gamalero, E., Martinotti, M. G., Trotta, A., Lemanceau, P., & Berta, G. (2002). Morphogenetic modifications induced by *Pseudomonas fluorescens* A6RI and *Glomus mosseae* BEG12 in the root system of tomato differ according to plant growth conditions. *New Phytologist*, 155(2), 293–300.

Garbaye, J. (1994). Tansley review no. 76 helper bacteria: a new dimension to the mycorrhizal symbiosis. *New Phytologist*, 128(2), 197–210.

García de Salamone, I. E., Hynes, R. K., & Nelson, L. M. (2001). Cytokinin production by plant growth promoting rhizobacteria and selected mutants. *Canadian Journal of Microbiology*, 47(5), 404–411.

Gardes, M., & Bruns, T. D. (1993). ITS primers with enhanced specificity for basidiomycetes-application to the identification of mycorrhizae and rusts. *Molecular Ecology*, 2(2), 113–118.

Gaur, A. C. (1990). *Phosphate solubilizing micro-organisms as biofertilizer*. Omega scientific publishers.

Gee, G. W., & Or, D. (2002). Particle-size analysis. In J. H. Dane & C. G. Topp (Eds.), *Methods of Soil Analysis, Part 4: Physical Methods* (pp. 255–293). Soil Science Society of America.

Gerbore, J., Benhamou, N., Vallance, J., Le Floch, G., Grizard, D., Regnault-Roger, C., & Rey, P. (2014). Biological control of plant pathogens: advantages and limitations seen through the case study of *Pythium oligandrum*. *Environmental Science and Pollution Research*, 21(7), 4847–4860.

Getha, K., & Vikineswary, S. (2002). Antagonistic effects of *Streptomyces violaceusniger* strain G10 on *Fusarium oxysporum* f. sp. *cubense* race 4: indirect evidence for the role of antibiosis in the antagonistic process. *Journal of Industrial Microbiology and Biotechnology*, 28(6), 303–310.

Gibson, F., & Magrath, D. I. (1969). The isolation and characterization of a hydroxamic acid (aerobactin) formed by *Aerobacter aerogenes* 62-1. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 192(2), 175–184.

Giovannoni, S. J., Britschgi, T. B., Moyer, C. L., & Field, K. G. (1990). Genetic diversity in Sargasso Sea bacterioplankton. *Nature*, 345(6270), 60–63.

Glick, B. R. (2005). Modulation of plant ethylene levels by the bacterial enzyme ACC

deaminase. *FEMS Microbiology Letters*, 251(1), 1–7.

Glick, B. R., Cheng, Z., Czarny, J., & Duan, J. (2007). Promotion of plant growth by ACC deaminase-producing soil bacteria. *New Perspectives and Approaches in Plant Growth-Promoting Rhizobacteria Research*, 329–339.

Glick, B. R., Penrose, D. M., & Li, J. (1998). A model for the lowering of plant ethylene concentrations by plant growth-promoting bacteria. *Journal of Theoretical Biology*, 190(1), 63–68.

Gohel, V., Singh, A., Vimal, M., Ashwini, P., & Chhatpar, H. S. (2006). Bioprospecting and antifungal potential of chitinolytic microorganisms. *African Journal of Biotechnology*, 5(2), 54–72.

Gomes, R. C., Semedo, L. T. A. S., Soares, R. M. A., Alviano, C. S., And, L. F. L., & Coelho, R. R. R. (2000). Chitinolytic activity of actinomycetes from a cerrado soil and their potential in biocontrol. *Letters in Applied Microbiology*, 30(2), 146–150. <https://doi.org/https://doi.org/10.1046/j.1472-765x.2000.00687.x>

Gonzalez, R., Islas, L., Obregon, A.-M., Escalante, L., & Sanchez, S. (1995). Gentamicin formation in *Micromonospora purpurea*: stimulatory effect of ammonium. *The Journal of Antibiotics*, 48(6), 479–483.

Goodfellow, Michael, & Williams, S. T. (1983). Ecology of actinomycetes. *Annual Review of Microbiology*, 37(1), 189–216.

Gopalakrishnan, S., & Srinivas, V. (2019). Management of soil-borne diseases of grain legumes through broad-spectrum actinomycetes having plant growth-promoting and biocontrol traits. In *Plant microbe interface* (pp. 129–144). Springer.

Gopalakrishnan, S., Srinivas, V., Sree Vidya, M., & Rathore, A. (2013). Plant growth-promoting activities of *Streptomyces* spp. in sorghum and rice. *SpringerPlus*, 2(1), 1–8.

Gopalakrishnan, S., Vadlamudi, S., Bandikinda, P., Sathya, A., Vijayabharathi, R., Rupela, O., Kudapa, H., Katta, K., & Varshney, R. K. (2014). Evaluation of *Streptomyces* strains isolated from herbal vermicompost for their plant growth-promotion traits in rice.

- Goudjal, Y., Toumatia, O., Sabaou, N., Barakate, M., Mathieu, F., & Zitouni, A. (2013). Endophytic actinomycetes from spontaneous plants of Algerian Sahara: indole-3-acetic acid production and tomato plants growth promoting activity. *World Journal of Microbiology and Biotechnology*, 29(10), 1821–1829.
- Goudjal, Y., Toumatia, O., Yekkour, A., Sabaou, N., Mathieu, F., & Zitouni, A. (2014). Biocontrol of Rhizoctonia solani damping-off and promotion of tomato plant growth by endophytic actinomycetes isolated from native plants of Algerian Sahara. *Microbiological Research*, 169(1), 59–65.
- Goudjal, Y., Zamoum, M., Sabaou, N., Mathieu, F., & Zitouni, A. (2016). Potential of endophytic Streptomyces spp. for biocontrol of Fusarium root rot disease and growth promotion of tomato seedlings. *Biocontrol Science and Technology*, 26(12), 1691–1705.
- Green, S., Stewart-Wade, S. M., Boland, G. J., Teshler, M. P., & Liu, S. H. (1998). Formulating microorganisms for biological control of weeds. In G. J. Boland & L. D. Kuykendall (Eds.), *Plant-Microbe Interactions and Biological Control* (pp. 249–281). Marcel Dekker.
- Grimm, L. H., Kelly, S., Krull, R., & Hempel, D. C. (2005). Morphology and productivity of filamentous fungi. *Applied Microbiology and Biotechnology*, 69(4), 375–384.
- Gryndler, M. (2000). Interactions of arbuscular mycorrhizal fungi with other soil organisms. In Y. Kapulnik & D. D. J. Douds (Eds.), *Arbuscular mycorrhizas: physiology and function* (pp. 239–262). Springer.
- Guan, X., Liu, C., Zhao, J., Fang, B., Zhang, Y., Li, L., Jin, P., Wang, X., & Xiang, W. (2015). Streptomyces maoxianensis sp. nov., a novel actinomycete isolated from soil in Maoxian, China. *Antonie van Leeuwenhoek*, 107(5), 1119–1126.
- Guetsky, R., Shtienberg, D., Elad, Y., Fischer, E., & Dinoor, A. (2002). Improving biological control by combining biocontrol agents each with several mechanisms of disease suppression. *Phytopathology*, 92(9), 976–985.

- Gupta, G., Parihar, S. S., Ahirwar, N. K., Snehi, S. K., & Singh, V. (2015). Plant growth promoting rhizobacteria (PGPR): current and future prospects for development of sustainable agriculture. *J Microb Biochem Technol*, 7(2), 96–102.
- Gupte, M., & Kulkarni, P. (2003). A study of antifungal antibiotic production by Thermomonospora sp MTCC 3340 using full factorial design. *Journal of Chemical Technology & Biotechnology: International Research in Process, Environmental & Clean Technology*, 78(6), 605–610.
- Guzman, L. M., Johnson, S. A., Mooers, A. O., & M'Gonigle, L. K. (2021). Using historical data to estimate bumble bee occurrence: Variable trends across species provide little support for community-level declines. *Biological Conservation*, 257, 109141.
- Gwata, E. T., Silim, S. N., & Mgona, M. (2006). Impact of a new source of resistance to Fusarium wilt in pigeonpea. *Journal of Phytopathology*, 154(1), 62–64.
- Haas, D., & Défago, G. (2005). Biological control of soil-borne pathogens by fluorescent pseudomonads. *Nature Reviews Microbiology*, 3(4), 307–319.
- Haggag, W. M., & Mohamed, H. A. A. (2007). Biotechnological aspects of microorganisms used in plant biological control. *American-Eurasian Journal of Sustainable Agriculture*, 1(1), 7–12.
- Hamdali, H., Bouizgarne, B., Hafidi, M., Lebrihi, A., Virolle, M. J., & Ouhdouch, Y. (2008). Screening for rock phosphate solubilizing Actinomycetes from Moroccan phosphate mines. *Applied Soil Ecology*, 38(1), 12–19.
- Hamdali, H., Hafidi, M., Virolle, M. J., & Ouhdouch, Y. (2008). Rock phosphate-solubilizing Actinomycetes: screening for plant growth-promoting activities. *World Journal of Microbiology and Biotechnology*, 24(11), 2565–2575.
- Han, J., Sun, L., Dong, X., Cai, Z., Sun, X., Yang, H., Wang, Y., & Song, W. (2005). Characterization of a novel plant growth-promoting bacteria strain *Delftia tsuruhatensis* HR4 both as a diazotroph and a potential biocontrol agent against various plant pathogens. *Systematic and Applied Microbiology*, 28(1), 66–76.

- Handelsman, J., & Stabb, E. V. (1996). Biocontrol of soilborne plant pathogens. *The Plant Cell*, 8(10), 1855.
- Hansen, M., Chae, H. S., & Kieber, J. J. (2009). Regulation of ACS protein stability by cytokinin and brassinosteroid. *The Plant Journal*, 57(4), 606–614.
- Harley, J. L., & Smith, S. E. (1983). *Mycorrhizal symbiosis*. Academic press.
- Hart, M. M., & Forsythe, J. A. (2012). Using arbuscular mycorrhizal fungi to improve the nutrient quality of crops; nutritional benefits in addition to phosphorus. *Scientia Horticulturae*, 148, 206–214.
- Hashem, A., Abd_Allah, E. F., Alqarawi, A. A., Al-Huqail, A. A., Wirth, S., & Egamberdieva, D. (2016). The interaction between arbuscular mycorrhizal fungi and endophytic bacteria enhances plant growth of *Acacia gerrardii* under salt stress. *Frontiers in Microbiology*, 7, 1089.
- Hashem, A., Tabassum, B., & Abd_Allah, E. F. (2019). *Bacillus subtilis*: A plant-growth promoting rhizobacterium that also impacts biotic stress. *Saudi Journal of Biological Sciences*, 26(6), 1291–1297.
- He, D.-C., Burdon, J. J., Xie, L., & Jiasui, Z. (2021). Triple bottom-line consideration of sustainable plant disease management: From economic, sociological and ecological perspectives. *Journal of Integrative Agriculture*, 20(10), 2581–2591.
- He, D.-C., He, M.-H., Amalin, D. M., Liu, W., Alvindia, D. G., & Zhan, J. (2021). Biological control of plant diseases: An evolutionary and eco-Economic consideration. *Pathogens*, 10(10), 1311. <https://doi.org/https://doi.org/10.3390/pathogens10101311>
- Heimpel, G. E., & Mills, N. J. (2017). *Biological control*. Cambridge University Press.
- Herrmann, L., & Lesueur, D. (2013). Challenges of formulation and quality of biofertilizers for successful inoculation. *Applied Microbiology and Biotechnology*, 97(20), 8859–8873.
- Hillocks, R. J. (1984). Production of cotton varieties with resistance to Fusarium wilt with special reference to Tanzania. *International Journal of Pest Management*, 30(3), 234–

- Höfte, M., & Altier, N. (2010). Fluorescent pseudomonads as biocontrol agents for sustainable agricultural systems. *Research in Microbiology*, 161(6), 464–471.
- Honma, M., & Shimomura, T. (1978). Metabolism of 1-aminocyclopropane-1-carboxylic acid. *Agricultural and Biological Chemistry*, 42(10), 1825–1831.
- Hopwood, D. A. (2007). Therapeutic treasures from the deep. *Nature Chemical Biology*, 3(8), 457–458.
- Hora, T. S., & Baker, R. (1970). Volatile factor in soil fungistasis. *Nature*, 225(5237), 1071–1072.
- Hoster, F., Schmitz, J. E., & Daniel, R. (2005). Enrichment of chitinolytic microorganisms: isolation and characterization of a chitinase exhibiting antifungal activity against phytopathogenic fungi from a novel *Streptomyces* strain. *Applied Microbiology and Biotechnology*, 66(4), 434–442.
- Hou, Q., & Kolodkin-Gal, I. (2020). Harvesting the complex pathways of antibiotic production and resistance of soil bacilli for optimizing plant microbiome. *FEMS Microbiology Ecology*, 96(9), fiaa142.
- Howell, C R, Stipanovic, R. D., & Lumsden, R. D. (1993). Antibiotic production by strains of *Gliocladium virens* and its relation to the biocontrol of cotton seedling diseases. *Biocontrol Science and Technology*, 3(4), 435–441.
- Howell, Charles R, & Stipanovic, R. D. (1983). Gliovirin, a new antibiotic from *Gliocladium virens*, and its role in the biological control of *Pythium ultimum*. *Canadian Journal of Microbiology*, 29(3), 321–324.
- Huang, C. H., Lin, Y. S., Yang, Y. L., Huang, S. W., & Chen, C. W. (1998). The telomeres of *Streptomyces* chromosomes contain conserved palindromic sequences with potential to form complex secondary structures. *Molecular microbiology*, 28(5), 905-916.
- Huey, C. J., Gopinath, S. C. B., Uda, M. N. A., Zulhaimi, H. I., Jaafar, M. N., Kasim, F. H.,

& Yaakub, A. R. W. (2020). Mycorrhiza: a natural resource assists plant growth under varied soil conditions. *3 Biotech*, 10(5), 1–9.

Igarashi, M., Takahashi, Y., Shitara, T., Nakamura, H., Naganawa, H., Miyake, T., & Akamatsu, Y. (2005). Caprazamycins, Novel Lipo-nucleoside Antibiotics, from Streptomyces sp. *The Journal of Antibiotics*, 58(5), 327–337. <https://doi.org/10.1038/ja.2005.41>

Islam, A., & Hernández, F. L. (1966). Methods for characterization of Streptomyces species. *METHODS*, 16(3), 313–340.

Jacob, J., Rajendran, R. U., Priya, S. H., Purushothaman, J., & Saraswathy Amma, D. K. B. N. (2017). Enhanced antibacterial metabolite production through the application of statistical methodologies by a Streptomyces nogalater NIIST A30 isolated from Western Ghats forest soil. *PLoS One*, 12(4), e0175919.

Jacobsen, B. J., Zidack, N. K., & Larson, B. J. (2004). The role of Bacillus-based biological control agents in integrated pest management systems: plant diseases. *Phytopathology*, 94(11), 1272–1275.

Jäderlund, L., Arthurson, V., Granhall, U., & Jansson, J. K. (2008). Specific interactions between arbuscular mycorrhizal fungi and plant growth-promoting bacteria: as revealed by different combinations. *FEMS Microbiology Letters*, 287(2), 174–180.

Jaemsaeang, R., Jantasuriyarat, C., & Thamchaipenet, A. (2018). Positive role of 1-aminocyclopropane-1-carboxylate deaminase-producing endophytic Streptomyces sp. GMKU 336 on flooding resistance of mung bean. *Agriculture and Natural Resources*, 52(4), 330–334.

James, C. (1998). *Global review of commercialized transgenic crops: 1998* (Vol. 94). Citeseer.

Jana, S., & Choudhuri, M. A. (1982). Glycolate metabolism of three submersed aquatic angiosperms during ageing. *Aquatic Botany*, 12, 345–354.

Jeffries, P. (1995). Biology and ecology of mycoparasitism. *Canadian Journal of Botany*,

73(S1), 1284–1290.

Jetiyanon, K., Fowler, W. D., & Kloepper, J. W. (2003). Broad-spectrum protection against several pathogens by PGPR mixtures under field conditions in Thailand. *Plant Disease*, 87(11), 1390–1394.

Jha, C. K., & Saraf, M. (2015). Plant growth promoting rhizobacteria (PGPR). *Journal of Agricultural Research and Development*, 5(2), 108–119.

Ji, S. H., Paul, N. C., Deng, J. X., Kim, Y. S., Yun, B.-S., & Yu, S. H. (2013). Biocontrol activity of *Bacillus amyloliquefaciens* CNU114001 against fungal plant diseases. *Mycobiology*, 41(4), 234–242.

Jin, L., Zhao, Y., Song, W., Duan, L., Jiang, S., Wang, X., Zhao, J., & Xiang, W. (2019). *Streptomyces inhibens* sp. nov., a novel actinomycete isolated from rhizosphere soil of wheat (*Triticum aestivum* L.). *International Journal of Systematic and Evolutionary Microbiology*, 69(3), 688–695.

Jing, T., Zhou, D., Zhang, M., Yun, T., Qi, D., Wei, Y., Chen, Y., Zang, X., Wang, W., & Xie, J. (2020). Newly isolated *Streptomyces* sp. JBS5-6 as a potential biocontrol agent to control banana Fusarium wilt: genome sequencing and secondary metabolite cluster profiles. *Frontiers in Microbiology*, 3036.

Jog, R., Nareshkumar, G., & Rajkumar, S. (2016). Enhancing soil health and plant growth promotion by actinomycetes. In *Plant growth promoting actinobacteria* (pp. 33–45). Springer.

Jones-Rhoades, M. W., Bartel, D. P., & Bartel, B. (2006). MicroRNAs and their regulatory roles in plants. *Annu. Rev. Plant Biol.*, 57, 19–53.

Jones, A. W. (1975). Ancient egyptian model for the biological control of Schistosomiasis. *Proceedings of the Oklahoma Academy of Science*, 136–142.

Jose, P. A., & Jebakumar, S. R. D. (2012). Appraisal of solar saltern based diverse actinomycetes as a source of antimicrobial natural compounds. *Proceedings of the Amrita Bioquest 2012, International Conference on Biotechnology for Innovative*

Applications, 444–447.

Joshi, F. R., Kholiya, S. P., Archana, G., & Desai, A. J. (2008). Siderophore cross-utilization amongst nodule isolates of the cowpea miscellany group and its effect on plant growth in the presence of antagonistic organisms. *Microbiological Research*, 163(5), 564–570.

Jouzani, G. S., Valijanian, E., & Sharafi, R. (2017). *Bacillus thuringiensis*: a successful insecticide with new environmental features and tidings. *Applied Microbiology and Biotechnology*, 101(7), 2691–2711.

Juntarawijit, C., & Juntarawijit, Y. (2018). Association between diabetes and pesticides: a case-control study among Thai farmers. *Environmental Health and Preventive Medicine*, 23(1), 1–10.

Kanehisa, M., Sato, Y., Furumichi, M., Morishima, K., & Tanabe, M. (2019). New approach for understanding genome variations in KEGG. *Nucleic Acids Research*, 47(D1), D590–D595.

Kang, S.-M., Joo, G.-J., Hamayun, M., Na, C.-I., Shin, D.-H., Kim, H. Y., Hong, J.-K., & Lee, I.-J. (2009). Gibberellin production and phosphate solubilization by newly isolated strain of *Acinetobacter calcoaceticus* and its effect on plant growth. *Biotechnology Letters*, 31(2), 277–281.

Kanmani, P., Karthik, S., Aravind, J., & Kumaresan, K. (2013). The use of response surface methodology as a statistical tool for media optimization in lipase production from the dairy effluent isolate *Fusarium solani*. *International Scholarly Research Notices*, 2013.

Kapur, M. K., Solanki, R., Das, P., Kumar, M., & Kumar, P. (2018). Antimicrobial activity analysis of bioactive compounds from soil actinomycetes. *J Pharm Chem Biol Sci*, 6, 178–187.

Kasiri, M. B., Modirshahla, N., & Mansouri, H. (2013). Decolorization of organic dye solution by ozonation; Optimization with response surface methodology. *International Journal of Industrial Chemistry*, 4(1), 1–10.

Kaur, H., Arora, D. S., & Sharma, V. (2014). Isolation, purification, and characterization of

antimicrobial compound 6-[1, 2-dimethyl-6-(2-methyl-allyloxy)-hexyl]-3-(2-methoxy-phenyl)-chromen-4-one from *Penicillium* sp. HT-28. *Applied Biochemistry and Biotechnology*, 173(8), 1963–1976.

Kavitha, G., Kurinjimalar, C., Sivakumar, K., Kaarthik, M., Aravind, R., Palani, P., & Rengasamy, R. (2016). Optimization of polyhydroxybutyrate production utilizing waste water as nutrient source by *Botryococcus braunii* Kütz using response surface methodology. *International Journal of Biological Macromolecules*, 93, 534–542.

Khalid, A., Tahir, S., Arshad, M., & Zahir, Z. A. (2004). Relative efficiency of rhizobacteria for auxin biosynthesis in rhizosphere and non-rhizosphere soils. *Soil Research*, 42(8), 921–926.

Khameneh, B., Iranshahy, M., Soheili, V., & Bazzaz, B. S. F. (2019). Review on plant antimicrobials: a mechanistic viewpoint. *Antimicrobial Resistance & Infection Control*, 8(1), 1–28.

Khamna, S., Yokota, A., Peberdy, J. F., & Lumyong, S. (2010). Indole-3-acetic acid production by *Streptomyces* sp. isolated from some Thai medicinal plant rhizosphere soils. *EurAsian Journal of BioSciences*, 4.

Khan, N. A. (2005). The influence of exogenous ethylene on growth and photosynthesis of mustard (*Brassica juncea*) following defoliation. *Scientia Horticulturae*, 105(4), 499–505.

Khandan, N. D., & Janardhana, G. R. (2013). Diversity and antimicrobial activities of actinomycetes isolated from soil samples of Kodagu, Karnataka state (India). *International Journal of Microbiology Research*, 5(3), 404.

Kim, H., Rim, S. O., & Bae, H. (2019). Antimicrobial potential of metabolites extracted from ginseng bacterial endophyte *Burkholderia stabilis* against ginseng pathogens. *Biological Control*, 128, 24–30.

Kimura, M. (1980). A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16(2), 111–120.

Kind, T., & Fiehn, O. (2006). Metabolomic database annotations via query of elemental compositions: mass accuracy is insufficient even at less than 1 ppm. *BMC Bioinformatics*, 7(1), 1–10.

Kloepper, J. W. (1994). Plant growth-promoting rhizobacteria (other systems). In Y. Okon (Ed.), *Azospirillum/plant associations* (Vol. 187, pp. 137–166). CRC Press.

Kloepper, J. W. (1996). Host specificity in microbe-microbe interactions. *Bioscience*, 46(6), 406–409.

Knight, L. I. (1910). Effects of various gases and vapors upon etiolated seedlings of the sweet pea. *Science*, 31, 635–636.

Knight, S. C., Anthony, V. M., Brady, A. M., Greenland, A. J., Heaney, S. P., Murray, D. C., Powell, K. A., Schulz, M. A., Spinks, C. A., & Worthington, P. A. (1997). Rationale and perspectives on the development of fungicides. *Annual Review of Phytopathology*, 35(1), 349–372.

Ko, W. H., & Hora, F. K. (1974). Factors affecting the activity of a volatile fungistatic substance in certain alkaline soils. *Phytopathology*, 64, 1042–1043.

Ko, W. H., Hora, F. K., & Herlicska, E. (1974). Isolation and identification of a volatile fungistatic substance from alkaline soil [Ammonia]. *Phytopathology*, 64, 1398–1400.

Kohei, G., Tetsuya, U., Alexander, L., Masayuki, Y., Keiichiro, H., Hidenori, S., & Haruyasu, K. (2002). Cloning and Analysis of the Telomere and Terminal Inverted Repeat of the Linear Chromosome of *Streptomyces griseus*. *Journal of Bacteriology*, 184(12), 3411–3415. <https://doi.org/10.1128/JB.184.12.3411-3415.2002>

Köhl, J., Kolnaar, R., & Ravensberg, W. J. (2019). Mode of action of microbial biological control agents against plant diseases: relevance beyond efficacy. *Frontiers in Plant Science*, 845.

Kole C, Muthamilarasan M, Henry R. (2015). Application of genomics-assisted breeding for generation of climate resilient crops: progress and prospects. *Frontiers in Plant Science* 6, 563.

- Kong, Y., Zou, P., Miao, L., Qi, J., Song, L., Zhu, L., & Xu, X. (2014). Medium optimization for the production of anti-cyanobacterial substances by *Streptomyces* sp. HJC-D1 using response surface methodology. *Environmental Science and Pollution Research*, 21(9), 5983–5990.
- Kremen, C., Williams, N. M., Aizen, M. A., Gemmill-Herren, B., LeBuhn, G., Minckley, R., Packer, L., Potts, S. G., Roulston, T., & Steffan-Dewenter, I. (2007). Pollination and other ecosystem services produced by mobile organisms: a conceptual framework for the effects of land-use change. *Ecology Letters*, 10(4), 299–314.
- Krey, T., Vassilev, N., Baum, C., & Eichler-Löbermann, B. (2013). Effects of long-term phosphorus application and plant-growth promoting rhizobacteria on maize phosphorus nutrition under field conditions. *European Journal of Soil Biology*, 55, 124–130.
- Kruasawan, W., & Thamchaipenet, A. (2018). 1-Aminocyclopropane-1-carboxylate (ACC) deaminase-producing endophytic diazotrophic *Enterobacter* sp. EN-21 modulates salt-stress response in sugarcane. *Journal of Plant Growth Regulation*, 37(3), 849–858.
- Kudapa, H., Bharti, A. K., Cannon, S. B., Farmer, A. D., Mulaosmanovic, B., Kramer, R., Bohra, A., Weeks, N. T., Crow, J. A., & Tuteja, R. (2012). A comprehensive transcriptome assembly of pigeonpea (*Cajanus cajan* L.) using Sanger and second-generation sequencing platforms. *Molecular Plant*, 5(5), 1020–1028.
- Kumar, A., Saini, P., & Srivastava, J. (2009). Production of peptide antifungal antibiotic and biocontrol activity of *Bacillus subtilis*. *Indian Journal of Experimental Biology*, 47, 57–62.
- Kumar, P., Thakur, S., Dhingra, G. K., Singh, A., Pal, M. K., Harshvardhan, K., Dubey, R. C., & Maheshwari, D. K. (2018). Inoculation of siderophore producing rhizobacteria and their consortium for growth enhancement of wheat plant. *Biocatalysis and Agricultural Biotechnology*, 15, 264–269.
- Kumar, S., Chauhan, P. S., Agrawal, L., Raj, R., Srivastava, A., Gupta, S., Mishra, S. K., Yadav, S., Singh, P. C., & Raj, S. K. (2016). *Paenibacillus lentimorbus* inoculation enhances tobacco growth and extenuates the virulence of Cucumber mosaic virus. *PLoS One*, 11(3), e0149980.

Kumari, A., Kapoor, K. K., Kundu, B. S., & Kumari Mehta, R. (2008). Identification of organic acids produced during rice straw decomposition and their role in rock phosphate solubilization. *Plant Soil and Environment*, 54(2), 72.

Kuramae, E. E., Yergeau, E., Wong, L. C., Pijl, A. S., van Veen, J. A., & Kowalchuk, G. A. (2012). Soil characteristics more strongly influence soil bacterial communities than land-use type. *FEMS Microbiology Ecology*, 79(1), 12–24. <https://doi.org/10.1111/j.1574-6941.2011.01192.x>

Kwok, S., Kellogg, D. E., McKinney, N., Spasic, D., Goda, L., Levenson, C., & Sninsky, J. J. (1990). Effects of primer-template mismatches on the polymerase chain reaction: human immunodeficiency virus type 1 model studies. *Nucleic Acids Research*, 18(4), 999–1005.

Labeda, D P, Goodfellow, M., Brown, R., Ward, A. C., Lanoot, B., Vannanneyt, M., Swings, J., Kim, S.-B., Liu, Z., & Chun, J. (2012). Phylogenetic study of the species within the family Streptomycetaceae. *Antonie Van Leeuwenhoek*, 101(1), 73–104.

Large, E. C. (1940). The advance of the fungi. *The Advance of the Fungi*.

Larkin, R. P., & Fravel, D. R. (1998). Efficacy of various fungal and bacterial biocontrol organisms for control of Fusarium wilt of tomato. *Plant Disease*, 82(9), 1022–1028.

Larpent, J.-P., & Larpent-Gourgaud, M. (1990). *Mémento technique de Microbiologie*. Technique et documentation-Lavoisier.

Larsen, J., Cornejo, P., & Barea, J. M. (2009). Interactions between the arbuscular mycorrhizal fungus Glomus intraradices and the plant growth promoting rhizobacteria Paenibacillus polymyxa and P. macerans in the mycorrhizosphere of Cucumis sativus. *Soil Biology and Biochemistry*, 41(2), 286–292.

Law, J. W.-F., Ser, H.-L., Khan, T. M., Chuah, L.-H., Pusparajah, P., Chan, K.-G., Goh, B.-H., & Lee, L.-H. (2017). The potential of Streptomyces as biocontrol agents against the rice blast fungus, Magnaporthe oryzae (Pyricularia oryzae). *Frontiers in Microbiology*, 8, 3.

- Leclère, V., Béchet, M., Adam, A., Guez, J.-S., Wathélet, B., Ongena, M., Thonart, P., Gancel, F., Chollet-Imbert, M., & Jacques, P. (2005). Mycosubtilin overproduction by *Bacillus subtilis* BBG100 enhances the organism's antagonistic and biocontrol activities. *Applied and Environmental Microbiology*, 71(8), 4577–4584.
- Lee, R. C., Feinbaum, R. L., & Ambros, V. (1993). The *C. elegans* heterochronic gene lin-4 encodes small RNAs with antisense complementarity to lin-14. *Cell*, 75(5), 843–854.
- Leibinger, W., Breuker, B., Hahn, M., & Mendgen, K. (1997). Control of postharvest pathogens and colonization of the apple surface by antagonistic microorganisms in the field. *Phytopathology*, 87(11), 1103–1110.
- Lemanceau, P., & Alabouvette, C. (1991). Biological control of fusarium diseases by fluorescent *Pseudomonas* and non-pathogenic *Fusarium*. *Crop Protection*, 10(4), 279–286.
- Lewis, J. A. (1991). Formulation and delivery systems of biocontrol agents with emphasis on fungi. In D. L. Keister & P. B. Cregeen (Eds.), *The rhizosphere and plant growth* (pp. 279–287). Kluwer Academic Publishers.
- Li, R.-F., Wang, B., Liu, S., Chen, S.-H., Yu, G.-H., Yang, S.-Y., Huang, L., Yin, Y.-L., & Lu, Z.-F. (2016). Optimization of the Expression Conditions of CGA-N46 in *Bacillus subtilis* DB1342 (p-3N46) by Response Surface Methodology. *Interdisciplinary Sciences: Computational Life Sciences*, 8(3), 277–283.
- Li, T., Lin, G., Zhang, X., Chen, Y., Zhang, S., & Chen, B. (2014). Relative importance of an arbuscular mycorrhizal fungus (*Rhizophagus intraradices*) and root hairs in plant drought tolerance. *Mycorrhiza*, 24(8), 595–602.
- Lieberman, M., & Mapson, L. W. (1964). Genesis and biogenesis of ethylene. *Nature*, 204(4956), 343–345.
- Lieberman, J. A., & Epstein, L. (1992). Activity of fungistatic compounds from soil. *Phytopathology*, 82(2), 147–153.
- Lieberman, J. A., & Epstein, L. (1994). Partial characterization of volatile fungistatic

compound (s) from soil. *Phytopathology*, 84(5), 442–446.

Liechty, Z., Santos-Medellín, C., Edwards, J., Nguyen, B., Mikhail, D., Eason, S., Phillips, G., & Sundaresan, V. (2020). Comparative analysis of root microbiomes of rice cultivars with high and low methane emissions reveals differences in abundance of methanogenic archaea and putative upstream fermenters. *Msystems*, 5(1), e00897-19.

Liljeroth, E., Bengtsson, T., Wiik, L., & Andreasson, E. (2010). Induced resistance in potato to Phytophthora infestans—effects of BABA in greenhouse and field tests with different potato varieties. *European Journal of Plant Pathology*, 127(2), 171–183.

Linderman, R G. (1988). Mycorrhizal interactions with the rhizosphere microflora: the mycorrhizosphere effect. *Phytopathology*, 78, 366–371.

Linderman, R G. (1992). Vesicular-arbuscular mycorrhizae and soil microbial interactions. In G. J. Bethlenfalvay & R. G. Linderman (Eds.), *Mycorrhizae in Sustainable Agriculture*. (pp. 45–70.). American Society for Agronomy.

Linderman, Robert G. (2000). Effects of mycorrhizas on plant tolerance to diseases. In Y. Kapulnik & D. D. J. Douds (Eds.), *Arbuscular mycorrhizas: Physiology and function* (pp. 345–365). Kluwer Academic Publishers.

Llorente, B. E., Alasia, M. A., & Larraburu, E. E. (2016). Biofertilization with Azospirillum brasilense improves in vitro culture of Handroanthus ochraceus, a forestry, ornamental and medicinal plant. *New Biotechnology*, 33(1), 32–40.

Lockwood, J. L. (1977). Fungistasis in soils. *Biological Reviews*, 52(1), 1–43.

Lu, D., Ma, Z., Xu, X., & Yu, X. (2016). Isolation and identification of biocontrol agent Streptomyces rimosus M527 against Fusarium oxysporum f. sp. cucumerinum. *Journal of Basic Microbiology*, 56(8), 929–933.

Lu, Y., Wang, N., He, J., Li, Y., Gao, X., Huang, L., & Yan, X. (2018). Expression and characterization of a novel chitinase with antifungal activity from a rare actinomycete, Saccharothrix yanglingensis Hhs. 015. *Protein Expression and Purification*, 143, 45–51.

Lugtenberg, B., & Kamilova, F. (2009). Plant-growth-promoting rhizobacteria. *Annual*

Review of Microbiology, 63, 541–556.

Lumsden, R. D., Lewis, J. A., & Fravel, D. R. (1995). Formulation and delivery of biocontrol agents for use against soilborne plant pathogens. In F. R. Hall & J. W. Barry (Eds.), *Biorational Pest Control Agents* (ACS Sympos, pp. 166–182). ACS Publications.

Maherali, H. (2014). Is there an association between root architecture and mycorrhizal growth response? *New Phytologist*, 204(1), 192–200.

Maisuria, V. B., Gohel, V., Mehta, A. N., Patel, R. R., & Chhatpar, H. S. (2008). Biological control of Fusarium wilt of pigeonpea by *Pantoea dispersa*, a field assessment. *Annals of Microbiology*, 58(3), 411–419.

Managamuri, U., Vijayalakshmi, M., Ganduri, V. S., Rajulapati, S. B., Bonigala, B., Kalyani, B. S., & Poda, S. (2017). Isolation, identification, optimization, and metabolite profiling of *Streptomyces sparsus* VSM-30. *3 Biotech*, 7(3), 1–19.

Manulis, S., Shafrir, H., Epstein, E., Lichter, A., & Barash, I. (1994). Biosynthesis of indole-3-acetic acid via the indole-3-acetamide pathway in *Streptomyces* spp. *Microbiology*, 140(5), 1045–1050.

Marinelli, F., Genilloud, O., Fedorenko, V., & Ron, E. Z. (2015). Specialized bioactive microbial metabolites: from gene to product. *BioMed Research International*, 2015, 1–2. <https://doi.org/10.1155/2015/276964>

Marketandmarket. (2021). *Biopesticides Market by Type (Bioinsecticides, Biofungicides, Bionematicides, and Bioherbicides), Source (Microbials, Biochemicals, and Beneficial Insects), Mode of Application, Formulation, Crop Application, and Region - Global Forecast to 2025*. Biopesticide Markets. <https://www.marketsandmarkets.com/Market-Reports/biopesticides-267.html>

Marques, A. P. G. C., Pires, C., Moreira, H., Rangel, A. O. S. S., & Castro, P. M. L. (2010). Assessment of the plant growth promotion abilities of six bacterial isolates using *Zea mays* as indicator plant. *Soil Biology and Biochemistry*, 42(8), 1229–1235.

Martin, M. N., Cohen, J. D., & Saftner, R. A. (1995). A new 1-aminocyclopropane-1-

- carboxylic acid-conjugating activity in tomato fruit. *Plant Physiology*, 109(3), 917–926.
- Martínez-Álvarez, J. C., Castro-Martínez, C., Sánchez-Peña, P., Gutiérrez-Dorado, R., & Maldonado-Mendoza, I. E. (2016). Development of a powder formulation based on *Bacillus cereus* sensu lato strain B25 spores for biological control of *Fusarium verticillioides* in maize plants. *World Journal of Microbiology and Biotechnology*, 32(5), 1–10.
- Maskey, R. P., Fotso, S., Sevvana, M., Usón, I., Grün-Wollny, I., & Laatsch, H. (2006). Kettapeptin: isolation, structure elucidation and activity of a new hexadepsipeptide antibiotic from a terrestrial *Streptomyces* sp. *The Journal of Antibiotics*, 59(5), 309–314.
- Mathew, G. M., Madhavan, A., Arun, K. B., Sindhu, R., Binod, P., Singhania, R. R., Sukumaran, R. K., & Pandey, A. (2021). Thermophilic chitinases: Structural, functional and engineering attributes for industrial applications. *Applied Biochemistry and Biotechnology*, 193(1), 142–164.
- Mattick, J. S., & Makunin, I. V. (2006). Non-coding RNA. *Human Molecular Genetics*, 15(suppl_1), R17–R29.
- Mayo, K., Davis, R. E., & Motta, J. (1986). Stimulation of germination of spores of *Glomus versiforme* by spore-associated bacteria. *Mycologia*, 78(3), 426–431.
- Mazarei, F., Jooyandeh, H., Noshad, M., & Hojjati, M. (2017). Polysaccharide of caper (*Capparis spinosa* L.) Leaf: Extraction optimization, antioxidant potential and antimicrobial activity. *International Journal of Biological Macromolecules*, 95, 224–231.
- McNeely, D., Chanyi, R. M., Dooley, J. S., Moore, J. E., & Koval, S. F. (2017). Biocontrol of *Burkholderia cepacia* complex bacteria and bacterial phytopathogens by *Bdellovibrio bacteriovorus*. *Canadian Journal of Microbiology*, 63(4), 350–358.
- McQuilken, M. P., Halmer, P., & Rhodes, D. J. (1998). Application of microorganisms to seeds. In H. D. Burges (Ed.), *Formulation of microbial biopesticides: beneficial microorganisms, nematodes and seed treatments* (pp. 255–285). Kluwer Academic Publishers.

Medema, M. H., Breitling, R., & Takano, E. (2011). Synthetic biology in Streptomyces bacteria. In *Methods in enzymology* (Vol. 497, pp. 485–502). Elsevier.

Meena, B., Radhajeyalakshmi, R., Marimuthu, T., Vidhyasekaran, P., & Velazhahan, R. (2002). Biological control of groundnut late leaf spot and rust by seed and foliar applications of a powder formulation of *Pseudomonas fluorescens*. *Biocontrol Science and Technology*, 12(2), 195–204.

Melent'ev, A. I., Helisto, P., Kuz'mina, L. Y., Galimzyanova, N. F., Aktuganov, G. E., & Korpela, T. (2006). Use of antagonistic bacilli for biocontrol of fungi degrading fresh wood. *Applied Biochemistry and Microbiology*, 42(1), 62–66.

Melin, P., Håkansson, S., & Schnürer, J. (2007). Optimisation and comparison of liquid and dry formulations of the biocontrol yeast *Pichia anomala* J121. *Applied Microbiology and Biotechnology*, 73(5), 1008–1016.

Mendes, R., Garbeva, P., & Raaijmakers, J. M. (2013). The rhizosphere microbiome: significance of plant beneficial, plant pathogenic, and human pathogenic microorganisms. *FEMS Microbiology Reviews*, 37(5), 634–663.
<https://doi.org/10.1111/1574-6976.12028>

Menzler-Hokkanen, I. (2006). Socioeconomic significance of biological control. In *An ecological and societal approach to biological control* (pp. 13–25). Springer.

Meyer, J. R., & Linderman, R. G. (1986). Response of subterranean clover to dual inoculation with vesicular-arbuscular mycorrhizal fungi and a plant growth-promoting bacterium, *Pseudomonas putida*. *Soil Biology and Biochemistry*, 18(2), 185–190.

Mia, M. A. B., Shamsuddin, Z. H., & Mahmood, M. (2012). Effects of rhizobia and plant growth promoting bacteria inoculation on germination and seedling vigor of lowland rice. *African Journal of Biotechnology*, 11(16), 3758–3765.

Miljaković, D., Marinković, J., & Balešević-Tubić, S. (2020). The significance of *Bacillus* spp. in disease suppression and growth promotion of field and vegetable crops. *Microorganisms*, 8(7), 1037.

Miller, B. M., & Copeland, L. (1997). *Seed Production: Principles and Practices*. Chapman and Hall.

Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31(3), 426–428.

Mishra, J., & Arora, N. K. (2016). Bioformulations for Plant Growth Promotion and Combating Phytopathogens: A Sustainable Approach BT - Bioformulations: for Sustainable Agriculture. In N. K. Arora, S. Mehnaz, & R. Balestrini (Eds.), *Bioformulations: for Sustainable Agriculture* (pp. 3–33). Springer India. https://doi.org/10.1007/978-81-322-2779-3_1

Misra, S., Dixit, V. K., Khan, M. H., Kumar Mishra, S., Dviwedi, G., Yadav, S., Lehri, A., & Singh Chauhan, P. (2017). Exploitation of agro-climatic environment for selection of 1-aminocyclopropane-1-carboxylic acid (ACC) deaminase producing salt tolerant indigenous plant growth promoting rhizobacteria. *Microbiological Research*, 205, 25–34. <https://doi.org/https://doi.org/10.1016/j.micres.2017.08.007>

Mohamed, S. H., & Galal, A. M. (2005). Identification and antiviral activities of some halotolerant Streptomyces isolated from Qaroon Lake. *Int J Agric Biol*, 7(5), 747–753.

Mohite, B. (2013). Isolation and characterization of indole acetic acid (IAA) producing bacteria from rhizospheric soil and its effect on plant growth. *Journal of Soil Science and Plant Nutrition*, 13(3), 638–649.

Moosavi, M. R., & Zare, R. (2015). Factors affecting commercial success of biocontrol agents of phytonematodes. In T.H. Askary & P. R. P. Martinelli (Eds.), *Biocontrol Agents of Phytonematodes* (pp. 423–445). CABI Publishing.

Morgan, P. W., & Drew, M. C. (1997). Ethylene and plant responses to stress. *Physiologia Plantarum*, 100(3), 620–630.

Morrissey, J. P., Dow, J. M., Mark, G. L., & O'Gara, F. (2004). Are microbes at the root of a solution to world food production? Rational exploitation of interactions between microbes and plants can help to transform agriculture. *EMBO Reports*, 5(10), 922–926.

Morton, J. B. (2021). Fungi. *Principles and Applications of Soil Microbiology*, 149–170.
<https://doi.org/10.1016/B978-0-12-820202-9.00006-X>

Mosse, B. (1959). The regular germination of resting spores and some observations on the growth requirements of an Endogone sp. causing vesicular-arbuscular mycorrhiza. *Transactions of the British Mycological Society*, 42(3), 273-IN4.

Mourabet, M., El Rhilassi, A., El Boujaady, H., Bennani-Ziatni, M., & Taitai, A. (2017). Use of response surface methodology for optimization of fluoride adsorption in an aqueous solution by Brushite. *Arabian Journal of Chemistry*, 10, S3292–S3302.

Mula, M. G., & Saxena, K. B. (2010). *Lifting the level of awareness on pigeonpea-a global perspective*. International Crops Research Institute for the Semi-Arid Tropics.

Murphy, J., & Riley, J. P. (1962). A modified single solution method for the determination of phosphate in natural waters. *Analytica Chimica Acta*, 27, 31–36.

Murr, D. P., & Yang, S. F. (1975). Inhibition of in vivo conversion of methionine to ethylene by L-cananine and 2, 4-dinitrophenol. *Plant Physiology*, 55(1), 79–82.

Nadeem, S. M., Ahmad, M., Zahir, Z. A., Javaid, A., & Ashraf, M. (2014). The role of mycorrhizae and plant growth promoting rhizobacteria (PGPR) in improving crop productivity under stressful environments. *Biotechnology Advances*, 32(2), 429–448.
<https://doi.org/https://doi.org/10.1016/j.biotechadv.2013.12.005>

Nakayama, A., Park, S., Zheng-Jun, X., Nakajima, M., & Yamaguchi, I. (2002). Immunohistochemistry of active gibberellins and gibberellin-inducible α -amylase in developing seeds of morning glory. *Plant Physiology*, 129(3), 1045–1053.

Nassar, A. H., El-Tarably, K. A., & Sivasithamparam, K. (2003). Growth promotion of bean (*Phaseolus vulgaris* L.) by a polyamine-producing isolate of *Streptomyces griseoluteus*. *Plant Growth Regulation*, 40(2), 97–106.

Navarro, J. M., Pérez-Tornero, O., & Morte, A. (2014). Alleviation of salt stress in citrus seedlings inoculated with arbuscular mycorrhizal fungi depends on the rootstock salt tolerance. *Journal of Plant Physiology*, 171(1), 76–85.

Nawaz, H., Shad, M. A., & Iqbal, M. S. (2016). Optimization of phenylhydrazine induced hyperbilirubinemia in experimental rabbit. *Experimental Animals*, 65(4), 363–372.

Neeraja, C., Anil, K., Purushotham, P., Suma, K., Sarma, P., Moerschbacher, B. M., & Podile, A. R. (2010). Biotechnological approaches to develop bacterial chitinases as a bioshield against fungal diseases of plants. *Critical Reviews in Biotechnology*, 30(3), 231–241.

Neljubow, D. (1901). Über die horizontale Nutation der Stengel von Pisum Sativum und einiger anderen Planzen. *Bot. Centralbl. Beih.*, 10, 128–139.

Nelson, D. W., & Sommers, L. E. (1996). Total carbon, organic carbon, and organic matter. *Methods of Soil Analysis: Part 3 Chemical Methods*, 5, 961–1010.

Nelson, E. B. (2004). Biological control of oomycetes and fungal pathogens. *Encyclopedia of Plant and Crop Science*. Marcel Dekker, Inc, 137–140.

Niner, B. M., Brandt, J. P., Villegas, M., Marshall, C. R., Hirsch, A. M., & Valdés, M. (1996). Analysis of partial sequences of genes coding for 16S rRNA of actinomycetes isolated from Casuarina equisetifolia nodules in Mexico. *Applied and Environmental Microbiology*, 62(8), 3034–3036.

Niwas, R., Singh, V., Singh, R., Tripathi, D., & Tripathi, C. K. M. (2013). Production, purification and characterization of cholesterol oxidase from a newly isolated Streptomyces sp. *World Journal of Microbiology and Biotechnology*, 29(11), 2077–2085.

Nolan, R. D., & Cross, T. (1988). Isolation and screening of actinomycetes. In M. Goodfellow, S. T. Williams, & M. Mordarski (Eds.), *Actinomycetes in Biotechnology* (pp. 1–32). Academic Press.

Nusaibah, S. A., & Musa, H. (2019). A Review Report on the Mechanism of Trichoderma spp. as Biological Control Agent of the Basal Stem Rot (BSR) Disease of Elaeis guineensis. In H. M. E.-M. M. S. E.-U. S. E.-T. R. Buhari (Ed.), *Trichoderma* (p. Ch. 5). IntechOpen. <https://doi.org/10.5772/intechopen.84469>

O'Brien, T., Feder, N., & McCully, M. E. (1964). Polychromatic staining of plant cell walls by toluidine blue O. *Protoplasma*, 59(2), 368–373.

Oerke, E.-C., & Dehne, H.-W. (1997). Global crop production and the efficacy of crop protection-current situation and future trends. *European Journal of Plant Pathology*, 103(3), 203–215.

Ogawa, K., & Komada, H. (1984). Biological Control of Fusarium Wilt of Sweet Potato by Non-pathogenic Fusarium oxysporum. *Japanese Journal of Phytopathology*, 50(1), 1–9.

Okami, Y. (1988). Search and discovery of new antibiotics. In M Goodfellow, S. T. Williams, & M. Mordarski (Eds.), *Actinomycetes in Biotechnology*. (pp. 33–67). Pergamon Press.

Olanrewaju, O. S., & Babalola, O. O. (2019). Streptomyces: implications and interactions in plant growth promotion. *Applied Microbiology and Biotechnology*, 103(3), 1179–1188.

Omer, Z. S., Tombolini, R., Broberg, A., & Gerhardson, B. (2004). Indole-3-acetic acid production by pink-pigmented facultative methylotrophic bacteria. *Plant Growth Regulation*, 43(1), 93–96.

Omura, S. (1986). Philosophy of new drug discovery. *Microbiological Reviews*, 50(3), 259–279.

Ongena, M., Jourdan, E., Adam, A., Paquot, M., Brans, A., Joris, B., Arpigny, J., & Thonart, P. (2007). Surfactin and fengycin lipopeptides of *Bacillus subtilis* as elicitors of induced systemic resistance in plants. *Environmental Microbiology*, 9(4), 1084–1090.

Ortas, I. (2012). The effect of mycorrhizal fungal inoculation on plant yield, nutrient uptake and inoculation effectiveness under long-term field conditions. *Field Crops Research*, 125, 35–48.

Ou, S. H. (1980). A look at worldwide rice blast disease control. *Plant Disease*, 64, 439–445.

Padmanabhan, S. Y. (1973). The great Bengal famine. *Annual Review of Phytopathology*, 11(1), 11–24.

Pais, J., & Bansal, V. (2019). PigeonPea: Smallholder Production. In V. Rawal & D. K. Navarro (Eds.), *The global economy of pulses* (pp. 87–97). FAO: Food and Agriculture Organization of the United Nations.

Pal, K. K., & Gardener, B. M. (2006). Biological control of plant pathogens. *The Plant Health Instructor*, 1–25. <https://doi.org/10.1094/PHI-A-2006-1117-02>.

Palaniyandi, S. A., Yang, S. H., Zhang, L., & Suh, J.-W. (2013). Effects of actinobacteria on plant disease suppression and growth promotion. *Applied Microbiology and Biotechnology*, 97(22), 9621–9636. <https://doi.org/10.1007/s00253-013-5206-1>

Palou, L., Ali, A., Fallik, E., & Romanazzi, G. (2016). GRAS, plant-and animal-derived compounds as alternatives to conventional fungicides for the control of postharvest diseases of fresh horticultural produce. *Postharvest Biology and Technology*, 122, 41–52.

Pandey, V. N., & Dubey, N. K. (1994). Antifungal potential of leaves and essential oils from higher plants against soil phytopathogens. *Soil Biology and Biochemistry*, 26(10), 1417–1421.

Parekh, S., Vinci, V. A., & Strobel, R. J. (2000). Improvement of microbial strains and fermentation processes. *Applied Microbiology and Biotechnology*, 54(3), 287–301.

Park, K.-H., Lee, O.-M., Jung, H.-I., Jeong, J.-H., Jeon, Y.-D., Hwang, D.-Y., Lee, C.-Y., & Son, H.-J. (2010). Rapid solubilization of insoluble phosphate by a novel environmental stress-tolerant Burkholderia vietnamiensis M6 isolated from ginseng rhizospheric soil. *Applied Microbiology and Biotechnology*, 86(3), 947–955.

Passari, A. K., Mishra, V. K., Gupta, V. K., Yadav, M. K., Saikia, R., & Singh, B. P. (2015). In vitro and in vivo plant growth promoting activities and DNA fingerprinting of antagonistic endophytic actinomycetes associates with medicinal plants. *PLoS One*, 10(9), e0139468.

Patil, H. J., Srivastava, A. K., Kumar, S., Chaudhari, B. L., & Arora, D. K. (2010). Selective isolation, evaluation and characterization of antagonistic actinomycetes against Rhizoctonia solani. *World Journal of Microbiology and Biotechnology*, 26(12), 2163–

- Patiño-Vera, M., Jimenez, B., Balderas, K., Ortiz, M., Allende, R., Carrillo, A., & Galindo, E. (2005). Pilot-scale production and liquid formulation of *Rhodotorula minuta*, a potential biocontrol agent of mango anthracnose. *Journal of Applied Microbiology*, 99(3), 540–550.
- Pazhamala L, Saxena R.K, Singh VK. (2015). Genomics-assisted breeding for boosting crop improvement in pigeon pea (*Cajanus cajan*). *Frontiers in Plant Science* 6, 50.
- Pazhamala L.T, Agarwal G, Bajaj P, Kumar V, Kulshreshtha A, Saxena R.K, Varshney R.K. (2016). Deciphering transcriptional programming during pod and seed development using RNA-Seq in pigeonpea (*Cajanus cajan*). *PLoS One* 11, e0164959.
- Peiser, G., & Fa Yang, S. (1998). Evidence for 1-(malonylamino) cyclopropane-1-carboxylic acid being the major conjugate of aminocyclopropane-1-carboxylic acid in tomato fruit. *Plant Physiology*, 116(4), 1527–1532.
- Penrose, D. M., & Glick, B. R. (2003). Methods for isolating and characterizing ACC deaminase-containing plant growth-promoting rhizobacteria. *Physiologia Plantarum*, 118(1), 10–15.
- Penrose, D. M., Moffatt, B. A., & Glick, B. R. (2001). Determination of 1-aminocyclopropane-1-carboxylic acid (ACC) to assess the effects of ACC deaminase-containing bacteria on roots of canola seedlings. *Canadian Journal of Microbiology*, 47(1), 77–80.
- Petrolini, B., Quaroni, S., Saracchi, M., & Sardi, P. (1996). Studies on the streptomycete population inhabiting plant roots. *Actinomycetes*, 7, 66–78.
- Phillips, J. M., & Hayman, D. S. (1970). Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. *Transactions of the British Mycological Society*, 55(1), 158-IN18.
- Piel, C., Pouchieu, C., Carles, C., Beziat, B., Boulanger, M., Bureau, M., Busson, A., Grüber, A., Lecluse, Y., & Migault, L. (2019). Agricultural exposures to carbamate herbicides

and fungicides and central nervous system tumour incidence in the cohort AGRICAN. *Environment International*, 130, 104876.

Pierik, R., Tholen, D., Poorter, H., Visser, E. J. W., & Voesenek, L. A. C. J. (2006). The Janus face of ethylene: growth inhibition and stimulation. *Trends in Plant Science*, 11(4), 176–183.

Pieterse, C. M. J., Zamioudis, C., Berendsen, R. L., Weller, D. M., Van Wees, S. C. M., & Bakker, P. A. H. M. (2014). Induced systemic resistance by beneficial microbes. *Annual Review of Phytopathology*, 52, 347–375.

Pimentel, D., & Greiner, A. (1997). Environmental and socio-economics impacts of pesticide use. In *Techniques for reducing pesticide use: environmental and economics benefits* (pp. 51–78). John Wiley Sons.

Plassard, C., & Dell, B. (2010). Phosphorus nutrition of mycorrhizal trees. *Tree Physiology*, 30(9), 1129–1139.

Pleban, S., Chernin, L., & Chet, I. (1997). Chitinolytic activity of an endophytic strain of *Bacillus cereus*. *Letters in Applied Microbiology*, 25(4), 284–288.

Podile, A. R., & Kishore, G. K. (2007). Plant growth-promoting rhizobacteria. In *Plant-associated bacteria* (pp. 195–230). Springer.

Poomthongdee, N., Duangmal, K., & Pathom-aree, W. (2015). Acidophilic actinomycetes from rhizosphere soil: diversity and properties beneficial to plants. *The Journal of Antibiotics*, 68(2), 106–114.

Poovarasan, S., Mohandas, S., Paneerselvam, P., Saritha, B., & Ajay, K. M. (2013). Mycorrhizae colonizing actinomycetes promote plant growth and control bacterial blight disease of pomegranate (*Punica granatum* L. cv Bhagwa). *Crop Protection*, 53, 175–181.

Porcel, R., Aroca, R., Cano, C., Bago, A., & Ruiz-Lozano, J. M. (2006). Identification of a gene from the arbuscular mycorrhizal fungus *Glomus intraradices* encoding for a 14-3-3 protein that is up-regulated by drought stress during the AM symbiosis. *Microbial*

Ecology, 52(3), 575–582.

Pringle, A., Bever, J. D., Gardes, M., Parrent, J. L., Rillig, M. C., & Klironomos, J. N. (2009). Mycorrhizal symbioses and plant invasions. *Annual Review of Ecology, Evolution, and Systematics*, 40, 699–715.

Purama, R. K., & Goyal, A. (2008). Screening and optimization of nutritional factors for higher dextranase production by *Leuconostocmesenteroides* NRRL B-640 using statistical approach. *Bioresource Technology*, 99(15), 7108–7114.

Pusztahelyi, T., Holb, I. J., & Pócsi, I. (2015). Secondary metabolites in fungus-plant interactions. *Frontiers in Plant Science*, 6, 573.

Qi, D., Zou, L., Zhou, D., Chen, Y., Gao, Z., Feng, R., Zhang, M., Li, K., Xie, J., & Wang, W. (2019). Taxonomy and broad-spectrum antifungal activity of *Streptomyces* sp. SCA3-4 isolated from rhizosphere soil of *Opuntia stricta*. *Frontiers in Microbiology*, 1390.

Qiu, J. J., Chen, W., Ding, M., Zhang, M. L., & Zhao, F. K. (2012). Optimization of penicillin G acylase production by recombinant *Bacillus subtilis* via response surface analysis. *J Zhejiang Sci Tech Univ*, 29(6), 868–873.

Raaijmakers, J. M., & Mazzola, M. (2012). Diversity and natural functions of antibiotics produced by beneficial and plant pathogenic bacteria. *Annual Review of Phytopathology*, 50, 403–424.

Raio, A., & Puopolo, G. (2021). *Pseudomonas chlororaphis* metabolites as biocontrol promoters of plant health and improved crop yield. *World Journal of Microbiology and Biotechnology*, 37(6), 1–8.

Raju, N. S., Niranjana, S. R., Janardhana, G. R., Prakash, H. S., Shetty, H. S., & Mathur, S. B. (1999). Improvement of seed quality and field emergence of *Fusarium moniliforme* infected sorghum seeds using biological agents. *Journal of the Science of Food and Agriculture*, 79(2), 206–212.

Ramamoorthy, V., Viswanathan, R., Raguchander, T., Prakasam, V., & Samiyappan, R.

(2001). Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. *Crop Protection*, 20(1), 1–11. [https://doi.org/https://doi.org/10.1016/S0261-2194\(00\)00056-9](https://doi.org/https://doi.org/10.1016/S0261-2194(00)00056-9)

Rambelli, A. (1973). Ectomycorrhizae, their ecology and physiology. In G. L. Marks & T. T. Koslowski (Eds.), *Ectomycorrhizae* (pp. 299–343). Academic Press.

Rateb, M. E., Yu, Z., Yan, Y., Yang, D., Huang, T., Vodanovic-Jankovic, S., Kron, M. A., & Shen, B. (2014). Medium optimization of *Streptomyces* sp. 17944 for tirandamycin B production and isolation and structural elucidation of tirandamycins H, I and J. *The Journal of Antibiotics*, 67(1), 127–132.

Raupach, G. S., & Kloepper, J. W. (1998). Mixtures of plant growth-promoting rhizobacteria enhance biological control of multiple cucumber pathogens. *Phytopathology*, 88(11), 1158–1164.

Raymaekers, K., Ponet, L., Holtappels, D., Berckmans, B., & Cammue, B. P. A. (2020). Screening for novel biocontrol agents applicable in plant disease management—a review. *Biological Control*, 144, 104240.

Read, D J, & Perez-Moreno, J. (2003). Mycorrhizas and nutrient cycling in ecosystems—a journey towards relevance? *New Phytologist*, 157(3), 475–492.

Read, David J. (1991). Mycorrhizas in ecosystems. *Experientia*, 47(4), 376–391.

Reddy, B. P. N. (2011). Basics for the construction of phylogenetic trees. *Web Central Biology*, 2(12).

Reddy, K. R. K., Jyothi, G., Sowjanya, C., Kusumanjali, K., Malathi, N., & Reddy, K. R. N. (2016). Plant growth-promoting actinomycetes: Mass production, delivery systems, and commercialization. In G. Subramaniam (Ed.), *Plant Growth Promoting Actinobacteria* (pp. 287–298). Springer.

Reddy, M. V., Sharma, S. B., & Nene, Y. L. (1990). Pigeonpea: disease management. In Y. L. Nene, S. D. Hall, & V. K. Sheila (Eds.), *The Pigeon Pea* (pp. 303–347). CAB International.

- Reinhart, B. J., Weinstein, E. G., Rhoades, M. W., Bartel, B., & Bartel, D. P. (2002). MicroRNAs in plants. *Genes & Development*, 16(13), 1616–1626.
- Relman, D. A., Schmidt, T. M., MacDermott, R. P., & Falkow, S. (1992). Identification of the uncultured bacillus of Whipple's disease. *New England Journal of Medicine*, 327(5), 293–301.
- Renseigné, N. (2006). Foliar application of effective microorganisms on pea as an alternative fertilizer. *Agronomy for Sustainable Development*, 26(4), 257–262.
- Rheims, H., Spr, C., Rainey, F. A., & Stackebrandt, E. (1996). Molecular biological evidence for the occurrence of uncultured members of the actinomycete line of descent in different environments and geographical locations. *Microbiology*, 142(10), 2863–2870.
- Riggs, P. J., Chelius, M. K., Iniguez, A. L., Kaepller, S. M., & Triplett, E. W. (2001). Enhanced maize productivity by inoculation with diazotrophic bacteria. *Functional Plant Biology*, 28(9), 829–836.
- Rigling, D., & Prospero, S. (2018). Cryphonectria parasitica, the causal agent of chestnut blight: invasion history, population biology and disease control. *Molecular Plant Pathology*, 19(1), 7–20.
- Rodriguez, R. J., Henson, J., Van Volkenburgh, E., Hoy, M., Wright, L., Beckwith, F., Kim, Y.-O., & Redman, R. S. (2008). Stress tolerance in plants via habitat-adapted symbiosis. *The ISME Journal*, 2(4), 404–416.
- Rouphael, Y., Franken, P., Schneider, C., Schwarz, D., Giovannetti, M., Agnolucci, M., De Pascale, S., Bonini, P., & Colla, G. (2015). Arbuscular mycorrhizal fungi act as biostimulants in horticultural crops. *Scientia Horticulturae*, 196, 91–108.
- Ruanpanun, P., Tangchitsomkid, N., Hyde, K. D., & Lumyong, S. (2010). Actinomycetes and fungi isolated from plant-parasitic nematode infested soils: screening of the effective biocontrol potential, indole-3-acetic acid and siderophore production. *World Journal of Microbiology and Biotechnology*, 26(9), 1569–1578.
- Ruduś, I., Sasiak, M., & Kępczyński, J. (2013). Regulation of ethylene biosynthesis at the

level of 1-aminocyclopropane-1-carboxylate oxidase (ACO) gene. *Acta Physiologiae Plantarum*, 35(2), 295–307.

Rungin, S., Indananda, C., Suttiviriya, P., Kruasawan, W., Jaemsaeang, R., & Thamchaipenet, A. (2012). Plant growth enhancing effects by a siderophore-producing endophytic streptomycete isolated from a Thai jasmine rice plant (*Oryza sativa* L. cv. KDM105). *Antonie Van Leeuwenhoek*, 102(3), 463–472.

Ruzzi, M., & Aroca, R. (2015). Plant growth-promoting rhizobacteria act as biostimulants in horticulture. *Scientia Horticulturae*, 196, 124–134.

Sadeghi, A., Karimi, E., Dahaji, P. A., Javid, M. G., Dalvand, Y., & Askari, H. (2012). Plant growth promoting activity of an auxin and siderophore producing isolate of *Streptomyces* under saline soil conditions. *World Journal of Microbiology and Biotechnology*, 28(4), 1503–1509. <https://doi.org/10.1007/s11274-011-0952-7>

Sadeghi, A., Soltani, B. M., Jouzani, G. S., Karimi, E., Nekouei, M. K., & Sadeghizadeh, M. (2014). Taxonomic study of a salt tolerant *Streptomyces* sp. strain C-2012 and the effect of salt and ectoine on ion expression level. *Microbiological Research*, 169(2–3), 232–238.

Sajeena, A., Nair, D. S., & Sreepavan, K. (2020). Non-pathogenic *Fusarium oxysporum* as a biocontrol agent. *Indian Phytopathology*, 73(2), 177–183.

Salam, E. A., Alatar, A., & El-Sheikh, M. A. (2017). *Inoculation with arbuscular mycorrhizal fungi alleviates harmful effects of drought stress on damask rose*. *Saudi J Biol Sci* 25 (8): 1772–1780.

Saleem, A. R., Brunetti, C., Khalid, A., Della Rocca, G., Raio, A., Emiliani, G., De Carlo, A., Mahmood, T., & Centritto, M. (2018). Drought response of *Mucuna pruriens* (L.) DC. inoculated with ACC deaminase and IAA producing rhizobacteria. *PLoS One*, 13(2), e0191218.

Sanchez, S., & Demain, A. L. (2002). Metabolic regulation of fermentation processes. *Enzyme and Microbial Technology*, 31(7), 895–906.

- Saravanakumar, D., Vijayakumar, C., Kumar, N., & Samiyappan, R. (2007). PGPR-induced defense responses in the tea plant against blister blight disease. *Crop Protection*, 26(4), 556–565.
- Sardi, P., Saracchi, M., Quaroni, S., Petrolini, B., Borgonovi, G. E., & Merli, S. (1992). Isolation of endophytic Streptomyces strains from surface-sterilized roots. *Applied and Environmental Microbiology*, 58(8), 2691–2693.
- Sarwar, M., & Kremer, R. J. (1995). Enhanced suppression of plant growth through production of L-tryptophan-derived compounds by deleterious rhizobacteria. *Plant and Soil*, 172(2), 261–269.
- Satheeja, S. V., & Jebakumar, S. R. D. (2011). Phylogenetic analysis and antimicrobial activities of Streptomyces isolates from mangrove sediment. *Journal of Basic Microbiology*, 51(1), 71–79.
- Saxena, K B. (2008). Genetic improvement of pigeon pea—a review. *Tropical Plant Biology*, 1(2), 159–178.
- Saxena, K B, & Nadarajan, N. (2010). Prospects of pigeonpea hybrids in Indian agriculture. *Electronic Journal of Plant Breeding*, 1(4), 1107–1117.
- Saxena, Kul Bhushan, Vijaya Kumar, R., & Sultana, R. (2010). Quality nutrition through pigeonpea—a review. *Health*, 2(11), 1335–1344.
- Sayed, A. M., Hassan, M. H., Alhadrami, H. A., Hassan, H. M., Goodfellow, M., & Rateb, M. E. (2020). Extreme environments: microbiology leading to specialized metabolites. *Journal of applied microbiology*, 128(3), 630-657.
- Scherlach, K., & Hertweck, C. (2009). Triggering cryptic natural product biosynthesis in microorganisms. *Organic & Biomolecular Chemistry*, 7(9), 1753–1760.
- Schwyn, B., & Neilands, J. B. (1987). Universal chemical assay for the detection and determination of siderophores. *Analytical Biochemistry*, 160(1), 47–56.
- Secilia, J., & Bagyaraj, D. J. (1987). Bacteria and actinomycetes associated with pot cultures

of vesicular–arbuscular mycorrhizas. *Canadian Journal of Microbiology*, 33(12), 1069–1073.

Seemann, T. (2014). Prokka: rapid prokaryotic genome annotation. *Bioinformatics*, 30(14), 2068–2069.

Selosse, M.-A., Strullu-Derrien, C., Martin, F. M., Kamoun, S., & Kenrick, P. (2015). Plants, fungi and oomycetes: a 400-million year affair that shapes the biosphere. *New Phytologist*, 206(2), 501–506.

Selvameenal, L., Radhakrishnan, M., & Balagurunathan, R. (2009). Antibiotic pigment from desert soil actinomycetes; biological activity, purification and chemical screening. *Indian Journal of Pharmaceutical Sciences*, 71(5), 499–504.

Ser, H.-L., Tan, L. T.-H., Law, J. W.-F., Chan, K.-G., Duangjai, A., Saokaew, S., Pusparajah, P., Ab Mutualib, N.-S., Khan, T. M., & Goh, B.-H. (2017). Focused review: cytotoxic and antioxidant potentials of mangrove-derived Streptomyces. *Frontiers in Microbiology*, 8, 2065.

Ser, H.-L., Tan, L. T.-H., Palanisamy, U. D., Abd Malek, S. N., Yin, W.-F., Chan, K.-G., Goh, B.-H., & Lee, L.-H. (2016). Streptomyces antoxidans sp. nov., a novel mangrove soil actinobacterium with antioxidative and neuroprotective potentials. *Frontiers in Microbiology*, 7, 899.

Ser, H.-L., Yin, W.-F., Chan, K.-G., Khan, T. M., Goh, B.-H., & Lee, L.-H. (2018). Antioxidant and cytotoxic potentials of Streptomyces gilvigriseus MUSC 26T isolated from mangrove soil in Malaysia. *Progress in Microbes & Molecular Biology*, 1(1).

Sharma, Mamta, & Ghosh, R. (2016). An update on the host plant resistance to pigeonpea diseases. *Legume Perspectives*, 11, 21–23.

Sharma, Mamta, Ghosh, R., Telangre, R., Rathore, A., Saifulla, M., Mahalinga, D. M., Saxena, D. R., & Jain, Y. K. (2016). Environmental influences on pigeonpea-Fusarium udum interactions and stability of genotypes to Fusarium wilt. *Frontiers in Plant Science*, 7, 253.

Sharma, Mukesh, Dangi, P., & Choudhary, M. (2014). Actinomycetes: source, identification, and their applications. *International Journal of Current Microbiology and Applied Sciences*, 3(2), 801–832.

Sharma, V., Salwan, R., & Shanmugam, V. (2018). Molecular characterization of β -endoglucanase from antagonistic *Trichoderma saturnisporum* isolate GITX-Panog (C) induced under mycoparasitic conditions. *Pesticide Biochemistry and Physiology*, 149, 73–80. <https://doi.org/https://doi.org/10.1016/j.pestbp.2018.06.001>

Sharma, V., Salwan, R., & Sharma, P. N. (2016). Differential Response of Extracellular Proteases of *Trichoderma Harzianum* Against Fungal Phytopathogens. *Current Microbiology*, 73(3), 419–425. <https://doi.org/10.1007/s00284-016-1072-2>

Shimizu, M. (2011). Endophytic Actinomycetes: Biocontrol Agents and Growth Promoters BT - Bacteria in Agrobiology: Plant Growth Responses. In D. K. Maheshwari (Ed.), *Bacteria in Agrobiology: Plant Growth Responses* (pp. 201–220). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-20332-9_10

Shivlata, L., & Tulasi, S. (2015). Thermophilic and alkaliphilic Actinobacteria: biology and potential applications. *Frontiers in Microbiology*, 6, 1014.

Siddikee, M. A., Chauhan, P. S., Anandham, R., Han, G.-H., & Sa, T.-M. (2010). Isolation, characterization, and use for plant growth promotion under salt stress, of ACC deaminase-producing halotolerant bacteria derived from coastal soil. *Journal of Microbiology and Biotechnology*, 20(11), 1577–1584.

Siddiqui, Z., Shakeel, U., & Siddiqui, S. (2008). Biocontrol of wilt disease complex of pigeonpea by fluorescent pseudomonads and *Bacillus* spp. under pot and field conditions. *Acta Phytopathologica et Entomologica Hungarica*, 43(1), 77–92.

Silva, V., Yang, X., Fleskens, L., Ritsema, C., & Geissen, V. (2020). Soil contamination by pesticide residues-what and how much should we expect to find in EU agricultural soils based on pesticide recommended uses? *EGU General Assembly Conference Abstracts*, 16476.

Silverstein, R. M., & Bassler, G. C. (1962). Spectrometric identification of organic

compounds. *Journal of Chemical Education*, 39(11), 546.

Singh V.K, Khan AW, Saxena RK.(2016). Next-generation sequencing for identification of candidate genes for Fusarium wilt and sterility mosaic disease in pigeonpea (*Cajanus cajan*). *Plant Biotechnology Journal* 14, 1183–1194.

Singh, D. P., Patil, H. J., Prabha, R., Yandigeri, M. S., & Prasad, S. R. (2018). Actinomycetes as potential plant growth-promoting microbial communities. In *Crop Improvement Through Microbial Biotechnology* (pp. 27–38). Elsevier.

Singh, L. P., Gill, S. S., & Tuteja, N. (2011). Unraveling the role of fungal symbionts in plant abiotic stress tolerance. *Plant Signaling & Behavior*, 6(2), 175–191.

Singh, L S, Mazumder, S., & Bora, T. C. (2009). Optimisation of process parameters for growth and bioactive metabolite produced by a salt-tolerant and alkaliphilic actinomycete, *Streptomyces tanashiensis* strain A2D. *Journal de Mycologie Médicale*, 19(4), 225–233.

Singh, Laishram Shantikumar, Sharma, H., & Talukdar, N. C. (2014). Production of potent antimicrobial agent by actinomycete, *Streptomyces sannanensis* strain SU118 isolated from phoomdi in Loktak Lake of Manipur, India. *BMC Microbiology*, 14(1), 1–13.

Singh, M. P., Petersen, P. J., Weiss, W. J., Janso, J. E., Luckman, S. W., Lenoy, E. B., Bradford, P. A., Testa, R. T., & Greenstein, M. (2003). Mannopeptimycins, new cyclic glycopeptide antibiotics produced by *Streptomyces hygroscopicus* LL-AC98: antibacterial and mechanistic activities. *Antimicrobial Agents and Chemotherapy*, 47(1), 62–69.

Singh, N., & Rai, V. (2012). Optimization of cultural parameters for antifungal and antibacterial metabolite from microbial isolate; *Streptomyces rimosus* MTCC 10792 from soil of Chhattisgarh. *Int J Pharm Pharm Sci*, 4, 94–101.

Singh, V., Haque, S., Niwas, R., Srivastava, A., Pasupuleti, M., & Tripathi, C. (2017). Strategies for fermentation medium optimization: an in-depth review. *Frontiers in Microbiology*, 7, 2087.

- Singh, V., Tripathi, C. K. M., & Bihari, V. (2008). Production, optimization and purification of an antifungal compound from *Streptomyces capoamus* MTCC 8123. *Medicinal Chemistry Research*, 17(2), 94–102.
- Sinha P, Singh V.K, Suryanarayana V, Krishnamurthy L, Saxena RK, Varshney RK. (2015). Evaluation and validation of housekeeping genes as reference for gene expression studies in pigeonpea (*Cajanus cajan*) under drought stress conditions. *PLoS One* 10, e0122847.
- Smith, A. M. (1973). Ethylene as a cause of soil fungistasis. *Nature*, 246(5431), 311–313.
- Smith, S E, Gianinazzi-Pearson, V., Koide, R., & Cairney, J. W. G. (1994). Nutrient transport in mycorrhizas: structure, physiology and consequences for efficiency of the symbiosis. *Plant and Soil*, 159(1), 103–113.
- Smith, Sally E, & Read, D. J. (2008). *Mycorrhizal symbiosis* (Third). Academic press.
- Soe, K. T., & De Costa, D. M. (2012). Development of a spore-based formulation of microbial pesticides for control of rice sheath blight. *Biocontrol Science and Technology*, 22(6), 633–657.
- Solanki, R. (2013). *Isolation and characterization of actinomycetes and analyses of their antimicrobial potential* [INFLIBNET Centre]. <http://hdl.handle.net/10603/31910>
- Solanki, R., Kundu, A., Das, P., & Khanna, M. (2015). Characterization of antimicrobial compounds from *Streptomyces* sp. *World J Pharm Res*, 4(7), 1626–1641.
- Song, O.-R., Lee, S.-J., Lee, Y.-S., Lee, S.-C., Kim, K.-K., & Choi, Y.-L. (2008). Solubilization of insoluble inorganic phosphate by *Burkholderia cepacia* DA23 isolated from cultivated soil. *Brazilian Journal of Microbiology*, 39(1), 151–156.
- Soren, K. R., Patil, P. G., Das, A., Bohra, A., Datta, S., Chaturvedi, S. K., & Nadarajan, N. (2012). Advances in pulses genomic research. In *Indian Institute of Pulses Research*. Indian Institute of Pulses Research.
- Sosio, M., Bossie, E., Bianchi, A., & Donadio, S. (2000). Multiple peptide synthetase gene clusters in actinomycetes. *Molecular Genetics and Genomics*, 264(3), 213–221.

- Souagui, Y., Tritsch, D., Grosdemange-Billiard, C., & Kecha, M. (2015). Optimization of antifungal production by an alkaliphilic and halotolerant actinomycete, *Streptomyces* sp. SY-BS5, using response surface methodology. *Journal de Mycologie Medicale*, 25(2), 108–115.
- Spaepen, S., Bossuyt, S., Engelen, K., Marchal, K., & Vanderleyden, J. (2014). Phenotypical and molecular responses of *A rabidopsis thaliana* roots as a result of inoculation with the auxin-producing bacterium *A zospirillum brasiliense*. *New Phytologist*, 201(3), 850–861.
- Spaepen, S., & Vanderleyden, J. (2011). Auxin and plant-microbe interactions. *Cold Spring Harbor Perspectives in Biology*, 3(4), a001438.
- Staswick, P. E., & Tiryaki, I. (2004). The oxylipin signal jasmonic acid is activated by an enzyme that conjugates it to isoleucine in *Arabidopsis*. *The Plant Cell*, 16(8), 2117–2127.
- Strange, R. N. (2003). *Introduction to plant pathology*. John Wiley & Sons.
- Strange, R. N., & Scott, P. R. (2005). Plant disease: a threat to global food security. *Annu. Rev. Phytopathol.*, 43, 83–116.
- Stutz, J. C., & Morton, J. B. (1996). Successive pot cultures reveal high species richness of arbuscular endomycorrhizal fungi in arid ecosystems. *Canadian Journal of Botany*, 74(12), 1883–1889.
- Su, Y., Liu, C., Fang, H., & Zhang, D. (2020). *Bacillus subtilis*: a universal cell factory for industry, agriculture, biomaterials and medicine. *Microbial Cell Factories*, 19(1), 1–12.
- Subba Rao, N. S. (1982). Phosphate solubilization by soil microorganisms. *Advances in Agricultural Microbiology/Edited by NS Subba Rao*.
- Sultana, V., Ara, J., Parveen, G., Ehteshamul-Haque, S., & Ahmad, V. U. (2006). Role of crustacean chitin, fungicides and fungal antagonist on the efficacy of *Pseudomonas aeruginosa* in protecting chilli from root rot. *Pakistan Journal of Botany*, 38(4), 1323.
- Sunita, S., Archana, L., Mahananda, Z., & Snehal, J. (2015). Isolation and characterization of Actinomycetes from rhizosphere soil of different plants for antiphytopathogenic activity

and stress tolerance. *International Journal of Current Microbiology and Applied Sciences*, 4(Special Issue 2), 379–387.

Suprapta, D. N., & Khalimi, K. (2012). Potential of microbial antagonists as biocontrol agents against plant fungal pathogens. *J ISSAAS*, 18(2), 1–8.

Suzuki, S., Yamamoto, K., Okuda, T., Nishio, M., Nakanishi, N., & Komatsubara, S. (2000). Selective Isolation and Distribution of *<I>Actinomadura rugatobispora</I>* Strains in Soil. *Actinomycetologica*, 14(2), 27–33. https://doi.org/10.3209/saj.14_27

Szabó, K., Böll, S., & Erős-Honti, Z. S. (2014). Applying artificial mycorrhizae in planting urban trees. *Applied Ecology and Environmental Research*, 12(4), 835–853.

Taddei, A., Valderrama, M., Giarrizzo, J., Rey, M., & Castelli, C. (2006). Chemical screening: a simple approach to visualizing *Streptomyces* diversity for drug discovery and further research. *Research in Microbiology*, 157(3), 291–297.

Talbot, N. J. (2010). Living the sweet life: how does a plant pathogenic fungus acquire sugar from plants? *PLoS Biology*, 8(2), e1000308.

Tamreihao, K., Ningthoujam, D. S., Nimaichand, S., Singh, E. S., Reena, P., Singh, S. H., & Nongthomba, U. (2016). Biocontrol and plant growth promoting activities of a *Streptomyces corchorusii* strain UCR3-16 and preparation of powder formulation for application as biofertilizer agents for rice plant. *Microbiological Research*, 192, 260–270.

Tanaka, Y., & Omura, S. (1993). Agroactive compounds of microbial origin. *Annual Review of Microbiology*, 47(1), 57–87.

Tang, L., Xia, Y., Fan, C., Kou, J., Wu, F., Li, W., & Pan, K. (2020). Control of Fusarium wilt by wheat straw is associated with microbial network changes in watermelon rhizosphere. *Scientific Reports*, 10(1), 1–14.

Teske, A., Sigalevich, P., Cohen, Y., & Muyzer, G. (1996). Molecular identification of bacteria from a coculture by denaturing gradient gel electrophoresis of 16S ribosomal DNA fragments as a tool for isolation in pure cultures. *Applied and Environmental*

Microbiology, 62(11), 4210–4215.

Thakur, D., Bora, T. C., Bordoloi, G. N., & Mazumdar, S. (2009). Influence of nutrition and culturing conditions for optimum growth and antimicrobial metabolite production by *Streptomyces* sp. 201. *Journal de Mycologie Medicale*, 19(3), 161–167.

Thirkell, T. J., Charters, M. D., Elliott, A. J., Sait, S. M., & Field, K. J. (2017). Are mycorrhizal fungi our sustainable saviours? Considerations for achieving food security. *Journal of Ecology*, 105(4), 921–929.

Thordal-Christensen, H., Zhang, Z., Wei, Y., & Collinge, D. B. (1997). Subcellular localization of H₂O₂ in plants. H₂O₂ accumulation in papillae and hypersensitive response during the barley—powdery mildew interaction. *The Plant Journal*, 11(6), 1187–1194.

Tokala, R. K., Strap, J. L., Jung, C. M., Crawford, D. L., Salove, M. H., Deobald, L. A., Bailey, J. F., & Morra, M. J. (2002). Novel Plant-Microbe Rhizosphere Interaction Involving *Streptomyces lydicus* WYEC108 and the Pea Plant (*Pisum sativum*). *Applied and Environmental Microbiology*, 68(5), 2161–2171.
<https://doi.org/10.1128/AEM.68.5.2161-2171.2002>

Toklikishvili, N., Dandurishvili, N., Vainstein, A., Tediashvili, M., Giorgobiani, N., Lurie, S., Szegedi, E., Glick, B. R., & Chernin, L. (2010). Inhibitory effect of ACC deaminase-producing bacteria on crown gall formation in tomato plants infected by *Agrobacterium tumefaciens* or *A. vitis*. *Plant Pathology*, 59(6), 1023–1030.

Torsvik, V., Goksøyr, J., & Daæe, F. L. (1990). High diversity in DNA of soil bacteria. *Applied and Environmental Microbiology*, 56(3), 782–787.

Trejo-Estrada, S. R., Paszczynski, A., & Crawford, D. L. (1998). Antibiotics and enzymes produced by the biocontrol agent *Streptomyces violaceusniger* YCED-9. *Journal of Industrial Microbiology and Biotechnology*, 21(1–2), 81–90.

Tripathi, C. K. M., Praveen, V., Singh, V., & Bihari, V. (2004). Production of antibacterial and antifungal metabolites by *Streptomyces violaceusniger* and media optimization studies for the maximum metabolite production. *Medicinal Chemistry Research*, 13(8),

- Trivedi, P., Pandey, A., & Palni, L. M. S. (2012). Bacterial inoculants for field applications under mountain ecosystem: present initiatives and future prospects. *Bacteria in Agrobiology: Plant Probiotics*, 15–44.
- Tsavkelova, E. A., Klimova, S. Y., Cherdynseva, T. A., & Netrusov, A. I. (2006). Microbial producers of plant growth stimulators and their practical use: a review. *Applied Biochemistry and Microbiology*, 42(2), 117–126.
- Ueno, M., Quyet, N. T., Shinzato, N., & Matsui, T. (2016). Antifungal activity of collected in subtropical region, Okinawa, against Magnaporthe oryzae. *Tropical Agriculture and Development*, 60(1), 48–52.
- UNICEF. (2020). *The state of food security and nutrition in the world 2020*.
- Vacheron, J., Desbrosses, G., Bouffaud, M.-L., Touraine, B., Moënne-Loccoz, Y., Muller, D., Legendre, L., Wisniewski-Dyé, F., & Prigent-Combaret, C. (2013). Plant growth-promoting rhizobacteria and root system functioning. *Frontiers in Plant Science*, 4, 356.
- Vaidya, R. J., Macmil, S. L. A., Vyas, P. R., Ghetiya, L. V., Thakor, K. J., & Chhatpar, H. S. (2003). Biological control of Fusarium wilt of pigeonpea *Cajanus cajan* (L.) Millsp with chitinolytic *Alcaligenes xylosoxydans*.
- Vaidya, R., Vyas, P., & Chhatpar, H. S. (2003). Statistical optimization of medium components for the production of chitinase by *Alcaligenes xylosoxydans*. *Enzyme and Microbial Technology*, 33(1), 92–96.
- Valois, D., Fayad, K., Barasubiye, T., Garon, M., Dery, C., Brzezinski, R., & Beaulieu, C. (1996). Glucanolytic actinomycetes antagonistic to Phytophthora fragariae var. rubi, the causal agent of raspberry root rot. *Applied and Environmental Microbiology*, 62(5), 1630–1635.
- van Bergeijk, D. A., Terlouw, B. R., Medema, M. H., & van Wezel, G. P. (2020). Ecology and genomics of Actinobacteria: new concepts for natural product discovery. *Nature Reviews Microbiology*, 18(10), 546–558.

- van der Heijden, M. G. A., Martin, F. M., Selosse, M., & Sanders, I. R. (2015). Mycorrhizal ecology and evolution: the past, the present, and the future. *New Phytologist*, 205(4), 1406–1423.
- Van der Heijden, M. G. A., & Sanders, I. R. (2002). Mycorrhizal ecology: synthesis and perspectives. In M. van der Heijden & I. Sanders (Eds.), *Mycorrhizal ecology* (pp. 441–456). Springer.
- Van der Heul, H. U., Bilyk, B. L., McDowall, K. J., Seipke, R. F., & van Wezel, G. P. (2018). Regulation of antibiotic production in Actinobacteria: new perspectives from the post-genomic era. *Natural Product Reports*, 35(6), 575–604.
- Van Lenteren, J C, Bale, J., Bigler, F., Hokkanen, H. M. T., & Loomans, A. J. M. (2006). Assessing risks of releasing exotic biological control agents of arthropod pests. *Annu. Rev. Entomol.*, 51, 609–634.
- Van Lenteren, Joop C. (1993). Biological control and integrated pest management in glasshouses—A commercial success. *Pesticide Science*, 37(4), 430–432.
- van Lenteren, Joop C, Bolckmans, K., Köhl, J., Ravensberg, W. J., & Urbaneja, A. (2018). Biological control using invertebrates and microorganisms: plenty of new opportunities. *BioControl*, 63(1), 39–59.
- Van Loon, L. C., & Bakker, P. A. H. M. (2007). Root-associated bacteria inducing systemic resistance. In *Plant-associated bacteria* (pp. 269–316). Springer.
- Van Peer, R, Niemann, G. J., & Schippers, B. (1991). Induced resistance and phytoalexin accumulation in biological control of Fusarium wilt of carnation by *Pseudomonas* sp. strain WCS 417 r. *Phytopathology*, 81(7), 728–734.
- Van Peer, Ron, Punte, H. L. M., de Weger, L. A., & Schippers, B. (1990). Characterization of root surface and endorhizosphere pseudomonads in relation to their colonization of roots. *Applied and Environmental Microbiology*, 56(8), 2462–2470.
- Van-Thuoc, D., Hashim, S. O., Hatti-Kaul, R., & Mamo, G. (2013). Ectoine-mediated protection of enzyme from the effect of pH and temperature stress: a study using *Bacillus*

halodurans xylanase as a model. *Applied microbiology and biotechnology*, 97(14), 6271-6278.

Vanderstraeten, L., & Van Der Straeten, D. (2017). Accumulation and Transport of 1-Aminocyclopropane-1-Carboxylic Acid (ACC) in Plants: Current Status, Considerations for Future Research and Agronomic Applications. *Frontiers in Plant Science*, 8, 38. <https://doi.org/10.3389/fpls.2017.00038>

Varshney, R. K., Chen, W., Li, Y., Bharti, A. K., Saxena, R. K., Schlueter, J. A., Donoghue, M. T. A., Azam, S., Fan, G., & Whaley, A. M. (2012). Draft genome sequence of pigeonpea (*Cajanus cajan*), an orphan legume crop of resource-poor farmers. *Nature Biotechnology*, 30(1), 83.

Varshney ,R.K, Mohan, S. M, Gaur P M. (2013). Achievements and prospects of genomics-assisted breeding in three legume crops of the semi-arid tropics. *Biotechnology Advances* 31, 1120–1134.

Vassilev, N., Medina, A., Azcon, R., & Vassileva, M. (2006). Microbial solubilization of rock phosphate on media containing agro-industrial wastes and effect of the resulting products on plant growth and P uptake. *Plant and Soil*, 287(1), 77–84.

Vasudevan, P., Kavitha, S., Priyadarisini, V. B., Babujee, L., & Gnanamanickam, S. S. (2002). Biological control of rice diseases. In S. S. Gnanamanickam (Ed.), *Biological control of crop diseases* (pp. 11–32). Marcel Dekker Inc.

Ververidis, P., & John, P. (1991). Complete recovery in vitro of ethylene-forming enzyme activity. *Phytochemistry*, 30(3), 725–727.

Vidhyasekaran, P., Rabindran, R., Muthamilan, M., Nayar, K., Rajappan, K., Subramanian, N., & Vasumathi, K. (1997). Development of a powder formulation of *Pseudomonas fluorescens* for control of rice blast. *Plant Pathology*, 46(3), 291–297.

Vijayakumar, G., Tamilarasan, R., & Dharmendirakumar, M. (2012). Adsorption, Kinetic, Equilibrium and Thermodynamic studies on the removal of basic dye Rhodamine-B from aqueous solution by the use of natural adsorbent perlite. *J. Mater. Environ. Sci.*, 3(1), 157–170.

- Virgilio, A., & Hengeller, C. (1960). Production of tetracycline by *Streptomyces psammoticus*. *Il Farmaco; Edizione Scientifica*, 15, 164–174.
- Viterbo, A., Ramot, O., Chernin, L., & Chet, I. (2002). Significance of lytic enzymes from *Trichoderma* spp. in the biocontrol of fungal plant pathogens. *Antonie Van Leeuwenhoek*, 81(1), 549–556.
- Vivas, A., Azcón, R., Biró, B., Barea, J. M., & Ruiz-Lozano, J. M. (2003). Influence of bacterial strains isolated from lead-polluted soil and their interactions with arbuscular mycorrhizae on the growth of *Trifolium pratense* L. under lead toxicity. *Canadian Journal of Microbiology*, 49(10), 577–588.
- Vogelsang, K. M., Bever, J. D., Griswold, M., & Schultz, P. A. (2004). *The use of mycorrhizal fungi in erosion control applications*. California. Department of Transportation.
- Von Alten, H., Lindemann, A., & Schönbeck, F. (1993). Stimulation of vesicular-arbuscular mycorrhiza by fungicides or rhizosphere bacteria. *Mycorrhiza*, 2(4), 167–173.
- Vorholt, J. A. (2012). *Microbial life in the phyllosphere*. *Nat Publ Gr* 10: 828–840.
- Vurukonda, S. S. K. P., Giovanardi, D., & Stefani, E. (2018). Plant growth promoting and biocontrol activity of *Streptomyces* spp. as endophytes. *International Journal of Molecular Sciences*, 19(4), 952.
- Waage, J. K., & Greathead, D. J. (1988). Biological control: challenges and opportunities. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences*, 318(1189), 111–128.
- Wahyudi, A. T., Priyanto, J. A., Fijrina, H. N. U. R., Mariastuti, H. D., & Nawangsih, A. A. (2019). *Streptomyces* spp. from rhizosphere soil of maize with potential as plant growth promoter. *Biodiversitas Journal of Biological Diversity*, 20(9).
- Walters, D., Walsh, D., Newton, A., & Lyon, G. (2005). Induced resistance for plant disease control: maximizing the efficacy of resistance elicitors. *Phytopathology*, 95(12), 1368–1373.

- Wang, L., Zhang, B., Han, J., Zheng, Y., Li, J., & Shan, A. (2015). Optimization of hydrolysis condition of blood meal by *Bacillus subtilis* with response surface methodology. *International Biodeterioration & Biodegradation*, 104, 112–117.
- Wang, Xiaohui, Wang, C., Li, Q., Zhang, J., Ji, C., Sui, J., Liu, Z., Song, X., & Liu, X. (2018). Isolation and characterization of antagonistic bacteria with the potential for biocontrol of soil-borne wheat diseases. *Journal of Applied Microbiology*, 125(6), 1868–1880.
- Wang, Xiaoning, Radwan, M. M., Tarawneh, A. H., Gao, J., Wedge, D. E., Rosa, L. H., Cutler, H. G., & Cutler, S. J. (2013). Antifungal activity against plant pathogens of metabolites from the endophytic fungus *Cladosporium cladosporioides*. *Journal of Agricultural and Food Chemistry*, 61(19), 4551–4555.
- Wang, Y., Fang, X., An, F., Wang, G., & Zhang, X. (2011). Improvement of antibiotic activity of *Xenorhabdus bovienii* by medium optimization using response surface methodology. *Microbial Cell Factories*, 10(1), 1–15.
- Wang, Z.-W., & Liu, X.-L. (2008). Medium optimization for antifungal active substances production from a newly isolated *Paenibacillus* sp. using response surface methodology. *Bioresource Technology*, 99(17), 8245–8251.
- Wang, Z., Gerstein, M., & Snyder, M. (2009). RNA-Seq: a revolutionary tool for transcriptomics. *Nature Reviews Genetics*, 10(1), 57–63.
- Ward, D. M., Weller, R., & Bateson, M. M. (1990). 16S rRNA sequences reveal uncultured inhabitants of a well-studied thermal community. *FEMS Microbiology Reviews*, 6(2–3), 105–115.
- Wei, G., Kloepper, J. W., & Tuzun, S. (1991). Induction of systemic resistance of cucumber to *Colletotrichum orbiculare* by select strains of plant growth-promoting rhizobacteria. *Phytopathology*, 81(11), 1508–1512.
- Wei, Y., Zhao, Y., Zhou, D., Qi, D., Li, K., Tang, W., Chen, Y., Jing, T., Zang, X., & Xie, J. (2020). A newly isolated *Streptomyces* sp. YY-7 with a broad-spectrum antifungal activity improves the banana plant resistance to *Fusarium oxysporum* f. sp. *cubense*.

tropical race 4. *Frontiers in Microbiology*, 1712.

Welbaum, G. E., Sturz, A. V., Dong, Z., & Nowak, J. (2004). Managing soil microorganisms to improve productivity of agro-ecosystems. *Critical Reviews in Plant Sciences*, 23(2), 175–193.

Welch, S. A., Taunton, A. E., & Banfield, J. F. (2002). Effect of Microorganisms and Microbial Metabolites on Apatite Dissolution. *Geomicrobiology Journal*, 19(3), 343–367. <https://doi.org/10.1080/01490450290098414>

Whitelaw, M. A. (1999). Growth Promotion of Plants Inoculated with Phosphate-Solubilizing Fungi. *Advances in Agronomy*, 69, 99–151. [https://doi.org/https://doi.org/10.1016/S0065-2113\(08\)60948-7](https://doi.org/https://doi.org/10.1016/S0065-2113(08)60948-7)

Wilingham, S. L., Pegg, K. G., Langdon, P. W. B., Cooke, A. W., Peasley, D., & McLennan, R. (2002). Combinations of strobilurin fungicides and acibenzolar (Bion) to reduce scab on passionfruit caused by *Cladosporium oxysporum*. *Australasian Plant Pathology*, 31(4), 333–336.

Williams, S. T., Goodfellow, M., Alderson, G., Wellington, E. M. H., Sneath, P. H. A., & Sackin, M. J. (1983). Numerical classification of Streptomyces and related genera. *Microbiology*, 129(6), 1743–1813.

Wishart, D. S., Knox, C., Guo, A. C., Eisner, R., Young, N., Gautam, B., Hau, D. D., Psychogios, N., Dong, E., & Bouatra, S. (2009). HMDB: a knowledgebase for the human metabolome. *Nucleic Acids Research*, 37(suppl_1), D603–D610.

Xiao, X., Chen, H., Chen, H., Wang, J., Ren, C., & Wu, L. (2008). Impact of *Bacillus subtilis* JA, a biocontrol strain of fungal plant pathogens, on arbuscular mycorrhiza formation in *Zea mays*. *World Journal of Microbiology and Biotechnology*, 24(7), 1133–1137.

Xu, J., & Zhang, S. (2014). Regulation of ethylene biosynthesis and signaling by protein kinases and phosphatases. *Molecular Plant*, 7(6), 939–942.

Yadav, A. K., Yandigeri, M. S., Vardhan, S., Sivakumar, G., Rangeshwaran, R., & Tripathi, C. P. M. (2014). Streptomyces sp. S160: a potential antagonist against chickpea charcoal

root rot caused by *Macrophomina phaseolina* (Tassi) Goid. *Annals of Microbiology*, 64(3), 1113–1122. <https://doi.org/10.1007/s13213-013-0750-6>

Yandigeri, M. S., Malviya, N., Solanki, M. K., Shrivastava, P., & Sivakumar, G. (2015). Chitinolytic *Streptomyces vinaceusdrappus* S5MW2 isolated from Chilika lake, India enhances plant growth and biocontrol efficacy through chitin supplementation against *Rhizoctonia solani*. *World Journal of Microbiology and Biotechnology*, 31(8), 1217–1225. <https://doi.org/10.1007/s11274-015-1870-x>

Yandigeri, M. S., Meena, K. K., Singh, D., Malviya, N., Singh, D. P., Solanki, M. K., Yadav, A. K., & Arora, D. K. (2012). Drought-tolerant endophytic actinobacteria promote growth of wheat (*Triticum aestivum*) under water stress conditions. *Plant Growth Regulation*, 68(3), 411–420. <https://doi.org/10.1007/s10725-012-9730-2>

Yang, J., Liu, H., Zhu, G., Pan, Y., Xu, L., & Guo, J. (2008). Diversity analysis of antagonists from rice-associated bacteria and their application in biocontrol of rice diseases. *Journal of Applied Microbiology*, 104(1), 91–104.

Yang, S. F., & Hoffman, N. E. (1984). Ethylene biosynthesis and its regulation in higher plants. *Annual Review of Plant Physiology*, 35(1), 155–189.

Yang, S., Li, F., Malhi, S. S., Wang, P., Suo, D., & Wang, J. (2004). Long-term fertilization effects on crop yield and nitrate nitrogen accumulation in soil in northwestern China. *Agronomy Journal*, 96(4), 1039–1049.

Yobo, K. S., Laing, M. D., & Hunter, C. H. (2010). Application of selected biological control agents in conjunction with tolclofos-methyl for the control of damping-off caused by *Rhizoctonia solani*. *African Journal of Biotechnology*, 9(12), 1789–1796.

You, M. P., Sivasithamparam, K., & Kurtböke, D. I. (1996). Actinomycetes in organic mulch used in avocado plantations and their ability to suppress *Phytophthora cinnamomi*. *Biology and Fertility of Soils*, 22(3), 237–242.

Yu, H., Ling, N., Wang, T., Zhu, C., Wang, Y., Wang, S., & Gao, Q. (2019). Responses of soil biological traits and bacterial communities to nitrogen fertilization mediate maize yields across three soil types. *Soil and Tillage Research*, 185, 61–69.

Yu, J., Liu, Q., Liu, Q., Liu, X., Sun, Q., Yan, J., Qi, X., & Fan, S. (2008). Effect of liquid culture requirements on antifungal antibiotic production by *Streptomyces rimosus* MY02. *Bioresource Technology*, 99(6), 2087–2091.

Yu, Y.-B., Adams, D. O., & Yang, S. F. (1979). 1-Aminocyclopropanecarboxylate synthase, a key enzyme in ethylene biosynthesis. *Archives of Biochemistry and Biophysics*, 198(1), 280–286.

Yuan, L.-L., Li, Y.-Q., Wang, Y., Zhang, X.-H., & Xu, Y.-Q. (2008). Optimization of critical medium components using response surface methodology for phenazine-1-carboxylic acid production by *Pseudomonas* sp. M-18Q. *Journal of Bioscience and Bioengineering*, 105(3), 232–237.

Yuan, W. M., & Crawford, D. L. (1995). Characterization of *streptomyces lydicus* WYEC108 as a potential biocontrol agent against fungal root and seed rots. *Applied and Environmental Microbiology*, 61(8), 3119–3128. <https://doi.org/10.1128/aem.61.8.3119-3128.1995>

Yun, T. Y., Feng, R. J., Zhou, D. B., Pan, Y. Y., Chen, Y. F., Wang, F., Yin, L. Y., Zhang, Y. D., & Xie, J. H. (2018). Optimization of fermentation conditions through response surface methodology for enhanced antibacterial metabolite production by *Streptomyces* sp. 1-14 from cassava rhizosphere. *PloS One*, 13(11), e0206497.

Zengler, K., Paradkar, A., & Keller, M. (2005). New methods to access microbial diversity for small molecule discovery. In *Natural Products* (pp. 275–293). Springer.

Zhang, M., Yuan, B., & Leng, P. (2009). The role of ABA in triggering ethylene biosynthesis and ripening of tomato fruit. *Journal of Experimental Botany*, 60(6), 1579–1588.

Zheng, C., Zhang, S., Ragg, S., Raftery, D., & Vitek, O. (2011). Identification and quantification of metabolites in ^1H NMR spectra by Bayesian model selection. *Bioinformatics (Oxford, England)*, 27(12), 1637–1644. <https://doi.org/10.1093/bioinformatics/btr118>

Zheng, R., Zhan, J., Liu, L., Ma, Y., Wang, Z., Xie, L., & He, D. (2019). Factors and minimal subsidy associated with tea farmers' willingness to adopt ecological pest management.

Sustainability, 11(22), 6190.

Zhou, Q., Ding, L., Zhu, Y., Zhong, M., & Yang, C. (2020). Process parameters optimization of gallic acid removal from water by MIEX resin based on response surface methodology. *Processes*, 8(3), 273.

Zhu, X.-C., Song, F.-B., & Xu, H.-W. (2010). Arbuscular mycorrhizae improves low temperature stress in maize via alterations in host water status and photosynthesis. *Plant and Soil*, 331(1), 129–137.

Zhu, Y., Chen, H., Fan, J., Wang, Y., Li, Y., Chen, J., Fan, J., Yang, S., Hu, L., & Leung, H. (2000). Genetic diversity and disease control in rice. *Nature*, 406(6797), 718–722.

Zitouni, A., Boudjella, H., Lamari, L., Badji, B., Mathieu, F., Lebrihi, A., & Sabaou, N. (2005). Nocardiopsis and Saccharothrix genera in Saharan soils in Algeria: isolation, biological activities and partial characterization of antibiotics. *Research in microbiology*, 156(10), 984-993.

Zou, Y.-N., Srivastava, A. K., & Wu, Q.-S. (2016). Glomalin: a potential soil conditioner for perennial fruits. *Int J Agric Biol*, 18, 293–297.

Zuber, P., Nakano, M. M., & Marahiel, M. A. (1993). Peptide antibiotics. In *Bacillus subtilis and Other Gram-Positive Bacteria: Biochemistry, Physiology, and Molecular Genetics* (pp. 897–916). Wiley Online Library.