

Key Abbreviations

| | |
|----------|---|
| AIP | Atherogenic index of plasma |
| ApoE | Apolipoprotein E |
| ARG1 | Arginase-1 |
| Ath diet | Atherogenic diet |
| BMAL1 | Brain and muscle Arnt-like protein 1 |
| bp | Base pair |
| BRC | Basal respiratory capacity |
| CD 68 | Cluster of Differentiation 68 |
| CD | Chronodisruption |
| cDNA | Complementary deoxyribonucleic acid |
| CLOCK | Circadian locomotor output cycles kaput |
| CO | Carbon monoxide |
| CORM-A1 | Carbon monoxide releasing molecule A1 |
| CRP | C reactive Protein |
| CRR | Cardiac risk ratio |
| CRY | Cryptochrome |
| CVD | Cardiovascular Disorders |
| DAB | 3, 3' diaminobenzidine tetrahydrochloride |

| | |
|-----------|--|
| DAMPs | Damage-associated molecular patterns |
| DCF-DA | Dichlorofluorescein Diacetate |
| DMSO | Dimethyl sulphoxide |
| Drp1 | Dynamin related protein1 |
| ECAR | Extracellular acidification rate |
| ECL | Enhanced Chemiluminescence |
| ETC | Electron transport chain |
| FBS | Fetal bovine serum |
| GAPDH | Glyceraldehyde 3-phosphate dehydrogenase |
| H&E stain | Hematoxylin and Eosin staining |
| HDL | High density lipoprotein |
| HO-1 | Hemeoxygenase-1 |
| HSP 60 | Heat shock protein 60 |
| i.p. | Intraperitoneal |
| IB cells | antagomir transfected cells |
| ICAM1 | Intercellular adhesion molecule 1 |
| ICC | Immunocytochemistry |
| IHC | Immunohistochemistry |
| iNOS | Inducible nitric oxide synthase |
| kDa | Kilo Dalton |

| | |
|----------------|--|
| KLF 4 | Krüppel-like factor 4 |
| LDL | Low density Lipoprotein |
| LSD | Lifestyle disorders |
| MCP-1 | Macrophage chemoattractant protein 1 |
| MDMs | Monocyte derived macrophages |
| miRNA | micro-RNA |
| MM/GBSA | Molecular mechanics with generalised Born and surface area solvation |
| MMP | Mitochondrial membrane potential |
| MRC | Maximal respiratory capacity |
| MSP assay | Methylation specific PCR assay |
| mtDNA | Mitochondrial DNA |
| MTT | 3-(4, 5-dimethylthiazolyl-2)-2, 5-diphenyltetrazolium bromide |
| NF- κ B | Nuclear factor κ B |
| OCR | Oxygen consumption rate |
| ORO | Oil Red O |
| Ox-LDL | Oxidized Low density lipoprotein |
| OXPHOS | Oxidative phosphorylation |
| P53 | Tumor protein p53 |
| PER | Period |

| | |
|---------------|--|
| PMA | Phorbol-12-myristate-13-acetate |
| qPCR | Quantitative polymerase chain reaction |
| ROS | Reactive oxygen species |
| SCN | Suprachiasmatic nuclei |
| SD rat | Sprague Dawley rats |
| SEM | Standard error mean |
| SIRT1 | Sirtulin 1 |
| SNAI1 | Snail family transcriptional repressor 1 |
| SOD2 | Superoxide dismutase 2 |
| SRC | Spare respiratory capacity |
| STAT3 | Signal transducer and activator of transcription 3 |
| TC | Total cholesterol |
| TG | Triglycerides |
| TNF- α | Tumor necrosis factor α |
| TrxR2 | Thioredoxin reductase 2 |
| VCAM1 | Vascular cell adhesion molecule 1 |
| VLDL | Very low-density lipoprotein |
| ZEB1 | Zinc finger E-box binding homeobox 1 |
| ZT | Zeitgeber time |