

BIBLIOGRAPHY

BIBLIOGRAPHY

- Anderson, W. C. (1984). Micropropagation of filberts, *Corylus avellana*. Comb.
Proc. Int. Plant Prop. Soc., 33 : 132-137.
- Arya, H. C., Ramawat, K. G. and Suthar, K. C. (1981). Culture and differentiation of plants of economic importance II *Aegle marmelos*. J. Indian Bot. Soc., 60 : 134-137.
- Arya, H. C., Kant, U., Shekhawat, N. S. and Goel, Y. (1989). Propagation of certain economically important 'Thar' desert trees through tissue culture. In "Tissue culture and Biotechnology of medicinal and aromatic plants", Proceedings of an international workshop, CIMAP, Lucknow, India. Eds. Kukreja, Mathur, Ahuja and Thakur, pp1-6.
- Attfield, E.M. and Evans, P.K. (1991). Developmental pattern of root and shoot organogenesis in cultured leaf explants of *Nicotiana tabacum* cv. Xanthi nc. J. Exp. Bot., 42 : 51-57.
- Bajaj, Y.P.S. (Ed.) (1989). Biotechnology in Agriculture and Forestry. Vol. 5. Trees II, Springer-Verlag, Berlin, 622.

Ball, E. A. (1946). Development in sterile culture of stem-tips and adjacent regions of *Tropaeolum majus* L. and *Lupinus albus* L. Amer. J. Bot.,33 : 301-318.

Banerjee, M. D. M. and Sharma, A. K. (1982). Quantitative estimation of diosgenin in different populations of *Costus* sps. Current Science, **510** : 993 - 995.

Bapat, V. A. and Rao, P. S. (1988). Sandalwood plantlets from 'Synthetic seeds' . Plant cell Rep., **8** : 434-436

Barve, D. M. (1989). Clonal propagation and secondary metabolite studies in tissue culture of *Commiphora wightii* (Arnott) Bhandari, Ph. D. Thesis, M.S. University of Baroda, Vadodara.

Barz, W. and Koster, J. (1981). Turnover and degradation of secondary (natural) products. In : 'The biochemistry of plants', vol. 7 (E. E. Conn, ed.) Academic Press, New York pp. 35-84.

Becwar, M. R., Noland, T. L., Wyckoff J. L. (1989). Maturation, germination and conversion of Norway Spruce (*Picea abies* L.) somatic embryos to plants. In Vitro Cell Dev. Biol.,25 : 575-580.

Bennett, L. K. and Davies, F. T. (1985). Micropropagation of *Cercis*. Hort. Sci., **20** : 592.

Bergman, L., Von Arnold, S. and Eriksson, T. (1985). Effects of N⁶-benzyladenine on shoots of five willow clones (*Salix* spp.) cultured *in vitro*. Plant, cell, tissue and organ culture, **4** : 135-144.

Bertrand, L. J. and Lalonde, M. (1985). *In vitro* propagation and nodulation by Frankia of actinorhizal Russian olive (*Elaeagnus angustifolia* L.). Plant and Soil, **87** : 143-152.

Bharal, S. and Rashid, A. (1981). Tissue culture of *Alhagi camelorum* - a legume of high regenerative capacity. Physiol. Plant., **53** : 497-500.

Bhojwani, S. S. and Razdan, M. K. (Eds.) (1983). Development in crop science. *Plant tissue culture : Theory and practice*. Elsevier, Amsterdam, Oxford, New York, Tokyo.

Block, R.J. and Durrum, E.L. (1958) In : *A manual of paper chromatography and paper electrophoresis* pp. 329-336. Eds. Block, R.J., Durrum, E.L. and Zweig, G. Publishers Academic Press Inc., New York.

Bonga, J.M. (1982). Vegetative propagation in relation to juvenility, maturity and rejuvenation. pp. 387-412, In : *Tissue culture in relation to forestry*. Eds. Bonga J.M. and Durzan, D.J., Publishers-Martinus Nijhoff / Dr. W. Junk. The Hague / Boston / London.

Bonga, J. M. (1987). Clonal propagation of mature trees : Problems and possible solutions, pp. 249-271 in Bonga and Durzan (eds.).

Bonga, J.M. and Durzan, D. J. (Eds.) (1987). Cell and tissue culture in forestry. Vol. I, General Principles and Biotechnology, Martinus Nijhoff Dordrecht Boston, Lancaster.

Boulay, M. (1987). *In vitro* propagation of tree species, pp 367-382, In:'Plant Tissue and Cell Culture' , Eds.-Green, C.E., Somers, D.A. Mackett, W.P. and Biesboe, D.D. Publishers-Alan R. Liss Inc., New York.

Bourgin, J.P. and Nitsch, J.P. (1967). Production of haploid *Nicotiana* from excised stamens. Ann. Physiol. Veg.,**9** : 377-382.

* Boxus Ph. (1987). Nestle Research News Nested Ltd. Vevey, Switzerland, pp 73-79.

Boxus, Ph., Terzi, J.M., Lievens, C.H., Pylyser, M., Ngaboyamahina, P. and Duhem, K. (1991). Improvement and perspectives of micropropagation techniques applied to some hot climate plants. Acta. Hort. , **289** : 55-64.

Butcher, D.N. (1977). Secondary products in tissue culture. In: Plant, cell, tissue and organ culture (Eds. Reinert, J. and Bajaj, Y.P.S.). Berlin, Heidelberg and New York : Springer Verlag, 668-693.

Butcher, D.N. and Street, H.E. (1964). Excised root culture. Bot. Rev., **30** : 513-586.

Carlson, P.S., Smith, H. H. and Dearing, R. D. (1972). Parasexual interspecific plant hybridization. Proc. Natl. Acad. Sci., USA. **69** : 2292-2294.

Chalupa, V. (1984). *In vitro* propagation of Oak (*Quercus robur* L.) and Linden (*Tilia cordata* Mill.). Biol. plant., **26** : 374-377.

Chauvin, J. E. and Salesses, G. (1988). Advances in Chestnut micropropagation (*Castanea* sp.). Acta Hort., **227** : 340-345.

Cheah, K.T. and Cheng, T. Y. (1978). Histological analysis of adventitious bud formation in cultured Douglas fir cotyledon. Amer. J. Bot., **65** (8) : 845-849.

Cheng, T.Y. (1978). Clonal propagation of woody species through tissue culture techniques. Comb. Proc. Int. Plant. Prop. Soc., **28** : 139-155.

Chopra, R.N., Nayar, S.L. and Chopra I.C. (1958). 'Glossary of Indian medicinal Plants' CSIR publication, New Delhi.

Christianson, M.L. (1987). Causal effects in morphogenesis, pp 45-55 in 'Plant Tissue and cell culture', Publishers, Alan R. Liss, Inc., New York, Eds., Green C.E., Somers, D.A., Hackett, W.P. and Biesboer, D.D.

Coleman, G. D. & Ernst, S. G. (1990). Axillary shoot proliferation and growth of *Populus deltoides* shoot cultures. Plant Cell Rep., **9** : 165-167.

Conger, B.V. (1981). Cloning agricultural plants via *in vitro* techniques. CRC Press, Inc. Boca Raton, Florida.

Das, P., Rout, G.R. and Samantray, S. (1995). Regeneration of plantlets from callus cultures of *Dalbergia* sp. *in vitro*. Proc. Nat. Acad. Sci., **65** (B) 1 : 53-59.

Das, T. and Mitra, G.C. (1990). Micropropagation of *Eucalyptus tereticornis* Smith. Plant,cell,tissue and organ culture, **22** : 95-103.

Datta, S.K., Datta, K. and Pramanik, T. (1983). *In vitro* clonal multiplication of mature trees of *Dalbergia sissoo* Roxb. Plant,cell, tissue and organ culture, **2** : 15-20.

Dawra, S., Sharma, D.R. and Chowdhury, J.B. (1984). Clonal propagation of *Dalbergia sissoo* Roxb. through tissue culture. Current Science, **53** (15) : 807-809.

Debergh, P.C. and Maene, L.J. (1981). A scheme for commercial propagation of ornamental plants by tissue culture. Scientia Hort., **14** : 335-345.

Debergh, P.C. and Zimmerman, R.H. (Eds.) (1990). 'Micropropagation : Technology and Application', Publisher Kluwer, Dordrecht.

De-fossard, R. A. (1976). Tissue culture for plant propagators, pp. 409 Printed in the university of New England, Printery, Australia.

Dhawan, V. (Ed.) (1989). Applications of biotechnology in Forestry and Horticulture, Plenum Press, New York, 385 pp.

Dhawan, V. and Bhojwani, S.S. (1985). *In vitro* vegetative propagation of *Leucaena leucocephala* (Lam.) de wit. Plant Cell Report, **4**: 315-318.

* Dittman, J.H., Herrmann, D. and Palleske, H. (1972). Arzneim Forsch, **21**: 1999.

Douglas, G.C. (1984). Formation of adventitious buds in stem internodes of *Populus* spp. cultured *in vitro* on basal medium : influence of endogenous properties of explants. J. Plant Physiol., **116** : 313-321.

Driver, J. A., Suttle, G.R.L. (1987). Nursery handling of propagules. In : Bonga J.M., Durzan, D. J. (Eds.), Cell and tissue culture in forestry, Martinus Nijhoff, Dordrecht, pp. 320-335.

Dunstan, D. I. and Thorpe, T. A. (1986). Regeneration in forest trees. In: Vasil I.K. (Ed.) 'Cell culture and somatic cell Genetics in plants', **3**: 223-241, Academic press, New York.

Dutt, C.B.S. (1982). Studies in the chemical systematics of Fabaceae and Lamiaceae. Ph.D. thesis, M.S. University of Baroda, Baroda.

Fowler, M.W. (1978). Regulation of carbohydrate metabolism in cell suspension cultures, pp. 443-452. In : Frontiers of plant tissue culture Ed., Thorpe, T.A. In : Proc. 4th Int. Cong. Plant tissue culture. Printers Calgary Univ., Calgary.

Fowler, M.W. (1986). Process strategies for plant cell cultures. Trends in biotechnology, **4** : 214-219.

Froberg, C.A. (1986). Tissue culture propagation of *Sophora secundiflora*. Comb. Proc. Int. Plant Prop. Soc., **35** : 750 - 754.

Gamborg, O.L., Miller, R.A. and Ojima, K. (1968). Nutrient requirements of suspension cultures of soyabean root cells. Exp. Cell Res., **50** : 151-158.

Gamborg, O.L., Constabel, F. and Shyluk, J.P. (1974). Organogenesis in callus from shoot apices of *Pisum sativum*. Physiol. Plant., **30** : 125-128.

Gaspar, Th. and Coumans, M. (1987). Root formation, pp. 202-218 in Bonga and Durzan (Eds.) 1987.

* Gautheret, R. (1940). Nouvelles recherches sur le bouregeonnement du tissu cambial d' *Ulmus campestris* cultivé *in vitro*. C.R. Acad.Sci., Paris, **210** : 744 - 746.

Geier, T. (1986). Factors affecting plant regeneration from leaf segments of *Anthurium scherzerianum* Schott (Araceae) cultured *in vitro*. Plant, cell, tissue and organ culture, **6** : 115 - 125.

Geneve, R.L. , Kester, S.T. and El-shall S. (1990). *In vitro* shoot initiation in Kentucky coffee tree. Hort. Science, **25** : 578.

George, E.F. and Sherrington, P.D. (1984). Plant Propagation by tissue culture. Exegetics Ltd. Printed in Great Britain, Eastern Press, Reading Berks.

Goldfarb, B. Howe, G.T., Bailey, L.M., Strauss, S.H. and Zaerr, J.B. (1991). A liquid cytokinin pulse induces adventitious shoot formation from Douglas fir cotyledons. Plant cell reports, **10** : 156-160.

Goyal, Y. and Arya, H.C. (1984). Tissue culture of desert trees : I Clonal multiplication of *Prosopis cineraria* by bud culture. J.Plant Physiol., **115** : 183-189.

Goyal, Y., Bingham R.L. and Felker P. (1985). Propagation of the tropical tree, *Leucaena leucocephala* cultivar, K-67 by *in vitro* bud culture. Plant, cell, tissue and organ culture, **4** : 3-10.

Green, B., Tabone, T. and Felker, P. (1990). A comparison of amide and ureide nitrogen sources in tissue culture of tree legume, *Prosopis alba* clone B2 V50. Plant, cell, tiss. and organ cult., **21** : 83-86.

Guha, S. and Maheshwari, S.C. (1964). *In vitro* production of embryos from anthers of *Datura*, Nature (London), **204** : 497 - 499.

Gupta, P.K., Nadgir, A.L., Mascarenhas, A.F. and Jaganathan, V. (1980). Tissue culture of forest trees : Clonal multiplication of *Tectona grandis* L. (teak) by tissue culture. Plant Sci. Lett., **17** 259-268.

*Haberlandt, G. (1902). Kuturverschemit isolierten pflanzenzellen, sitzungsber Math - Naturwiss K I Kais . Akad. Wiss. Wein., **11** : 69-92.

Hanover, J.W. and Keathley, D.E. (Eds.) (1988). Genetic manipulation of woody plants. Plenum press, New York, 519 pp.

Harborne J.B. (1973). Phytochemical methods, Chapman and Hall, London.

Hartmann, H.T., Kester, D.E. and Davies F.T. Jr. (1990). Plant Propagation - principles and practices, 5th ed. Prentice Hall, Englewood cliffs, New Jersey.

Hasler, A., Meiers, B. and Sticher, U. (1989). HPLC analysis of five widespread flavonoid aglycones. Plant.med., **55** : 616

Hilderbrandt, V. and Harney, P.M. (1983). *In vitro* propagation of *Syringa vulgaris* 'Vesper', Hort. Sci., **18** : 432-434.

Hiraoka, N. and Oyanagi, M. (1988). *In vitro* propagation of *Glehnia littoralis* from shoot tips. Plant Cell Reports, **7** : 39-42.

Holden, P.R., Holden, M.A. and Yeoman, M.M. (1988). Variation in the secondary metabolism of cultured plant cells. In : 'Manipulating secondary metabolism in cultures' (J.R. Richards and J.R. Michael, Eds.) Cambridge University Press, Cambridge, pp. 15-29.

* Horgan, K. (1987). *Pinus radiata* . pp. 128-145 in Bonga & Durzan (Eds.) 1987.

*Hunault, G. (1979). Recherches sur le comportement des fragments d'organes et des tissus de monocotylédones cultivés *in vitro* V. Discussion. Rev. Cytol. Biol. Veg. Bot., **2** : 259 -287.

Hussey, G. (1983). *In vitro* propagation of horticultural and agricultural crops. pp.111-138 in Mantell & Smith (Eds.) Plant Biotechnology. Soc. Exp. Biol. Seminar series 18,1983, C.U.P.

Hyndman, S.E., Hasegawa, P.M. and Bressan, R.A. (1982). Stimulation of root initiation from cultured rose shoots through the use of reduced concentrations of mineral salts. Hort. Science, **17** (1) : 82-83.

Islam, R. Hossain, M. Joarder O.I. & Karim M.R. (1993). Adventitious shoot formation on excised leaf explants of *in vitro* grown seedlings of *Aegle marmelos*. J. Hort. Sci., **68** : 495 - 498.

Ishii, K. and Kanazashi, T. (1992). Three years field performance of *in vitro* propagated Japanese white birch (*Betula platyphylla* var. *japonica*). Acta. Hort., **319** : 167-170.

Jaiswal, V.S. Narayan, P. (1985) Regeneration of plantlets from the callus of stem segments of adult plants of *Ficus religiosa* L. Plant Cell Report, **4** : 256 - 258.

Juntilla, O. (1982) Gibberellin like activity in shoots of *Salix pentandra* as related to the elongation growth. Can. J. Bot., **60** : 1231-1234.

Kackar, N.L., Solanki, K.R., Manjit Singh and Vyas, S.C. (1991). Micropropagation of *Prosopis cineraria*. Indian Journal of Experimental biology, **29** : 65 - 67.

Kapoor, S. and Gupta, S.C. (1986). Rapid *in vitro* differentiation of *Sesbania bispinosa* plants-a leguminous shrub. Plant, cell, tissue and organ culture, **7** : 263 - 268.

Kartha, K.K., Gamborg, O.L. and Constabel, F. (1974). Regeneration of pea (*Pisum sativum*) plants from shoot apical meristems. Pflanzenphysiol., **72** : 172 - 176.

Kibler, R. and Neumann, K.H. (1980). On cytogenetic stability of cultured tissue and cell suspensions of haploid and diploid origin. pp. 59-65 in Sala et al. (Eds.) 1980.

Kirtikar, K.R. and Basu, B.D. "Indian Medicinal Plants", Vol. II, M/s. Bishan Singh Mahdrapal, Dehra Dun, 1975, pp 936-939.

Kiviranta, J., Huovinen, K. and Hiltunen, R. (1986). Variation of flavonoids in *Allium cepa* In : 34th Annual Congress of medicinal plant research' Hamburg, 1986.

* Kotte, W. (1922). Kalturoersuche mit isolierten warzelspitzen. Beitr. allg. Bot., **2** : 413 - 434.

Krikorian, A.D. , Staicu, S. and Kann, R.P. (1981). Karyotype analysis of a day lily clone reared from aspetically cultured tissues. Ann. Bot., **47** : 121-131.

Kukreja, A.K. and Mathur, A.K. (1985). Tissue culture studies in *Duboisia myoporoides*, 1 Plant regeneration and clonal propagation by stem node cultures. Planta Med., **49** : 93-96.

Kukreja, A.K., Mathur, A.K. and Ahuja, P.S. (1986). Morphogenetic potential of foliar explants of *Duboisia myoporoides* R. Br. (Solanaceae). Plant Cell Reports, **5** : 27-30.

Laekeman, G.M., Claeys, M., Rwangabo, P.C., Herman, A.G. and Vlietinck, A.J. (1986). Cardiovascular effects of 3-methyl quercetin. Planta Medica, 433-437.

Lakshmi Sita, G. and Raghava Swamy, B.V. (1993). Regeneration of plantlets from leaf disc cultures of rosewood : Control of leaf abscission and shoot- tip necrosis. Plant Science, 88 : 107-112.

Lakshmi Sita, G., Raghava Ram, N.V. and Vaidyanathan, C.S. (1979). Differentiation of embryoids and plantlets from shoot callus of Sandalwood. Plant Sci. Lett., 15 : 265-270.

Lal, N., Ahuja, P.S. Kukreja, A.K. and Pandey, B. (1988). Clonal propagation of *Picrorhiza kurroa* Royal ex.Benth. by shoot tip culture. Plant Cell Rep., 7 : 202-205.

Lane, W.D. and McDougald, J.M. (1982). Shoot tissue culture of apple : Comparative response of five cultivars to cytokinin and auxin. Can. J. Plant Sci., 62 : 689-694.

Leege, A.D. and Tripepi, R.R. (1993). Rapid adventitious shoot regeneration from leaf explants of European birch. Plant, cell, tiss. and organ cult., 32 : 123-129.

Le Roux, J.J. and Van Staden, J. (1991). Micropropagation of *Eucalyptus* species. Hort.Science, 26 : 199-200.

Lee Stadelmann, O.Y., Lee, S.W., Hackett, W.P. and Read, P.E. (1989). The formation of adventitious buds *in vitro* on micro-cross sections of hybrid *Populus* leaf midveins. Plant Science, **61** : 263-272.

Letham, D.S. (1966). Regulation of cell division in plant tissues. II. A cytokinin in plant extracts : isolation and interaction with other growth regulators. Phytochem., **5** : 269-286

Lin, Y., Wagner, M.R. and Heidmann, L.J. (1991). *In vitro* formation of axillary buds by immature shoots of Ponderosa pine. Plant, cell, tiss. and organ cult., **26**: 161-166.

Lineberger, R.D. (1983). Shoot proliferation, rooting and transplant survival of tissue cultured 'Hally Jolivette' cherry. Hort. Science, **18** : 182-185.

Lloyd, G. and Mc cown B. (1981). Commercially feasible micropropagation of Mountain laurel, *Kalmia latifolia*, by use of shoot tip culture. Int. Plant Prop. Soc. Proc., **30** : 421-427.

Maclean, N. (1977). The differentiation of cells. In : Genetics-Principle and Perspectives : A series of texts. Eds. Lewis, K.R. and John, B. Vol. I, University Park Press, Baltimore.

Mantell, S.H., Matthews, J.A. and McKee, R.A. (1985). Principles of plant biotechnology. An introduction to genetic engineering in plants. Blackwell scientific publications, Oxford, London and Edinburgh.

Martinelli, A . (1985). Factors affecting *in vitro* propagation of the peach almond hybrids 'Hansen 536'. Acta. Hort.,**173** : 237-244.

Mascarenhas, A.F., Khuspe, S.S., Nadgauda, R.S., Gupta, P.K., and Khan, B.M. (1988). Potential of cell culture in plantation forestry programme. In : Hanover, J.W., Keathley D.E. (Eds.), "Genetic Manipulation of woody plants" (pp. 391-412) Plenum press, New York.

Mathur J. and Mukunthakumar, S. (1992). Micropropagation of *Bouhinia variegata* and *Parkinsonia aculeata* from nodal explants of mature trees. Plant, cell, tiss. and organ cult.,**28** : 119-121.

Mc Comb, J.A. and Newton, S. (1981). Propagation of Kangaroo Paws using tissue culture. J. Hort. Sci.,**56** : 181-183.

Mehra, P.N. and Cheema, G.S. (1980). Clonal multiplication *in vitro* of Himalayan Poplar (*Populus ciliata*). Phytomorphology, **30** : 336-343.

* Melchers, G., Sacristan, M.D. and Holder, A.A. (1978). Somatic hybrid plants of potato and tomato regenerated from fused protoplast. Carlsberg Res. Commun., **43** : 203-218.

Mhatre, M., Bapat, V.A. and Rao, P.S. (1985). Regeneration of plants from the culture of leaves and axillary buds in Mulberry (*Morus indica* L.). Plant cell reports, **4** : 78-80.

Miller, C.O., Skoog, F., Von Saltza, M.H. and Strong, F.M. (1955). Kinetin, a cell division factor from deoxyribonucleic acid. J. Am. Chem. Soc., **77** : 1392.

Mittal, A., Agarwal, R. and Gupta, S.C. (1989). *In vitro* development of plantlets from axillary buds of *Acacia auriculiformis* - a leguminous tree. Plant, cell, tissue and organ culture, **19** : 65-70.

* Morel, G.M. (1960). Producing virus free Cymbidium. Am. Orch. Soc. Bull., **29** : 495-497.

*Morel G. and Martin, C. (1952). Guerison de dahlias atteints d'une maladie à virus. C.R. Acad. Sci, Paris, **235** : 1324-1325.

Murashige, T. (1974). Plant propagation through tissue culture. Ann. Rev. Plant Physiol., **25** : 135-166.

Murashige, T. (1977). Manipulation of organ initiation in plant tissue culture.

Bot. Bull. Acad. Sci., 18 : 1-24.

Murashige, T. and Skoog, F. (1962). A revised medium for rapid growth and bioassay with tobacco tissue cultures. Physiol. Plant., **15** : 473-497.

* Nagel, M. and Reinhard, E. (1975). Das aetherische ol der callus kuturen von *Ruta graveolens* II Physiologie Zur Bildung des aetherischen oles. Planta med., **27** : 264-271.

Nair, S., Gupta, P.K., Shringurkar, M.V. and Mascarenhas, A.F. (1984). *In vitro* organogenesis from leaf explants of *Annona Squamosa* Linn. Plant, cell, tissue and organ cult., **3** : 29-40.

Nandwani, D., and Ramawat, K.G. (1991). Callus culture and plantlet formation from nodal explants of *Prosopis juliflora* (Swartz.) DC. Indian Journal of Experimental biology, **29** : 523-527.

Padhya, M.A. (1983). Somatic embryogenesis and plantlet regeneration from suspension cultures of *Crataeva nurvala*. In : 'Proceedings of National Seminar on plant tissue culture' Kasargod (A.M. Wadhwani, ed.). Allied publishers, New Delhi.

Paek, K. Y., Chandler, S. F. and Thorpe, T. A. (1987). *In vitro* propagation of chinese cabbage from seedling shoot tips. J. Am. Soc. Hort. Sci., **112** : 841-845.

Paily, J. and D' Souza, L. (1986). *In vitro* clonal propagation of *Lagerstroemia flos-reginae* Retz. Plant, cell, tissue and organ culture, **6** : 41-45.

Pal, A., Banerjee, A. and Dhar, K. (1985). *In vitro* organogenesis and somatic embryogenesis from leaf explants of *Leucosceptrum canum* sm. Plant Cell Reports, **4** : 281-284.

Patel, K. R., Kim, H. R. and Thorpe, T. A. (1986). Plantlet formation in Pitch pine (*Pinus rigida* Mill.) by tissue culture methods. For. Ecol. and Manage., **15** : 147-160.

Paterson, K. E. (1983). Polarity of regeneration in excised leaves of *Crassula argentea*. Can. J. Bot., **61** : 1058-1063.

Pollard, J.K., Shantz, E.M. and Steward, F.C. (1961). Hexitols in coconut milk : their role in nurture of dividing cells. Plant physiol., **36** : 492-501.

Preece, J.E., Huetteman, C.A., Ashby, W.C. and Roth, P.L. (1991). Micro and cutting propagation of silver maple. 1. Results with adult and juvenile propagules. J. Am. Soc. Hort. Sci., **116** : 142 - 148.

Preece, J.E., and Sutter, E.G. (1991). Acclimatization of micropropagated plants to the green house and field, pp. 71-93 in Debergh and Zimmerman (Eds.) 1991.

Raghva Swamy, B.V., Himabindu, K., and Lakshmi Sita, G. (1992). *In vitro* micropropagation of 'elite' rosewood (*Dalbergia latifolia* Roxb.). Plant cell reports, **11** : 126-131.

Rahman, S. M., Hossain, M., Biswas B. K., Joarder, O.I. and Islam, R. (1993). Micropropagation of *Caesalpinia pulcherrima* through nodal bud culture of mature tree. Plant, cell, tiss. and organ cult., **32** : 363-365.

Rai, V. R. and Chandra, K. S. J. (1989). Micropropagation of Indian rosewood by tissue culture. Annals of Botany, **64** : 43-46.

Ramesh, K. and Padhya, M. A. (1990). *In vitro* propagation of neem, *Azadirachta indica* A. Juss. from leaf discs. Indian Journal of Experimental Biology, **28** : 932-935.

Rhodes, M.J.C., Robins, R.J., Hamill, J. and Parr, A.T. (1986). Potential for the production of biochemicals by plant cell culture, New Zealand J. Technology, **2** : 59-70.

Robbins, W.J. (1922). Cultivation of excised root-tips and stem-tips under sterile conditions. Bot. Gaz. (Chicago), **73** : 376-390.

Roest, S. and Bokelmann, G.S. (1976). Vegetative propagation of *Solanum tuberosum* L. *in vitro*. Potato Res.,**19** : 173-178.

Ross, M.K. and Thorpe, T.A. (1973). Physiological gradients and shoot initiation in tobacco callus cultures. Plant Cell Physiol., **14** : 473-480.

Schenk, R.U. and Hilderbrandt, A.C. (1972). Medium and techniques for induction and growth of monocotyledonous and dicotyledonous plant cell cultures. Can. J. Bot., **50** : 199-204.

Seabrook, J.E.A. (1980). Laboratory culture. In : "Plant tissue culture as a source of Biochemicals" (Ed. Staba, E.J.), CRC Press, Boca Raton, Florida, pp. 2-20.

Sharma, V. (1990). Rapid propagation of *Crataeva nurvala* through tissue culture. Ph.D. thesis, M.S. University of Baroda, Baroda.

Sharma, M. and Chaturvedi, H. C. (1989). Somatic embryogenesis in callus tissues of *Dioscorea floribunda* and *D. deltoidea*. In : 'Proceedings of international workshop on tissue culture and biotechnology of medicinal and aromatic plants' CIMAP, Lucknow (A. K. Kukreja, A. K. Mathur, P. S. Ahuja, and R. S. Thakur, eds.), Paramount publishing house, New Delhi pp. 23-38.

Sharma, V. and Padhya, M. A. (1996). *In vitro* multiplication and propagation of *Crataeva nurvala*. Indian J. Expt. Biol., **34** : 243-246.

Simpkins, I. and Street, H.E. (1970). Studies on the growth in culture of plant cells. J. Exp. Bot., **21** : 171-185.

Sinha, R.K. and Mallick, R. (1991). Plantlets from somatic callus tissues of the woody legume, *Sesbania bispinosa*. Plant Cell Reports, **10** : 247-250.

Skoog, F. and Miller, C.O. (1957). Chemical regulation of growth and organ formation in plant tissue cultures *in vitro*. Symp. Soc. Exp. Biol., **11** : 118-131.

Smith, M.A.L., Palta, J. P. and Mc. Cown, B.H. (1986). Comparative anatomy and physiology of microcultured seedling and greenhouse grown Asian white birch. J. Amer. Soc. Hort. Sci., **111** (3) : 437-442.

Smith M. A. L. and Obeidy, A. A. (1991). Micropropagation of a mature male Kentucky coffee tree Hort. Sci., **26** : 1426.

Soicke, H. and Peschlow, E. L. (1986). Characterisation of flavonoids from *Baccharis Trimera* and their antihepatotoxic properties. Planta Medica, 37-39.

Sommer, H. E. (1981). Propagation of sweetgum by tissue culture. Proc. 16th south forest tree improvement conference, Blacksburg Va.

Srivastava, P.S., Steinhauer, A. and Glock, H. (1985). Plantlet differentiation in leaf and root cultures of birch (*Betula pendula* Roth.). Plant Science, **42** : 209-214.

Sutter, E. G. and Barker, P. B. (1985). *In vitro* propagation of mature *Liquidambar styraciflua*. Plant, cell, tissue and organ culture, **5** : 13-21.

Thorpe, T.A. and Biondi, S. (1984) Chapter 10- Conifers. In : Sharp, W.R., Evans, D.A., Ammirato, P.V., Yamada, Y. Handbook of plant cell culture, Vol. 2 (pp. 435-470). Macmillan, New York.

Thorpe, T.A. and Hasnain, S. (1988). Micropropagation of conifers : Methods, opportunities and costs. In : Morgenstern, E.K., Boyle, J.B. (Eds.). Tree Improvement - Progressing Together, Proceedings 21st meeting of the Canadian Tree Improvement Association, Truro, NS, August, 1987. (pp. 68-84) Can. for. Serv., Ontario.

Thorpe, T.A. and Patel, K. R. (1984). Clonal propagation : Adventitious buds. In : Vasil IK (Ed) Cell culture and somatic cell Genetics in plants, vol. I (pp. 49-60), Academic Press, New York.

Tremblay, F.M. and Lalonde, M. (1984). Requirements for *in vitro* propagation of seven nitrogen fixing *Alnus* species. Plant, cell, tiss. and organ cult., **3** : 189-199.

Trewavas, A. J. (1983). Nitrate as a plant hormone. In : Jackson MB (ed.)
Interactions between nitrogen and growth regulators in the control
of plant development. Monogr. 9 British plant growth regulator
group ARC Letcombe, Wantage, pp. 97-110.

Tripathi, R.M., Sen, P.C. and Das, P.K. (1979). Studies on the mechanism of
Albizzia lebbeck, an Indian indigenous drug used in the treatment
of atopic allergy. Journal of Ethnopharmacology, **1** : 385 - 396.

Upadhyay, S. and Chandra, N. (1983). Shoot and plantlet formation in organ
and callus cultures of *Albizzia lebbeck* Benth. Annals of Botany,
52 : 421-424.

Valobra, C.P. and James, D. J. (1990). *In vitro* shoot regeneration from leaf
discs of *Betula pendula* 'Dalecarlica' EM 85. Plant, cell, tiss.&
organ cult., **21** : 51-54.

Van Hoof, L., Vanden Berghe, D.A., Hatfield, G.M. and Vlentinck, A.J. (1984).
Plant antiviral agents, V. 3-methoxy flavones as potent inhibitors
of viral-induced block of cell synthesis. Planta med., **50** : 513-517.

Van Staden J., and Davey, J.E., (1981). Seasonal changes in the levels of
endogenous cytokinins in the willow (*Salix babylonica* L.) Z.
Pflanzenphysiol., **104** : 53-59.

Varshney, I. P. and Mohd. Khan, S.Y.(1961). Canadian Journal of Chemistry,
39 : 1721.

Vasil, I.K. (Ed.) (1986) Cell culture and somatic cell genetics of plants, Vol.3 -
Plant regeneration and Genetic variability, Academic press, New
York.

Vlietinck, A. J., Vanden Berghe, D. K. and Haemers, A. (1988). Present status
and prospects of flavonoids as anti-viral agents. In : 'Plant
flavonoids in biology and medicine II. Biochemical, cellular and
medicinal properties. pp. 283-299.

Von Arnold, S. and Wallin, A. (1988). Tissue culture methods for propagation
of forest trees. News Lett. IAPTC, **56** : 2-13.

Wainwright, H. and England, N. (1987). The micropropagation of *Prosopis*
juliflora (Swartz.) D.C. : establishment *in vitro*. Acta Hort., **212** : 49-
53.

Waller, G.R. and Nowacki, E.K. (1978). In : 'Alkaloid Biology and Metabolism
in Plants'. Plenum press, New York.

Wareing, P.F. and Phillips, I.D. (1982). Plant growth hormones and their
metabolism, pp. 51-74. In : Growth and differentiation in plants.
Eds. Wareing, P.F. and Phillips, I.D., Pergamon press, Oxford,
New York, Toronto, Sydney, Paris, Frankfurt.

Weiler, E.W. and Spanier, K. (1981). Phytohormones in the formation of crown gall tumors. Planta, **153** : 326-327.

Welander, M. (1988). Biochemical and anatomical studies of birch (*Betula pendula* Roth.) buds exposed to different climatic conditions in relation to growth *in vitro*, pp. 79-99 in Hanover and Keathley (Eds.) 1988.

Wickson, M. and Thimann, K.V. (1958). The antagonism of auxin and kinetin in apical dominance. Physiol. Plant., **11** : 62-74.

Wood, H.N. and Braun, A.C. (1961). Studies on the regulation of certain essential biosynthetic systems in normal and crown gall tumor. Proc. Nat. Acad. Sci., USA, **47** : 1907-1913.

Yeoman, M.M. (1987). In : Plant cell culture technology (Ed.-Yeoman, M.M.), Narosa Publishing House, New Delhi.

Zimmerman, R.H. (1982). Genetic stability of horticultural plants propagated by tissue culture. Comb. proc. Int. Plant. Prop. Soc., **31** : 118-121.

Zimmerman, R.H. (1985). Application of tissue culture in propagation of woody plants pp. 165-177. In : "Tissue culture in forestry and agriculture". Eds. Henke, R.R., Huges, K.W., Constanin, M. J. and Hollaender, A., Plenum press, New York.