

REFERENCES:

INTRODUCTION

- Abdollahi M, Zuki AB, Goh YM, Noordin MM (2010) The effects of *Momordica charantia* on the liver in streptozotocin-induced diabetes in neonatal rats. *African Journal of Biotechnology* 9(31), pp. 5004-5012.
- Abularrage CJ, Sidawy AN, Aidinian G, Singh N, Weiswasser JM, Arora S (2005) Evaluation of macrocirculatory endothelium-dependent and endothelium-independent vasoreactivity in vascular disease. *Perspective Vascular Surgery Endovascular Therapeutics* 17:245–253.
- Accili D et al. Early neonatal death in mice homozygous for a null allele of the insulin receptor gene. *Nat Genet* 1996. 12:106-109.
- Affourtit C BrandMD (2006) Stronger control of ATP/ADP by proton leak in pancreatic beta-cells than skeletal muscle mitochondria. *The Biochemical Journal* 393:151–159.
- Agarwal SK, Dash SC (2000) Spectrum of Renal Disease in Indian Adults. *JAPI* 48: 594 - 600.
- Ajabnoor M (1990) Effect of Aloes on blood glucose levels in normal and alloxan diabetic mice. *Journal of Ethnopharmacology* 28: 215-20.
- Alberti KG, Zimmet PZ (1998) Definition, diagnosis and classification of diabetes mellitus and its complications. Part 1: diagnosis and classification of diabetes mellitus provisional report of a WHO consultation. *Diabetes Medicine* 15:539–53.
- Amos AF, McCarty DJ, Zimmet P (1997) The rising global burden of diabetes and its complications: estimates and projections to the year 2010. *Diabetes Medicine* 14:S1-85.
- Animal models. In: Porte D, Sherwin RS, Baron A, editors. *Diabetes mellitus*. New York: McGraw-Hill; p. 231-55.
- Araki E, et al. (1994) Alternative pathway of insulin signalling in mice with targeted disruption of the IRS-1 gene. *Nature* 1994. 372:186-190.
- Arner P (2003) The adipocyte in insulin resistance: key molecules and the impact of the thiazolidinediones. *Trends in Endocrinology and Metabolism* 14:137–145.
- Ashcroft FM, Rorsman, P (2004). Molecular defects in insulin secretion in type-2 diabetes. *Reviews in Endocrine and Metabolic Disorders* 5,135–142.
- Avignon, A, et al. (1996) Chronic activation of protein kinase C in soleus muscles and other tissues of insulin-resistant type II diabetic Goto-Kakizaki (GK), obese/aged, and obese/Zucker rats. A mechanism for inhibiting glycogen synthesis. *Diabetes* 45:1396-1404.
- Bado A, Levasseur S, Attoub S, Kermorgant S, Laigneau JP, Bortoluzzi MN, Moizo L, Lehy T, Guerre-Millo M, Le Marchand-Brustel Y, Lewin MJ (1998) "The stomach is a source of leptin". *Nature* 394 (6695): 790–3.
- Bailey CJ, Nattrass M (1998) Non-insulin dependent diabetes mellitus: treatment with metformin. In: Nattrass M, Hale PJ: *Clinical Endocrinology and Metabolism*. Baillière-Tindall, London, pp. 455-476.

- Bandyopadhyay G, et al. (1997) Activation of protein kinase C (alpha, beta, and zeta) by insulin in 3T3/L1 cells. Transfection studies suggest a role for PKC-zeta in glucose transport. *Journal of Biological Chemistry* 272:2551-2558.
- Bansal R, Ahmed N, Kidwai J (1981) Effect of oral administration of *Eugenia jambolana* seeds and chlorpropomide on blood glucose and pancreatic cathepsin B in rats. *Indian Journal Biochemistry Biophysics* 18(5): 377.
- Bantle JP, Raatz SK, Thomas W, Georgopoulos A (2000) Effects of dietary fructose on plasma lipids in healthy subjects. *American Journal of Clinical Nutrition* 72 (5): 1128-1134.
- basis of diabetic complications. *New England Journal of Medicine* 318: 1315 – 1321.
- Baynes JW (1991) Role of oxidative stress in development of complications in diabetes. *Diabetes* 40: 405-412.
- Beatty O, III, Donald DE (1979) Contribution of prostaglandins to muscle blood flow in anesthetized dogs at rest, during exercise, and following inflow occlusion. *Circulation Research* 44:67–75.
- Bennett MK, Lopez JM, Sanchez HB, Osborne TF (1995) Sterol regulation of fatty acid synthase promoter. Coordinate feedback regulation of two major lipid pathways. *Journal of Biological Chemistry* 270: 25578-25583.
- Beta cell volume in diabetes-prone BB rats. *Pancreas* 4: 95– 100.
- Bone AJ, Hitchcock PR, Gwilliam DJ, Cunningham JM, Barley J (1999) Insulinitis and mechanisms of disease resistance: studies in an animal model of insulin dependent diabetes mellitus. *J Mol Med* 77: 57–61.
- Bray GA (1977) The Zucker-fatty rat: a review. *Federal Proceedings* 36:148–153.
- Brennan AM, Mantzoros CS (2006) "Drug Insight: the role of leptin in human physiology and pathophysiology--emerging clinical applications". *Nature Clinical Practice Endocrinology Metabolism* 2 (6): 318–27.
- Brian J, Welch MD, Ivana MD (2004) Case Study: Diabetic Ketoacidosis in Type 2 Diabetes: "Look Under the Sheets. *Clinical Diabetes* 22(4) 198-200
- Brownlee M, Cerami A, Vlassara H (1988) Advanced glycosylation end-products in tissue and the biochemical
- Bruning JC, *et al.* (1997) Development of a novel polygenic model of NIDDM in mice heterozygous for IR and IRS-1 null alleles. *Cell* 88:561-572.
- Bucala R, Tracey KJ, Cerami A (1991) Advanced glycosylation products quench nitric oxide and mediate defective endothelium-dependent vasodilatation in experimental diabetes. *J Clin Invest* 87: 432 – 438.
- Cai YZ, Luo Q, Sun M, Corke H (2004) Antioxidant activity and phenolic compounds of 112 Chinese medicinal plants associated with anticancer. *Life Sciences* 74: 2157–2184.
- Camasta S, Bonora E, Del Prato S, Rett K, Weck M, Ferrannini E (1999) Effect of obesity and insulin resistance on resting and glucose-induced thermogenesis in man. EGIR (European Group for the Study of Insulin Resistance). *Int. J. Obes. Relat. Metab. Disord.* 23 (12): 1307–1313.
- Cardillo C, Campia U, Bryant MB, Panza JA (2002) Increased activity of endogenous endothelin in patients with type II diabetes mellitus. *Circulation* 106:1783–1787

- Caro JF, Dohm LG, Pories WJ, Sinha MK (1989) Cellular alterations in liver, skeletal muscle and adipose tissue responsible for insulin resistance in obesity and type 2 diabetes. *Diabetes Metabolism Reviews* 5: 665-689.
- Cheng HQ, Zhang Y, Guo YY (1998) The mechanisms of Chinese traditional medicines to lower blood glucose. *Xinjiang Journal of Chinese Traditional Medicine* 16: 53-55.
- Chevalier MM, Wiley JH, Leveille GA (1972) *Journal of Nutrition* 102: 337-342.
- Chin-Chance C, Polonsky K, Schoeller D (2000) "Twenty-four-hour leptin levels respond to cumulative short-term energy imbalance and predict subsequent intake". *Journal of Clinical Endocrinology Metabolism* 85 (8): 2685-91.
- Chinen I, Shimabukuro M, Yamakawa K, Higa N, Matsuzaki T, Noguchi K, Ueda S, Sakanashi M, Takasu N (2007) Vascular lipotoxicity: endothelial dysfunction via fatty-acid- induced reactive oxygen species overproduction in obese Zucker diabetic fatty rats. *Endocrinology* 148:160-165.
- Cho YM, Kim M, Park KS, Kim SY, Lee HK (2003). S20G mutation of the amylin gene is associated with a lower body mass index in Korean type 2 diabetic patients. *Diabetes Res. Clin. Pract.* 60 (2): 125-129.
- Ciccone M, Vettor R, Pannacciulli N, Minenna A, Bellacicco M, Rizzon P, Giorgino R, De Pergola G (2001) Plasma leptin is independently associated with the intima-media thickness of the common carotid artery. *International Journal of Obesity Related Metabolic Disorder* 25:805-810.
- Coleman R, Hayek T, Keidar S, Aviram M (2006) A mouse model for human atherosclerosis: long-term histopathological study of lesion development in the aortic arch of apolipoprotein E-deficient (E0) mice. *Acta Histochemistry* 108:415-424
- Commerford SR, Ferniza JB, Bizeau ME, Thresher JS, Willis WT, Pagliassotti MJ (2002) Diets enriched in sucrose or fat increase gluconeogenesis and G-6-Pase but not basal glucose production in rats. *American Journal of Physiology Endocrinology Metabolism* 283: E545-555.
- Cong LN, et al. (1997) Physiological role of Akt in insulin-stimulated translocation of GLUT4 in transfected rat adipose cells. *Molecular Endocrinology* 11:1881-1890.
- Considine RV, et al. (1995) Protein kinase C is increased in the liver of humans and rats with non-insulin-dependent diabetes mellitus: an alteration not due to hyperglycemia. *Journal of Clinical Investigation* 95:2938-2944.
- Considine RV, Sinha MK, Heiman ML, Kriauciunas A, Stephens TW, Nyce MR, Ohannesian JP, Marco CC, McKee LJ & Bauer TL (1996). "Serum Immunoreactive-Leptin Concentrations in Normal-Weight and Obese Humans". *New England Journal of Medicine* 334 (5): 292-295.
- Cooke DW, Plotnick L (2008). Type 1 diabetes mellitus in pediatrics. *Pediatr Rev* 29 (11): 374-84;
- Cotran, Kumar, Collins; Robbins Pathologic Basis of Disease, Saunders Sixth Edition, 1999; 913-926.
- Cusi K, et al. (2000) Insulin resistance differentially affects the PI 3-kinase- and MAP kinase-mediated signaling in human muscle. *Journal of Clinical Investigation* 2000. 105:311-320.
- Czech MP, Corvera S (1999) Signaling mechanisms that regulate glucose transport. *Journal of Biological Chemistry* 274:1865-1868.
- Dai BY (2000) Present advance in therapeutical mechanism of diabetes in traditional Chinese medical system. *Chinese Journal of information on Traditional Chinese Medicine* 7: 23-24.

- Daly ME, Vale C, Walker M, Alberti KG, Mathers JC (1997) Dietary carbohydrates and insulin sensitivity: a review of the evidence and clinical implications. *American Journal of Clinical Nutrition* 66: 1072-1085.
- Dandona P, Aljada A, Chaudhuri A (2003) Vascular reactivity and thiazolidinediones. *American Journal of Medicine* 115 (8A): 81S-86S.
- Daniela Cihakova, Johns Hopkins medicine. 2008.
- Das AV, Padayatti PS, Paulose CS (1996) Effect of leaf extract of *Aegle marmelos* (L) Correa ex Roxb. On histological and ultra structural changes in tissues of streptozotocin induced diabetic rats. *Indian Journal Experimental Biology* 34(4): 341-345.
- Davies DR, Detheux M, Van Schaftingen E (1990) Fructose-1- phosphate and the regulation of glucokinase activity in isolated hepatocytes. *European Journal of Biochemistry*. 9:192-283.
- De Fronzo RA, Ferrannini E (1991) Insulin resistance: A multifaceted syndrome responsible for NIDDM, obesity, hypertension, dyslipidemia and atherosclerotic cardiovascular disease. *Diabetes care* 14: 173-194.
- De Leiva A, Lefebvre P, Nerup J. (1995) European dimension of diabetes research. *Diabetologia* 39: 5-11.
- DE Smet PA (1997) The Role of Plant-Derived Drugs and Herbal Medicines in Healthcare. *Drug* 54: 801-840.
- DeFronzo RA, Ferrannini E, Hendler R, wahren J, Felig P (1978) Influence of hyperinsulinemia, hyperglycemia and the route of glucose administration on splanchnic glucose exchange. *Proceedings National Academy of Sciences USA*. 75: 5173-5177.
- Dhar ML, Dhar MM, Dhawan BN, Mehrotra BN, Roy C (1968) Screening of Indian plants for biological activity, Part I. *Indian Journal of Experimental Biology* 6: 232-247.
- Diabetes and Medication. *Diabetes New Zealand*. (Report). Retrieved Jan 21, 2010.
- Dirlewanger M, Schneiter P, Jequier E, Tappy L (2000) Effects of fructose on hepatic glucose metabolism in humans. *American Journal of Physiology Endocrinology and Metabolism* 279: E907-911.
- Doi T, Vlassara H, Kirshtein M *et al.* (1992) Receptor specific increase in extracellular matrix production in mouse mesangial cells by advanced glycosylation end products is mediated via platelet derived growth factor. *Proc Natl Acad Sci USA* 89: 2873 – 2877.
- Donnelly R, Qu X (1998) Mechanisms of insulin resistance and new pharmacological approaches to metabolism and diabetic complications. *Clin Exp Pharmacol Physiol* 25:79-87.
- Drake PG, Posner BI (1998) Insulin receptor-associated protein tyrosine phosphatase(s): role in insulin action. *Mol Cell Biochem*. 182:79-89.
- Dubuc G, Phinney S, Stern J, Havel P (1998) "Changes of serum leptin and endocrine and metabolic parameters after 7 days of energy restriction in men and women". *Metabolism Clinical Experiment* 47 (4): 429-34.
- Durham HA, Truett GE (2006) Development of insulin resistance and hyperphagia in Zucker fatty rats. *Am J Physiol Regul Integr Comp Physiol* 210 : R652-R658.

- Eberhart MS, Ogden C, Engelgau M, Cadwell B, Hedley AA, Saydah SH (2004). Prevalence of Overweight and Obesity Among Adults with Diagnosed Diabetes --- United States, 1988--1994 and 1999--2002. *Morbidity and Mortality Weekly Report* (Centers for Disease Control and Prevention) 53 (45): 1066--1068.
- Elchebly M, *et al.* (1999) Increased insulin sensitivity and obesity resistance in mice lacking the protein tyrosine phosphatase-1B gene. *Science* 283:1544-1548.
- Erdei N, Toth A, Pasztor ET, Papp Z, Edes I, Koller A, Bagi Z (2006) High-fat diet-induced reduction in nitric oxide-dependent arteriolar dilation in rats: role of xanthine oxidase-derived superoxide anion. *American Journal of Physiology Heart Circulation Physiology* 291:H2107-H2115.
- Eringa EC, Stehouwer CD, Roos MH, Westerhof N, Sipkema P (2007) Selective resistance to vasoactive effects of insulin in muscle resistance arteries of obese Zucker (fa/fa) rats. *American Journal of Physiology Endocrinology Metabolism* 293:E1134-E1139.
- Esler M, Rumanir M, Wiesner G, Kaye D, Hastings J, Lambert G (2001) Sympathetic nervous system and insulin resistance: from obesity to diabetes. *American Journal of Hypertension* 14:304S-309S.
- Esposito C, Gerlach H, Drett J, Stern D, Vlassara H (1992) Endothelial receptor-mediated binding of glucose modified albumin is associated with increased monolayer permeability and modulation of cell surface coagulant properties. *J Exp Med* 170: 1387 - 1407.
- Experimental models of diabetes*. Florida, USA: CRC Press LLC p. 337-98.
- Feletou M, Vanhoutte PM (2006) Endothelial dysfunction: a multifaceted disorder (The Wiggers Award Lecture) *American Journal of Physiology Heart Circulation Physiology* 291:H985-H1002.
- Ferre T, Riu E, Frackhauser S, Agudo j, Bosch F (2003) Long term overexpression of glucokinase in the liver of transgenic mice leads to insulin resistance. *Diabetologia* 46; 1662-1668.
- Ferri C, Bellini C, Desideri G, Baldoncini R, Properzi G, Santucci A, De, Mattia G (1997) Circulating endothelin-1 levels in obese patients with the metabolic syndrome. *Experimental Clinical Endocrinology Diabetes* 105 (2):38-40.
- Fiebig R, Margaret A, Griffiths MT, Baker DH, Lawrence O, Ney DM, Li LJ (1998) Exercise Training Down-Regulates Hepatic Lipogenic Enzymes in Meal-Fed Rats: Fructose versus Complex-Carbohydrate Diets. *The Journal of Nutrition* Vol. 128(5): 810-817.
- Forezt M, Guichard C, Foufelle F, Ferre P (1999) Sterol regulatory element binding protein 1c is a major mediator of insulin action on the hepatic expression of glucokinase and lipogenesis related genes. *Proceedings National Academy of Sciences USA*. 96: 12737-12742.
- Fournier AM, Gadia MT, Kubrusly DB, Skyler JS, Sosenko JM (1986) Blood pressure, insulin, and glycemia in nondiabetic subjects. *American Journal of Medicine* 80:861-864.
- Friedlandre Y, Kidorn M, Caslake M, Lamb T, McConnell M, Bar-On H (2000) Low density lipoprotein particles size and risk factors of insulin resistance syndrome. *Atherosclerosis* 148: 141-149.
- Friedman JM, Halaas JL (October 1998) "Leptin and the regulation of body weight in mammals". *Nature* 395 (6704): 763-70.

- Frisbee JC (2001) Impaired dilation of skeletal muscle microvessels to reduced oxygen tension in diabetic obese Zucker rats. *American Journal of Physiology Heart Circulation Physiology* 281:H1568–H1574.
- Frisbee JC (2005) Hypertension-independent microvascular rarefaction in the obese Zucker rat model of the metabolic syndrome. *Microcirculation* 12:383–392.
- Frisbee JC (2006) Vascular adrenergic tone and structural narrowing constrain reactive hyperemia in skeletal muscle of obese Zucker rats. *American Journal of Physiology Heart Circulation Physiology* 290:H2066–H2074
- Frisbee JC (2007) Obesity, insulin resistance, and microvessel density. *Microcirculation* 14:289–298.
- Frisbee JC, Maier KG, Stepp DW (2002) Oxidant stress-induced increase in myogenic activation of skeletal muscle resistance arteries in obese Zucker rats. *American Journal of Physiology Heart Circulation Physiology* 283:H2160–H2168
- Frisbee JC, Stepp DW (2001) Impaired NO-dependent dilation of skeletal muscle arterioles in hypertensive diabetic obese Zucker rats. *American Journal of Physiology Heart Circulation Physiology* 281:H1304–H1311.
- Fulton D, Harris MB, Kemp BE, Venema RC, Marrero MB, Stepp DW (2004) Insulin resistance does not diminish eNOS expression, phosphorylation, or binding to HSP-90. *American Journal of Physiology Heart Circulation Physiology* 287:H2384–H2393.
- Goldhaber SZ, Grodstein F, Stampfer MJ, Manson JE, Colditz GA, Speizer FE, Willett WC, Hennekens CH (1997) A prospective study of risk factors for pulmonary embolism in women. *JAMA* 277:642–645.
- Goldstein BJ, Ahmad F, Ding W, Li PM, Zhang WR (1998) Regulation of the insulin signalling pathway by cellular protein-tyrosine phosphatases. *Mol Cell Biochem.* 182:91-99.
- Goodridge AD (1987) Dietary regulation of gene expression: enzymes involved in carbohydrate and lipid metabolism. *Annales Review Nutrition* 7: 157-185.
- Govindarajan R, Vijayakumar M, Pushpangadan P (2005) Antioxidant approach to disease management and the role of ‘Rasayana’ herbs of Ayurveda. *Journal of Ethnopharmacology*, 99: 165–178.
- Grover JK, Yadav S, Vats V (2002) Medicinal plants of India with anti-diabetic potential. *Journal of Ethnopharmacology* 81(1): 81-100.
- Guilherme A, Czech MP (1998) Stimulation of IRS-1-associated phosphatidylinositol 3-kinase and Akt/protein kinase B but not glucose transport by betal-integrin signaling in rat adipocytes. *Journal of Biological Chemistry* 273:33119-33122.
- Guillet-Deniau I, Mieulet V, Le Lay S, Achouri Y, Carre D, Girard J, Fougelle F, Ferre P (2002) Sterol regulatory element binding protein 1c expression and action in rat muscles: insulin like effects on the control of glycolytic and lipogenic enzymes and UCP3 gene expression. *Diabetes* 51: 1722-1728.
- Hall CE, Hall O (1966) Comparative effect of glucose and sucrose in enhancement of hyperalimination and salt hypertension. *Proceedings of Society of Experimental Biology, Medicine* 123: 370-374.

- Hamdy O, Ledbury S, Mullooly C, Jarema C, Porter S, Ovalle K, Moussa A, Caselli A, Caballero AE, Economides PA, Veves A, Horton ES (2003) Lifestyle modification improves endothelial function in obese subjects with the insulin resistance syndrome. *Diabetes Care* 26:2119–2125.
- Hansson PO, Eriksson H, Welin L, Svardsudd K, Wilhelmsen L (1999) Smoking and abdominal obesity: risk factors for venous thromboembolism among middle-aged men: "the study of men born in 1913". *Archives of Internal Medicine* 159:1886–1890.
- Haskell BD, Flurkey K, Duffy TM, Sargent EE, Leiter EH. (2002) The diabetes- prone NZO/H1Lt strain. I. Immunophenotypic comparison to the related NZB/B1NJ and NZW/LacJ strains. *Lab Invest*; 82: 833–42.
- Heinz F, Lamprecht W, Kirsch J (1968) Enzymes of fructose metabolism in human liver. *Journal of Clinical Investigation* 47: 1826–1832.
- Heiss G, Sharrett AR, Barnes R, Chambless LE, Szklo M, Alzola C (1991) Carotid atherosclerosis measured by B-mode ultrasound in populations: associations with cardiovascular risk factors in the ARIC study. *American Journal of Epidemiology* 134:250–256.
- Henrion D (2005) Pressure and flow-dependent tone in resistance arteries. Role of myogenic tone. *Archives Mal Coeur Vaiss.* 98:913–921.
- Higaki, Y, *et al.* (1999) Insulin receptor substrate-2 is not necessary for insulin- and exercise-stimulated glucose transport in skeletal muscle. *Journal of Biological Chemistry* 274:20791–20795.
- Hirano T, Mamo J, Poapst M, Steiner G (1988) *American Journal of Physiology.* 255: E236–E240.
- Hodnett BL, Hester RL (2007) Regulation of muscle blood flow in obesity. *Microcirculation* 14:273–288.
- Ibanez-Camacho R, Meckes-Lozaya M, Mellado-Campos V (1983) The hypoglycemic effect of *Opuntia streptocanth*
- Ignarro LJ, Buga GM, Wood KS, Byrns RE, Chaudhuri G (1987) Endothelium-derived relaxing factor produced and released from artery and vein is nitric oxide. *Proceedings National Academy of Sciences U.S.A.* 84:9265–9269
- Ingalls AM, Dickie MM, Snell GD (1950) "Obese, a new mutation in the house mouse". *Journal of Hereditary* (12): 317–8.
- Isakoff SJ, *et al.* (1995) The inability of phosphatidylinositol 3-kinase activation to stimulate GLUT4 translocation indicates additional signaling pathways are required for insulin-stimulated glucose uptake. *Proceedings of National Academy of Sciences USA* 92:10247–10251.
- Ishizuka T, *et al.* (1998) Alterations in insulin-induced postreceptor signaling in adipocytes of the Otsuka Long-Evans Tokushima fatty rat strain. *J Endocrinol* 156:1–13.
- Iyer UM, Mani UV (1990) Studies on the effect of curry leaves supplementation on lipid profile, glycated proteins and amino acids in non-insulin dependent diabetes mellitus patients. *Plant Foods Human Nutrition* 40(4): 275–282.
- Jiang T, *et al.* (1998) Membrane-permeant esters of phosphatidylinositol 3,4,5-trisphosphate. *Journal of Biological Chemistry* 273:11017–11024.

- Joshi RL et al. (1996) Targeted disruption of the insulin receptor gene in the mouse results in neonatal lethality. *EMBO J.* 15:1542-1547.
- Kaˆhkoˆnen MP, Hopia AI, Vuroela HJ, Rauha JP, Pihlaja K, Kujala TS, et al. (1999) Antioxidant activity of plant extracts containing phenolic compounds. *Journal of Agricultural and Food Chemistry* 47: 3954–3962.
- Kahn CR (2003) The Gordon Wilson lecture. Lessons about the control of glucose homeostasis and the pathogenesis of diabetes from knockout mice. *Trans American Clinical Climatology Association* 48: 114-125.
- Karagiannis J, Reid JJ, Darby I, Roche P, Rand MJ, Li CG (2003) Impaired nitric oxide function in the basilar artery of the obese Zucker rat. *Journal of Cardiovascular Pharmacology* 42:497–505.
- Karalee JJ, Anderson RA, Graves DA (2001) Hydroxychalcone derived from cinnamon functions as a mimetic for insulin in 3T3-L1 adipocytes. *Journal of the American College of Nutrition* 20: 327–336.
- Katakam PV, Tulbert CD, Snipes JA, Erdos B, Miller AW, Busija DW (2005) Impaired insulin-induced vasodilation in small coronary arteries of Zucker obese rats is mediated by reactive oxygen species. *American Journal of Physiology Heart Circulation Physiology* 288:H854–H860.
- Katakam PV, Ujhelyi MR, Hoenig ME, Miller AW (1998) Endothelial dysfunction precedes hypertension in diet-induced insulin resistance. *American Journal of Physiology* 275: R788-92.
- Katakam PV, Ujhelyi MR, Hoenig ME, Miller AW. Endothelial dysfunction precedes hypertension in diet-induced insulin resistance. *Am J Physiol* 1998; 275: R788-92.
- Katz J, McGarry JD (1984) *Journal of Clinical Investigation.* 74: 1901-1909.
- Keim N, Stern J, Havel P (1998) "Relation between circulating leptin concentrations and appetite during a prolonged, moderate energy deficit in women". *American Journal of Clinical Nutrition* 68 (4): 794–801.
- Kelm MA, Nuir MG, Strasburg GM, Dewitt DL (2000) Antioxidant and cyclooxygenase inhibitory phenolic compounds from *Ocimum sanctum* Linn. *Phytomedicine* 7: 7-13.
- Khan BA, Abraham A, Leelamma S (1995) Hypoglycaemic action of *M. Keonigiii* (curry leaf) and *Biasica juncea* (mustard): Mechanism of action. *Indian Journal of Biochemistry Biophysics*, 32(2): 106 – 108.
- Khan BA, Abraham A, Leelamma S (1996) Role of *M. Keonigiii* (curry leaf) and *Biasica juncea* (mustard). In lipid peroxidation. *Indian Journal of Physiology Pharmacology* 40; 155.
- Kilbom A, Wennmalm A (1976) Endogenous prostaglandins as local regulators of blood flow in man: effect of indomethacin on reactive and functional hyperaemia. *Journal of Physiology* 257:109–121.
- Kim JB, Sarraf P, Wright M, Yao KM, Mueller E, Solanes G, Lowell BB, Spiegelman BM (1998) Nutritional and insulin regulation of fatty acid synthetase and leptin gene expression through ADD1/ SREBP 1. *Journal of Clinical Investigation* 101: 1-9.
- Kim YB, Nikoulina SE, Ciaraldi TP, Henry RR, Kahn BB (1999) Normal insulin-dependent activation of Akt/protein kinase B, with diminished activation of phosphoinositide 3-kinase, in muscle in type 2 diabetes. *Journal of Clinical Investigation* 104:733-741.

- Kitamura T, et al. (1998) Requirement for activation of the serine-threonine kinase Akt (protein kinase B) in insulin stimulation of protein synthesis but not of glucose transport. *Molecular Cellular Biology* 18:3708-3717.
- Knudson JD, Dincer UD, Bratz IN, Sturek M, Dick GM, Tune JD (2007) Mechanisms of coronary dysfunction in obesity and insulin resistance. *Microcirculation* 14:317–338.
- Kohen-Avramoglu R, Theriault A, Adeli K (2003) Emergence of the metabolic syndrome in childhood: an epidemiological overview and mechanistic link to dyslipidemia. *Clinical Biochemistry* 36: 413-420.
- Kohen-Avramoglu R, Theriault A, Adeli K (2003) emergence of the metabolic syndrome in childhood: an epidemiological over view and mechanistic link to dyslipidemia. *Clinical Biochemistry*. 36: 413-420.
- Kohn AD, et al. (1998) Construction and characterization of a conditionally active version of the serine/threonine kinase Akt. *Journal of Biological Chemistry* 273:11937-11943.
- Kohn AD, Summers SA, Birnbaum MJ, Roth RA (1996) Expression of a constitutively active Akt ser/thr kinase in 3T3-L1 adipocytes stimulates glucose uptake and glucose transporter 4 translocation. *Journal of Biological Chemistry* 271:31372-31378.
- Kok N, Roberfroid M, Delzenne N (1996) Dietary oligofructose modifies the impact of fructose on hepatic triacylglycerol metabolism. *Metabolism* 45: 1547-1550.
- Kotani K, et al. (1998) Requirement of atypical protein kinase clambda for insulin stimulation of glucose uptake but not for Akt activation in 3T3-L1 adipocytes. *Molecular Cellular Biology* 18:6971-6982.
- Krook A, et al. (1997) Two naturally occurring insulin receptor tyrosine kinase domain mutants provide evidence that phosphoinositide 3-kinase activation alone is not sufficient for the mediation of insulin's metabolic and mitogenic effects. *Journal of Biological Chemistry* 272:30208-30214.
- Krook A, O'Rahilly S (1996) Mutant insulin receptors in syndromes of insulin resistance. *Baillieres Clin Endocrinol Metab* 10:97-122.
- Krook A, Roth RA, Jiang XJ, Zierath JR, Wallberg-Henriksson H (1998) Insulin-stimulated Akt kinase activity is reduced in skeletal muscle from NIDDM subjects. *Diabetes* 47:1281-1286.
- Kulkarni RN, et al. (1999) Tissue-specific knockout of the insulin receptor in pancreatic beta cells creates an insulin secretory defect similar to that in type 2 diabetes. *Cell* 96:329-339.
- Kurup S, Bhonde RR (2000) Combined effect of nicotinamide and streptozotocin on diabetic status in partially pancreatectomized adult BALB/c mice. *Horm Metab Res* 32 : 330-334.
- Lally FJ, Ratcliff H, Bone AJ (2001) Apoptosis and disease progression in the spontaneously diabetic BB/S rat. *Diabetologia*; 44: 320–324.
- Larson RA (1988) The antioxidants of higher plants. *Phytochemistry* 27: 969–978.
- Lelliott C, Vidal-Puig, AJ (2004) Lipotoxicity, an imbalance between lipogenesis de novo and fatty acid oxidation. *International Journal of Obesity and related Metabolic Disorders* 28:22–28.
- Liu TH, Tang DY (2000) Consideration and measurement for diabetes therapy in traditional Chinese medical system. *Chinese Journal of information on Traditional Chinese Medicine* 7: 8–9.

- Liu TP, Liu IM, Cheng JT (2005) Improvement of insulin resistance by panax ginseng in fructose rich chow fed rats. *Hormone and Metabolic research* 37: 146-151.
- Lo KM, Zhang J, Sun Y, Morelli B, Lan Y, Lauder S, Brunkhorst B, Webster G, Hallakou-Bozec S, Doaré L, Gillies SD (2005) "Engineering a pharmacologically superior form of leptin for the treatment of obesity". *Protein Eng. Des. Sel.* 18 (1): 1-10.
- Lohr M, Markholst H, Dryberg T, Kloppel G, Oberholzel M, Lernmark A (1989) Insulinitis and diabetes are preceded by a decrease in
- Lyssenko V, Jonsson A, Almgren P, *et al.* (2008). Clinical risk factors, DNA variants, and the development of type 2 diabetes. *The New England Journal of Medicine* 359 (21): 2220-2232.
- Mackay IR, Bone A, Tuomi T, Elliott R, Mandel T, Karopoulos C *et al.* (1996) Lack of autoimmune serological reactions in rodent models of insulin dependent diabetes mellitus. *Journal of Autoimmunity* 9: 705- 711.
- Maddux BA, SeeW, Lawrence Jr JC, Goldfine AL, Goldfine ID, Evans JL (2001). Protection against oxidative stress-induced insulin resistance in rat L6 muscle cells by micromolar concentrations of alpha-lipoic acid. *Diabetes* 50:404-410.
- Makino S, Kunimoto K, Munaoko Y, Mizushima Y, Katagiri K, Tochino Y (1980) Breeding of a non-obese diabetic strain of mice. *Exp Anim* 29: 1-13.
- Margetic S, Gazzola C, Pegg GG, Hill RA (2002) "Leptin: a review of its peripheral actions and interactions". *International Journal of Obesity Related Metabolism Disorder* (11): 1407-33.
- Maritim AC, Sanders RA, Watkins JB (2003) Diabetes, oxidative stress and antioxidants. A Review. *J Biochem Mol Toxicology* 17: 24-38.
- Marles RJ, Farnsworth NR (1995). Antidiabetic plants and their active constituents. *Phytomedicine* 2: 137-189.
- Mars M, de Graaf C, de Groot C, van Rossum C, Kok F (2006) "Fasting leptin and appetite responses induced by a 4-day 65%-energy-restricted diet". *International journal of obesity* 30 (1): 122-8.
- Matsuda T, Noguchi T, Takenaka M, Yamada K, Tanaka T (1990) Regulation of L-Type Pyruvate Kinase Gene Expression by Dietary Fructose in Normal and Diabetic Rats. *Journal of Biochemistry* 107(4):655-660.
- Matsuzaka T, Shimano H, Yahagi N, Okazaki H. *et al.* (2004) Insulin dependent induction sterol regulatory element binding protein 1c expression in the livers of streptozotocin-treated mice. *Diabetes* 53: 560-569.
- Mayes PA (1993) Intermediary metabolism of fructose. *American Journal of Clinical Nutrition* 1993; 58: 54S-65S.
- McCarty D, Zimmet P. *Diabetes 1994 to 2010: Global Estimates and Projections.* Melbourne: International Diabetes Institute; 1994.
- McDonald I (1966) *American Journal of Clinical Nutrition* 18: 369-378.
- McGuinness OP, Cherrington AD (2003) Effects of fructose on hepatic glucose metabolism. *Current Opinion in Clinical Nutrition Metabolic Care* 6(4): 441-8.
- McIntosh CHS, Pederson RA (1999) Non insulin dependent animal models of diabetes mellitus. In: McNeil JH, editor.

- McNeil JH (1999) *Experimental models of diabetes*. Florida, USA: CRC Press LLC.
- Megnien JL, Simon A, Gariepy J, Denarie N, Cocaul M, Linhart A, Levenson J (1998) Preclinical changes of extracoronary arterial structures as indicators of coronary atherosclerosis in men. *Journal of Hypertension* 16:157–163.
- Melander A (1988) Non-insulin dependent diabetes mellitus: treatment with sulphonylureas. In: Natrass M, Hale, PJ: *Clinical Endocrinology and Metabolism*. Baillière-Tindall, London, pp. 443–453.
- Mensah GA, Mokdad AH, Ford E, Narayan KM, Giles WH, Vinicor F, Deedwania PC (2004) Obesity, metabolic syndrome, and type 2 diabetes: emerging epidemics and their cardiovascular implications. *Clinical Cardiology* 22:485–504.
- Meyer AA, Kundt G, Steiner M, Schuff-Werner P, Kienast W (2006) Impaired flow-mediated vasodilation, carotid artery intima-media thickening, and elevated endothelial plasma markers in obese children: the impact of cardiovascular risk factors. *Pediatrics* 117:1560–1567.
- Millar CA, Shewan A, Hickson GR, James DE, Gould GW (1999) Differential regulation of secretory compartments containing the insulin-responsive glucose transporter 4 in 3T3-L1 adipocytes. *Molecular Biology Cell* 10:3675–3688.
- Mordes JP, Bortell R, Groen H, Guberski DL, Rossini AA, Greiner DL (2001) Autoimmune diabetes mellitus in the BB rat. In: Sima, AAF, Shafrir, E, eds. *Animal Models of Diabetes: a Primer*. Amsterdam: Harwood Academic 1–41.
- Nadig V, Kotchen TA (1997) Insulin resistance, blood pressure and cardiovascular disease. *Cardiology Reviews* 5: 213–219.
- Nakhlooda AF, Like AA, Chappel CI, Murray FT, Marliss EB (1977) The spontaneously diabetic wistar rat. Metabolic and morphological studies. *Diabetes* 26: 100–112.
- Nestel PP, Carroll KF, Havesten N (1970) *Metabolism Clinical and Experimental* 19: 1–18.
- Ni M, Zhang M, Ding SF, Chen WQ, Zhang Y (2007) Micro-ultrasound imaging assessment of carotid plaque characteristics in apolipoprotein-E knockout mice. *Atherosclerosis* 197:64–71.
- Nikkila EA, Qjala K (1965) Induction of hypertriglyceridemia by fructose in rat. *Life Sciences* 4: 937–943.
- Oubre AY, Carlson TJ, King SR, Reaven GM (1997) From plant to patient an ethnomedical approach to the identification of new drugs for the treatment of NIDDM. *Diabetologia* 40: 614–617.
- Pagliassotti MJ, Cherrington AD (1992) Regulation of net hepatic glucose uptake in vivo. *Annales Review Physiology* 54: 847–860.
- Pagliassotti MJ, Holste LC, Neal D, Cherrington AD (1996) Comparison of the time courses of insulin and portal activation on hepatic glucose and glycogen metabolism in the conscious dog. *Journal of Clinical Investigation* 97: 81–91.
- Pagliassotti MJ, Wei Y, Bizeau ME (2003) Glucose-6-phosphatase activity is not suppressed but the mRNA level is increased by a sucrose-enriched meal in rats. *Journal of Nutrition* 133: 32–37.
- Palanduz S, Ademoglu E, Gokkusu C (2001) Plasma antioxidants and type 2 diabetes mellitus. *Pharmacology* 109: 309–18.

- Paolisso G, De Amore A, Di Maro G, Onofrio F (1993) Evidence for a relationship between free radicals and insulin action in the elderly. *Metabolism* 42: 659-663.
- Parving HH. (1992) Prevalence and causes of albuminuria in NIDDM. *Kidney Int* 41 (4): 758 – 62.
- Patumraj S, Tewit S, Amatyakul S, Jariyapongskul A, Maneesri S, Kasantikul V, Shepro D (2000) Comparative effects of garlic and aspirin on diabetic cardiovascular complications. *Drug Delivery* 7:91-96
- Pessin JE, Thurmond DC, Elmendorf JS, Coker KJ, Okada S (1999) Molecular basis of insulin-stimulated GLUT4 vesicle trafficking. Location! Location! Location! *Journal of Biological Chemistry* 274:2593-2596.
- Phillips SA, Sylvester FA, Frisbee JC (2005) Oxidant stress and constrictor reactivity impair cerebral artery dilation in obese Zucker rats. *American Journal of Physiology Regulatory Integrative Comparative Physiology* 288:R522–R530
- Picchi A, Gao X, Belmadani S, Potter BJ, Focardi M, Chilian WM, Zhang C (2006) Tumor necrosis factor- α induces endothelial dysfunction in the prediabetic metabolic syndrome. *Circulation Research* 99:69–77.
- Pickup JC, Williams G (1997) Epidemiology of diabetes mellitus. In: *Textbook of diabetes*, 2nd edn. Vols 1 and 2, Blackwell, Oxford, pp 3.1–3.28.
- Poitout V, Olson LK, Robertson RP (1996). Insulin-secreting cell lines: classification, characteristics and potential applications. *Diabetes Metabolism* 22:7–14.
- Ponnachan PT, Paulose CS, Panikkar KR (1993) Effect of leaf extract of *Aegle marmelos* in diabetic rats. *Indian Journal of Experimental Biology* 31(4): 345-347.
- Prasad A, Husain S, Quyyumi AA (1999) Abnormal flow-mediated epicardial vasomotion in human coronary arteries is improved by angiotensin-converting enzyme inhibition: a potential role of bradykinin. *Journal American Coll. Cardiology* 33:796–804.
- Pratley R, Nicolson M, Bogardus C, Ravussin E (1997) "Plasma leptin responses to fasting in Pima Indians". *American Journal of Physiology* 273 (3 Pt 1): E644–9.
- Preuss MB, Preuss HG (1980) The effect of sucrose and sodium on blood pressures in various substrains of wistar rat. *Laboratory Investigations* 43: 101-107.
- Rabinovicz A, Suarez-Pinzon W, El-Sheikh A, Sorensen O, Power RF (1996) Cytokine gene expression in pancreatic islet-infiltrating leukocytes of BB rats: expression of Th1 cytokines correlates with β -cell destructive insulinitis and IDDM. *Diabetes* 1996; 45: 749–754.
- Radziuk I, McDonald TJ, Rubenstein D, Dupre J (1978) *Metabolism Clinical Experiments* 27: 657-669.
- Rai V (1997) Effect of Tulasi (*O sanctum*) leaf powder supplementation on blood sugar levels, serum lipids and tissue lipids in diabetic rats. *Journal of Ethnopharmacology* 50: 9–16.
- Raitakari M, Ilvonen T, Ahotupa M, Lehtimäki T, Harmoinen A, Suominen P, Elo J, Hartiala J, Raitakari OT (2004) Weight reduction with very-low-caloric diet and endothelial function in overweight adults: role of plasma glucose. *Arteriosclerosis Thrombosis Vascular Biology* 24:124–128.

- Rea S, James DE (1997) Moving GLUT4: the biogenesis and trafficking of GLUT4 storage vesicles. *Diabetes* 46:1667-1677.
- Reaven GM (1988) *Diabetes* 37:1595-1607
- Reaven GM (1991) Insulin resistance, hyperinsulinemia and hypertriglyceridemia in the etiology and clinical course of hypertension. *American Journal of Medicine* 90: 7s-12s.
- Reaven GM, Ho H, Hoffmann BB (1989) Somatostatin inhibition of fructose-induced hypertension. *Hypertension* 14: 117-120.
- Reiser S, Powell AS, Yang CY, Canary JJ (1987) An insulinogenic effect of oral fructose in humans during postprandial hyperglycemia. *American Journal of Clinical Nutrition* 45: 580-587.
- Ribes G, Sauvaire Y, Da Costa C, Baccou JC, Loubatieres-Mariani MM (1986) Antidiabetic effects of subfractions from fenugreek seeds in diabetic dogs. *Proceedings of Society of Experimental Biology, Medicine* 182: 159-166.
- Ribon V, Johnson JH, Camp HS, Saltiel AR (1998) Thiazolidinediones and insulin resistance: peroxisome proliferator-activated receptor gamma activation stimulates expression of the CAP gene. *Proceedings of National Academy of Sciences USA* 95:14751-14756.
- Ribon V, Saltiel AR (1997) Insulin stimulates tyrosine phosphorylation of the proto-oncogene product of c-Cbl in 3T3-L1 adipocytes. *Journal of Biological Chemistry* 324:839-845.
- Rice-Evans CA, Miller NJ, Paganga G (1996) Structure- antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine* 20: 933-956.
- Robbins and Cotran, *Pathologic Basis of Disease*, 7th Ed. pp 1194-1195.
- Rother KI (2007) Diabetes treatment—bridging the divide. *The New England Journal of Medicine* 356 (15): 1499-501.
- Sakagashira S, Sanke T, Hanabusa T, *et al.* (1996) Missense mutation of amylin gene (S20G) in Japanese NIDDM patients. *Diabetes* 45 (9): 1279-1281.
- Sanchez-Moreno C, Larrauri JA, Saura-Calixto F 1998: A procedure to measure the antiradical efficiency of polyphenols. *Journal of Food Science* 76: 270-276.
- Sasaki S, Nio Y, Hirahara N, Sato Y, Inoue Y, Iguchi C, *et al.* (2000) Intraperitoneally implanted artificial pancreas with
- Savage, D.B. *et al.* (2001) Resistin/Fizz3 expression in relation to obesity and peroxisome proliferator-activated receptor action in humans. *Diabetes* 50: 2199-2202.
- Schaneberg BT, Khan IA (2004) Analysis of products suspected of containing Aristolochia or Asarum species. *Journal of Ethnopharmacology* 94(2-3): 245-249.
- Schreihof AM, Hair CD, Stepp DW (2005) Reduced plasma volume and mesenteric vascular reactivity in obese Zucker rats. *American Journal of Physiology, Regulatory, Integrative Complimentary Physiology* 288:R253-R261.
- Schuppan D, Jia JD, Brinkhaus B, Hahn EG (1999). Herbal products for liver diseases: a therapeutic challenge for the new millennium. *Hepatology* 30: 1099-1104.
- Seema PV, Sudha B, Padayatti PS, Abraham A, Raghu KG, Paulose CS (1996) Kinetic studies of purified malate dehydrogenase in liver of streptozotocin-diabetic rats and the effect of leaf extract of *Aegle marmelose* (L.) Correa ex Roxb. *Indian Journal of Experimental Biology* 34: 600-602.

- Selder J, Chen YD, Cully MD, Reaven GM (1980) *Metabolism Clinical Experiments* 29: 303-305.
- Sewter C, Berger D, Considine RV, Medina G, et al. (2002) Human obesity and type 2 diabetes are associated with alterations in SREBP 1 isoform expression that are produced ex vivo by tumor necrosis factor- α . *Diabetes* 51: 1035-1041.
- Shafir E. Diabetes in animals (2003) Contribution to the understanding of diabetes by study of its etiopathology in different animal experimental models. *Journal of Ethnopharmacology* 7 : 175-81.
- Sharma HM, Hanna A, Kauffman EM, Newman HAI (1992) Inhibition of human low-density lipoprotein oxidation in vitro by Maharishi Ayurveda herbal mixtures. *Pharmacology Biochemistry and Behaviour* 43: 1175-1187.
- Sharma RD, Raghuram TC, Rao NS (1990) Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *European Journal of Clinical Nutrition* 44(4): 301-306.
- Shiota M, Galassetti P, Monohan P, Neal D, Cherrington AD (1998) Small amounts of fructose markedly augment net hepatic glucose uptake in the conscious dog. *Diabetes* 47: 867-873.
- Shiota M, Moore MC, Galassetti P, Monohan M, Neal DW, Shulman GI, Cherrington AD (2002) Inclusion of low amounts of fructose with an intraduodenal glucose load markedly reduces postprandial hyperglycemia and hyperinsulinemia in the conscious dog. *Diabetes* 51(2): 469-78.
- Shulman GI (2000) Cellular mechanisms of insulin resistance. *Journal of Clinical Investigation*. 106:171-176.
- Steinberg HO, Chaker H, Leaming R, Johnson A, Brechtel G, Baron AD (1996) Obesity/insulin resistance is associated with endothelial dysfunction. Implications for the syndrome of insulin resistance. *Journal of Clinical Investigations* 97:2601-2610.
- Steff DW, Boesen EI, Sullivan JC, Mintz JD, Hair CD, Pollock DM (2007) Obesity augments vasoconstrictor reactivity to angiotensin II in the renal circulation of the Zucker rat. *American Journal of Physiology Heart Circulation Physiology* 293:H2537-H2542.
- Steff DW, Pollock DM, Frisbee JC (2004) Low-flow vascular remodeling in the metabolic syndrome X. *American Journal of Physiology Heart Circulation Physiology* 286:H964-H970.
- Storlien LH, Oakes ND, Pan DA, Kusunoki M, Jenkins AB (1993) Syndromes of insulin resistance in the rat. Inducement by diet and amelioration with benfluorex. *Diabetes* 42:457-62.
- Storling J, Zaitsev SV, Kapelioukh IL, Karlsen AE, Billestrup N, Berggren PO, Mandrup-Poulsen T (2005) Calcium has a permissive role in interleukin-1 β -induced c-jun N-terminal kinase activation in insulinsecreting cells. *Endocrinology* 146:3026-3036.
- Surwit RS, Kuhn CM, Cochrane C, McCubbin JA, Feinglos MN (1988) Diet-induced type II diabetes in C57BL/6J mice. *Diabetes* 37 : 1163-1167.
- Tamamoto H, et al (1994). Insulin resistance and growth retardation in mice lacking insulin receptor substrate-1. *Nature*. 372:182-186.
- Tapiero H, Tew KD, Ba N, Mathe G (2002) Polyphenols: do they play a role in the prevention of human pathologies? *Biomedicine and Pharmacotherapy* 56: 200-207.
- Taylor SI, Arioglu E (1998) Syndromes associated with insulin resistance and acanthosis nigricans. *Journal of Basic Clinical Physiology and Pharmacology* 9:419-439.

- Thyagarajan SP, Jayaram S, Gopalakrishnan R, Hari P, Jeyakumar P, Sripathi MS (2002) Herbal medicines for liver diseases in India. *Journal of Gastroenterology and Hepatology* 17(3): S370–S376.
- Van Guilder GP, Hoetzer GL, Dengel DR, Stauffer BL, Desouza CA (2006) Impaired endothelium-dependent vasodilation in normotensive and normoglycemic obese adult humans. *Journal of Cardiovascular Pharmacology* 47:310–313.
- Velasquez MT, Kimmel PL, Michaelis OE IV (1990). Animal models of spontaneous diabetic kidney disease. *FASEB J*; 4 : 2850-2859.
- Verma S, Bhanot S, McNeill JH (1994) Antihypertensive effects of Metformin in fructose –fed hyperinsuliemic, hypertensive rats. *Journal of Pharmacology, Experimental Therapeutics* 271: 1334-1337.
- Waddell M, Fallon HJ (1973) *Journal of Clinical Investigation* 52: 2725-2731.
- Walley AJ, Blakemore AI, Froguel P (2006) Genetics of obesity and the prediction of risk for health. *Human Molecular Genetics* 15(2): R124–R130.
- Wang MY, Chen L, Clark GO, Lee Y, Stevens RD, Ilkayeva OR, Wenner BR, Bain JR, Charron MJ, Newgard CB, Unger RH (2010). "Leptin therapy in insulin-deficient type I diabetes". *Proc. Natl. Acad. Sci. U.S.A.* 107 (11): 4813–9.
- Wang Q, et al. (1999) Protein kinase B/Akt participates in GLUT4 translocation by insulin in L6 myoblasts. *Molecular Cellular Biology* 19:4008-4018.
- Weigle D, Duell P, Connor W, Steiner R, Soules M, Kuijper J (1997) "Effect of fasting, refeeding, and dietary fat restriction on plasma leptin levels". *Journal of Clinical Endocrinology and Metabolism* 82 (2): 561–5.
- Wexler DJ, Grant RW, Wittenberg E, Bosch JL, Cagliero E, Delahanty L, Blais MA, Meigs JB (2006) Correlates of health-related quality of life in type 2 diabetes. *Diabetologia* 49:1489–1497
- Weyer C, Borgardus C, Mott DM, Pratley RE (1999) The natural history of insulin secretory dysfunction and insulin resistance in the pathogenesis of type 2 diabetes mellitus. *Journal of Clinical Investigation* 104: 787-794.
- WHO Expert Committee: Diabetes Mellitus. 2nd rep. Geneva, World Health Org., 1980 (Tech. Rep. Ser. 646).
- Wilson JR, Kapoor SC (1993) Contribution of prostaglandins to exercise-induced vasodilation in humans. *American Journal of Physiology* 265:H171–H175.
- Withers DJ, et al. (1998) Disruption of IRS-2 causes type 2 diabetes in mice. *Nature* 391:900-904.
- World Health Organization: *Diabetes mellitus*. Fact sheet no. 138, 2002.
- Wright KA, Leitch CA, Story JA, Gretebeck RJ (1983) Consumption of a high fructose diet for five days increases plasma triglycerides. *FASEB Journal*. 13: A903.
- Wyman RA, Fraizer MC, Keevil JG, Busse KL, Aeschlimann SE, Korcarz CE, Stein JH (2005) Ultrasound-detected carotid plaque as a screening tool for advanced subclinical atherosclerosis. *American Journal of Heart* 150:1081–1085.

- Xiang L, Naik JS, Hodnett BL, Hester RL (2006) Altered arachidonic acid metabolism impairs functional vasodilation in metabolic syndrome. *American Journal of Physiology Regulatory Integrative Comparative Physiology* 290:R134–R138.
- Xu LM, Lu RH (2000) Present advance in diabetic nephropathy in traditional Chinese medical system. *Chinese Journal of Information on Traditional Chinese Medicine* 7: 10–12.
- Yki-Järvinen H, Ryysy L, Nikkilä K, Tulokas T, Vanamo R, Heikkilä M (1999). Comparison of bedtime insulin regimens in patients with type 2 diabetes mellitus. A randomized, controlled trial. *Ann. Intern. Med.* 130 (5): 389–396.
- Yoon JW, Jun SH, Santamaria P. (1998) Cellular and molecular mechanisms for the initiation and progression of β -cell destruction
- Yoon JW, Yoon CS, Lim HW, Huang QQ, Kang Y, Pyun KH *et al.* (1999) Control of autoimmune diabetes in NOD mice by GAD expression or suppression in beta-cells. *Science* 1999 284: 1183–1187.
- Youdim KA, Spencer JE, Schroeter H, Rice-Evans C (2002) Dietary flavonoids as potential neuroprotectants. *Biological Chemistry* 383: 503–519.
- Young EW, Sparks HV (1979) Prostaglandin E release from dog skeletal muscle during restricted flow exercise. *American Journal of Physiology* 236:H596–H599
- Zakin D, Pardini R, Herman RH, Sauberlich HE (1967) *Biochimica Biophysica Acta* 144: 242-251.
- Zavaroni I, Chen YD, Reaven GM (1982) *Metabolism Clinical Experiments* 31: 1077-1083.
- Zavaroni I, Sander S, Scott S, Reaven GM (1980) Effect of fructose feeding on insulin secretion and insulin action in the rat. *Metabolism* 29: 970-973.
- Zhang HY, Wang LF (2002) Theoretical elucidation on structure–antioxidant activity relationships for indolinonic hydroxylamines. *Bioorganic Medicine Chemistry Letters* 12: 225–227.
- Zhang Y, Proenca R, Maffei M, Barone M, Leopold L, Friedman JM (1994) "Positional cloning of the mouse obese gene and its human homologue". *Nature* 372 (6505): 425–32.
- Zhao YF, Keating DJ, Hernandez M, Feng DD, Zhu Y, Chen C, (2005a) Long-term inhibition of protein tyrosine kinase impairs electrophysiologic activity and a rapid component of exocytosis in pancreatic beta-cells. *Journal of Molecular Endocrinology* 35, 49–59.
- Zhu KY (1982) A discuss on symptoms and therapies of diabetes in traditional Chinese medical system. *Shanghai Journal of Chinese Traditional Medicine* 6: 5–6.

CHAPTER 1

- Agardh CD, Bjorgell P, Nilson EP (1999) The effect of tolbutamide on lipoproteins, and lipoprotein lipase and hormone sensitive lipase. *Diabetes research clinical practice*. 46: 99-108.
- Agrawal P, Rai V, Singh RB (1996) Randomized placebo-controlled, single blind trial of holy Basil leaves in patients with noninsulin-dependent diabetes mellitus. *International journal of clinical pharmacology and therapeutics*. 34: 406-409.
- Ahmad F, Khalid P, Khan MM, Chaubey M, Rastogi A, Kidwai JR (1991) Hypoglycemic activity of *Pterocarpus marsupium* wood. *Journal of Ethnopharmacology* 31(1): 71-75.
- Almdal TP, Vilstrup H (1988) Strict insulin treatment normalizes the organic nitrogen contents and the capacity of urea-N synthesis in experimental diabetes in rats. *Diabetologia* 31: 114-118.
- Ansarullah, Bharucha B, Patel V, Ramachandran AV (2010) *Oreocnide integrifolia* (Gaud.) miq. leaf water extract improves metabolic alterations in high fructose fed insulin resistant and hypertensive rats. *European journal of integrative medicine*. 2(2): 79-87.
- Bartlett GR (1959) Phosphorus assay in column chromatography. *Journal of Biological Chemistry* 234: 466-468.
- Baquer NZ, Gupta D, Raju J (1998) regulation of metabolic pathways in liver and kidney during experimental diabetes. Effects of Antidiabetic compounds. *Indian journal of clinical biochemistry*. 13: 63-80.
- Begum D, Nath SC (2000) Ethnobotanical Review of Medicinal Plants Used for Skin Diseases and Related Problems in Northeastern India. *Journal of herbs, spices & medicinal plants* 7(3): 55-93.
- Bolaffi JL, Nagamatsu S, Harris J, Grodsky GM (1987) Protection by thymidine, an inhibitor of polyadenosine diphosphate ribosylation of streptozotocin inhibition of insulin secretion. *Endocrinology* 120: 2117-2122.
- Bonsnes RW, Taussky HH (1945) On the colorimetric determination of Creatinine by the Jaffe reaction. *Journal of Biological Chemistry* 158: 581-591.
- Bopanna KN, Kannan J, Sushma G, Balaraman R, Rathod SP (1997) Antidiabetic and anti hyperlipidemic effect of neem seed, kernel powder on alloxan diabetic rabbits. *Indian Journal of Pharmacology* 29:162-167.
- Braulich H, Marx F, Fleck C, Stein G (1997) Kidney function rats after 5/6 nephrectomy (5/6 NX); effort of treatment with vitamin E. *Experimental toxicology and pathology*. 49: 135-139.
- Cahill GF, Zottu AJ, Hastings AB (1957) Studies on carbohydrate metabolism in rat liver slices. IX. Ionic and hormonal effects on phosphorylase and glycogen. *Journal of Biological Chemistry* 224: 234-250.
- Campillo JE, Torres MD, Dominguez E, Romero A, P´erez C (1994) *Ficus carica* leaf administration reduces hyper-triglyceridaemia in streptozocin diabetic rats. *Diabetologia* 37: A213.
- Chakravarthy BK, Gupta S, Gambhir SS, Gode KD (1980) Pancreatic beta-cell regeneration- a novel antidiabetic mechanism of *Pterocarpus marsupium* Roxb. *Indian Journal of Pharmacology* 12(2): 123-127.
- Chen Jiarui, Lin Qi, Ib Friis, Wilmot-Dear CM, Monro AK (2003) *Flora of China* Vol. 5, pp. 182.

- Cori CF, Cori GT, Grean A (1940) Crystalline muscle phosphorylase. III. Kinetics. *Journal of Biological Chemistry* 151: 39-55.
- Curtin A, Deegan P, Owens D, Collins P, Johnson A, Tomkin GH (1996) Elevated triglyceride-rich lipoproteins in diabetes: a study of apolipoprotein B-48. *Acta Diabetologia* 33:205-210.
- Del Bas JM, Fern'andez-Larrea J, Blay M, Ard'evol A, Salvad'o MJ, Arola L, Blad'e C, (2005) Grape seed procyanidins improve atherosclerotic risk index and induce liver CYP7A1 and SHP expression in healthy rats. *FASEB J* 19: 479-481.
- Desvergne B, Wali W (1999) Peroxisome proliferator-activated receptor nuclear control of metabolism. *Endocrine Reviews* 20:649.
- Dhanabal SP, Kokate CK, Ramanathan M, Kumar EP, Suresh B (2006) Hypoglycemic activity of *Pterocarpus marsupium* Roxb. *Phytotherapy Research* 20(1): 4-8.
- Elder C (2004) Ayurveda for diabetes mellitus: a review of the biomedical literature. *Alternative Therapeutics Health Medicine* 10:44-50.
- Fiske CH, Subbarow Y (1925) The colorimetric determination of phosphorus. *Journal of Biological Chemistry*. 66: 375.
- Freidwald WT, Levy RI, Freidrickson DS (1972) Estimation of the concentration of low density lipoprotein cholesterol in plasma without use of the preparative ultracentrifuge. *Clinical Chemistry* 18: 499-502.
- Gayathri M, Kannabiran K (2008) Hypoglycemic effect of *Hemidesmus indicus* R. Br. on streptozotocin-induced diabetic rats. *International journal of Diabetes* 28(1): 6-10.
- Grover JK, Vats V, Yadav SS (2006) *Pterocarpus marsupium* extract (Vijayasar) prevented the alteration in metabolic pattern induced in the normal rat by feeding an aqueous diet containing fructose as sole carbohydrate. *Diabetes Obesity Metabolism* 7(4): 414-420.
- Hannan JM, Marenah L, Ali L, Rokeya B, Flatt PR, Abdel-Wahab YH (2006) *Ocimum sanctum* leaf extracts stimulate insulin secretion from perfused pancreas, isolated islets and clonal pancreatic β -cells. *Journal of Endocrinology* 189:127-136.
- Harper AE (1963) Glucose-6-phosphatase. In *Enzymic Analysis*. New York, Academic Press. Pp: 758-792.
- Harris RA, Crabb DW (1982) Metabolic interrelationships. In: *Text book of biochemistry with clinical correlations*, Ed. Delvin TM, New York, Wiley and sons Inc., pp: 531-559.
- Horecker BL, Melloni E, Pontremoli S (1975) Fructose-1,6-bisphosphatases properties of the neutral enzyme and its modification by proteolytic enzymes. *Advances in enzymology*. 42: 193-226.
- Hron WT, Menahan LA (1981) A sensitive method for the determination of free fatty acids in plasma. *Journal of Lipid research* 22: 377-381.
- Hwang DF, Lai YS, Chiang MT (1997) Toxic effects of grass carp, snake and chicken bile juices in rats. *Toxicology Letters* 85: 85-92.
- Itaya K, Ui M (1695) Colorimetric determination of free fatty acids in biological fluids. *Journal of Lipid Research* 6: 16-20.
- Jackson RI, Hess RL, England JD (1979) Hb1c values in children with over diabetes maintained in varying degree. *Diabetes care*. 2: 391-395.
- Jia W, Gao WY, Xiao PG (2003) Antidaibetic drugs of plant origin used in China: Composition, pharmacology and hypoglycemic mechanisms. *Zhongguo Zhong Yao Za Zhi* 28:108-113.

- Kayang H, Kharbuli B, Myrboh B, Syiem D (2005). Medicinal Plants of Khasi Hills of Meghalaya, India. Proc.WOCMAP III. Vol: Bioprospecting and Ethnopharmacology. Eds. J. Bernath, E. Nemeth, L. E. Craker and Z. E. Gardner. Acta Horticulturae 675, International Society for Horticultural Science (ISHS), Page: 75 -80.
- Khanna, AK, Rizvi F, Chander R (2002) Lipid lowering activity of *Phyllanthus niruri* in hyperlipemic rats. Journal of Ethnopharmacology 82: 19–22.
- Kharkongor P, Joseph J (1981) Folklore medicobotany of rural khasi and Jaintia tribes in Meghalaya. In S.K Jain, (eds) Glimpses of Indian Ethnobotany. Oxford IBH Publishing Co., New Delhi pp 124–136.
- Koeing RJ, Peterson CM, Kilo C (1976) Hemoglobin A1c as an indicator of the degree of the glucose intolerance in diabetes. Diabetes. 25: 230-240.
- Krishnakumar K, Augusti K, Vijayammal PL (2000) Hypolipidaemic effect of *Salacia oblonga* Wall Root bark in streptozotocin diabetic rats. Medicine Science Research 28: 65–67.
- Laville M, Auboeuf D, Khalfallah Y, Vega N, Riou JP, Vidal H (1996) Acute regulation by insulin of phosphatidylinositol-3-kinase, Rad, Glut 4, and lipoprotein lipase mRNA levels in human muscle. Journal of Clinical Investigation 98(1):43–49.
- Leloir LF, Goldenberg SH (1962) Glycogen synthase from rat liver. Methods in Enzymology V pp: 145-146.
- Lewis GF, O'Meara NM, Soltys PA, Blackman JD, Iverius PH, Pugh WL, Getz GS, Polonsky KS (1991) Fasting hypertriglyceridemia in non-insulindependent diabetes mellitus is an important predictor of postprandial lipid and lipoprotein abnormalities. Journal of Clinical Endocrinology and Metabolism 72:934–944.
- Lowry DH, Rosenrough NJ, Farr A, Randall J (1951) Protein measurement with the folin-phenol reagent. Journal of Biological Chemistry 193: 265-275.
- Llyod CE, Orchard TJ (1999) Physical and psychological well being in adults with Type I diabetes. Diabetes research clinical practice. 44: 9-19.
- Loci AS, Shaabha M, Khazraji AL, Husain A, Twaij A (1994) Hypoglycemic effect of *Artemisia herba alba*. II. Effect of valuable extract on some blood parameters in diabetic animals. Journal of ethnopharmacology. 43: 167-171.
- Loew D, Kaszkin M (2002) Approaching the problem of bioequivalence of herbal medicinal products. Phytotherpia research. 16: 705-711.
- Minnassian C, Mitheux G (1994) Differential time course of liver and kidney glucose-6-phosphatase activity during fasting in rats. Comparative biochemistry, physiology. B Biochemistry molecular biology. 109: 99-104.
- Mero N, Syvanne M, Taskinen MR (1998) Postprandial lipid metabolism in diabetes. Atherosclerosis 141(1):S53–S55.
- Murali B, Upadhyaya UM, Goyal RK (2002) Effect of chronic treatment with *Enicosistemma littorale* in non-insulin-dependent diabetic (NIDDM) rats. Journal of Ethnopharmacology. 81: 199-204.
- Mukherjee PK, Maiti K, Mukherjee K, Houghton PJ (2006) Leads from Indian medicinal plants with hypoglycemic potentials. Journal of Ethnopharmacology 106: 1-28.

- Nakatsuka M, Yoshimura Y, Nishida M, Kawada J (1990) Importance of the concentration of ATP in rat pancreatic beta cells in the mechanism of streptozotocin-induced cytotoxicity. *Journal of Endocrinology* 127: 161–165.
- Narendhirakannan RT, Subramaniam S, Kandaswamy M (2006) Biochemical evaluation of antidiabetogenic properties of some commonly used Indian plants on Streptozotocin-induced diabetes in experimental rats. *Clinical and experimental pharmacology and physiology*. 33: 1150-1157.
- Okada T, Hazeki O, Ui M, Katada T (1996) Synergistic action of PtdIns 3-kinase by tyrosine phosphorylated peptide and $\beta\gamma$ -subunits of GTP-binding proteins. *Biochemical Journal* 317: 475-480.
- Parker KM, England JD, Costa JD, Hess RL, Goldstein DE (1981) Improved colorimetric assay for glycosylated hemoglobin. *Clinical Chemistry* 27: 669-672.
- Peluso, MR (2006) Flavonoids attenuate cardiovascular disease, inhibits phosphodiesterase and modulates lipid homeostasis in adipose tissue and liver. *Experimental Biology & Medicine* 231 (8): 1287-1299.
- Pérez C, Canal JR, Campello JE, Adelaida R, Torres M (1999) Hypotriglyceridaemic activity of *Ficus carica* leaves in experimental hypertriglyceridaemic rats. *Phytotherapy Research* 13: 188–191.
- Raju J, Gupta D, Rao AR, Yadava PK, Baquer NZ (2001) *Trigonella foenum graecum* (fenugreek) seed powder improves glucose homeostasis in alloxan diabetic rat tissues by reversing the altered glycolytic, gluconeogenic and lipogenic enzymes. *Molecular and cellular biochemistry*. 224: 45-51.
- Rannels DE, Mokee DE, Morgan HE (1997) Biochemical actions of hormones. In: Lit Wac G (ed.). Academic press, New York. 135-195.
- Rao AV, Gurfinkel DM (2000) The bioactivity of saponins: triterpenoid and steroidal glycosides. *Drug Metabolism & Drug Interaction* 17: 211–235.
- Scheen JA (1997) Drug treatment of non- insulin dependent diabetes mellitus in the 1990s. achievements and future development. *Drug* 54:355-368.
- Seifter S, Dayton S, Horic B, Muntwyler V (1950) The estimation of glycogen with anthrone reagent. *Archives of Biochemistry* 25: 191-200.
- Sharma PP, Mujundar AM (2003) Traditional knowledge on plants from Toranmal Plateau of Maharashtra. *Indian Journal of Traditional Knowledge* 2: 292–296.
- Sharma AK (1993) In: Galadari EO, Behara I, Manchandra M, Abdulrazzaq SK, Mehra MK (Eds.), *Diabetes Mellitus and Its Complications: An Update*, 1st ed. Macmillan, New Delhi
- Sharma B, Viswanath G, Salunke R, Roy P (2008) Effects of flavonoid-rich extract from seeds of *Eugenia jambolina* (L.) on carbohydrate and lipid metabolism in diabetic mice. *Food chemistry*. 110: 697-705.
- Sheela CG, Augusti KT (1992) Antidiabetic effects of garlic *Allium sativum* Linn. *Indian journal of experimental biology*. 30: 523-526.
- Singh PK, Baxi DB, Potnis K, Mukherjee R, Ramachandran AV (2010) Supplementation with a polyherbal extract and melatonin together with exercise effectively reverses diabetic glycaemic status and carbohydrate metabolism and insulin level. *International Journal of Biological and Medical Research* 1(3): 54-60.
- Sy GYA, Cissé RB, Nongonierma M, Sarr NA, Mbodj B, Faye Zhang BB, Moller DE (2000) New approaches in the treatment of type 2 diabetes. *Current Opinions of Chemical Biology* 4: 461–467.

- Szkudelski T (2001) The mechanism of alloxan and streptozotocin action in-cells of the rat pancreas. *Physiology Research* 50: 536–546.
- Trinder P (1969) Determination of blood glucose using glucose oxidase with an alternative oxygen acceptor. *Annales of Clinical Biochemistry* 6: 24-25.
- Valiathan MS (1998) Healing plants. *Current Science* 75:1122-1126.
- Vats V, Yadav SP, Grover JK (2003) Ethanolic extract of *Ocimum sanctum* leaves partially attenuates Streptozotocin-induced alterations in glycogen content and carbohydrate metabolism in rats. *Journal of Ethnopharmacology* 90: 155-160.
- Venkateswaran S, Pari L (2002) Antioxidant effect of *Phaseolus vulgaris* in streptozotocin -induced diabetic rats. *Asia Pacific Journal of Clinical Nutrition* 11: 206 209.
- WHO (2002) Launches of the first global strategy on the traditional medicine. WHO Press release 38:2.
- Witters LA (2001) The blooming of the French lilac. *Journal of Clinical Investigation* 108: 1105–1107.

CHAPTER 2

- AnithaNandhini AT, Thirunavukkarasu V, Anuradha CV (2005) Taurine modifies insulin signaling enzymes in the fructose-fed insulin resistant rats. *Diabetes & Metabolism* 31: 337-344.
- Ansarullah, Thounoujam M, Jadeja R, Devkar R and Ramachandran AV (2009) *Oreocnide integrifolia* (Gaud.) Miq. Exhibits hypoglycemic and hypolipidemic potentials on streptozotocin diabetic rats: A preliminary dose and duration dependent study. *EXCLI Journal* 8, 97-106.
- Ansarullah, Selavaraj J, Hardikar AA and Ramachandran AV (2010) Influence of *Oreocnide integrifolia* (Gaud.)Miq on IRS-1, Akt and Glut-4 in fat fed C57BL/6J type-2 diabetes mouse model. *eCAM* doi:10.1093/ecam/neq14.
- Anuradha CV, Balakrishnan SD (1999) Taurine attenuates hypertension and improves insulin sensitivity in the fructose-fed rat, an animal model of insulin resistance. *Canadian Journal of Physiology Pharmacology* 77: 749-754.
- Anurag P, Anuradha CV (1999) Effect of Metformin on blood pressure, insulin sensitivity and protein bound sugars in fructose induced hypertensive rats. *Medicine Science Research* 27: 107-112.
- Arner P (2003) The adipocyte in insulin resistance: key molecules and the impact of the thiazolidinediones. *Trends in Endocrinology and Metabolism* 14: 137-145.
- Astrup A, Finer N (2000) Redefining type 2 diabetes: 'diabesity' or 'obesity dependent diabetes mellitus'? *Obesity Reviews* 1: 57-59.
- Balaraman R, Dangwal S, Mohan M (2007) Antihypertensive effect of *Trigonella foenum-graecum* seeds in experimentally induced hypertension in rats. *Pharmacological Biology* 44: 568-575.
- Balakrishnan SD, Anuradha CV (1997) Effect of exercise training on blood pressure and lipid profile changes in fructose-fed rats. *Medine Science Research* 25: 743-748.
- Bays H, Mandarino L, DeFronzo RA (2004) Role of the adipocyte, free fatty acids, and ectopic fat in pathogenesis of type 2 diabetes mellitus: peroxisomal proliferator- activated receptor agonists provide a rational therapeutic approach. *Journal of Clinical Endocrinology and Metabolism* 89: 63-78.
- Berg AH, Combs TP, Du X, Brownlee M, Scherer PE (2001) The adipocyte-secreted protein Acrp30 enhances hepatic insulin action. *Nature Medicine* 7: 947-53.
- Bhanot S, McNeill JH (1996) Insulin and hypertension: a casual relationship? *Cardiovascular Research* 31: 212-221.
- Bunnag P, Hori TM, Ormsby B, Berger ME, Golub SM, Tuck TM (1997) Impaired in vitro adrenergic responses in diet-induced hypertensive rats. *Hypertension Research* 20: 17-21.
- Dimo T, Azay J, Tan PV, Pellecuer J, Cros G, Bopelet M, Serrano JJ (2001a) Effects of the aqueous and methylene chloride extracts of *Bidens pilosa* leaf on fructose-hypertensive rats. *Journal of Ethnopharmacology* 76: 215-221.
- Dimo T, Rakotonirina SV, Tan PV, Dongo E, Dongma AB, Kamichouing P, Azay J, Abegaz BM, Cros G, Ngadjui TB (2001b) Antihypertensive effects of *Dorstenia psiliris* extract in fructose-fed hyperinsulinemic, hypertensive rats. *Phytomedicine* 8: 101-106.

- Dimo T, Rakotonirina SV, Tan PV, Azay J, Dongo E, Cros G (2002) Leaf methanol extract of *Bidens pilosa* prevents and attenuates the hypertension induced by high fructose diet in Wistar rats. *Journal of Ethnopharmacology* 83: 183-191.
- Duncan MH, Singh BM, Wise PH, Carter G, Alaghband-Zadeh J (1995) A simple measure of insulin resistance. *Lancet* 346: 120-121.
- Endre T, Mattiasson I, Berglund G, Hulthen UL (1994) Insulin and renal sodium retention in hypertension prone men. *Hypertension* 23: 313-319.
- Erllich Y, Rosenthal T (1996) Contribution of nitric oxide to the beneficial effects of enalapril in the fructose-induced hyperinsulinemic rat. *Hypertension* 28: 754-757.
- Fang TC, Huang WC (1998) Angiotensin receptor blockade blunts hyperinsulinemia-induced hypertension in rats. *Hypertension* 32: 235-242.
- Friedewald WT, Levy RI, Fredrickson DS (1972) Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge. *Clinical Chemistry* 18: 499-502.
- Galipeau D, Arikawa E, Sekirov I, McNeill JH (2001) Chronic thromboxane synthase inhibition prevents fructose-induced hypertension. *Hypertension* 38: 872-876.
- Galipeau D, Verma S, McNeill JH (2002) Female rats are protected against fructose-induced changes in metabolism and blood pressure. *American Journal of Physiology Heart Circulation Physiology* 283: H2478- H2484.
- Grundy M (1999) Hypertriglyceridemia, insulin resistance, and metabolic syndrome. *American Journal of Cardiology* 83: 25F-29F.
- Harjom Y, Shalini JP Sinha R (2007) Antidiabetic effect of probiotic dahi containing *Lactobacillus acidophilus* and *Lactobacillus casein* in high fructose fed rats. *Nutrition* 62-68.
- Heise T, Magnusson K, Heinemann L, Sawicki TP (1998) Insulin resistance and the effect of insulin on blood pressure in essential hypertension. *Hypertension* 32: 243-248.
- Hwang IS, Ho H, Hoffman BB, Reaven GM (1987) Fructose-induced insulin resistance and hypertension in rats. *Hypertension* 10: 512-516.
- Itaya K, Ui M (1995) Colorimetric determination of free fatty acids in biological fluids. *Journal of Lipid Research* 6: 16-20.
- Kageyama S, Yamamoto J, Isogai Y, Fujita, T (1994) Effect of insulin on sodium retention in hypertensive patients. *American Journal of Hypertension* 7: 409-415.
- Kamata K, Yamashita K (1999) Insulin resistance and impaired endothelium-dependent vasodilation in fructose-fed hypertensive rats. *Research Communication Molecular Pathology Pharmacology* 103: 195-210.
- Katakam PV, Ujhelyi MR, Hoenig ME, Miller AW (1998) Endothelial dysfunction precedes hypertension in diet-induced insulin resistance. *American Journal of Physiology* 275: R788-92.
- Kharkongor P, Joseph J (1981) Folklore medicobotany of rural khasi and Jaintia tribes in Meghalaya. In S.K Jain, (eds) *Glimpses of Indian Ethnobotany*. Oxford IBH Publishing Co., New Delhi pp 124-136.

- Kohen-Avramoglu R, Theriault A, Adeli K (2003) Emergence of the metabolic syndrome in childhood: an epidemiological overview and mechanistic link to dyslipidemia. *Clinical Biochemistry* 36: 413-420.
- Krauss RM, Siri PW (2004) Dyslipidemia in type 2 diabetes. *Med clin North America* 88: 897-909.
- Kubota N, Terauchi Y, Yamauchi T, Kubota T, Moroi M, Matsui, J (2002) Disruption of adiponectin causes insulin resistance and neointimal formation. *Journal of Biological Chemistry* 277: 25863-6.
- Lakka HM, Laaksonen DE, Lakka TA, Niskanen LK, Kumpusalo E, Tuomilhto J, Salonen JT (2002) The metabolic syndrome and total and cardiovascular disease mortality in middle-aged men. *JAMA* 288: 2709-2716.
- Le KA, Tappy L (2006) Metabolic effect of fructose. *Current Opinion in Clinical Nutrition Metabolism Care* 9: 469-475.
- Lee MK, Miles PDG, Khouseed M, Gao KM, Moosa AR, Olefsky JM (1994) Metabolic effects of Triglitzazone on fructose-induced insulin resistance in the rat. *Diabetes* 43: 1435-1439.
- Li RW, Douglas TD, Maiyoh GK, Adeli K, Theriault AG (2005) Green tea leaf extract improves lipid and glucose homeostasis in a fructose-fed insulin resistant hamster model. *Journal of Ethnopharmacology* 104: 24-31.
- Madar Z, Melamed EC, Zimlichman R (1997) Acarbose reduces blood pressure in sucrose-induced hypertension in rats. *Israel Journal of Medical Science* 33: 153-159.
- Miller AW, Hoenigand ME, Ujhelyi MR (1998) Mechanisms of impaired endothelial function associated with insulin resistance. *Journal of Cardiovascular Pharmacology* 3: 125-134.
- Navarro-Cid J, Maeso R, Perez-Vizcaino F, Casal MC, Cachofeiro V, Ruilope LM, Tamargo J, Lahera V (1996) Effects of antihypertensive drugs on blood pressure and metabolic alterations in the fructose-induced hypertensive rat. *Journal of Hypertension* 9: 669-674.
- Reaven GM, Ho H, Hoffmann BB (1989) Somatostatin inhibition of fructose-induced hypertension. *Hypertension* 14: 117-120.
- Richey JM, Si X, Halter JB, Webb RC (1998) Fructose perfusion in rat mesenteric arteries impairs endothelium-dependent vasodilation. *Life Science* 62: 55-62.
- Riemens SC, Sluiter WJ, Dullaart RP (2000) Enhanced escape of non-esterified fatty acids from tissue uptake: its role in impaired insulin-induced lowering of total rate of appearance in obesity and type 2 diabetes mellitus. *Diabetologia* 43: 416-426.
- Rosen P, Ohlyand P, Gleichmann H (1997) Experimental benefit of moxonidine on glucose metabolism and insulin secretion in the fructose fed rat. *Journal of Hypertension* 15: S31-S38.
- Sambandam N, Lim F, Cam CM, Rodrigues, B (1997) Cardiac heparin-releasable lipoprotein lipase activity in fructose hypertensive rats: effect of coronary vasodilation. *Journal of Cardiovascular Pharmacology* 30: 110-117.
- Srividhya S, Anuradha CV (2002) Metformin improves liver antioxidant potential in rats fed a high-fructose diet. *Asia Pacific Journal of Clinical Nutrition* 11: 319-322.
- Stanhope KL, Havel PJ (2008) Fructose consumption: potential mechanisms for its effects to increase visceral adiposity and induce dyslipidemia and insulin resistance. *Current Opinion in Lipidology* 19: 16-24.

- Steiner G (1994) Hyperinsulinemia and hypertriglyceridaemia. *Journal of Internal Medicine* 736: 23-26.
- Verma S, Bhanot S, McNeill JH (1994) Antihypertensive effects of Metformin in fructose –fed hyperinsuliemic, hypertensive rats. *Journal of Pharmacology, Experimental Therapeutics* 271: 1334-1337.
- Verma S, Bhanot S, McNeill JH (1995) Effect of chronic endothelin blockade in hyperinsuliemic, hypertensive rats. *American Journal of Physiology* 269: H2017-H2021.
- Verma S, Bhanot S, McNeill JH (1999) Sympathectomy prevents fructose-induced hyperinsulinemia and hypertension. *European Journal of Pharmacology* 373: R1-R4.
- Verma S, Bhanot S, Yao L, McNeill JH (1997) Vascular insulin resistance in fructose-hypertensive rats. *European Journal of Pharmacology* 322: R1-R2.
- Verma S, Yao L, Dumont AS, McNeill JH (2000) Metformin treatment corrects vascular insulin resistance in hypertension. *Journal of Hypertension* 18: 1445-1450.
- Verma S, Bhanot S, Yao L, McNeill JH (1996) Defective endothelium-dependent relaxation in fructose hypertensive rats. *American Journal of Hypertension* 9: 370.
- Wu LY, Juan CC, Hwang LS, Hsu YP, Ho PH, Ho LT (2004) Green tea supplementation ameliorates insulin resistance and increases glucose transporter 4 content in a fructose-fed rat model. *European Journal of Nutrition* 43: 116-124.
- Yamauchi T, Kamon J, Waki H, Terauchi Y, Kubota, N, Hara K (2001) The fat-derived hormone adiponectin reverses insulin resistance associated with both lipoatrophy and obesity. *Nature Medicine* 7: 941-6.
- Yang M, Wang C, Chen H. Green (2001) Oolong and black tea extracts modulate lipid metabolism in hyperlipidemia rats fed high-sucrose diet. *Journal of Nutrition Biochemistry* 12: 14-20.
- Zavaroni I, Sander S, Scott S, Reaven GM (1980) Effect of fructose feeding on insulin secretion and insulin action in the rat. *Metabolism* 29: 970-973.

CHAPTER 3A

- Ahren B, Simonsson E, Scheurink A., Mulder H, Myrsen U, Sundler F (1997) Dissociated insulintropic sensitivity to glucose and carbachol in high- fat diet-induced insulin resistance in C57BL/6J mice. *Metabolism* 46: 97-106.
- Ahren B, Sauerberg P, Thomse C (1999) Increased insulin secretion and normalisation of glucose tolerance by cholinergic agonism in high fat-fed mice. *American Journal of Physiology* 277: E93-102.
- Ahren B, Holst JJ, Yu S (2000a) Anhydro- D- fructose increases glucose tolerance by increasing glucagon-like peptide-1 and insulin in mice. *European Journal of Pharmacology* 397: 219-225.
- Ahren B, Holst JJ, Martensson H, Balkan B (2000b) Improved glucose tolerance and insulin secretion by inhibition of dipeptidyl peptidase IV in mice. *European Journal of Pharmacology* 404: 239-245.
- Ahren B, Pacini G (2002) Insufficient islet compensation to insulin resistance Vs reduced glucose effectiveness in glucose-intolerant mice. *American Journal of Physiology, Endocrinology & Metabolism* 283: E738- 44.
- Ansarullah, Thounajam MC, Jadeja RN, Devkar RV, Ramachandran AV (2009) *Oreocnide integrifolia* (Gaud.) Miq exhibits hypoglycemic and hypolipidemic potentials on streptozotocin diabetic rats: A preliminary dose and duration dependent study. *EXCLI Journal* 8: 97-106.
- Begum D, Nath SC (2000) Ethnobotanical review of medicinal plants used for skin diseases and related problems in Northeastern India. *Journal of herbs, spices & medicinal plants* 7(3): 55-93.
- Brosche T (2001) Plasmalogen levels in serum from patients with impaired carbohydrate or lipid metabolism and in elderly subjects with normal metabolic values. *Archives of Gerontology and Geriatrics* 32: 283-294.
- Chen J, Lin Q, Friis I, Wilmot-Dear CM, Monro AK (2003) In: *Flora of China*. 5:182.
- Huo Y, Winters WD, Yao D (2003) Prevention of diet-induced type 2 diabetes in C57BL/6J mouse model by an antidiabetic herbal formula. *Phytotherapy Research* 17: 48-55.
- Jayaprakasam B, Olson LK, Schutzki RE, Tai MH, Nair MG (2006) Amelioration of obesity and glucose intolerance in high- fat- fed C57BL/6J mice by Anthocyanins and Ursolic acid in Cornelian cherry (*Cornus mas*). *Journal of Agriculture and Food Chemistry* 54: 243-248.
- Kharkongor P, Joseph J (1981) Folklore medicobotany of rural Khasi and Jaintia tribes in Meghalaya. In S.K Jain, editors. *Glimpses of Indian Ethnobotany*, Oxford IBH Publishing Co; New Delhi: 1981. p. 124-136.
- Kim JK, Gavrilova O, Chen Y, Reitman ML, Shulman GI (2000) Mechanism of insulin resistance in A- ZIP/F-1 fatless mice. *Journal of Biological Chemistry* 275: 8456-8460.
- King H, Aubert RE, Herman WH (1998) Global burden of diabetes 1995-2025 prevalence, numerical estimates and projections. *Diabetes Care* 21: 1414-1431.
- Kishore P, Tonelli J, Koppaka S, Fratila C, Bose A, Lee DE et al., (2006) Time-dependent effects of free fatty acids on glucose effectiveness in type 2 diabetes. *Diabetes* 55: 1761-1768.
- Leu YL, Chen YW, Yang CY, Huang CF, Lin GH, Tsai KS (2009) Extract isolated from *Angelica hirsutiflora* with insulin secretagogue activity. *Journal of Ethnopharmacology* 23: 208-212.

- Muniappa L, Leelavinothan P, Sitasawad S, Bhonde R (2003) Insulin-secretagogue activity and cryoprotective role of the traditional antidiabetic plant *Scoparia dulcis* (Sweet Broomweed). Life Sciences 75: 2003-2014.
- Muurling M, Miek JC, Mensink RP, Hornstra G, Dahlmans VEH, Pijl H, et al., (2002) A low fat diet has a higher potential than energy restriction to improve high fat diet-induced insulin resistance in mice. Metabolism 51: 695-701.
- Parekh PI, Petro AE, Tille, JM, Feinglos MN, Surwit RS (1998) Reversal of Diet-induced obesity and Diabetes in C57BL/6J mice. Metabolism 47: 1089-1096.
- Petro AE, Cotter JC, Cooper DA, Peters JC, Surwit SJ, Surwit RS (2004) Fat, carbohydrate, and calories in the development of diabetes and obesity in the C57BL/6J mouse. Metabolism 53: 454-457.
- Prpic V, Watson PM, Frampton IC, Sabol MA, Jezek GE, Gettys TW (2003) Differential mechanisms and development of leptin resistance in A/J versus C57BL/6J mice during diet-induced obesity. Endocrinology 144: 1155-1163.
- Reimer MK, Holst JJ, Ahren B (2002) Long-term inhibition of dipeptidyl peptidase IV improves glucose tolerance and preserves islet function in mice. European Journal of Endocrinology 146: 717-727.
- Seifter S, Dayton S, Horic B, Muntwyler V (1950) The estimation of glycogen with anthrone reagent. Archives of Biochemistry 25: 191-200.
- Sharma B, Viswanath G, Salunke R, Roy P (2008) Effects of flavonoid-rich extract from seeds of *Eugenia jambolana* (L.) on carbohydrate and lipid metabolism in diabetic mice. Food Chemistry 110: 697-705.
- Shah P, Vella A, Basu A, Adkins A, Schwenk WF, Johnson CM et al., (2003) Elevated free fatty acids impair glucose metabolism in women: Decreased stimulation of muscle glucose uptake and suppression of splanchnic glucose production during combined hyperinsulinemia and hyperglycemia. Diabetes 52: 38-42.
- Siddiqui MR, Moorthy K, Taha A, Hussain ME, Baquer NZ (2006) Low doses of vanadate and *Trigonella* synergistically regulate Na⁺/K⁺-ATPase activity and GLUT-4 translocation in alloxan-diabetic rats. Molecular & Cellular Biochemistry 285: 17-27.
- Singh NP, Chauhan AS, Mondal MS (2000) In: Flora of Manipur. Botanical Survey of India.
- Tousch D, Lajoix AD, Hosi E (2008) Large-scale isolation of islets by tissue culture of adult mouse pancreas. Chicoric acid, a new compound able to enhance insulin release and glucose uptake. Biochemical & Biophysical Research Communications 377: 131-135.
- Tripathi BK, Srivastava AK (2006) Diabetes mellitus: Complications and therapeutics. Medical Science Monitor 12: RA130-147.
- Turner RC, Cull CA, Frighi V, Holman RR (1999) Glycemic control with diet, sulfonylurea, metformin, or insulin in patients with type 2 diabetes mellitus: progressive requirement for multiple therapies (UKPDS 49): UK Prospective Diabetes Study (UKPDS) Group. Journal of American Medical Association 281: 2005-2012.

- Winzel SM, Holm C, Ahren B (2003) Downregulation of islet hormone- sensitive lipase during long-term high- fat feeding. *Biochemical & Biophysical Research Communications* 304: 273-278.
- Winzell MS, Ahren B (2004) The high-fat-fed mouse: A model for studying mechanisms and treatment of impaired glucose tolerance and type 2 diabetes. *Diabetes* 53: S215-219.
- World Health Organization (1980) Second Report of the WHO Expert Committee on Diabetes mellitus, Technical Report Series. p. 646 -- 666.

CHAPTER 3B

- Ahren B, Simonsson E, Scheurink AJ, et al. (1997) Dissociated insulinotropic sensitivity to glucose and carbachol in high- fat diet-induced insulin resistance in C57BL/6J mice. *Metabolism* 46:97-106.
- Ahren B, Sauerberg P, Thomse C (1999) Increased insulin secretion and normalisation of glucose tolerance by cholinergic agonism in high fat-fed mice. *American Journal of Physiology* 277: E93-102.
- Ahren B, Holst JJ, Yu S (2000a) Anhydro- D- fructose increases glucose tolerance by increasing glucagon-like peptide-1 and insulin in mice. *European Journal of Pharmacology* 397:219-225.
- Ahren B, Holst JJ, Martensson H, et al. (2000b) Improved glucose tolerance and insulin secretion by inhibition of dipeptidyl peptidase IV in mice. *European Journal of Pharmacology* 404:239-245.
- Ahren B, Pacini G (2002) Insufficient islet compensation to insulin resistance Vs reduced glucose effectiveness in glucose-intolerant mice. *American Journal of Physiology Endocrinology Metabolism* 283:E738- 44.
- Ansarullah, Thounajam MC, Jadeja RN, et al. (2009) *Oreocnide integrifolia* (Gaud.) Miq exhibits hypoglycemic and hypolipidemic potentials on streptozotocin diabetic rats: A preliminary dose and duration dependent study. *EXCLI Journal* 8:97-106.
- Balakrishnan A, Vishwakarma RA, Anadharajan R, Pathmanatahn et al. (2005) Upregulation of GLUT-4 and PPAR γ by an isoflavone from *Pterocarpus marsupium* on L6 myotubes: a possible mechanism of action. *Journal of Ethnopharmacology* 97: 253-260.
- Begum D, Nath SC (2000) Ethnobotanical review of medicinal plants used for skin diseases and related problems in Northeastern India. *Journal of Herbs, Spices & Medicinal Plants* 7(3):55-93.
- Brosche T (2001) Plasmalogen levels in serum from patients with impaired carbohydrate or lipid metabolism and in elderly subjects with normal metabolic values. *Archives of Gerontology and Geriatrics* 32:283-294.
- Cazarolli LH, Folador P, Moresco HH, et al. (2009) Mechanism of action of the stimulatory effect of apigenin-6-C - (2''-O- α -L-rhamnopyranosyl)- β -L-fucopyranoside on 14 C- glucose uptake. *Chemico-Biological Interactions* 179:407-412.
- Charron MJ, Gorovits N, Laidlaw JS, et al. (2005) Use of GLUT-4 null mice to study skeletal muscle glucose uptake. *Clinical Experimental Pharmacology Physiology* 32:308-313.
- Chen J, Lin Q, Friis I, et al. (2003) *Flora of China*. 5: 182.
- Daisy P, Jasmine R (2008) Role of *Elephantopus scaber* on the glucose oxidation in liver and skeletal muscles of Streptozotocin (STZ) induced diabetic adult male rats. *Research Journal of Medicinal Plants* 2:22-27.
- Dombrowski L, Roy D, Marcotte B, et al. (1996) A new procedure for the isolation of plasma membranes, T tubules and internal membranes from skeletal muscles. *American Journal of Physiology* 270: E667-676.
- Grover JK, Yadav S, Vats V (2002) Medicinal plants of India with anti-diabetic potential. *Journal of Ethnopharmacology* 81:81-100.

- Gireesh G, Thomas SK, Joseph B, et al. (2009) Antihyperglycemic and insulin secretory activity of *Costus pictus* leaf extract in streptozotocin induced diabetic rats and in *in vitro* pancreatic islet culture. *Journal of Ethnopharmacology* 123:470-474.
- Huo Y, Winters WD, Yao D (2003) Prevention of diet-induced type 2 diabetes in C57BL/6J mouse model by an antidiabetic herbal formula. *Phytotherapy Research* 17:48-55.
- Jayaprakasam B, Olson LK, Schutzki RE, et al. (2006) Amelioration of obesity and glucose intolerance in high- fat- fed C57BL/6J mice by Anthocyanins and Ursolic acid in Cornelian cherry (*Cornus mas*). *Journal of Agriculture and Food Chemistry* 54:243-248.
- Kharkongor P, Joseph J (1981) Folklore medicobotany of rural Khasi and Jaintia tribes in Meghalaya. In S.K Jain, editors. *Glimpses of Indian Ethnobotany*, Oxford IBH Publishing Co; New Delhi. p. 124-136.
- Kim JK, Gavrilova O, Chen Y, et al. (2000) Mechanism of insulin resistance in A- ZIP/F-1 fatless mice. *Journal of Biological Chemistry* 275:8456-8460.
- King H, Aubert RE, Herman WH (1998) Global burden of diabetes 1995-2025 prevalence, numerical estimates and projections. *Diabetes Care* 21:1414-1431.
- Kishore P, Tonelli J, Koppaka S, et al. (2006) Time-dependent effects of free fatty acids on glucose effectiveness in type 2 diabetes. *Diabetes* 55:1761-1768.
- Lacy PE, Kostianovsky M (1967) Method for the isolation of intact islets of Langerhans from the rat pancreas. *Diabetes* 16:35-39.
- Leu YL, Chen YW, Yang CY, et al. (2009) Extract isolated from *Angelica hirsutiflora* with insulin secretagogue activity. *Journal of Ethnopharmacology* 23:208-212.
- Liu JM, Tzeng TF, Liou SS (2009) A Chinese herbal decoction Dang Gui Bu Xue Tang, prepared from *Radix astragali* and *Radix angelica sinensis*, ameliorates insulin resistance induced by a high fructose diet in rats. *eCAM*
- Lowry OH, Rosenbrough NJ, Farr AL, et al. (1951) Protein measurement with folin-phenol reagent. *Journal of Biological Chemistry* 193:265-275.
- McGarry JD (1994) Disordered metabolism in diabetes: Have we underemphasized the fat component? *Journal of Cellular Biochemistry* 55:29-38.
- Muniappa L, Leelavinothan P, Sitasawad S, et al. (2004) Insulin-secretagogue activity and cryoprotective role of the traditional antidiabetic plant *Scoparia dulcis* (Sweet Broomweed). *Life Sciences* 75:2003-2014.
- Prpic V, Watson PM, Frampton IC, et al. (2003) Differential mechanisms and development of leptin resistance in A/J versus C57BL/6J mice during diet-induced obesity. *Endocrinology* 144:1155-1163.
- Qin b, Nagasaki M, Ren M, Bajatto G, Oshida Y, Sato Y (2004) Gosha-ginki-gan (a herbal complex) corrects abnormal insulin signaling. *eCAM* 1(3): 269-276.
- Reimer MK, Holst JJ, Ahren B (2002) Long-term inhibition of dipeptidyl peptidase IV improves glucose tolerance and preserves islet function in mice. *Eur Journal of Endocrinology* 146:717-727.

- Shah P, Vella A, Basu A, et al. (2003) Elevated free fatty acids impair glucose metabolism in women: Decreased stimulation of muscle glucose uptake and suppression of splanchnic glucose production during combined hyperinsulinemia and hyperglycemia. *Diabetes* 52:38-42.
- Sharma B, Viswanath G, Salunke R, et al. (2008) Effects of flavonoid-rich extract from seeds of *Eugenia jambolana* (L.) on carbohydrate and lipid metabolism in diabetic mice. *Food Chemistry* 110:697-705.
- Shewade YM, Umrani M, Bhonde RR (1999) Large-scale isolation of islets by tissue culture of adult mouse pancreas. *Transplantation Proceedings* 31:1721-1423.
- Siddiqui MR, Moorthy K, Taha A, et al. (2006) Low doses of vanadate and *Trigonella* synergistically regulate Na⁺/K⁺-ATPase activity and GLUT-4 translocation in alloxan-diabetic rats. *Molecular Cellular Biochemistry* 285:17-27.
- Tousch D, Lajoix AD, Hosy E (2008) Large-scale isolation of islets by tissue culture of adult mouse pancreas. Chicoric acid, a new compound able to enhance insulin release and glucose uptake. *Biochemistry Biophysics Research Communication* 377:131-135.
- Tremblay F, Lavigne C, Jacques H, et al. (2001) Defective insulin-induced glut-4 translocation in skeletal muscle of high fat-fed rats is associated with alterations in both akt/protein kinase B and atypical protein kinase C (ζ/λ) activities. *Diabetes* 50:1901-1910.
- Tripathi BK, Srivastava AK (2006) Diabetes mellitus: Complications and therapeutics. *Medicine Science Monitor* 12: RA130-147.
- Turner RC, Cull CA, Frighi V, et al. (1999) Glycemic control with diet, sulfonylurea, metformin, or insulin in patients with type 2 diabetes mellitus: progressive requirement for multiple therapies (UKPDS 49): UK Prospective Diabetes Study (UKPDS) Group. *Journal of American Medical Association* 281:2005-2012.
- Wild S, Roglic G, Green A, et al. (2004) Global prevalence of diabetes estimates for the year 2000 and projection for 2030. *Diabetes Care* 27:1047-1053.
- Winzel SM, Holm C, Ahren B (2003) Downregulation of islet hormone- sensitive lipase during long-term high- fat feeding. *Biochemistry Biophysics Research Communication* 304: 273-278.
- Winzell MS, Ahren B (2004) The high-fat-fed mouse: A model for studying mechanisms and treatment of impaired glucose tolerance and type 2 diabetes. *Diabetes* 53:S215-219.
- World Health Organization (1980) Second Report of the WHO Expert Committee on Diabetes mellitus, Technical Report Series. p. 646 – 666.

CHAPTER 3C

- Aguilar-Salinos C, Vale AAL, Stockins B, Renfigo HM, Filho JD, Neto AA et al., (2004) Ciprofibrate therapy in patients with hypertriglyceridemia and low high density lipoprotein (HDL) - cholesterol: greater reduction of non-HDL cholesterol in subjects with excess body weight (The CIPROAMLAT study). *Cardiovascular diabetology* 3(8): 1-6.
- Ahima RS, Flier JS (2000) Adipose tissue as an endocrine organ. *Trends in Endocrinology and Metabolism* 11: 327-332.
- Ahmed OM, Moneim AA, Yazid IA, Mahmoud AM (2010) Antihyperglycemic, antihyperlipidemic and antioxidant effects and the probable mechanisms of action of *Ruta graveolens* infusion and Rutin in nicotinamide-streptozotocin-induced diabetic rats. *Diabetologia Croatica* 39(1): 15-34.
- Anandharajan R, Pthmanathan K, Shankernarayan NP, Ram AV, Arun B (2005) upregulation of GLUT-4 and PPAR γ by an isoflavone from *Pterocarpus marsupium* on L6 myotubes: a possible mechanism of action. *Journal of Ethnopharmacology* 97: 253-260.
- Ansarullah, Jayaraman S, Hardikar AA, Ramachadran AV (2010) Influence of *Oreocnide integrifolia* (Gaud.) Miq on IRS-1, Akt and GLUT-4 in fat fed C57BL/6J type 2 diabetes mouse model. Evidence based Complementary and Alternative Medicine doi:10.1093/ecam/neq014.
- Asensio C, Cettour-Rose P, Carrillo CT, Rohner-Jeanraud F, Muzzin P (2006) Changes in glycemia by leptin administration or high fat feeding in rodent models of obesity/ type 2 diabetes suggest a link between resistin expression and control of glucose homeostasis. *Endocrinology* 145(5): 2206-2213.
- Assmann G, Schulte H (1988) The prospective cardiovascular Munster (PROCAM) study: prevalence of hyperlipidemia in persons with hypertension and/ or diabetes mellitus and the relationship to coronary heart disease. *American Heart* 116(6): 1713-1724.
- Austin MA, Hokanson JE, Edwards KL (1998) Hypertriglyceridemia as a cardiovascular risk factor. *American Journal of Cardiology* 81(4a): 7b-12b.
- Bornstein SR, Abu-Asab M, Glasow A, Path G, Hauner H, Tsokos M, Chrousos GP, Scherbaum WA (2000) Immunohistochemical and ultrastructural localisation of leptin and leptin receptor in human white adipose tissue and differentiating human adipose cells in primary culture. *Diabetes* 49: 532-538.
- Borradaile NM, de Dreu LE, Huff MW (2003) Inhibition of net HepG2 cell apolipoprotein B secretion by the citrus flavonoid naringenin involves activation of phosphatidylinositol 3-kinase, independent of insulin receptor substrate-1 phosphorylation. *Diabetes* 52: 2554-2561.
- Caja S, Martinez I, Abelenda M, Puerta M (2005) Resistin expression and plasma concentration peak at different times during pregnancy in rats. *Journal of Endocrinology* 185: 551-559.
- Cha JY, Cho YS, Kim I, Anno T, Rahman SM, Yanagita T (2001) Effect of hesperetin, a citrus flavonoid, on the liver triacylglycerol content and phosphatidate phosphohydrolase activity in orotic acid fed rats. *Plant Foods for Human Nutrition* 56: 349-358.
- Cheema SK, Cikaluk D, Agellon LB (1997) Dietary fats modulate the regulatory potential of dietary cholesterol on cholesterol 7 α -hydroxylase gene expression. *Journal of Lipid Research* 38: 315-323.

Cohen B, Novick D, Rubinstein M (1996) Modulation of insulin activities by leptin. *Science* 274: 1185-1188.

Cohen P, Zhao C, Cai X, Montez JM, Rohani C, Feinstein P, Mombaerts P, Friedman JM (2001) Selective deletion of leptin receptor in neurons leads to obesity. *Journal of Clinical investigation* 108: 1113-1121.

Covey SD, Wideman RD, McDonald C, Unniappan S, Huynh F, Asadi A, Speck M, Webber T, Chua SC, Kieffer TJ (2006) The pancreatic beta cell is a key site for mediating the effects of leptin on glucose homeostasis. *Cell Metabolism* 4: 291-302.

Donath MY, Ehses JA, Meadler K, Schumann DM, Ellingsgaard H, Eppler E, Reinecke M (2005) Mechanisms of β -cell death in type 2 diabetes. *Diabetes* 54(2): S108-S113.

Duggal PS, van der Hoek KH, Milner CR, Ryan NK, Armstrong DT, Magoffin DA, Norman RJ (2000) The in vivo and in vitro effects of exogenous leptin on ovulation in the rat. *Endocrinology* 141: 1971-1976.

Emilsson V, Liu YL, Cawthorne MA, Morton NM, Davenport M (1997) Expression of the functional leptin receptor mRNA in pancreatic islets and direct inhibitory action of leptin on insulin secretion. *Diabetes* 46: 313-316.

Feige JN, Gelman L, Michalik L, Desvergne B, Wahli W (2006) From molecular action to physiological outputs: peroxisome proliferator-activated receptors at the crossroads of key cellular functions. *Prog. Lipid Res* 45: 120-159.

Lefebvre P, Chinetti G, Fruchart JC, Staels B (2006) Sorting out the roles of PPAR α in energy metabolism and vascular homeostasis. *Journal of Clinical investigations* 116: 571-580.

Flier JS (1997) Leptin expression and action: New experimental paradigms. *Proceedings of National academy of Sciences USA* 94: 4242-4245.

Friedman JM, Halaas JL (1998) Leptin and regulation of body weight in mammals. *Nature* 395: 763-770.

Fulgencio JP, Kohl C, Girard J, Pegorier JP (1996) Troglitazone inhibits fatty acid oxidation and esterification, and gluconeogenesis in isolated hepatocytes from starved rats. *Diabetes* 45: 1556-1562.

Ghilardi N, Ziegler S, Wiestner A, Stoffel R, Heim MH, Skoda RC (1996) Defective STAT signalling by the leptin receptor in diabetic mice. *Proceedings of National Academy of Sciences USA* 93: 6231-6235.

Goldberg IJ (2001) Diabetic dyslipidemia: causes and consequences. *Journal of Clinical Endocrinology and Metabolism* 26: 1693-1701.

Haffer et al., 1993

Halaas JL, Gajiwala KS, Maffei M, Cohen SL, Chait BT, Rabinowitz D, Lallone RL, Burley SK, Friedman JM (1995) Weight reducing effects of the plasma protein encoded by the obese gene. *Science* 269: 543-546.

Halminski MA, Marsh JB, Harrison JH (1991) Differential effects of fish oil, safflower oil and palm oil on fatty acid oxidation and glycerolipid synthesis in rat liver. *The Journal of Nutrition* 121: 1554-1561.

- Hartz AJ, Rupley DC, Kalkhoff RD, Rimn AA (1983) Relationship of obesity to diabetes: influence of obesity level and body fat distribution. *Preventive Medicine* 12(2):351.
- Haque MS, Minokoshi Y, Hamai M, Iwai M, Horiuchi M, Shimazu T (1999) Role of sympathetic nervous system and insulin in enhancing glucose uptake in peripheral tissues after intrahypothalamic injection of leptin in rats. *Diabetes* 48: 1706-1712.
- Hayamizu K, Hirakawa H, Oikawa D, Nakanishi T, Takagi T, Tachibana T, Furuse M (2003) Effect of *Garcinia combogia* extract on serum leptin and insulin in mice. *Fitoterapia* 74: 267-273.
- Hawkins M, Tonelli J, Kishore P, Stein D, Ragucci E, Gitig A, Reddy K (2003) Contribution of elevated free fatty acid levels to the lack of glucose effectiveness in type 2 diabetes. *Diabetes* 52: 2748-2758.
- Hevener AL, He W, Barak Y, Le J, Bandhopadhyay G, Olson P, Wilkes J, Evans RM, Olefsky J (2003) Muscle-specific PPAR γ deletion causes insulin resistance. *Nat Med.* 9: 1491-1497.
- Hii CST and Howell SL (1985) Effects of flavonoids on insulin secretion and Ca^{+2} handling in rat islets of Langerhans. *Journal of Endocrinology* 107: 1-8.
- Hinoi E, Gao N, Jung DY, Yadav V, Yoshizawa T, Myers MG, Chua SC, Kim JK, Kaestner KH, Karsenty G (2008) The sympathetic tone mediates leptin's inhibition of insulin secretion by modulating osteocalcin bioactivity. *The journal of Cell Biology* 183(7): 1235-1242.
- Howard JK, Lord GM, Matarese G, Vendetti S, Ghatei MA, Ritter MA, Lechler RI, Bloom SR (1999) Leptin protects mice from starvation induced lymphoid atrophy and increases thymic cellularity in ob/ob mice. *Journal of Clinical Investigations* 104: 1051-1059.
- Horton TJ, Drougas H, Brachey A, Reed GW, Peters JC, Hill Jo (1995) Fat and carbohydrate overfeeding in humans: different effects on energy storage. *American Journal of Clinical Nutrition* 62: 19-29.
- Huan JN, Li J, Han Y, Chen K, Wu N, Zhao AZ (2003) Adipocyte-selective reduction of the leptin receptors induced by antisense RNA leads to increased adiposity, dyslipidemia, and insulin resistance. *Journal of Biological Chemistry* 278: 45638-45650.
- Huo Y, Winters WD, Yao DL (2003) Prevention of diet induced type 2 diabetes in the C57BL/6J mouse model by an anti-diabetic herbal formula. *Phytotherapy Research* 17: 48-55.
- Jung UJ, Lee MK, Park YB, Kang MA, Choi MS (2005) Effects of citrus flavonoids on lipid metabolism and glucose regulating enzyme mRNA levels in type 2 diabetic mice. *The International Journal of Biochemistry and Cell Biology* 38: 1134-1145.
- Jung UJ, Kim HJ, Lee JS, Lee MK, Kim HO, Park EJ et al., (2003) Naringin supplementation lowers plasma lipids and enhances erythrocyte antioxidant enzyme activities in hypercholesteremic subjects. *Clinical Nutrition* 22: 561-568.
- Kamohara S, Burcelin R, Halaas JL, Friedman JM, Charron MJ (1997) Acute stimulation of glucose metabolism in mice by leptin treatment. *Nature* 389: 374-377.
- Kieffer TJ, Heller RS, Leech CA, Holz GG, Habener JF (1997) Leptin suppression of insulin secretion by the activation of ATP-sensitive K $^{+}$ channels in pancreatic β -cells. *Diabetes* 46: 1087-1093.
- Kieffer TJ, Heller RS, Unson CG, Weir GC, Habener JF (1996) Distribution of glucagon receptors on hormone specific endocrine cells of rat pancreatic islets. *Endocrinology* 137(11): 5119-5125.

- Kim YB, Uotani S, Pierroz DD, Flier JS, Kahn BB (2000) In vivo administration of leptin activates signal transduction directly in insulin sensitive tissues: overlapping but distinct pathways from insulin. *Endocrinology* 141: 2328-2339.
- Kim SY, Kim HI, Park SK, Im SS, Li T, Cheon HG, Ahn YH (2004) Liver glucokinase can be activated by peroxisome proliferators-activated receptor- γ . *Diabetes* 53: S66-S70.
- Kulkarni RN, Wang ZL, Wang RM, Hurley JD, Smith DM, Ghatel MA, Withers DJ, Gardiner JV, Bailey CJ, Bloom SR (1997) Leptin rapidly suppresses insulin release from insulinoma cells, rat and human islets and *in vivo*, in mice. *Journal of Clinical investigation*. 100: 2729-2736.
- Kusminski CM, McTernan PG, Kumar S (2005) Role of resistin in obesity, insulin resistance and type II diabetes. *Clinical Science* 109: 243-256.
- Lee CH, Olson P, Evans RM (2003) minireview: lipid metabolism, metabolic diseases, and peroxisome proliferator-activated receptors. *Endocrinology* 144: 2201-2207.
- Liu J, Zhang YL, Spense MJ, Vestal RE, Wallace PM, Grass DS (1997) Liver LDL receptor mRNA expression is decreased in human ApoB/CEPT double transgenic mice and is regulated by diet as well as the cytokine oncostatin M. *Arterioscler Thromb Vascular Biology* 17: 2948-2954.
- Liu D, Zhen W, Yang Z, Carter JD, Si H, Reynolds KA (2006) Genistein acutely stimulates insulin secretion in pancreatic β -cells through a cAMP dependent protein kinase pathway. *Diabetes* 55: 1043-1050.
- Liu F, Fan HQ, Qiu J, Wang B, Zhang M, Gu N, Zhnag CM, Fei L, Pan XQ, Guo M, Chen RH, Guo XR (2008) A paradox: Insulin inhibits expression and secretion of resistin which induces insulin resistance. *World journal of Gastroenterology* 14(1): 95-100.
- Lord GM, Matarese G, Howard JK, Baker RJ, Bloom SR, Lechler RI (1998) Leptin modulates the T-cell immune response and reverses starvation-induced immunosuppression. *Nature* 394: 897-901.
- Margetic S, Gazzola C, Pegg GG, Hill RA (2002) Leptin: a review of its peripheral actions and interactions. *International journal of Obesity related Metabolic Disorder* 26: 1407-1433.
- Meadler K, Schulthess FT, Bielman C, Berney T, Bonny C, Prentki M, Donath MY, Roduit R (2008) Glucose and leptin induce apoptosis in human β -cells and impair glucose-stimulated insulin secretion through activation of c-Jun N-terminal kinases. *The FASEB Journal* 22: 1905-1913.
- Memon RA, Grunfeld C, Moser AH, Feingold KR (1994) Fatty acid synthesis in obese insulin resistant diabetic mice. *Hormone and Metabolic Research* 26: 85-87.
- Morioka T, Asilmaz E, Hu J, Dishinger JF, Kurpad AJ, Elias CF, Li H, Elmquist JK, Kennedy RT, Kulkarni RN (2007) Disruption of leptin receptor expression in the pancreas directly affects β -cell growth and function in mice. *The Journal of Clinical investigation* 117: 2860-2868.
- Muoio DM, Dohm GL, Fiedorek F, Tapscott EB, Coleman RA (1997) Leptin directly alters lipid partitioning in skeletal muscle. *Diabetes* 46: 1360-1363.
- Myers MG (2004) Leptin receptor signalling and the regulation of mammalian physiology. *Recent prog. Horm res.* 59: 287-304.
- Nicholls SJ, Tang WH, Scoffone H, Brennan DM, Hartiala J, Allayee H, Hazen SL (2010) Lipoprotein (a) levels and a long term cardiovascular risk in contemporary era of statin therapy. *Journal of lipid Research* July 2nd.

- Niswender KD, Schwartz MW (2003) Insulin and leptin revisited: adiposity signals with overlapping physiological and intracellular signalling capabilities. *Frontiers in Neuroendocrinology* 24: 1-10.
- Okuno A, Tamemoto H, Tobe K, Ueki K, Mori Y, Iwamoto K, Umesono K, Akanuma Y, Fujiwara T, Horikoshi H, Yazaki Y, Kadowaki T (1998) Troglitazone increases the number of small adipocytes without the change of white adipose tissue mass in obese Zucker rats. *Journal of Clinical investigations* 101: 1354-1361.
- Park S, Ahn SI, Kim DS (2010) Central infusion of leptin improves insulin resistance and suppresses β -cell function, but not β -cell mass, primarily through the sympathetic nervous system in a type 2 diabetic rat model. *Life Sciences* 86: 854-862.
- Poitout V, Robertson RP (2002) Minireview: secondary beta cell failure in type 2 diabetes- a convergence of glucotoxicity and lipotoxicity. *Endocrinology* 143: 339-342.
- Prentki M, Nolan CJ (2006) Islet β -cell failure in type 2 diabetes. *Journal of Clinical investigations* 116: 1802-1812.
- Rajala MW, Qi Y, Patel HR, Takahashi N, Banerjee R, Pajvani UB, Sinha MK, Gingerich RL, Scherer PE, Ahima RS (2004) Regulation of resistin expression and circulating levels in obesity, diabetes and fasting. *Diabetes* 53: 1671-1679.
- Raz I, Eldor R, Cernea S, Shafrir E (2005) Diabetes, insulin resistance and derangements in lipid metabolism. Cure through intervention in fat transport and storage. *Diabetes Metabolism Reviews* 21: 3-14.
- Reaven GM (1991) Insulin resistance, hyperinsulinemia, hypertriglyceridemia and hypertension: parallels between human disease and rodent models. *Diabetes care* 13(6): 631-654.
- Reddy S, Lau EM, Ross JM (2004) Immunohistochemical demonstration of leptin in pancreatic islets of non-obese diabetic and CD-1 mice: co-localization in glucagon cells and its attenuation at the onset of diabetes. *Journal of Molecular Histology* 35: 511-519.
- Roberts CK, Liang K, Barnard RJ, Kim CH, Vaziri ND (2004) HMG-CoA reductase, cholesterol 7 α -hydroxylase, LDL receptor, SR-B1, and ACAT in diet-induced syndrome X. *Kidney International* 66: 1503-1511.
- Sahu A (2004) A hypothalamic role in energy balance with special emphasis on leptin. *Endocrinology* 145: 2613-2620.
- Sandoval DA, Davis SN (2003) Leptin metabolic control and regulation. *Journal of Diabetes complications* 17: 108-113.
- Seufert J, Kieffer TJ, Habener JF (1999) Leptin inhibits insulin gene transcription and reverses hyperinsulinemia in leptin deficient ob/ob mice. *Proc Natl Acad Sci USA* 96(2): 674-679.
- Seufert J, Kieffer TJ, Leech CA, Holz GG, Moritz W, Ricordi C, Habener JF (1999) Leptin suppression of insulin secretion and gene expression in human pancreatic islets: implications for the development of adipogenic diabetes mellitus. *Journal of Clinical Endocrinology and Metabolism* 84: 670-676.
- Shah P, Vella A, Basu A, Basu R, Adkins A, Schwenk WF, Johnson CM, Nair KS, Jensen MD, Rizza RA (2003) Elevated free fatty acids impair glucose metabolism in women: decreased stimulation of

- muscle glucose uptake and suppression of splanchnic glucose production during combined hyperinsulinemia and hyperglycemia. *Diabetes* 52: 38-42.
- Shih CC, Lin CH, Lin WL (2008) Effects of *Mormodica charantia* on insulin resistance and visceral obesity in mice on high fat diet. *Diabetes research and Clinical practice* 81(2): 134-143.
- Siegrist-Kaiser CA, Pauli V, Juge-Aubry, CE, Boss O, Pernin A, Chin WW, Cusin I, Rohner-Jeanrenaud F, Burger AG, Zapf J, et al., (1997) Direct effects of leptin on brown and white adipose tissue. *Journal of Clinical Investigations* 100: 2858-2864.
- Singhal NS, Lazar MA, Ahima RS (2007) Central resistin induces hepatic insulin resistance via Neuropeptide Y. *The Journal of Neuroscience* 27(47): 12924-12932.
- Staels B, Fruchart JC (2005) Therapeutic roles of peroxisome proliferator-activated receptor agonists. *Diabetes* 54: 2460-2470.
- Steppan CM, Bailey ST, Bhat S, Brown EJ, Banerjee RR, Wright CM (2001) The hormone resistin links obesity diabetes. *Nature* 409: 307-312.
- Stunkard AJ (1996) Current views on obesity. *American Journal of Medicine* 100(2): 230.
- Subramanian SP, Rao M (2010) Amelioration of diabetic dyslipidemia by *Morinda citrifolia* fruits on Streptozotocin induced diabetic rats. *Journal of Pharmacy Research* 3(4):
- Surwit RS, Kuhn CM, Cochrane C, McCubbin JA, Feinglos MN (1988) Diet induced type 2 diabetes in C57BL/6J mice. *Diabetes* 37(9): 1163.
- Trayhurn P, Beattie JH (2001) Physiological role of adipose tissue: white adipose tissue as an endocrine and secretory organ. *Proceedings of the Nutrition Society* (60): 329-339.
- Tuduri E, Marroqui L, Soriano S, Ropero AB, Batista TM, Piquer S, Lopez-Boado MA, Carneiro EM, Gomis R, Nadal A, Quesada I (2009) Inhibitory effects of leptin on pancreatic α -cell function. *Diabetes* 58: 1616-1624.
- Ukkola O (2002) Resistin- a mediator of obesity-associated insulin resistance or an innocent bystander? *European journal of Endocrinology* 147: 571-574.
- Unger RH, Zhou YT (2001) Lipotoxicity of β -cells in obesity and in other causes of fatty acid spillover. *Diabetes* 50(1): S118-S121.
- Vaziri ND, Liang KH (1995) Hepatic HMG-CoA reductase gene expression during the course of puromycin-induced nephrosis. *Kidney International* 48: 1979-1985.
- Vaziri ND (2003) Molecular mechanisms of lipid disorders in nephrotic syndrome. *Kidney International* 63(5): 1964-1976.
- Vickers MH, Reddy S, Ikenasio BA, Breier BH (2001) Dysregulation of the adipoinular axis-a mechanism for the pathogenesis of hyperleptinemia and adipogenic diabetes induced by fetal programming. *Journal of Endocrinology* 170: 323-332.
- Vidon C, Boucher P, Cachefo A, Peroni O, Diraison F, Beylot M (2001) Effects of isoenergetic high carbohydrate compared with high fat diets on human cholesterol synthesis and expression of key regulatory genes of cholesterol metabolism.
- Way JM, Gorgun CZ, Tong Q et al., (2001) Adipose tissue resistin expression is severely suppressed in obesity and stimulated by peroxisome proliferator-activated receptor gamma agonists. *Journal of Biological Chemistry* 276: 25651-25653.

- Weiser M, Frishman WH, Michaelson MD, Abdeen MA (1997) The pharmacologic approach to the treatment of obesity. *Journal of Clinical Pharmacology* 37(1):453.
- Willson TM, Brown PJ, Sternbach DD, Henke BR (2000) The PPARs: from orphan receptors to drug discovery. *Journal of Medical Chemistry* 43: 527-550.
- Windmuller HG, Spaeth AE (1967) De novo synthesis of fatty acid in perfused art liver as a determinant of plasma lipoprotein production. *Archives of Biochemistry and Biophysics* 122: 362-369.
- Yamauchi T, Kamon J, Waki H, Murakami K, Motojima K, Komeda K, Ide T, Kubota N, Terauchi Y, Tobe K, et al.(2001) The mechanism by which both heterozygous peroxisome proliferators-activated receptor- γ (PPAR- γ) deficiency and PPAR- γ agonist improve insulin resistance. *The Journal of Biological Chemistry* 276: 41245-41254.
- Zhang QX, Huo YS (1994) Effect of Shenqi jiangtang pian on NIDDM during rehabilitation. *Chung-Kuo Chung Hsi I Cheih Ho Tsa chih* 14: 670-671.

CHAPTER 4

- Abdelmoaty MA, Ibrahim MA, Ahmed NS, Abdelaziz MA (2010) Confirmatory studies on the antioxidant and antidiabetic effect of Quercetin in rats. *Indian Journal of Clinical Biochemistry* 25(2): 188-192.
- Acharya D, Srivastava A (2008) Indigenous herbal medicines: Tribal formulations and traditional herbal practices. Avishkar Publishers, distributor, Jaipur, India. ISBN 978-81-7910-252-7. Pp 440.
- Ahad HA, Kumar CS, Nanda PS, Bhanu U, Ravindra B, Mohan V(2010) Traditional Indian Herbs Used For Diabetes. *JITPS* 1 (2)69-78.
- Akindele AJ, Adeyemi OO (2007) Antiinflammatory activity of the aqueous leaf extract of *Byrsocarpus coccineus*. *Fitoterapia* 78: 25-28.
- Anandharajan R, Pthmanathan K, Shankernarayan NP, Ram AV, Arun B (2006) upregulation of GLUT-4 and PPAR γ by an isoflavone from *Pterocarpus marsupium* on L6 myotubes: a possible mechanism of action. *Journal of Ethnopharmacology* 97: 253-260.
- Arayne MS, Sultana N, Mirza AZ, Zuberi MH, Siddiqui FA (2007) In vitro hypoglycemic activity of methanolic extract of some indigenous plants. *Pak J Pharm Sci.* 20(4):268-273.
- Argal A, Pathak AK (2006). CNS activity of *Calotropis gigantea* roots. *Journal of Ethnopharmacology* 106: 142-145.
- Bacová Z, Benický J, Lukyanetz EE, Lukyanets IA, Štrbák V (2005) Different Signaling Pathways Involved in Glucose and Cell Swelling-Induced Insulin Secretion by Rat Pancreatic Islets *in Vitro*. *Cell Physiol Biochem.* 16:59-68.
- Balkan B, Charles MA, Eschivege E (2000) Epidemiological discourse on new criteria on diabetes. *Molecular Endocrinology* 2: 229-234.
- Barbehenn RV (1995) Measurement of protein in whole plant samples with ninhydrin. *Journal of Science, Food Agriculture* 69: 353–359.
- Cannell RJP (1998) *Natural Products Isolation (Methods in Biotechnology)*, vol. 4. Humana Press, Totowa, New Jersey, USA, pp. 343–358.
- Chang C, Yang M, Wen H, Chern J (2002) Estimation of total flavonoid content in propolis by two complimentary colorimetric methods. *Journal of Food Drug Analysis* 1: 178-182.
- Cherian S, Augusti KT (1995) Insulin sparing action of leucopelargonidin derivative isolated from *Ficus bengalensis* Linn. *Indian Journal of Experimental Biology* 33: 608- 611.
- Coskun O, Kanter M, Korkmaz A, Oter S (2005) Quercetin, a flavonoid antioxidant, prevents and protects streptozotocin-induced oxidative stress and β -cell damage in rat pancreas. *Pharmacological Research* 51(2): 117-123.
- Cushine TPT, Lamb AJ (2005) Antimicrobial activity of Flavonoids. *International Journal of Antimicrobial agents* 343 – 356.
- Djrolo F, Hougbe H, Avode G, Addra B, Kodjoh N, Avinadje M, Monterio B (1998) Malnutrition related diabetes (Tropical diabetes). *Medicine Afrique Noire* 45: 538-542.
- Doyle M, Egan JM, (2003) Pharmacological Agents That Directly Modulate Insulin Secretion. *Pharmacology Review* 55:105–131.

- Dwivedi G, Dwivedi S (2007) Sushruta-the clinician-Teacher par excellence (History of Medicine). Indian journal of Chest Disease Allied Science 49: 243-244.
- Esmaili MA, Zohari F, Sadeghi H (2009) Antioxidant and Protective Effects of Major Flavonoids from *Teucrium polium* on β -Cell Destruction in a Model of Streptozotocin-Induced Diabetes. Planta Medicine 75(13): 1418-1420.
- Evans WC (2002) *Trease and Evans Pharmacognosy*. 15 ed. W.B. Saunders, NY, USA.
- Evans WC, Trease GE (2002) *Trease and Evans Pharmacognosy*, 15th edition, W.R. Saunders, London. 214-314
- Fabricant DS, Farnsworth WR (2001) The value of plants used in traditional medicine for drug discovery. Environmental Health Prospect 109(1): 69-75.
- Hagerman A, Harvey-Mueller I, Makkar HPS (2000b) *Quantification of Tannins in Tree Foliage—A Laboratory Manual*. FAO/IAEA, Vienna, pp. 4–7.
- Hannan JM, Marenah L, Ali L, Rokeya B, Flatt PR, Abdel-Wahab YH (2007) *Ocimum sanctum* leaf extracts stimulate insulin secretion from perfused pancreas, isolated islets and clonal pancreatic β -cells. *Journal of Endocrinology* 189:127–136.
- Hii CST and Howell SL (1985) Effects of flavonoids on insulin secretion and Ca^{+2} handling in rat islets of Langerhans. *Journal of Endocrinology* 107: 1-8.
- Hoa NK, Phan DV, Thuan ND, Ostenson CG (2004) Insulin secretion is stimulated by ethanol extract of *Anemarrhena asphodeloides* in isolated islet of healthy Wistar and diabetic Goto-Kakizaki Rats. *Experimental Clinical Endocrinology, Diabetes* 112(9):520-525
- Holz GG (2004) Epac: A new cAMP binding protein in support of glucagon like peptide-1 receptor-mediated signal transduction in pancreatic β -cell. *Diabetes* 53: 5-13.
- Huo Y, Winters WD, Yao D (2003) Prevention of diet-induced type 2 diabetes in C57BL/6J mouse model by an antidiabetic herbal formula. *Phytotherapy Research* 17:48-55.
- Johnston KL, Clifford MN, Morgan LM (2002) Possible role for apple juice phenolic Compounds in the acute modification of glucose tolerance and gastrointestinal hormone secretion in humans. *Journal of the Science of Food and Agriculture* 82 (15):1800–1805.
- Jorge AP, Horst H, Eliandra de Sousa, Pizzolatti MG, Silva FR (2004) Insulinomimetic effects of kaempferitrin on glycaemia and on ^{14}C -glucose uptake in rat soleus muscle. *Chemico-Biological Interactions* 149(2-3)89-96.
- Kang G, Chepurny OG, Holz GG (2001) cAMP-regulated guanine nucleotide exchange factor II (Epac2) mediates Ca^{+2} -induced Ca^{+2} release in INS-1 pancreatic beta-cells. *Journal of Physiology* 536:375–385.
- Kashima Y, Miki T, Shibasaki T, Ozaki N, Miyazaki M, Yano H, Seino S (2001) Critical role of cAMP-GEFII-Rim2 complex in incretin-potentiated insulin secretion. *Journal of Biological Chemistry* 276:46046–46053.
- Kumar BD, Mitra A, Manjunath M (2009) *In vitro* and *in vivo* studies of antidiabetic Indian medicinal plants: a review. *Journal of Herbal Medicine and Toxicology* 3(2): 9-14.
- Lacy PE, Kostianovsky M (1967) Method for the isolation of intact islets of Langerhans from the rat pancreas. *Diabetes* 16:35-39.

- Latha RM, Geetha T, Varalakshmi P (1998) Effect of *Vernonia cinerea* less flower extract in adjuvant induced arthritis. *General Pharmacology* 31: 601-606.
- Lawrence MC, Bhatt HS, and Easom RA (2002) NFAT regulates insulin gene promoter activity in response to synergistic pathways induced by glucose and glucagon-like peptide-1. *Diabetes* 51:691-698.
- Li WL, Zheng HC, Bukuru J, De Kimpe N (2004) Natural medicines used in the traditional Chinese medical system for therapy of diabetes mellitus. *Journal of Ethnopharmacology* 92: 1.
- Li WL, Zheng HC, Bukuru J, De Kimpe N, (2004) Natural medicines used in the traditional Chinese medical system for therapy of diabetes mellitus. *Journal of Ethnopharmacology* 92(1):1-21.
- Liao XP, Shi B (2005) Selective removal of tannins from medicinal plant extracts using a collagen fiber adsorbent. *Journal of Science Food Agriculture* 85: 1285-1291.
- Liu RH (2003) Health benefits of fruit and vegetables are from additive and synergistic combinations of phytochemicals. *American J. Clin. Nutrition* 78: 517S-520S.
- Luo J, Cheung J, Yevich E (1999). Novel terpenoidtype quinones isolated from *Pycnanthu angolensis* of potential utility in the treatment of type-2 diabetes. *J. Pharmacol. Exptl. Therapy* 288: 529-534.
- Malairajan P, Gopalakrishnan G, Narasimhan S, Veni KJK (2006) Analgesic activity of some Indian medicinal plants. *Journal of Ethnopharmacology* 19: 425-428.
- Manach C, Regerat F, Texier O (1996) Bioavailability, metabolism and physiological of 4-oxo-flavonoids. *Nutr. Res.* 16: 517-544.
- Marles RJ, Farnsworth NR (1995) Antidiabetic plants and their active constituents. *Phytomedicine* 2: 137-189.
- Marx J (2002) Unravelling the causes of diabetes. *Science* 295: 585-589.
- Moller DE, Filler JS (1991) Insulin resistance: mechanisms, syndrome and complications. *New England Journal of Medicine* 325: 939-948.
- Okhale, Ehiabhi S, Amanabo, Omachonu M, Jegede, Adeola I, Egharevba, Omoregie H, (2010) Phytochemical and Pharmacognostic Investigation of Antidiabetic *Scoparia dulcis* Linn Scrophulariaceae Whole Plant Grown in Nigeria. *Researcher.* 2(6):7-16.
- Oliver B (1980) Oral hypoglycaemic plants in West Africa. *Journal of Ethnopharmacology* 2: 119-127.
- Patra JC, Chua BH (2010) Artificial neural- network based drug design for diabetes mellitus using flavonoids. *Journal of Computational Chemistry* DOI 10.1002/jcc.21641.
- Persaud SJ, Al-Majed H, Raman A, Jones PM (1999) *Gymnema sylvestre* stimulates insulin release in vitro by increased membrane permeability. *Journal of Endocrinology* 163(2): 207-212.
- Pinent M, Castell A, Baiges I, Montagut G, Arola L, Arad'evol A (2008) Bioactivity of flavonoids on insulin secreting cells. *Comprehensive reviews in Food Science and Food Safety* 7: 299-308.
- Qa'dan F, Verspohl EJ, Nahrstedt A, Petereit F, Matalka KZ (2009) Cinchonain Ib isolated from *Eriobotrya japonica* induces insulin secretion *in vitro* and *in vivo*. *Journal of Ethnopharmacology* 124 (2):224-227.

- Rao YK, Lee MJ, Chen K, Lee YC, Wu WS, Tzeng YM (2009) Insulin-mimetic Action of Rhoifolin and Cosmosiin Isolated from *Citrus grandis* (L.) Osbeck Leaves: Enhanced Adiponectin Secretion and Insulin Receptor Phosphorylation in 3T3-L1 Cells. *eCAM* doi:10.1093/ecam/nep204.
- Ravi S, Sadashiva CT, Tamizmani T, Balasubramaniam T, Kumar MP, Balachandran I (2009) *In vitro* glucose uptake by isolated rat hemi-diaphragm study of *Aegle marmelos correa* root. *Bangladesh Journal of Pharmacology* 4: 65-68.
- Ren J, Jin P, Wang E, Liu E, Harlan DM, Li X, Stroncek DF (2007) Pancreatic islet cell therapy for type I diabetes: understanding the effects of glucose stimulation on islets in order to produce better islets for transplantation. *Journal of Translational Medicine* 5:1- 15.
- Rupasinghe HP, Jackson CJ, Poysa V, Di Berardo C, Bewley JD, Jenkinson J (2003) Soyasapogenol A and B distribution in Soybean (*Glycine Max* L.Merr) in relation to seed physiology, genetic variability and growing location. *J. Agric. Food Chem.*, 51: 5888- 5894.
- Sachan NK, Kumar Y, Pushkar S, Thakur RN, Gangwar SS, Kalaichelvan VK (2009) Antidiabetic potential of alcoholic and aqueous extracts of *Ficus racemosa* linn. bark in normal and alloxan induced diabetic rat. *International Journal of Pharmaceutical Sciences and Drug Research* 1(1): 24-27.
- Saxena A, Vikram NK (2004) Role of selected Indian plants in management of type 2 diabetes: a review. *Journal of Alternative and Complementary Medicine* 10:369-378.
- Sayyah M, Hadidi N, Kamalinejad M (2004) Analgesic and anti-inflammatory activity of *Lactuca sativa* seed extract in rats. *Journal of Ethnopharmacology* 92: 325-359.
- Shapiro K, Gong W C (2002) Natural products used for diabetes. *Journal of American Pharmaceutical Association* 42: 217.
- Sharma B, Viswanath G, Salunke R, et al. (2008) Effects of flavonoid-rich extract from seeds of *Eugenia jambolana* (L.) on carbohydrate and lipid metabolism in diabetic mice. *Food Chemistry* 110:697-705.
- Shewade YM, Umrani M, Bhonde RR (1999) Large-scale isolation of islets by tissue culture of adult mouse pancreas. *Transplantation Proceedings* 31:1721-1423.
- Tapas AR, Sakarkar DM, Kakde RB (2008). Flavonoids as Nutraceuticals: A Review. *Tropical Journal of Pharmaceutical Research* 7 (3): 1089-1099.
- Tapsell LC, Hemphill I, Cobiac L, Patch CS, Sullivan DR, Ferech M et al. (2006) Health benefits of herbs and spices: the past, the present, the future. *Medical Journal of Australia* 185(4): S4-24.
- Vianna R, Brault A, Martineau LC, Re' jean Couture John T. Arnason, Pierre S. Haddad (2009) *eCAM* 1-8.
- Wagner H, Bladt S, Zgainski EM (1984) *Plant Drug Analysis*. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo.
- Wild S, Roglic G, Green A, et al. (2004) Global prevalence of diabetes estimates for the year 2000 and projection for 2030. *Diabetes Care* 27:1047-1053.
- World Health Organization (1980) Second Report of the WHO Expert Committee on Diabetes mellitus, Technical Report Series. p. 646 – 666.

- Xi L, Qian Z, Xu G, Zheng S, Sun S, Wen N, Sheng L, Shi Y, Zhang Y (2007) Beneficial impact of crocetin, a carotenoid from saffron, on insulin sensitivity in fructose-fed rats. *Journal of Nutrition Biochemistry* 18: 64-72.
- Yang MY, Peng CH, Chan KC, Yang YS, Huang CN, Wang CJ (2010) The hypolipidemic effect of *Hibiscus sabdariffa* polyphenols via inhibiting lipogenesis and promoting hepatic lipid clearance. *Journal of Agriculture, Food Chemistry* 58(2): 850-859.
- Yogisha S, Raveesha KA (2010) Dipeptidyl Peptidase IV inhibitory activity of *Mangifera indica*. *Journal of Natural Products* 3.

CHAPTER 5

- Adi N (2004) Effect of melatonin receptor (MT2) antagonist in rat neonates on adult carbohydrate and lipid metabolism, pancreatic function and alloxan induced diabetes. Ph.D. thesis submitted to The M.S.University of Baroda, Vadodara, India.
- Aye T, Toschi E, Sharma A, Sgroi D, Bonner-Weir S (2010) Identification of markers for newly formed β -cells in the perinatal period: A time of recognised β -cell immaturity. *Journal of Histochemistry and Cytochemistry* 58(4): 369-376.
- Oliver-Krasinski JM, Stoffers DA (2009) On the origin of β -cell. *Genes and Development* 22: 1998-2021.
- Bukys MA, Jensen J (2010) Embryonic stem cells as a potential cure for diabetes. In: Efrat S (ed.): *Stem cell therapy for diabetes. Stem Cell Biology and Regenerative Medicine* 203-220.
- Bonner-Weir S, Sharma A (2010) Generation of β -cells from pancreatic duct cells and / or stem cells. In: Efrat S (ed.): *Stem cell therapy for diabetes. Stem Cell Biology and Regenerative Medicine* 167-182.
- Jani J (2004) effect of induced neonatal hypermelanemia on adult carbohydrate and lipid metabolism, pancreatic function and alloxan induced diabetes. Ph.D. thesis submitted to The M.S.University of Baroda, Vadodara, India.
- Lipsett MA, Castellarin ML, Rosenberg L (2007) Acinar plasticity: Development of a novel *in vitro* model to study human acinar-to-duct-to-islet differentiation. *Pancreas* 34(4): 452-457.
- Means AL, Meszoely IM, Suzuki K, et al. (2005) Pancreatic epithelial plasticity mediated by acinar cell transdifferentiation and generation of nestin-positive intermediates. *Development* 132: 3767-3776.
- Lipsett MA, Finegood DT (2002) Beta-cell neogenesis during prolonged hyperglycemia in rats. *Diabetes* 51: 1834-1841.
- Minami K, Okuno M, Miyawaki K, et al. (2005) Lineage tracing and characterisation of insulin-secreting cells generated from adult pancreatic acinar cells. *Proc Natl Acad Sci USA* 102: 15116-15121.
- Suarez-Pinzon WL, Lakey JR, Brand SJ, et al. (2005) Combination therapy with epidermal growth factor and gastrin induces neogenesis of human islet {beta}-cell mass. *Journal of Clinical Endocrinology and Metabolism*.
- Okamoto H (1999) The Reg gene family and Reg proteins: with special attention to the regeneration of pancreatic beta-cells. *Journal of Hepatobiliary Pancreat Surgery* 6: 254-262.
- Rosenberg L, Lipsett MA, Yoon JW, et al., (2004) A pentadecapeptide fragment of islet neogenesis-associated protein increases beta-cell mass and reverses diabetes in C57BL/6J mice. *Annals of Surgery* 240: 875-884.
- Wang RN, Kloppel G, Bouwens L (1995) Duct-to-islet-cell differentiation and islet growth in the pancreas of duct ligated adult rats. *Diabetologia* 38: 1405-1411.
- Brand SJ, Tagerud S, Lambert P, et al. (2002) Pharmacological treatment of chronic diabetes by stimulating pancreatic beta-cell regeneration with systemic co-administration of EGF and gastrin. *Pharmacological Toxicology* 91: 414-420.

- Xu X, D'Hoker J, De Leu N, Xiao X, Heremans Y, De Castele MV, Heimberg H (2010) Islet regeneration. In: Efrat S (ed.): Stem cell therapy for diabetes. Stem Cell Biology and Regenerative Medicine 105-122.
- Bonner-Weir S, Baxter LA, Schupp GT, Smith FE (1993) A second pathway for regeneration of adult exocrine and endocrine pancreas. A possible recapitulation of embryonic development. Diabetes 42: 1715-1720.
- Bonner-Weir S, Taneja M, Weir GC, et al. (2000) In vitro cultivation of human islets from expanded ductal tissue. Proc Natl Acad Sci USA 97: 7999-8004.
- Brockenbrough JS, Weir GC, Bonner-Weir S (1988) Discordance of exocrine and endocrine growth of 90% pancreatectomy in rats. Diabetes 37: 232-236.
- De Leon DD, Deng SP, Madani R, et al. (2003) Role of endogenous glucagon like peptide-1 in islet regeneration after partial pancreatectomy. Diabetes 52: 365-371.
- Dor Y, Brown J, Martinez OI, et al. (2004) Adult pancreatic beta-cells are formed by self-duplication rather than stem-cell differentiation. Nature 429: 41-46.
- Guz Y, Nasir I, Teitelman G (2001) Regeneration of pancreatic beta-cells from intra-islet precursor cells in an experimental model of diabetes. Endocrinology 142: 4956-4968.
- Hardikar AA, Karandikar MS, Bhonde RR (1999) Effect of partial pancreatectomy on diabetic status in BALB/c mice. Journal of Endocrinology 162: 189-195.
- Holland AM, Gonez LJ, Naselli G, Macdonald RJ, Harrison LC (2005) Conditional expression demonstrates the role of the homeodomain transcription factor Pdx-1 in maintenance and regeneration of beta-cells in the adult pancreas. Diabetes 54: 2586-2595.
- Kodama S, Toyonaga T, Kondo T, et al. (2005) Enhanced expression of Pdx-1 and Ngn-3 by exendin-4 during beta-cell regeneration in STZ treated mice. Biochem Biophys Res Commun 327: 11701-1178.
- Lee CS, Leon DD, Kaestner KH, et al (2006) Regeneration of pancreatic islets after partial pancreatectomy in mice doesn't involve the reactivation of neurogenin-3. Diabetes 55: 269-272.
- Ogata T, Li L, Yamada S, et al. (2004) Promotion of beta-cell differentiation by conophylline in fetal and neonatal rat pancreas. Diabetes 53: 2596-2602.
- Rosenberg L (1998) Induction of islet cell neogenesis in the adult pancreas; the partial duct obstruction model. Microsc Res Tech 43: 337-346.
- Swenne I (1983) Effects of aging on the regenerative capacity of the pancreatic beta-cell of the rat. Diabetes 32: 14-19.
- Teta M, Long SY, Wartschow LM, et al. (2005) Very slow turnover of β -cells in aged adult mice. Diabetes 54: 2557-2567.
- Bonal C, Thorel F, Ait-Lounis A, et al. (2008) Pancreatic inactivation of c-Myc decreases acinar mass and transdifferentiates acinar cells into adipocytes in mice. Gastroenterology
- Lardon J, De BS, Rooman I, et al. (2004) Plasticity in the adult rat pancreas: transdifferentiation of exocrine to hepatocyte like cells in primary culture. Hepatology 39: 1499-1507.
- Rooman I, Heremans Y, Heimberg H, et al. (2000) Modulation of rat pancreatic acinoductal transdifferentiation and expression of Pdx-1 in vitro. Diabetologia 43: 907-914.

- Zhou J, Brown J, Kanarek A, et al. (2008) In vivo reprogramming of adult pancreatic exocrine cells to β -cells. *Nature* 455: 627-632.
- Gu G, Dubauskaite J, Melton DA (2002) Direct evidence for the pancreatic lineage: NGN-3 positive cells are islet progenitors and are distinct from duct progenitors. *Development* 129: 2447-2457.
- Wilson ME, Scheel D, German MS (2003) Gene expression cascades in pancreatic development. *Mech Dev* 120: 65-80.
- Solar M, Cardalda C, Houbracken I, et al. (2009) Pancreatic exocrine duct cells give rise to insulin producing β -cells during embryogenesis but not after birth. *Developmental cell* 17: 849-860.
- Bensley RR (1911) Studies on the pancreas of the guinea pig. *Am J Anat* 12: 297-388.
- Gu D, Sarvetnick N (1993) Epithelial cell proliferation and islet neogenesis in IFN- γ transgenic mice. *Development* 118: 33-46.
- Laguesse E (1906) Le pancreas. *Revue Generale d'Histologie* 2:3.
- Nir T, Melton DA, Dor Y (2007) Recovery from diabetes in mice by beta-cell regeneration. *Journal of Clinical Investigation* 117: 2553-2561.
- Dor Y, Melton DA (2008) Facultative endocrine progenitor cells in the adult pancreas. *Cell* 132: 183-184.
- Joglekar MV, Parekh VS, Mehta S, Bhonde RR, Hardikar AA (2007b) MicroRNA profiling of developing and regenerating pancreas reveal post-transcriptional regulation of neurogenin-3. *Developmental Biology* 311: 603-612.
- Shapiro AM, Lakey JR, Ryan EA, Korbitt GS, Toth E, et al. (2000) Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid free immunosuppressive regimen. *New England Journal of Medicine* 343: 230-238.
- Gu G, Wells JM, Dombkowski D, Preffer F, Aronow B, Melton DA (2003) Global expression analysis of gene regulatory pathways during endocrine pancreatic development. *Development* 131: 165-179.
- Guillemain G, Filhoulaud G, Da Silva-Xavier G, Rutter GA, Scharfmann R (2007) Glucose is necessary for embryonic pancreatic endocrine cell differentiation. *Journal of Biological Chemistry* 282(20): 15228-15237.
- Mellitzer G, Bonne S, Luco RF, et al. (2006) IA1 is NGN3- dependent and essential for differentiation of the endocrine pancreas. *The EMBO Journal* 25(6): 1344-1352.
- Joglekar MV, Parekh VS, Hardikar AA (2007a) New pancreas from old: microregulators of pancreas regeneration. *Trends in Endocrinology and Metabolism* 18(10): 393-400.
- Hardikar AA (2004) Generating new pancreas from old. *Trends in Endocrinology and Metabolism* 15: 198-203.
- Sidhu S, Pandhi P, Malhotra S, Vaiphei K, Khanduja KL (2010) Rosiglitazone promotes pancreatic regeneration in experimental model of acute pancreatitis. *Fundamental and Clinical Pharmacology* doi:10.1111/j.1472-8206.2010.00827.x.
- Kojima I, Umezawa K (2006) Conophylline: A novel differentiation inducer for pancreatic β -cells. *The International Journal of Biochemistry and Cell Biology* 38: 923-930.

- Mashima H, Shibata H, Mine T, Kojima I (1996a) Formation of insulin producing cells from pancreatic acinar AR42J cells by hepatocyte growth factor. *Endocrinology* 137: 3969-3976.
- Mashima H, Ohnishi H, Wakabayashi K, et al. (1996b) Betacellulin and activin A co-ordinately convert amylase-secreting pancreatic AR42J cells into insulin-secreting cells. *Journal of Clinical Investigations* 97:1647-1654.
- Drucker DJ (2003) Glucagon like peptides: regulators of cell proliferation, differentiation and apoptosis. *Molecular Endocrinology* 17: 161-171.
- Gallwitz B (2006) Therapies for the treatment of type 2 diabetes mellitus based on incretin action. *Minerva Endocrinology* 31: 133-147.
- Pittenger GL, Taylor-Fishwick DA, Johns RH, Burcus N, Kosuri S, Vinik AI (2007) Intramuscular injection of islet neogenesis associated protein peptide stimulates pancreatic islet neogenesis in healthy dogs. *Pancreas* 34: 103-111.
- Vinik AI, Rosenberg L, Pittenger GL, Taylor-Fishwick DA (2004) Stimulation of pancreatic islet neogenesis: a possible treatment for type 1 and type 2 diabetes. *Current Opinion in Endocrinology Diabetes* 11: 125-140.
- Marselli L, Thorne J, Dahiya S, et al. (2010) Gene expression profiles of beta-cell enriched tissue obtained by laser capture microdissection from subjects with type 2 diabetes. *PLoS ONE* 5(7): 1-13.
- Taylor-Fishwick DA, Bowman A, Krongiebel-Rosique M, Vinik AI (2008) Pancreatic islet immunoreactivity to Reg protein INGAP. *Journal of Histochemistry and Cytochemistry* 56(2): 183-191.
- Planas R, Alba A, Carillo J, et al. (2006) Reg (regenerating) gene overexpression in islets from non-obese diabetic mice with accelerated diabetes: role of IFN β . *Diabetologia* 49: 2379-2387.
- Lu Y, Ponton A, Okamoto H, Takasawa S, Herrera PL, Liu JL (2006) Activation of Reg family genes by pancreatic specific IGF-I gene deficiency and after Streptozotocin-induced diabetes in mouse pancreas. *American Journal of Physiology, Endocrinology and Metabolism* 291: E50-E58.
- Petropavlovskaya M, Makhlin J, Sampalis J, Rosenberg L (2006) Development of an in vitro pancreatic tissue model to study regulation of islet neogenesis associated protein expression. *Journal of Endocrinology* 191: 65-81.
- De Leon D, Farzad C, Crutchlow MF, et al. (2006) Identification of transcriptional targets during pancreatic growth after partial pancreatectomy and exendin-4 treatment. *Physiology Genomics* 24: 133-143.
- Bluth MH, Patel SA, Dieckgraefe BK, Okamoto H, Zenilman ME (2006) Pancreatic regenerating protein (reg I) and reg I receptor mRNA are upregulated in rat pancreas after induction of acute pancreatitis. *World Journal of Gastroenterology* 12(28): 4511-4516.
- Qiu L, List EO, Kopchick JJ (2005) Differentially expressed proteins in the pancreas of diet induced diabetic mice. *Molecular and Cellular Proteomics* 4: 1311-1318.
- Dudek RW, Lawrence IE (1988) Morphologic evidence of interaction between adult ductal epithelium of pancreas and fetal foregut mesenchyme. *Diabetes* 37: 891-900.

- Githens S (1986) Differentiation and development of the exocrine pancreas in animals. In: The exocrine pancreas : Biology, Pathobiology and Diseases. Go VLW, Gardiner JD, Brooks FR et al. (ed.) Raven Press, New York, pp 21-32.
- Golosow N, Grobstein C (1962) Epithelio-mesenchymal interaction in pancreatic morphogenesis. *Developmental Biology* 4: 242-255.
- Orci L, Stefan Y, Malaisse-Lagae F, Perrelet A (1979) Instability of pancreatic endocrine cell populations throughout life. *Lancet* 1: 615.
- Xia B, Zhan XR, Yi R, yang B (2009) Can pancreatic duct-derived progenitors be a source of islet regeneration? *Biochemical and Biophysical Research Communications* 383: 383-385.
- De Haro-Hernandez R, Cabrera-Munoz L, Mandez JD (2004) regeneration of β -cells and neogenesis from small ducts or acinar cells promote recovery of endocrine pancreatic function in alloxan treated mice. *Archives of Medical Research* 35: 114-120.
- Kanitkar M, Bhonde RR (2004) Existence of islet regenerating factors within the pancreas. *The Review of Diabetic Studies* 1: 185-192.
- Zalzman M, Gupta S, Giri RK, et al. (2003) Reversal of hyperglycemia in mice by using human expandable insulin producing cells differentiated from fetal liver progenitor cells. *Proc Natl Acad Sci USA* 100: 7253-7258.
- Risbud MV, Bhonde RR (2002) Models of pancreatic regeneration in diabetes. *Diabetes Res Clin Pract* 58(3): 155-165.
- Petrovsky N, Silva D, Schatz DA (2002) Prospects for the prevention and reversal of type 1 diabetes mellitus. *Drugs* 62(18): 2617-2635.
- Yamaoka T (2003) Regeneration therapy for diabetes mellitus. *Expert Opin Biol Ther* 3: 425-433.
- Parekh D, Townsend CM, Rajaraman S, Ishizuka J, Thompson JC (1991) Pancreatic regeneration after partial pancreatectomy. *American Journal of Surgery* 161: 84-89.
- Paris M, Tourell-Cuzin C, Plachot C, Ktorza A (2004) Review: pancreatic beta-cell neogenesis revisited. *Experimental Diabetes Research* 5(2): 111-121.
- Banerjee M, Bhonde RR (2003) Regeneration of pancreatic beta-cells from intra-islet precursor cells in an experimental model of diabetes. *JOP* 4(4): 137-145.
- Bell DS, Grizzle WE, Dunlap NE (1995) Nesidioblastosis causing reversal of insulin dependent diabetes and development of hyperinsulinemic hypoglycaemia. *Diabetes Care* 18(10): 1379-1380.
- Katdare MR, Bhonde RR, Parab PB (2004) analysis of morphological and functional maturation of neo-islets generated in vitro from pancreatic ductal cells and their suitability for islet banking and transplantation. *Journal of Endocrinology* 182(1): 105-112.
- Fernandez-Alvarez J, Barbera A, Nadal B, et al. (2004) Stable and functional regeneration of pancreatic beta-cell population in nSTZ rats treated with tungstate. *Diabetologia* 47: 470-477.
- Morisset J (2003) Intervention of GI neuropeptides in pancreatic growth and regeneration: comparison with cholecystokinin. *Journal of Physiology and Pharmacology* 54: 127-141.
- Nagappa AN, Thakurdesai PA, Venkatrao N, Singh J (2003) Antidiabetic activity of *Terminalia catappa* linn. fruits. *Journal of Ethnopharmacology* 88: 45-50.

- Ghosh S, Suryawanshi SA (2001) Effect of *Vinca rosea* extract in treatment of alloxan diabetes in male albino rats. *Indian Journal of Experimental Biology* 39: 748-759.
- Xiu LM, Miura AB, Yamamoto K, et al. (2001) Pancreatic islet regeneration by epheridine in mice with Streptozotocin induced diabetes. *American Journal of Clinical Medicine* 29: 493-500.
- Topp BG, McArthur MD, Finegood DT (2004) Metabolic adaptations to chronic glucose infusion in rats. *Diabetologia* 47: 1602-1610.
- Gu D, Arnush M, Sarvetnick N (1997) Endocrine/ exocrine intermediate cells in Streptozotocin treated Ins-IFN gamma transgenic mice. *Pancreas* 15: 246-250.
- Zhou J, Wang X, Pineyro MA, Egan JM (1999) Glucagon like peptide-1 and exendin-4 convert pancreatic AR42J cells into glucagon and insulin producing cells. *Diabetes* 48: 2358-2366.
- Misfeldt AA, Costa RH, Gannon M (2008) β -cell proliferation, but not neogenesis, following 60% partial pancreatectomy is impaired in the absence of FoxM1. *Diabetes* 57: 3069-3077.