

REFERENCES

REFERENCES

- Agrawal, S.K., Chitale, M.W. and Agrawal, K.K. 1990: Prospects of low BOAA Lathyrus from indigenous germplasm, Abst p. 27. International Workshop on Ecology and Biochemistry of Non-protein Amino acid from Plants. University of Ghent, Ghent, Belgium.
- Albrecht, C. and Kholenbach, H. 1989: Induction of somatic embryogenesis in leaf derived calli of Vicia narbonensis. K. Plant Cell Rep. 8, 267-269.
- Ammirato, P.V. 1985 : Embryogenesis. In : Handbook of plant cell cultures Vol.I., Evans,D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y (eds). A.P. pp.82-113, Macmillan, Newyork.
- Ammirato, P.V. 1987 : Organization events during somatic embryogenesis. In : Plant Tissue and Cell Culture. Green, C.E., Evans, D.A., Hackett W.P. and Biesboer,H. (eds). pp. 57-81 Alan R.Liss Inc. Newyork.
- Ammirato, P.V. 1989 : Recent Progress in somatic embryogenesis. IAPTC Newsletter 57, 2-16.
- Arcioni, S., Davey, M.R., Dos Santos, A.V.P. and Cocking, E.C. 1982 : Somatic embryogenesis in tissues from mesophyll and cell suspension protoplasts of Medicago coerula and M. glutmosa. Z. Pflanzenphysiol. 106, 105-110.

Arcioni, S. and Mariotti, D. 1982: Tissue culture and plant regeneration in the forage legume and Lotus corniculatus. In : Plant Tissue Culture, 1982 (Fujiwara, A. ed). pp.707-708, Maruzen, Japan.

Arora, S.K. 1982 : Chemistry and Biochemistry of Legumes : Mineral Nutrition (ed) Arora, S.K. pp.259-286. Oxford and IBH publishing Co. New Delhi.

Atreya, C.D., Papa Rao, J and Subrahmanyam N.C 1984: In Vitro regeneration of peanut (Arachis hypogea) plantlets from embryoaxes and cotyledon segments. Plant Sci. Lett. 34, 379-388.

Aykroyd, W.R. Doughty, J. and Walker, A.F. 1982 : Legumes. In : Human Nutrition, 2nd Edition FAO Nutritional Studies, No.19, FAO, Rome.

Badri Narayan.S., Bhatt, D.P., Bhatt, P.N. and Mehta, A.R. 1989 : Detection of B - Oxalyl diaminopropionic acid in callus cultures of Lathyrus sativus. Curr. Sci. 58, 112-114.

Bajaj, Y.P.S., Singh, H. and Gosal S. S. 1980 : Haploid embryogenesis in anther cultures of Pigeonpea (Cajanus cajan). Theor. Appl. Genet. 58, 157-159.

Bajaj, Y.P.S. and Gosal.S.S 1981 : Induction of genetic variability in grain legumes through tissue culture. pp 25-40. In : Proc. COSTED Symposium on Tissue culture of Economically Important Plants, Rao A.N. (ed) Singapore.

Bajaj, Y.P.S., Singh, H. and Labana, K.S. 1981: Regeneration of genetically variable plants from anther derived callus of Arachis villosa. Plant Sci. Lett. 23, 35-39

Bajaj, Y. P. S., Kumar, P., Labana, K. S. and Singh, M. M. 1981 : Regeneration of plants from seedling explant and callus cultures of Arachis hypogea. Ind. J. Exp. Biol. 19, 1026-1029.

Barwale, U.B., Kerns, H.R. and Widholm, J.M. 1986 : Plant regeneration from callus cultures of several soybean genotypes via embryogenesis and organogenesis. Planta 167, 473-481.

Barwale, U. B., Kerns J. R., and Widholm, J.M. 1987 : Planta 167, 473-481.

Behrend, J. and Mateles, R.I. 1975 : Nitrogen metabolism in Plant suspension cultures. Plant Physiol. 56, 584-589.

Bell, E.A. and Tirimanna, A.S.L. 1965 : Association of aminoacids and related compounds in the seeds of 47 species of Vicia. Their taxonomic and nutritional significance. Biochem. J. 97, 104.

Bell, E.A. and Donovan, J.P. 1966 : The isolation of and γ -oxalyl derivatives of L - α , β - diaminobutyric acid from seeds of the Lathyrus latifolius and the detection of oxalyl isomer of the neurotoxin, diamino propionic acid which occurs together with the neurotoxin and other species. Phytochemistry 5, 1211-1219.

Bell, E.A. and Janzen, D.H. 1971 : Medical and ecological considerations of L - DOPA and 5-HTP in seeds. Nature (London) 229, 136-137.

Bell, E.A. 1973 : Aminonitriles and aminoacids not derived from proteins. In : Toxicants occurring naturally in foods. Chapter - 7. Natl. Acad. Sci. Washington, D.C.

Bell, E.A., Fellows, L.E. and Qureshi, Y. 1976 : 5 - hydroxy L-tryptophan, taxonomic character and chemical defense in Griffonia. Phytochemistry 15, 823.

Bell, E.A. 1976 : Uncommon amino acids in plants. FEBS Lett. 64, 29-35.

Bell, E.A. 1977: The possible significance of uncommon amino acids in plant-vertebrate and plant-insect relationships. In : Natural products and the protection of plants. Marini Bettello, G.B. (ed), Scripta Varia 41 pp 571-595, Potential Academy of Science, Vatican City.

Bell, E.A. 1980 : Non Protein Amino acids i. Plants. Secindic embryogenesis. IAPTC Newsletter 57, 2-16.

Bharal, S. and Rashid, A. 1981 : Tissue Culture of Alhagi camelorum-a legume of high regenerative capacity. Physiol. Plant 53, 497-500.

Bhatia, C.R., Murthy, G.S.S. and Matthews, V.H. 1985 : Regeneration of plants from de-embryonated peanut cotyledons cultured without nutrients and agar. Pflanzenzeucht. 94, 149-155.

Bhatt, D.P., Parrott, W.A., Collins, G.B. and Hildebrand, D.F. 1991: Agrobacterium induced gall formation in lipoxygenase mutant isolines of soybeans. Plant Cell Rep. 9, 651-654.

Bhatt, P.N. and Bhatt, D.P. 1984 : Changes in Sterol composition during leaf aging and in vitro differentiation in Solanum nigrum. J. Nat. Prod. 47, 426 - 432.

Bhattacharya, K.K., Mondal, B.K., Raul, A.M., Sarkar, B.J. and Sengupta, K. 1988: Effect of pre-sowing seed treatment on the yield of grasspea (Lathyrus sativus) sown as utera crop in the field of rice (Oryza sativa). Ind. J. Agri. Sci. 58, 596-599.

Bhojwani, S.S., Mullins, K., Cohen, D. 1984 : Intra varietal variation for in vitro plant regeneration in the genus, Trifolium. Euphytica. 33, 915-921.

Bhojwani, S.S. and Mukhopadhyay, A. 1984 : Some aspects of plant regeneration in tissue cultures of legumes. In : Proceedings symp. On advances in genetics and crop improvements, Gupta P.K. and Bhal, J.R. (eds) Meerut. pp. 377-385.

Binding, H., Jørgensen, J., Krumbiegel-Schoenen, G., Finger, J., Mardhorst, G. and Suchowiat, G. 1983 : Culture of protoplasts from shoot cultures in the order Fabales, Foasales, and Caryophyllales. Experientia Suppl. 45, 34-35.

Bingham, E.T., McCoy, T.J. and Walker K. A. 1988 : In : Hanson, A.A., Barnes D.K. and Hill R.R. (eds). Alfalfa and Alfalfa Improvement, Agronomy Monograph. 29, Am. Soc. Agron, Crop. Sci. Soc. Am, Soil. Sci. Soc. Am, Madison, Wisconsin, pp. 903-929.

Bradford, M. 1976 : A Rapid sensitive method for the quantitation of microgram quantities of protein, utilizing the protein dye binding. Anal. Biochem. 72, 248-254.

Briggs, C.J., Parreno, N. and Campbell, C.G. 1983 : A simple and sensitive method for screening of Lathyrus sativus accessions. *Planta Medica.* 47, 188-190.

Briggs, C.J. and Campbell, C.C. 1990: Segregation pattern for BOAA in selected F2 progeny Lathyrus sativus Abst. p.29, International Workshop on Ecology and Biochemistry of non protein aminoacid from Plants. University of Ghent, Ghent, Belgium.

Britten, E.J., Matsumoto, H. and Palafox, A.L. 1959: *Agronomy Journal.* 51, 462 cf. Roy, D.N. 1981. Toxic Amino acids and proteins from *Lathyrus* plants and other leguminous species : A literature review. *Nutr. Abst. Rev. Series (A)* 51, 690.

Brotherton, J.E., Hauptmann, R.M. and Widholm, J.M. 1986 : Anthranilate synthetase forms in plants and cultured cells of Nicotiana tabacum L. *Planta* 168, 214-221.

Brown, D.C.W., Atanassov, A. 1985 : Role of genetic background in somatic embryogenesis in Medicago. *Plant Cell Tissue Organ Culture* 4, 111-122.

Bryan, J. 1980 : In : Miflin.B (ed),. The biochemistry of plants, Vol. 5, Amino acids and derivatives. pp. 403-452. Academic Press, New York.

Chaleff, R.S. and Carlson, P.S. 1974: Somatic cell genetics of higher plants. *Ann. Rev. Genet.* 8, 267-278.

Chaleff, R.S. and Parsons, M.E. 1978 : Direct selection in vitro for herbicide resistant mutants of Nicotiana tabacum. Proc. Natl. Acad. Sci. (USA). 75, 5104-5107.

Chaleff, R.S. and Ray, T.B. 1984 : Herbicide resistant mutants from tobacco cell cultures. Science 223, 1148-1151.

Cheng, T.Y., Saka, T., Voqui-Dinn, T.H. 1980: Plant regeneration from soybean cotyledonary node C.E. 1983 : Isolation of mutants from cell culture. In : Hand book of plant cell techniques for propagation and breeding Evans, D.A., Sharp, W.R., Ammirato P.V. and Yamada. Y. (eds). pp. 393-441 Macmillan Pub. Co. London.

Choo, T.M. 1988 : Plant regeneration in zigzag clover (Trifolium medium). Plant Cell Rep. 7, 246-248.

Chowdhury, V.K. and Widholm, J.M. 1985: Callus production from photoautotrophic soybean cell culture protoplasts. Plant Cell Rep. 4, 289-292.

Clarkson, D.T. and Hanson, J.B. 1980 : The mineral nutrition of higher plants. Ann. Rev. Plant Physiol. 31, 239-298.

Constabel, F., Gamborg, O.L., Kurz, W.G.W. and Steck. W. 1974 : Production of secondary metabolites in plant cell cultures. Planta Medica 25, 158-165.

Constantin, M. 1981 : Chromosome instability in cell and tissue culture. Euphytica 27, 241-266.

Coulombe, B.A., Foster, J.G., Van Scocye, W.V. and Veilleux, R.E. 1990: Flatpea organogenesis from callus cultures. Plant Science Lett. 71, 99-104.

Crepy, L., Barros, M.G. and Valente, V.R.N. 1986: Callus production from protoplasts of various cultivars of bean (Phaseolus vulgaris) Plant Cell Rep. 5, 124-126.

Cui, D., Myers, J.R., Collins, G.B. and Lazzeri, P.A. 1988 : In vitro regeneration in Trifolium. Direct somatic embryogenesis in I.rubens. Plant Cell Tissue Organ Culture. 15, 33-45.

Cure, W.W. and Mott, R.L. 1978 : A comparative anatomical study of organogenesis in cultured tissues of maize, wheat and oats. Physiol. Plant. 42, 91-96.

Curtiss, C.D., Widholm, J.M., Gonzales, R.A. 1987 : J. Plant Physiol. 130, 125-135.

D'Amato, F. 1978 : Chromosome number variation in cultured cells and regenerated plants. In : Frontiers in plant tissue cultures, Thorpe, T (ed.), pp. 287-295. Inter. Ass. Plant Tissue Culture. Calgary.

Dahiya, B.S. 1976 : Seed morphology as an indicator of low neurotoxin in Lathyrus sativus L. Qual. Plant Foods Hum. Nutr. 25, 391.

Das, A.D., Sahani, K. and Medda, A.K. 1974: Incidence of lathyrism in man. Indian J. Physiol. Allied Sci. 28, 100-106.

Dathe, U. 1985 : Beziehungen Zwischender karyotypischen stabilitat van zellkultaren and Regenerated flanzen versecheidener genotypen der karthobbel (Solanum tuberosum) Dissertaion Abst. Hamboldt Unversitat, Berlin.

*Dave, K. 1980 : cf. Vasil, I.K. and Vasil, V. 1980. Clonal propagation. Int. Rev. Cytol. Suppl. II A (ed. I.K.Vasil) Acad. Press., New York. pp. 145-173.

De-Ekunamkul, W. and Ellis, B.E. 1985 : Effect of macronutrients on growth and rosamaric acid formation in cell suspension cultures of Anchusa officinalis. Plant Cell Rep. 4, 46-49.

Desai, H.V., Bhatt, P.N. and Mehta, A.R. 1986 : Somatic embryogenesis in soapnut. Plant Cell Rep. 3, 190-191.

Dos Santos, A.V.P., Cutter, E.G. and Davey. M.R. 1983 : Origin and development of somatic embryogenesis in Medicago sativa L. Protoplasma 117, 107-115.

Duppy, H.P. and Lea, J.G. 1954 : J. Am. Pharm. Assoc (Scientific Edition) 43, 61.

Dwiwedi, M.P. and Prasad, B.C. 1964 : An epidemiological study of lathyrism in the district of Rewa, M.P. Ind. J. Med. Res. 52, 81-116.

*Elias, G. and Bressani, R. 1974 : Arch. Latinoam. Nutr., 24, 365.

Evans, D. A. and Sharp, W. R. 1983 : Single gene mutations in tomato plants regenerated from tissue culture. Science 221, 949-951.

Evans, D.A., Sharp, W.R., and Medina-Philno, H.P. 1984 : Somaclonal and gametoclonal variation. Amer. J. Bot. 71, 759-774.

Filner, P. 1966 : Regulation of nitrate reductase in cultured tobacco cells Biochem.Biophys. Acta 118, 299-310.

Finer, J.J. 1988 : Apical proliferation of embryogenic tissue of soybean (Glycine max) Plant Cell Rep. 7, 238-241.

Flick, C.E. 1983 : Isolation of mutants from cell culture. In. : Hand book of plant cell techniques for propagation and breeding Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y. (eds). pp. 393-441. Macmillan Pub. Co. London.

Foster, J. G., Cress, W. D. Wright J.R. and Hess, J. L. 1987 : Intracellular localization of the neurotoxin 2,4 - Diaminobutyric acid in Lathyrus sylvestris leaf tissue. Plant Physiol. 83, 900-904.

Fowden, L. 1962: Endeavour, 21, 35.

Fowden, L. 1976 : Amino acids ; occurence, biosynthesis and analogue behaviour in plants. In : Perspectives in Experimental Biology T.2 : Botany, pp. 263-272. Pergamon Press. Oxford.

Fowden, L., Lea, P.J. and Bell, E.A. 1979: The Non Protein Amino acids of Plants. In : Advances in Enzymology vol. 30, Meister, A. (ed) pp. 117-175. John Wiley & Sons, New York.

Fowden, L. 1990 : Some reflections upon the topic of nonprotein amino acids. Abst. p.1-2. Int. Workshop on Ecology and Biochemistry of Non-protein Amino acids from Plants. University of Ghent, Ghent, Belgium.

Frageria, N.K. and Baligav, V.C. 1989: Response of Legumes and cereals to phosphorus in solution cultures. J. Plant. Nutr. 12, 1005-1019.

Fowler., M.W. 1978 : Regulation of carbohydrate metabolism in cell suspension cultures. In : Frontiers of plant tissue culture, Thrope, T.A. (ed), pp. 443-452. IAPTC, Calgary, Canada.

Fraser, J., and Nowak, J. 1988 : Studies on variability in white clover : growth habits and cyanogenic glycosides. Ann. Bot. 61, 311-318.

Freytag, A.H., Arellirao, A.P., Anand, S.C., Wrather, J.A. and Owens, L.D. 1989 : Somaclonal variation in soybean plants regenerated from tissue culture. Plant Cell Rep. 8, 199-202.

Fuji, J.D., Slade, K., and Redenbaugh, K. 1989 : Maturation and greenhouse planting of alfalfa artifical seed. Invitro Cellular and Developmental Biology 25, 1179-1182.

Galzy, R. and Hamori, M. 1981 : Induction de organogenesis sur des cub de Vicia faba minor provenant de apex. Can. J. Bot. 59, 203-207.

Gamborg, O.L., Miller, R.A. and Ojima, K. 1968 : Nutrient requirement of suspension cultures of soybean roots. *Exp. Cell Res.* 50, 151-158.

Gamborg, O.L. 1970 : The effects of amino acids and ammonium on the growth of plant cells in suspension cultures. *Plant Physiol.* 45, 372-375.

Gamborg, O.L., Shyluk, J.P. 1981 : Isolation, fusion and culture of plant protoplasts. In : *Plant tissue culture : Methods and applications in agriculture*. Thorpe, T.A. (ed), pp. 115. Academic Press, New York.

Gamborg, O.L., Davis, B.P. and Stanlhot, R.W. 1983: Cell division and differentiation in protoplasts from cell cultures of Glycine soja and leaf tissue of soybean. *Plant Cell Rep.* 2, 213-215.

Ganapathi, K.T., Dwiwedi, M.P. 1961: In : *Studies on Clinical Epidemiology of Lathyrism*. Indian Council of Med. Res. Unit. G.M. Hospital, Rewa, M.P. India.

Gharyal, P.K. and Maheshwari, S.C. 1980: Plantlet formation from callus cultures of a legume - Lathyrus sativus. cv. LSD-3. *Z. Pflanzenphysiol.* 100, 359-362.

Gharyal, P.K. and Maheshwari, S.C. 1981: In vitro differentiation of somatic embryos in a leguminous tree, Albizzia lebbeck. *Naturwissenschaften* 68, 379-380.

Gharyl, P.K. and Maheshwari, S.C. 1982: Plantlet formation in tissue cultures of the sensitive plant Mimosa pudica. Z. Pflanzenphysiol. 105, 179-182.

Gharyl, P.K. and Maheshwari, S.C. 1983: Genetic and physiological influences on differentiation in tissue cultures of a legume, Lathyrus sativus. Theor. Appl. Genet. 66, 123-126.

Ghazi, T.D., Cheema, H.V. and Nabors, M.W. 1986 : Somatic embryogenesis and plant regeneration from embryogenic callus of soybean, Glycine max. Plant Cell Rep. 5, 452-456.

Gilechrist, D.G. and Kosuge, K. 1980 : Aromatic amino acids biosynthesis and its regulation In : The biochemistry of plants Vol. 5. Amino acids and derivatives. Miflin, B. (ed), pp. 507-531. Academic Press, New York.

Giovanelli, J., Mudd, S.H. and Datko, A. 1980 : In : Miflin, B (ed). The biochemistry of plants, Vol.5, Amino acids and derivatives. pp. 453-505. Academic Press, New York.

Giovanelli, J., Mudd, S.H. and Datko, A.H. 1985 : In vivo regulation of de novo metionine biosynthesis in a higher plant (Lemma) Plant Physiol. 77, 450-455.

Gill, R. and Eapan, S. 1986 : Plant regeneration from hypocotyl protoplasts of mothbean (Vigna aconitifolia) Curr. Sci. 55 : 100-102.

Gmelin, R. 1959 : Die freien Aminosäuren dev Samen von Acacia willardiana (Mimosacea) Z. Physiol. Chem. 316, 164-169.

Gonzales, R. A., Das P. K. and Widholm, J. M. 1984 : Characterization of cultured tobacco cell lines resistant to ethionine analogue. *Plant Physiol.* 74, 640-644.

Gonzales, R.A., and Widholm, J.M. 1985 : Selection of plant cells for desirable characteristics : Inhibitor resistance. In : *Plant cell culture. A practical approach*, Dixon, R.A. (ed), IRL Press, Oxford, Washington D.C. pp. 67-78.

Gopalan, C., Ramashastri, B.V. and Balasubramanian, S.C. 1978: Nutritive value of Indian foods. National Institute of Nutrition, 1CMR, Hyderabad, India.

Goyal, Y. and Arya, H.C. 1984: Tissue culture of desert trees. 1. Clonal multiplications of Prosopis cineraria by bud cultures. *J. Plant Physiol.* 115, 183-189.

Goyal, Y., Bingham, K.L. and Felker, P. 1985: Propagation of the tropical tree, Laucena leucocephala K67. by in vitro bud culture. *Plant Cell Tissue Organ Culture* 4, 3-10.

Grant, J.E. 1984 : Plant regeneration from cotyledonary tissue of Glycine canescens. a perennial wild relative of soybean Plant Cell Tissue Organ Culture 3, 169-173.

*Graybosch, R.A., Edge, M.E. and Delannay, W. 1987 *Crop. Sci.* 27, 803-806.

Greenberg, J. M., Thompson, J. E. and Madison, J. T. 1988 : Homoserine kinase and threonine synthetase in methionine over producing soybean tissue cultures. *Plant Cell Rep.* 7, 477-480.

Gregory, H.M., Haq, N. and Evan, P.K. 1980: Regeneration of plantlets from leaf callus of the winged bean Psophocarpus tetragonlobus. Plant Sci. Lett. 18, 395-400.

Godwin, I.O., Gordon, G.M. and Cameron, D.F. 1987 : Plant regeneration from leaf derived callus cultures of the tropical pasture legume Stylosanthes scarpa. Plant Cell Tissue Organ Culture 9, 3-8.

Greshoff, P.M. 1980 : In vitro culture of white clover ; Callus, suspension protoplast culture and plant regeneration. Bot. Gaz. 141 : 157 - 164.

Greshoff, P.M. and Mohapatra, S.S. 1981: Legume cell and tissue culture. In : Rao. A.N. (ed) Tissue culture of Economically Important Plants. Proc. Int. Rev. Plant. Physiol. 20, 295-418.

Grosser, J.W. and Collins, G.B. 1984 : Isolation and culture of Trifolium rubens protoplasts with whole plant regeneration. Plant, Sci. Lett. 37 : 165-170.

Gupta, Y.P. 1980: Khesaridal consumption is a health hazard. Indian Farming. 30, 7-9.

Gupta, Y.P. 1983: Neurotoxin in Khesaridal (Lathyrus sativus). Indian J. Trop. Agri. 3, 175-183.

Haccius, B. 1978 : Question of Unicelluar origin of non-zygotic embryo in callus cultures. Phytomorphology 28, 74-81.

Hallab, A.H., Katchadourian, H.A. and Jaber, I. 1974: The nutritive value and organoleptic properties of Arabic bread supplemented with soybean and chickpeas. Cereal Chem. 51, 106-112.

Hamill, J.D., Ahuja, P.S., Davey, M.R. and Cocking, E.C. 1986 : Protoplast derived streptomycin resistant plants of the forage legume Onobrychis viciafolia. Science 231, 949-951.

Hammatt, N., Ghose, T.K. and Davey M.R., 1986: Regeneration in Legumes. In : Cell Culture and Somatic Cell Genetics of Plants. vol. 3, Academic Press, New York. pp. 67-95, Vasil, I.K. (ed).

Hammatt, N. Kim, W.T, Davey, M.R., Nelson, R.S. and Cocking, E.C. 1987: Plant regeneration from cotyledon protoplasts of Glycine canescens and G. clandestina. Plant Sci. Lett. 48, 129-135.

Han, Z., Zeng, Y. and Wang, F. 1989: Effect of foliar application of urea on growth and yield of beans. J. Plant Nutr. 12, 675-685.

Hartman, C.P. and Saroja, P. 1971: A Chemical method for the detection of khesaridal in tur or bengal gram in presence of matanil yellow. J. Proc. Int. Chem. 43, 71-73.

Hartman, C.P., Diwakar, N.G. and Nagaraja Rao, U.N. 1974: A study on Lathyrus sativus. Indian J. Nutr. Diet. 11, 178-191.

Hazra, S., Sathaye, S.S. and Mascarenhas, A.F. 1989: Direct somatic embryogenesis in peanut (Arachis hypogaea) Biotechnology 7, 949-951.

Heinz, Y.M. and Filner, P. 1971 : Regulation of nitrate assimilation pathway in cultured tobacco cells III. The nitrate uptake system. Biochem. Biophys. Acta 230, 362-372.

Heinz, D. and Mee, G. 1969 : Plant differentiation from callus tissues of Saccharum species. Crop Sci. 9, 346-348.

Heinz, D. and Mee, G. 1971 : Morphogenetic, cytogenetic and enzymatic variation in Saccharum species hybrid clones derived from callus tissue. Am.J. Bot. 58, 257-262.

Hewitt, E.T., 1967 : Sand and water culture methods used in the study of plant nutrition. Commonwealth Agricultural Bureau, Revised 2nd. Edition. London, England.

Hisajima, S. 1982 : Microplant propagation through multiple shoot formation from seeds and embryos. In : Plant Tissue culture. Fujiwara, A (ed), pp. 141-142. Jap. Assoc. for Plant Tissue Culture, Tokyo,

Hoagland, D.R. and Arnon, D.I. 1948: The water culture method for growing plants without soil. Calif. Agr. Stat. Cir. 347 Berkeley, California.

Howell, E.C; Stewart, C.E. and Evans, P.K. 1987: Tissue culture and plant regeneration of Indigofera patoninii Craib. J. Plant Physiol. 128, 259-269.

Hu, C.Y., and Sussex, I.M. 1971 : In vitro development of embryo on cotyledons of Ilex aquifolium. Phytomorphology 21, 103-107.

Hughes, K.W. 1986 : In : Research for tomorrow. Crowley, J.R (ed), pp. 134-138. 1986 year book of agriculture, USDA, Washington.

Hussey, G. and Gunn, H.V. 1984 : Plant production in pea (Pisum sativus) from long term callus with superficial meristems. Plant Sci. Lett. 37, 143-148.

ICMR Annual Report 1968: pp. 14-16 : Nutr. Res. Lab, ICMR, New Delhi.

ICMR Food Tables 1978 : Published by National Institute of Nutrition, Hyderabad, India.

Inode, H. and Xue Hui, S. 1990: Effect of NO₃, PO₄ and Potassium on the root growth of the legumes. Kagwa. Nogakubu. Gakjutsu. Kokoku 42, 15-22 (English summary).

International Network for the Improvement of Lathyrus sativus and the Eradication of Lathyrism (INILSEL). Newsletter 2, (12), 1990.

Jacobsen, H.J. and Kysely, W. 1984 Induction of somatic embryos in pea. Plant Cell Tissue Organ Culture 3, 319-324.

Jacobsen, F., Visser, R.G.F., and Wijbrandi, R. 1985 : Phenylalanine and tyrosine accumulating cell lines of a dihaploid potato selected by resistance to 5 methyltryptophan. Plant Cell Rep. 4, 151-154.

Jensen, W.A. 1958 : Histochemical techniques. p. 175, In : Botanical histochemistry, principles and practice. Freeman, W.H. and Company, London.

Jhonston, G.A.R. and Llyod, H.J. 1967: Oxalyl CoA synthetase and neurotoxin BOAA. Aust. J. Biol. Sci. 20, 1241 - 1244.

Johanna, P.K and Grikson, T. 1988: Improved protoplast culture and regeneration of shoots in pea (Pisum sativum) Plant Cell Rep. 6, 242-245.

Kameya, T. and Widholm, J.M. 1981: Regeneration from hypocotyl sections of Glycine species. Plant Sci. Lett. 21, 289-294.

Kapoor, S. and Gupta, S.C. 1986: Rapid in vitro differentiation of Sesbania bispinosa. A leguminous shrub. Plant Cell Tissue Organ Culture 7, 263-268.

Kartha, K.K., Pahl, K., Leung, N.L. and Mroginski, L.A. 1981 : Plant regeneration from meristems of grain legumes : Soybean, cowpea, peanut, chickpea, bean. Can. J. Bot. 59, 1671 -1679.

Khan, J.K., Campbell, C.C., Briggs, C.J. and Lambein, F. 1990: Non-protein amino acids of Lathyrus sativus during germination. Abst. p. 35. In : Int. Workshop on Ecology and Biochemistry of Non-protein Amino acids from Plants. University of Ghent, Ghent. Belgium.

Khattar, S. and Mohan Ram H.Y. 1982: Organogenesis in the cultured tissues of Sesbania sesban, a leguminous shrub. Ind. J. Exp. Biol. 20, 216-219.

Khattar, S. and Mohan Ram, H.Y. 1983: Organogenesis and plantlet formation in vitro in Sesbania grandiflora Ind. J. Exp.Biol. 21, 251-253.

Kislev, M.E. 1989 : Origins of the cultivation of Lathyrus sativus and L. cicera (Fabaceae) . Economic Botany 43, 262-270.

Kobayashi,S. 1987 : Uniformity of plants regenerated from oranges (Citrus sinensis). Theor. Appl. Genet. 74, 10-14.

Kochba, J.. Spigel-Roy, P., Neumann, H.,and Sada, S. 1987 : Stimulation of embryogenesis in Citrus ovular callus by ABA, Ethephon, CCC and its Supression by G.A.3 Z. Pflanzen Physiol. 89, 427-432.

*Kollipara, K.P., Singh., R.J., and Hymowitz, T. 1987 : Amer. Soc. Agron., Abst. 150.

Komatsuda, T. and Ohyama, K. 1988 : Genotypes of high competence for somatic embryogenesis and plant regeneration in soybean Glycine max. Theor. Appl. Genet. 75, 695-700.

Krishnamurthi, K.V., Godbole, D.A. and Mascarenhas, A.F. 1984: Studies on drought resistant legume : The moth bean Vigna aconitifolia (Jacq) 1. Protoplast culture and organogenesis. Plant Cell Rep. 3, 30-32.

Kumar, A.S., Reddy T.P. and Reddy, G.M. 1983: Plantlet regeneration from different callus cultures of pigeonpea (Cajanus cajan) Plant Sci. Lett. 32, 271-278.

Kumar, A.S., Gamborg, O.L. and Nabors, M.W. 1988: Plant Cell Rep. 7, 138-141.

Kumar, A.S., Reddy, T.P. and Reddy, G.M. 1984 : Adventitious shoot formation and plantlet regeneration in Pigeon pea. Int. Pigeonpea News Letter 3, 12-15.

Kumar, A.S., Gamborg, O.L., and Nabors, M.W. 1988 : Regeneration from cell suspension cultures of Vigna. Plant Cell Rep. 7, 138-141.

Kuo, Y.H., Bruyndonckx, L., Ongena, G. and Lambein, F. 1987 : Arch. Int. Physiol. Biochem. 95, 9.

Kuo, Y.H. and Lambein, F. 1990: Biosynthesis of the neurotoxin ODAP in callus tissues of Lathyrus sativus Abst. p. 36. International Workshop on Ecology and Biochemistry of Non-protein amino acids from Plants. University of Ghent, Ghent, Belgium.

Kuppuswami, S., Srinivasan, M. and Subramaniyam, V. 1958 : Protein in Foods. p.45, ICMR Publication, New Delhi.

Kurchenko, L.A., 1985: In vitro selection for stress factors resistance. In : Plant Cell Culture, Butenko, R.G. (ed), pp. 125-141. Mir. Pub. Moscow.

Lambein, F., Van Verenbergh, R. and Kuo, Y.H. 1984 : Arch. Int. Physiol. Biochem. 92, 38.

Lambein, F., Ongena, G. and Kuo, Y.H. 1990: B-Isoxazolinone - alanine is involved in the biosynthesis of the neurotoxin B-N-Oxaly-L-X, B- diaminopropionic acid. Phytochemistry 29, 3793 - 3796.

Larkin, P.J., and Scowcroft, W.R. 1981: Somaclonal variation - a novel source of variability from cell culture for plant improvement. *Theor. Appl. Genet.* 60, 197-214.

Larkin, P.J., Ryan, S.A., Brettel, R.I.S. 1984 : Heritable somaclonal variation in wheat. *Theor. Appl. Genet.* 67, 443-455.

Lazzeri, P.A., Hildebrand, D.F. and Collins G.B. 1985 : A procedure for plant regeneration from immature cotyledon tissue of soybean. *Plant Mol. Bio. Rep.* 3, 160-167.

Lazzeri, P.A., Hildebrand, D.F. and Collins, G.B. 1987 : Soybean somatic embryogenesis : effects of hormones and culture manipulations. *Plant Cell Tissue Organ Culture* 10, 197-208.

*Leiner, I.E. 1976: *J. Food Science* 41, 1076.

Leiner, I.E. 1982: Effects of antinutritional and toxic factors on the quality and utilization of legume proteins. In : Protein nutritional quality of foods and feeds. Vol. 1, part - 2 Friedman, M. (ed) pp. 523-550, Marcel Decker Inc. New York.

Li, B.J., Langridge, W.H.R., Szalay, A.A. 1985: Somatic embryogenesis and plantlet regeneration in the soybean Glycine max. *Plant Cell Rep.* 4, 344-347.

Liau, D.F. and Boll, W.G. 1970 : Callus and cell suspension cultures of bush bean (Phaseolus vulgaris). *Can J.Bot.* 48 1119-1130.

Lipton, S.H., Lalich, J.J., Garbutt, J.T. and Strong, F.M. 1958 : *J. Amer. Chem. Society* 80, 6594.

Lippmann, B. and Lippmann, G. 1984. Induction of Somatic embryos in cotyledonary tissues of Soybean, Glycine max L. Plant Cell Rep. 3, 215-218.

Liu, J.R. and Cantliffe, D.T. 1984 : Somatic embryogenesis and plant regeneration in tissue cultures of sweet potato (Ipomea batatas Poir) Plant Cell Rep.3, 112-115.

Loomis, R.S., Williams, W.A. and Hall, A.E. 1971: Agricultural Productivity Ann. Rev. Plant Physiol. 22, 431-468.

Lu, D.Y., Davey, M.R. and Cocking, E.C. 1982: Somatic embryogenesis from mesophyll protoplasts of Trigonella corniculata. Plant Cell Rep. 1, 278-280.

Madison, J.T. and Thompson, J.F. 1988. Characterization of soybean tissue culture cell lines resistant to methionine analogues. Plant Cell Rep. 7 473.

Maheswaran, G. and Williams, E.G. 1985a: Direct somatic embryoid formation of immature embryos of Trifolium repens, T. pratense and Medicago sativa and rapid clonal propagation of T. repens. Ann. Bot. 54, 201-211.

Maheswaran, G. and Williams, E.G. 1985b : Origin and development of somatic embryoids formed directly on immature embryos of Trifolium repens in vitro. Ann. Bot. 56, 619-630.

Maheswaran, G. and Williams, E.G. 1986: Clonal propagation of Trifolium pratense, T. repupinatum and T. subtarraeneum by direct somatic embryogenesis on cultured immature embryos. Plant Cell Rep. 3, 165-168.

Malathi, K., Padmanabhan, G. and Sarma, P.S. 1966 : Oxalylation of some amino acids by an enzyme preparation from Lathyrus sativus neurotoxin. Phytochemistry 9, 1603-1610.

Malathi, K., Padmanabhan, G., Rao, S.L.N. and Sarma, P.S. 1967 : Studies on the biosynthesis of β -N-Oxalyl Diaminopropionic acid, the Lathyrus sativus neurotoxin. Biochem. Biophys. Acta 141, 71-78.

Malathi, K., Padmanabhan, G. and Sarma, P.S. 1970: Biosynthesis of β -N-Oxalyl-diamino propionic acid, the Lathyrus sativus neurotoxin. Phytochemistry 9, 1603-1610.

Mariotti, D. and Arcioni, S. 1983 : Callus cultures of Coronilla varia (crownvetch) : Plant regeneration through somatic embryogenesis. Plant Cell Tissue Organ Culture 2, 103-110.

Martins, I.S. and Sondhal, M.R., 1984: Early stages of somatic embryo differentiation from cultures of bean (Phaseolus vulgaris) grown in liquid medium. J. Pl. Physiol. 117, 97-105.

Mascarenhas, A.F., Gupta, P.K., Kulkarni, V.M., Mehta, V., Iyer, R.S. and Jagannathan, V. 1982 : Propagation of trees by tissue Cultures. In : Proc. COSTED Symp on Tissue culture of Economically Imp. Plants, Rao, A.N (ed), pp. 175-179, Singapore.

Mathews, H. and Rao, P.S. 1984: In vitro production of multiple seedlings from single seeds of mung bean (Vigna radiata L : wilczek) Z. Pflanzenphysiol. 113, 325-329.

McGee, J.D., Williams, E.G., Collins, G.B. and Hildebrand, D.F. 1989: Somatic embryogenesis in Trifolium and protein profiles associated with high and low frequency regeneration. J. Plant Physiol. 135, 306-312.

McLinter, D.L., Wiese, R.A. and Soleman, A.J. 1988 : Effect of PO₄⁴⁻ on the growth and r-diaminobutyric acid in the seedling of Lathyrus sylvestris. J. Plant Nutr. 12, 1153-1176.

Mckently, A.H., Moore, G.A. and Gardner, F.P. 1990: In vitro plant regeneration of peanut from seed explants. Crop Sci. 30, 192-196.

Mehta, U. and Mohan Ram, H.Y. 1980: Regeneration of plantlets from cotyledons of Cajanus cajan. Ind. J. Exp. Biol. 18, 800-802.

Mehta U. and Mohan Ram, H.Y. 1981 : Tissue culture and whole plant regeneration in the winged bean Psophocarpus tetragonolobus Ann. Bot. 47, 163-166.

Meijer, E.G.M. and Broughton, C. 1981: Regeneration of whole plant from hypocotyl, root and leaf derived tissue cultures of pasture legume, Stylosanthes guvanensis. Physiol. Plant. 52, 280-284.

Meijer, E.G.M. 1982 : High frequency plant regeneration from hypocotyl and leaf derived tissue cultures of tropical pasture legume, Stylosanthes humilis. Physiol. Plant. 56, 381-385.

Meijer, E.G.M. and Steinbiss, H.H. 1983: Plantlet regeneration from suspension and protoplast cultures of the tropical pasture legume, Stylosanthes guvanensis Ann. Bot. 52, 305-310.

Mhatre, M., Bapat, V.A. and Rao, P.S. 1985: Micropropagation and protoplast culture of peanut. Curr. Sci. 54, 1052-1056.

Miflin, B.J. 1980 : The "Biochemistry of Plants" Miflin, B.J. (ed) Vol.5 Academic Press, Newyork.

Misra, B.K. and Barat G.K. 1981 : Effect of micronutrients on β -N-Oxalyl-Diaminopropionic acid level and its biosynthesis in Lathyrus sativus. J. Pl. Nutr. 3, 997-1003.

Misra, B.K., Singh, S.P and Barat, G.K. 1981 : Ox-Dapro : the Lathyrus Sativus neurotoxin. Qual. Plant Foods Hum Nutr. 30, 254-270.

Mitra, J. and Steward, F. 1961 : Growth induction in cultures of Haplopappus gracilis. II. The behaviour of the nucleus. Am. J. Bot. 48, 358-368.

Mohan, V.S., Nagarajan, V. and Gopalan, C. 1966 : Simple practical procedure for the removal of toxic factors in L. sativus. Ind. J. Med. Res. 54, 410-414.

Mroginski, L.A. and Kartha, K.K. 1981: Regeneration of pea (Pisum sativum cv. Century) plants by in vitro culture of immature leaflets. Plant Cell Rep. 1, 64-66.

Mroginski, L.A., Kartha, K.K. and Shyluk, J.P. 1981: Regeneration of peanut (Arachis hypogea) plantlets by in vitro culture of immature leaves. Can J. Bot. 59, 826-830.

Mukhopadhyay, A. and Bhojwani, S.S. 1978 : Shoot bud differentiation in tissue cultures of leguminous plants. Z. Pflanzenphysiol. 88, 263-267.

Mukhopadhyay, A. and Mohan Ram, H.Y. 1981 : Regeneration of plantlets from excised roots of Dalbergia sissoo. Ind. J. Exp. Biol. 19, 1113-1115.

Murashige, T. and Skoog, F. 1962 : A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant. 15, 473-497.

Murashige, T. 1974: Plant propagation through tissue culture. Ann. Rev. Plant. Physiol. 25, 135-166.

Murti, V.V.S., Seshadri, T.R. and Venkatasubramanian, T.A. 1964 : Neurotoxic compounds of the seeds of Lathyrus sativus. Phytochemistry 3, 73-78.

Murti, V.V.S., and Seshadri, T.R. 1964 : Toxic amino acids of plants. Curr. Sci. 33, 323-329.

Nagarajan, V., Mohan, V.S. and Gopalan, C. 1965 : Toxic factors in Lathyrus sativus. Indian. J. Med. Res. 53, 269-272.

Nagarajan, V. and Gopalan, C. 1968: Variation in the neurotoxin BOAA content in Lathyrus sativus samples from Madhya Pradesh. Ind. J. Med. Res. 56 : 95-99.

Nagarajan, P. Mackenzie, J.S. and Walton, D. 1986 : Embryogenesis and Plant regeneration of Medicago species in tissue culture. Plant Cell Rep. 5 : 77-80.

Narashinani, V.G. 1983 : Replacing toxic legume Lathyrus with pea recombinants. 55th Annual Session of National Academy of Sciences, Allahabad, pp.19.

Narashinani, V.G. 1990 : Substitution of toxic Khesari with some promising pea lines. Ind. J. Trop. Agri. 48, 358-368.

Naveed, A.P., Roy, B.C. and Yusuf, H.K.M. 1990: Simple methods for detoxification of Lathyrus sativus Abst. pp.24. International workshop on Ecology and Biochemistry of Non protein amino acids from plants. University of Ghent, Ghent, Belgium.

Nerkar, Y.S. 1990. Genetic manipulation for eliminating the neurotoxin from Lathyrus sativus Abst. pp.21. International Workshop on Ecology and Biochemistry of Non protein amino acids from plants. University of Ghent, Ghent, Belgium.

Newell, C.A. and Luu, H.T. 1985: Protoplast culture and plant regeneration in Glycine canescens. Plant Cell Tissue Organ Culture 4, 145-149.

NIN publication, 1988: Lathyrism : a preventable paralysis. National Institute of Nutrition, ICMR Hyderabad. pp-2.

Nicholas, D.J.D. and Egan, A.R. 1975: In : Trace Elements in soil plant animal systems. Academic press. London. pp. 181.

Nigam, S.N. and Ressler, C. 1966: Biosynthesis of DABA from homoserine and aspartic acid in Lathyrus sylvestris. Biochemistry 5, 3426-3431.

Nolan, K.E., Rose, R.J. and Gorst, J.R. 1989 : Regeneration of Medicago truncatula from tissue culture : increased somatic embryogenesis using explants from regenerated plants. Plant Cell Rep. 8, 278-281.

Oeleck, M.M. and Schiener, O. 1983 : Genotypic differences in some legume species affecting the redifferentiating ability from callus to plants. Z. Pflanzenzuchtg. 91, 312-321.

Oghihara, Y. 1981 : Tissue culture in Haworthia - 4. Genetic charactersisation of plants regenerated from callus. Theor. Appl. Genet. 60, 353-363.

Ogura, H., Kyozuka, J., Hayashi, Y., Shimamoto, K. 1990 : Yielding ability and phenotypic traits in the selfed progeny of protoplast derived rice plants. Plant Breed. 39, 47-56.

Orton, T. 1983 : Genetic variation in somatic tissue, method or madness ?. Advances in Plant Pathology 2, 153-189.

Orton, T. 1984 : Somaclonal variation : Theoretical and practical considerations in : pp. 427-468. 16th Stadler Genetics Symposium, Gustafson, J. (ed), Plenum Press, New York.

Ozeki, Y. and Komamine, A. 1985 : Effect of inoculum density, zeatin and sucrose on anthocyanin accumulation in carrot suspension culture. Plant Cell Tissue Organ Culture 5, 45-53.

Padmanabhan, G. 1980 : Lathyrogens. In : Toxic constituents of plant food stuffs. Second edition Liener, I.E. (ed), pp. 239-263, Academic Press, New York.

Pal, A., Banerjee, A. and Dhar, K. 1985 : Plant Cell Rep. 4, 281-284.

Pareddy, D.E. and Greyson, R.I. 1985 : In vitro culture of immature tassels of an field variety of Zea mays. Plant Cell Tissue Organ Culture 5, 119-128.

Pareddy, D.E. and Greyson, R.I. 1987 : Effect of amino acids on the development of spikelets cultured tassels of Zea mays. Can. J. Bot. 67, 1331-1335.

Parke, I.O. and Carlson, P.S. 1979 : Somatic cell genetics of higher plant : Appraising the application of bacterial system to higher plant cell in vitro. In : Physiological Genetics Scandolios, J.J. (ed), pp. 195-236. Acad. Press, New York.

Parrott, W.A., Dreyden, G., Vogt, S., Hildebrand, D.F., Collins, G.B. and Williams, E.G. 1988 : Optimization of somatic embryogenesis and embryo germination in soybean. In Vitro Cell Dev. Biol. 24, 817-820.

Parrott, W.A. and Collins, G.B. 1982: Callus and shoot tip culture of Trifolium species in vitro with regeneration via somatic embryogenesis of T. rubens. Plant Sci. Lett. 28, 189-194.

- Parrott, W.A., Williams, E.G., Hildebrand, D.F. and Collins, G.B. 1989 : Effect of genotype on somatic embryogenesis from immature cotyledons of soybean. Plant Cell Tissue Organ Culture 16, 15-21.
- Patwardhan, V.N. 1961 : In : 'Nutrition in India'. Journal of Medical Science, Bombay. pp-429.
- Pence, V.C., Hasegawa, P.M. and Janick, J. 1980 : Initiation and development of asexual embryos of Theobroma cacao. J.Am.Soc. Hort. Sci. 104, 145-148.
- Peschke, V.M., Phillips, R.L., and Gengenbach, B.G. 1987 : Transposable element activity in progeny regenerated maize plants. Science 238, 804-807.
- Philips, G.C. and Collins, G.B. 1980: Somatic embryogenesis from cell suspension cultures of soybean. Plant Cell Tissue Organ Culture 1, 123-129.
- Possingham, J.V. 1957 : Aust. J. Biol. Sci. 10 : 40-49.
- Prakash, S., Misra, B.K., Adusle, R.N. and Barat, G.K. 1977 : Distribution of BOAA in Different Tissues of Aging Lathyrus sativus plant. Biochem. Physiol. Pflanzen. 171, 369-374.
- Ramanujam, S., Sethi, K.L. and Rao, S.L.N. 1980 : Stability of neurotoxin in Khesari. Indian. J. Genet. 40, 300-304.
- Ranch, J.P., Ogelsby, K. and Zielinski, A.C. 1985 : Plant regeneration from embryo derived tissue cultures of soybean. In vitro cell Dev. Biol. 21, 653 - 657.

Rao, B.G. and Chopra, V.L. 1989 : Regeneration in chickpea (Cicer arietinum) through somatic embryogenesis. J. Plant. Physiol. 134, 637-638.

Rao, I.V.R., Mehta, U. and Mohan Ram, H.Y. 1982 : Whole plant regeneration from cotyledonary protoplasts of Crotalaria juncea. In Fujiwara, A. (ed), Plant Tissue culture. Japanese Association. Tokyo.

Rao, I.V.R., Rao, I. and Mohanram, H.Y. 1985 : Protoplast isolation, culture and plantlet regeneration from cotyledons of sunhemp (Crotalaria juncea). Curr. Sci. 54, 983-986.

Rao, S.L.N., Adiga, P.R. and Sarma, P.S. 1964 : The isolation and characterization of BOAA, a neurotoxin from the seeds of Lathyrus sativus. Biochemistry 3, 432-436.

Rao, S.L.N., Sarma, P.S., Mani, K.S., Rao, R. and Srinivasachari, S. 1967 : Experimental neurolathyrism in monkeys. Nature (London) 214, 610-611..

Rao, S.L.N., Malathi, N.K. and Sarma, P.S. 1969 : Lathyrism; World Review. Nutr. Diet 10, 214-235.

Rao, S.L.N. 1978 : A sensitive specific colorimetric method for the determination of α , β - diaminopropionic acid, the Lathyrus sativus neurotoxin. Anal. Biochem. 86, 386-395.

Rao, S. 1979 : The Effect of Nitrogen Sources on the Biogenesis of Phenolic compounds in Arachis hypogea Tissue Cultures. Ph.D. Thesis, M.S. University, Baroda.

Ravishankar, G.A. and Mehta, A.R. 1978 : Control of ecdysterone biogenesis in tissue cultures of Trainथेमा पॉर्टुलाकस्ट्रम्. J. Nat. Prod. 42, 152-158.

Ravishankar, G.A., Wali, A. and Grewal, S. 1983: Plantlet formation through tissue cultures of Luecaena leucocephala. Lueceana Research Reports 4, 37.

Reisch, B. 1983 : Genetic variability in regenerated plants. In : Handbook of plant tissue culture (Evans, D.A., Sharp, W.R., Ammirato, P.V. and Yamada, Y. (eds.) pp. 748-781 Macmillan, New York.

Ressler, C., Redstone, P.A. and Erenberg, R.H. 1961: Science, 134, 188. cf. Roy, D.N. (1981) Toxic Amino acids and proteins from Lathyrus plants and other leguminous species - a literature review. Nutr. Abst . Rev. Series A.51 (1), 690.

Ressler, C., Nigam, S.N. and Giza, Y.A. 1969 : Toxic principle in vetch. Isolation and identification of -L-glutamyl- α -B-Cyanoalanine from common vetch seeds. Distribution in some legumes. J. Am. Chem. Soc. 91, 2758.

Robbins, M.P., Bolwell, G.P. and Dixon, R.A. 1985 : Eur. J. Biochem 148, 563-569.

Rokem, J.S., Tal, B. and Goldberg, J. 1985 : Methods for increasing diosgenin production by Dioscorea cells in suspension cultures J.Nat.Prod. 48, 210-222.

Rosenthal, G.A. and Bell, E.A. 1979 : In : Interrelationship of secondary plant Constituents with Herbivores. Rosenthal, G. A. and Janzen, D.H. (eds), Academic Press, New York.

Roy, D.N. 1960 : Lathyrism. Dissertation Abstracts. 20, 4264.

Roy, D.N., Nagarajan, V. and Gopalan, C. 1967 : Production of neurolathyrism in chicks by injection of L. sativus concentrates. Curr. Sci. 32, 116-118.

Roy, D.N. 1969 : Biosynthesis of β -N-Oxalyl alanine : Evidence that serine is not the precursor Ind. J. Biochem. 6, 147-149.

Roy, D.N., Nagarajan, V. and Gopalan, C. 1981 : Studies on Food Toxicology and Drug Metabolism. 1 : Toxins in Lathyrus sativus, Varietal differences in physico-chemical characteristics and neurotoxin content pp. 153-155. NIN, ICMR, Hyderabad.

Rubula,A., Mroginski,L.A. and Kartha, K.K. 1982 : Morphogenetic response of pea leaflets cultured in vitro. In : Fujiwara, A. (ed), Plant Tissue Culture, Japanese Assoc. for Plant Tissue Culture, Tokyo, pp. 151-152.

Rutter, J. and Percy, S. 1984: The pulse that maims. New Scientist, 1984(Aug.), pp. 22-23.

Sachdev, S., Sachdev, J. C., Puri, D. and David, T. 1969: Morphological study in case of Lathyrism. J. Ind. Med. Res. Assoc. 52, 320.

Sangwan, R.S. 1978 : Change in the amino acid content during male gametophyte formation of Datura metel in situ. *Theor. Appl. Genet.* 52, 221-225.

Sarma, P.S. and Padmanabhan, G. 1969 : Lathyrogens, In : Toxic Constituents of Plant food stuffs. Liener, I.E. (ed), pp.267-291, Academic Press, New York.

Sastri, B.N. 1962 : *Lathyrus* - In : *Wealth of India*. CSIR Publication, New Delhi, 6, pp.36-47.

Schon, M.K. and Blevins, D.G. 1990: Foliar boron applications increase the final number of branches and pods on branches of field grown soybean. *Plant Physiol.* 92, 602-607.

Schulte, U., El-Shagi., and Zenk, K. 1975 : Increase in iridoliid alkaloids in callus cultures of Mucuna species with gradual increase of sucrose concentration. *Planta Medica* 110, 79-81.

Schulze, A., Grunewaldt, J. and Schmidt, H. 1985 : Zur in vitro regeneration von Vicia faba. *Z. Pflanzenzeuct.* 94, 244-250.

Scragg, A.H. and Allan, E.J. 1986 : Production of the triterpenoid quassin in callus and cell suspension cultures of Picarsma quassioides. *Plant Cell Rep.* 5, 356-359.

Selmar, D. 1989 : Cyanogenesis and metabolization of cyanogenic compounds : an example of multifunctionality of secondary plant products. *Planta Medica* 55, 592.

Selvapandian, A., 1988 : In Vitro Selection for Tobacco Plants Resistant to Fusarium Wilt. Ph.D. Thesis, M.S. University, Baroda.

Selvapandian, A., Bhatt, P.N. and Mehta, A.R. 1989 : Growth inhibition of intact plants and in vitro cultures of tobacco by culture filtrates Fusarium oxysporum fsp. nicotainae. Ann. Bot. 64, 117-122.

Shah, R.R. and Mehta, A.R. 1978 : Effect of carbohydrates on growth formation on phenolic compounds and related enzymes in callus cultures of Crotalaria. Ind. J. Exp. Biol. 16, 768-770.

Shah, R.R. and Dalal, K.C. 1980. In vitro multiplication of Glycine Curr. Sci. 49, 69-70.

Shama Rao, H.K. and Narayanaswamy, S. 1975 : Effect of gamma irradiation on cell proliferation and regeneration in explanted tissues of Cajanus cajan. Radiat. Bot. 15, 301-305.

Sharma, S. and Chandra, N. 1987 : Organogenesis and plantlet formation in vitro, in Dalbergia sissoo. Roxb. J. Plant Physiol. 132, 142-145

Shekawat, N.S. and Galston, A.W. 1983: Isolation, culture and regeneration of moth bean, Vigna aconitifolia leaf protoplasts. Plant Sci. Lett. 32, 43-51.

Shen, L., Foster, J.G. and Orcutt, D.M. 1989: Effect of water stress and plant age on the composition and distribution of free amino acids in the Lathyrus sylvestris. J. Exp. Bot. 40, 71-79.

- Shivprakash, K., Misra, B.K., Adurk, R.N. and Barat, G.K. 1977 : Distribution of BOAA in different tissues of aging Lathyrus sativus plant. Biochem. Physiol. Pflanz, 171, 364-374.
- Simon, E.W. 1984 : Early Event in Germination. In : Seed Physiology, Vol. 2 : Germination and Reserve Mobilization Murray, D.R. (ed), pp. 77-113, Academic Press, Sydney.
- Singh, B.D., Singh, R.P., Singh, R.B. and Singh, R.M. 1980 : Organogenesis in mung (Vigna radiata) from macerated shoot tips. In : Proc. Natl. Symp. Plant Tissue culture, Genetic Manipulation and Somatic Hybridization of plant cells. Rao, P.S., Heble, H.R. and Chaddha, M.S. (eds), pp.335-341.
- Sinha, R.R., Das, K. and Sen, S.K. 1983 : Nutritional requirement of tissue cultures of some tropical legume crops. Ind. J. Exp. Biol. 21, 113-119.
- Somayajulu, P.L.N., Barat, G.K., Shivprakash K., Misra, B.K. and Srivastava, Y.C. 1975 : Breeding of low toxin containing varieties of Lathyrus sativus. Proc. Nutr. Soc (India) 19, 35-39.
- Sreedhar, D. and Mehta, A. R. 1984 : In vitro shoot differentiation from hypocotyledonary and epicotyledonary explants of Phasealus lunatus L. Ind. J. Exp. Biol. 22, 345-346.
- Sreeramulu, K. 1986 : Origin and nature of somaclonal variation in potato In : Somaclonal variation and crop improvement, Semal, J., (ed), pp.188-201. Martinus Nijhoff Publishers. Dordrecht.

Srivastava, A.K. and Kooner, N.K. 1972: Physiological and biochemical changes in seed germination of mung (Phaseolus aureus). Ind. J. Exp. Biol. 10, 304-306.

Stavarek, S.J., Croughan, T.P. and Rains, D.W. 1980 :Regeneration of plants from long term cultures of alfalfa cells. Plant Sci. Lett. 19, 253-261.

*Strauss, A., Frankhauser, H. and King, P.J. 1985 : Planta 163, 554-562.

Street, H.E. 1966 : In : Cells and tissues in cultures. Whilmer, E.N. (ed), pp. 542. Academic Press, London.

Street, H.E., 1973 : Single cell clones. In : Plant Tissue and Cell Culture, Street, H.E. (ed), pp. 191-204, Blackwell Sci. Pub. Oxford.

Street, H.E. 1977 : Cell suspension culture techniques In : Plant tissue and cell culture, Street, H.E, (ed), pp. 61-102. Blackwell Scientific Publishers, Oxford.

Streifler, M., Cohn, D.E., Hirano, A. and Schujan, E. 1977 : The Central nervous system in neurolathyrism. Neurology 27, 1176.

Subramani, J. 1990 : Cellular selection and immobilization of Solanum cells for the overproduction of steroids. Ph.D. Thesis, M.S. University of Baroda.

Subbaiah, K.V., Shah, R.R. and Mehta, A.R. 1978 : Biol. Plant. 20, 5.

Sung, M. and Fowden, L. 1968 : Trans-3-hydroxy-L-Proline : a constituent of Delonix regia. Phytochemistry 7, 2061-2063.

Suthar, K.C., Ramawat, K.G. and Arya, H.C. 1981: Effect of medium constituents on growth of diosgenin production in Balanites aegyptica. Ind. J. Exp. Biol. 19, 611-613.

Swaminathan, M.S. 1969 : Role of mutation breeding in changing agriculture IAEA SM-121/61. pp 719-734. In : Induced mutations in plants, Vienna.

Swanson, E.B. and Tomes, D.T. 1980 : Plant regeneration from cell cultures of Lotus corniculatus and the selection and characterization of 2,4 -D tolerant cell lines. Can. J.Bot. 58, 1205-1209.

Tabata, M., Konoshima, M. and Mizukami, H. 1990 : L-Homonirijimycin and 2,5-dihydroxymethyl-3,4-dihydroxy pyrrolidine. Alkaloidal glycosidase inhibitors in the moth Urania fulgens. Phytochemistry 41, 103-105.

Tilton, V.R. and Russel, S.H. 1984 : In vitro culture of immature soybean embryos. J. Plant Physiol. 115, 191-200.

Tomar, U.K. and Gupta, S.C. 1988: In Vitro Plant Regeneration of legume tree (Albizzia species). Plant Cell Rep. 7, 385-388.

Tomes, D.T. and Swanson, E.B. 1985 : Application of in vitro selection to plant improvement. In : Application of plant cell and tissue culture to agriculture and industry. Tomes, D.T., Ellis, B.E., Harney, P.M., Kasha, K., Peterson, R.L. (eds.), pp.25-43. University of Guelph.

Toppel, G., Witte, L. and Hartman, T. 1988 : Dihydrotoxin and related dipeptide produced by Alternaria alternata. Phytochemistry 27, 357-376.

Tu, G.H., and Li, B.J. 1984 : J. Cell Biology (China) 6, 164-168.

Umbreit, W.W., Baris, R.H. and Stauffer, M. 1959: Estimation of total nitrogen. In : Monometric Techniques, Burges Publishing Co. Minneapolis.

Upadhyay, S. and Chandra, N. 1983 : Shoot and Plantlet formation in organ and Callus cultures of Albizia lebbeck Benk. Ann. Bot. 52, 421-424.

Vasil., I.K. 1982 : Plant cell cultures and somatic cell genetics of cereals and grasses. In : Plant improvement and somatic cell genetics. Vasil, I.K., Scowcroft, W.R. and Frey, K.J. (eds), pp. 179-203. Academic press, New York.

Vasil, I.K. 1990. Biotechnology 8, 296-301.

Wakasa, K. and Widholm, J. M. 1987 : A 5-Methyltryptophan resistant rice mutant, MTR 1, selected in tissue culture. Theor. Appl. Genet. 74, 49-54.

- Watson, R. and Fowden, L. 1973 : Amino acids of Caesalpinia tinctoria and some allied species. *Phytochemistry* 12, 617-622.
- Webb, K.J., Fay, M.F. and Dale, D.J. 1987 : An investigation of morphogenesis within the genus Trifolium. *Plant Cell Tissue Organ culture* 17, 37-46.
- Wei, Z. and Xu, Z. 1988 : Plant regeneration from protoplasts of soybean. Glycine max. *Plant Cell Rep.* 7, 348-351.
- Welmer, B.K and Wilcox, J.R. 1989 : Response of legumes and cereals to phosphorus nutrition. *Euphytica* 50, 19-26.
- Wershun, G. 1988a : Selecting in higher plant cell cultures. A discussion. *Biochem. Physiol. Plants* 183, 361-369.
- Wershun, G. 1988b : Numerical chromosomal aberrations in plants regenerated from pollen, protoplast and cell cultures of Nicotiana tabacum, cv. Samsun. *Biol. Zentralbl.* 107, 439-445.
- Wershun, G. 1989 : Obtaining Mutants from cell cultures. *Plant Breeding* 102, 1-9.
- Widholm, J.M. 1977 a : Relation between auxin autotrophy and tryptophan accumulation in cultured plant cells. *Planta* 89, 103-108.
- Widholm, J.M. 1977 b : Selection and characterisation of amino acid analogue resistant plant cell culture. *Crop Sci.* 17, 597-600.

Widholm, J.M. and Rick, S. 1983 : Shoot regeneration from Glycine canescens tissue cultures. Plant Cell Rep. 2, 19-20.

Widholm, J.M., 1984: IAPTC Newslett. No. 44, pp. 2-8

Widholm, J.M. 1984 : Isolation and characterisation of mutant plant cell cultures. In : Plant cell culture in crop improvement, Sen, S.K. and Guiles K.L. (eds), pp. 71-87. Plenum Press, New York.

Willington, W.I. 1957: The role of boron in Plant growth. I. The effect of general growth, seed production and cytological behaviour. J.Exp. Bot. 8, 353-367.

Wilson, V.M., Haq, N. and Evans P.K. 1985 : Protoplast isolation, culture and plant regeneration in the winged bean (Psophocarpus tetragonolobus) Plant Sci. Lett. 41, 61-68.

Wu, G., Bowlus, S.B., Kim, K.S. and Haskell, B.E. 1976 : L-2-Oxalyl amino alpha - 3 beta- amino propionic acid an isomer of the Lathyrus sativus neurotoxin. Phytochemistry 15, 1257-1259.

Xu, Z., Davey, M.R and Cocking, E.C. 1982 : Callus formation from root protoplasts of forage legume Medicago sativa, Trigonella foenum-graecum. Z. Pflanzenphysiol. 107, 231-235.

Xu, Z.H., Yang, L.J., Zwei, M., and Gao, M.X. 1984 : Plant regeneration in tissue cultures of four leguminous species. Acta Biol.Exp.Sin. 17 , 483-486.

Zagorska, N.A., Sarova, N. P. and Atanassov, A.I. 1982 : Callus induction and regeneration by unripened embryos of Phaseolus vulgaris in vitro. Competes rondus de' Academies bulgare des Sciences 35, 989-997.

* : Original article not referred