

B I B L I O G R A P H Y

B I B L I O G R A P H Y

- Ajurell, S. 1964. Costaclavine from Penicillium chermesinum.
Experientia 20: 25.
- Ajurell, S. and Lindgren, J. E. 1968. Natural occurrence of
4-Dimethylallyl tryptophan - an ergot alkaloid precursor.
Tetrahedron Letters (London) 49: 5127-5128.
- Ajurell, S. and Ramstad, E. 1962. Biogenetic interrelationships
of Ergot alkaloids. Arch. Biochem. Biophys. 98: 457.
- Arcamone, F., Chain, E.B., Ferretti, A., Mingheth, H.,
Pennella, P. and Tonolo, A. 1962. The effect of tryptophan
and methyl tryptophans on submerged lysergic acid
fermentation by Claviceps paspali stevens and Hall.
Biochem. Biophys. Acta 57: 174-176.
- Audus, L. J. 1963. Plant growth substances. Leonard Hill
(Books) Ltd. London.
- Barger, G. 1931. Ergot and Ergotism. 279 pp. Gurney and
Jackson, London.
- Baxter, R.M., Kandel, S.I. and Okany, A. 1961. Tetrahedron
Letters. 596.
- Baxter, R.M., Kandel, S.I. and Okany, A. 1962. Biosynthesis
of ergot alkaloids : Incorporation of Mevalonic acid
into Ergosine. J. Amer. Chem. Soc. 84: 2997-2999.
- Baxter, R.M., Kandel, S.I., Okany, A. and Pyke, R.G. 1964.
Biosynthesis of ergot alkaloids. The origin of the
N-methyl group. Can. J. Chem. 42: 2936.
- Benerjee, S. and Gupta, S. 1976. Embryogenesis and differen-
tiation in *Nigella sativa* leaf callus in vitro.
Physiol. Plant. 38: 115-120.

- Behrend, J. and Mateles, R.I. 1975. Effect of amino acids on growth. *Plant Physiol.* 56: 584-589.
- Bernlohr, R.N. and Novelli, G.D. 1960. Some characteristics of bacitracin production by Bacillus licheniformis. *Arch. Biochem. Biophys.* 87: 232-238.
- Bhatt, P.H. 1977. Induced growth and morphogenesis in cultured cells and tissues of Ipomoea. Ph. D. Thesis. M. S. University of Baroda, Baroda.
- Bhatt, P.H., Fadia, V.P. and Mehta, A.R. 1973. Tissue Culture studies on Cucurbits. IV. Effect of nitrogen source on growth of Benincasa tissues cultured in vitro. *J. M.S. University of Baroda, Baroda* 23: 17-21.
- Bhattacharji, S., Birch, A.J., Brack, A., Hofmann, A., Kobel, A., Smith, D.C.C., Smith, H. and Winter, J. 1962. Studies in relation to Biosynthesis. Part XXVII. The biosynthesis of ergot alkaloids. *J. Chem. Soc. (London)* 421-425.
- Biffi, G., Boretti, G., Dimarco, A., and Pennella, P. 1959. Metabolic behaviour and chlortetracycline production by Streptomyces aureofaciens in liquid cultures. *Appl. Microbiol.* 2: 288-299.
- Birch, A.J., McLoughlin, B.J. and Smith, H. 1960. *Tetrahedron Letters*, 7: 1.
- Bobilioff-Preisser, W. 1917. Beobachtungen an isolieren Palisaden un schwamm parenchymzellen. *Bot. Zbl.* 33: 248.
- Brenner, M., Niederwieser, A. and Pataki, G. 1964. Characterization of protein hydrolysate and amino acids in biological materials by thin-layer chromatography. In : "New biochemical separation". ed. A.T.James and L.J.Morris, D-Van Norstrand Company Ltd., London. pp. 121-156.

- Bu'Lock, J. D. and Barr, J.G. 1968. A regulation mechanism linking tryptophan uptake and synthesis with ergot alkaloid synthesis in *Claviceps*. *Lloydia* 31:342-354.
- Butcher, D.N. and Street, H.E. 1964. Excised root culture. *Bot. Rev.* 30: 513.
- Butenko, P.G. 1968. Plant tissue culture and plant morphogenesis. (M. Kh. Chailakhyan ed.). Israel programme for scientific translations. Jerusalem.
- Cassady, J.M. and Floss, H.G. 1977. Ergolines as potential prolactin and Mammary tumor inhibitors. *Lloydia*, 40: 90-106.
- Charles Yano Fsky. 1955. Tryptophan synthetase from *Neurospora*. *Methods in Enzymology*. Vol. II. 233-235.
- Cheng, T.Y. and Smith, H.H. 1975. Organogenesis from callus culture of *Hordeum vulgare*. *Planta* 123: 307-310.
- Chokshi, S.J. 1975. Studies on growth and alkaloid content in *Datura metel* L. callus and cell suspension cultures. Ph. D. Thesis, M.S.University of Baroda, Baroda.
- Chopra, R.N., Nayar, S.L. and Chopra, I.C. 1956. Glossary of Indian medicinal plants. CSIR New Delhi. pp-116.
- Demain, A.L. 1972. Cellular and environmental factors affecting the synthesis and excretion of metabolites. *J. Appl. Chem. Biotechnol.* 22: 345.
- Der Marderosran, A. 1967. *Lloydia* 30: 23.
- de Waart, C. and Taber, W.A. 1960. Some aspects of phosphate metabolism of *Claviceps purpurea* (Fr.) Tul. *Can. J. Microbiol.* 6: 675-678.

- Evans, W.C., Ghani, A. and Woolley, A.V. 1972. Distribution of littorine and other alkaloids in the roots of Datura species. Phytochemistry 11: 2527-2529.
- Evans, W.L. and Major, A.V. 1968. The alkaloids of the genus Datura, section Brugmasia. Part V. Alkaloids of D. sanguinea R. and P. and related esters of Tropane 3α , 6β , 7β -triol. J. Chem. Soc. 21C : 2775-2778.
- Evans, W.C. and Patridge, M.W. 1957. 7-Hydroxy-3:6-ditiglyloxy tropane, a new alkaloid isolated from the roots of Datura. J. Chem. Soc. 1102-1103.
- Fadia, V.P. 1971. Tissue Culture studies in Cucurbits. Ph. D. Thesis, M.S.University of Baroda, Baroda.
- Fairbairn, J.W. and EL-Masry, S. 1967. The alkaloids of Papaver somniferum L. V. Phytochem. 6: 499-504.
- Fairbairn, J.W. and EL. Masry, S. 1968. The alkaloids of Papaver somniferum L. VI. "Bound" morphine and seed development. Phytochem. 7: 181-187.
- Fairbairn, J.W. and Paterson, A. 1966. Alkaloids as possible intermediaries in plant metabolism. Nature 210:1163-1164.
- Filner, P. 1965. Studies on Exponential cultures of plant cells. Ph. D. Thesis, California Institute of Technology, California.
- Filner, P. 1966. Regulation of nitrate reductase in cultured tobacco cells. Biochim. Biophys. Acta. 118: 299-310.
- Floss, H.G. 1971. The biosynthesis of ergot alkaloids. Abh. Deut. Akad. Wiss. Berlin : 395.
- Floss, H. G. 1976. Biosynthesis of ergot alkaloids and related compounds. Tetrahedron Letters 32: 873.

- Floss, H.G., Cassady, J.M. and Robbers, J.E. 1973.
Influence of ergot alkaloids on pituitary prolactin
and prolactin-dependent processes. J. Pharm. Sci.
62: 699.
- Floss, H.G. and Mothes, U. 1964. über den Einfluss von
Tryptophan und analogen Verbindungen auf die
Biosynthese von Clavinalkaloiden in saprophytischer
Kultur. Arch. Mikrobiol. 48: 213-221.
- Floss, H.G., Robbers, J.E. and Heinsteins, P.F. 1974.
Regulatory control mechanisms in alkaloid biosynthesis.
In V.C. Runeckles and E.E. Conn (eds.), Recent advances
in Phytochemistry. Vol. 8, Appleton-Century-Crofts,
New York pp. 141-178.
- Fraenkel. 1959. Science 129: 1466-1470.
- Gamborg, O.L. and Shyluk, J.P. 1970. The culture of plant
cells with ammonium salts as sole nitrogen source.
Plant Physiol. 45: 598-600.
- Gautheret, R.J. 1939. Sur la possibilité de réaliser la
culture indéfinie des tissus de tubercules de Carotte.
Compt. Rend. 208: 118-121.
- Gautheret, R.J. 1945. Une Voie nouvelle en biologie
végétale, La culture des Tissus. Ed. Gallimard, Paris.
- Gautheret, R.J. 1959. "La Culture des tissus végétaux,
techniques et réalisations". Masson, Paris.
- Goldstein, J.L., Swain, T. and Tjkiel, K.H. 1962. Factors
affecting the production of leucoanthocyanins in
sycamore cambial cell cultures. Arch. Biochem.
Biophys. 98: 176-178.
- Gröeger, D. 1963. Planta Med. 11: 444.

- Gröeger, D., Mothes, K., Floss, H.G. and Weygand, F. 1963.
Z. Naturforsch. B18 : 1123.
- Haberlandt, G. 1902. Kulturversuche mit isolierten Pflanzenzellen. Sitzber. Akad. Wiss. Wien, Math Naturu KI.
ABT. I. 111 : 69-72.
- Harley-Mason, J. 1954. Chem. and Ind. : 251.
- Heble, M.R., Narayanaswamy, S. and Chadha, M.S. 1971.
Hormonal control of steroid synthesis in Solanum xanthocarpum tissue cultures. Phytochem. 10: 2393-2394.
- Heinstein, P.F., Lee, S.L. and Floss, H.G. 1971. Isolation of Dimethylallyl pyrophosphate : Tryptophan dimethylallyl transferase from the ergot fungus (Claviceps sp.).
Biochem. Biophys. Res. Commun. 44(5): 1244-1251.
- Henshaw, G.G., Jha, K.K., Mehta, A.R., Shakeshaft, D.J. and Street, H.E. 1966. Studies on the growth in culture of plant cells. I. Growth pattern in batch propagated suspension cultures. J. Exp. Bot. 17: 362-372.
- Hildebrandt, A.C. and Riker, A.J. 1949. The influence of various carbon compounds on the growth of marigold, Paris-daisy, Periwinkle, sunflower and tobacco tissue in vitro. Amer. J. Bot. 36: 74-85.
- Hildebrandt, A.C. and Riker, A.J. 1953. Influence of concentrations of sugars and polysaccharides on callus tissue growth in vitro. Amer. J. Bot. 40: 66-76.
- Hofmann, A., Brunner, R., Kobel, H. and Brack, A. 1957.
Adv. Chim. Acta. 40: 1358.
- Hofmann, A. and Tschertter, A. 1960. Isolierung Von Lysergsäure alkaloiden aus der mexikanischen Zauberdroge ololiuqui (Rivea corymbosa (L.) Hall. f.).
Experientia 16: 414.

- Hughes, D.N. and Genest, K. 1973. Alkaloids. In : Phytochemistry. Vol. II. ed. L. P. Miller. Van Norstrand Reinhold Company. New York. pp. 118-170.
- Jablonski, J.R. and Skoog, F. 1954. Cell enlargement and cell division in Excised tobacco pith tissue. *Physiol. Plant.* 7: 16-24.
- Jack, M. Widholm. 1971. Control of Tryptophan biosynthesis in plant tissue cultures: Lack of Repression of Anthranilate and Tryptophan synthetase by Tryptophan. *Physiol. Plant.* 25 : 75.
- Jacobs, W.A. and Gould Jr. R.G. 1937. *J. Biol. Chem.* 120:141.
- James, W.O. 1946. Biosynthesis of belladonna alkaloids. *Nature* 158: 654-656.
- Kirtikar and Basu. 1975. Indian Medicinal plants. Vol. III. pp. 1737-1739.
- Khan, A.A. 1975. Primary, preventive and pemisive roles of hormones in plant system. *Bot. Rev.* 41: 391.
- Kokate, K. and Radwan, S.S. 1978. Steroidal glycoalkaloids in Tissue Cultures of Solanum khasianum during organogenesis. *Planta Medica, Germany* 33: 301.
- Kotte, W. (1922 a). Wurzelmeristem in Gewebekultur. *Ber. ditsch. bot. Ges.* 40: 269.
- Kotte, W. (1922 b). Kulturversuche mit Isolierten wurzelspitzen. *Beitr. allg. Bot.* 2: 413.
- Krupinski, V.M., Robbers, J.E. and Floss, H.G. 1976. Physiological studies on ergot : Induction of alkaloid synthesis by tryptophan at the enzymatic level. *J. Bacteriol.* 125: 158-165.

- Lowry, O.H., Rosebrough, G., Farr, A.L. and Randall, R.J.
1951. Protein measurement with the Folin Phenol reagent.
J. Biol. Chem. 193: 265-275.
- Lustinee, J. and Horak, J. 1970. Induced regeneration of
plants in tissue cultures of Brassica oleracea.
Experientia 26: 919-920.
- Mallikarjuna Rao, N. 1971. Growth and Nutritional studies of
plant tissues cultured in vitro. Ph. D. Thesis, M. S.
University of Baroda, Baroda.
- Maretzki, A., Thom, M. and Nickell, L.G. 1974. Utilization
and metabolism of carbohydrates in cell and callus
cultures. In "Tissue culture and Plant Science". ed.
H.E. Street, Academic Press, London. pp. 329-361.
- Martin, J.F. and Demain, A.L. 1976. Control by phosphate of
Candidicin production. Biochem. Biophys. Res. Commun.
71: 1103.
- Mary, N.Y., Kelleher, W.J. and Schwarting, A.E. 1965.
Production of Lysergic acid derivatives in submerged
culture. III. Strain selection on defined media.
Lloydia 28: 218.
- Mehta, A.R. 1965. Recent advances in free cell cultures of
plants. In "Tissue Culture" ed. C.V. Ramakrishnan,
Dr. W. Junk Publishers, Hague.
- Mehta, A.R. 1966. In vitro initiation and growth of root
callus of Phaseolus vulgaris L. Indian J. Exp. Biol.
4: 187-188.
- Meites, J. and Clemens, J. 1972. "Vitamins and Hormones".
Vol. 30: 165-219, Academic Press. New York. N.Y.
- Miller, C.O. 1961. Kinetin and related compounds in plant
growth. Ann. Rev. Plant Physiol. 12: 395-408.

- Mizrahi, A. and Miller, G. 1969. Role of glycols and
Tweens in the production of ergot alkaloids by
Claviceps paspali. J. Bacteriol. 97: 1155.
- Mockaites, J.M., Kivilaan, A. and Schulze, A. 1973. Biochem :
Physiol. Pflanzen. 164: 248.
- Mothes, K., Winkler, K., Gröger, D., Floss, H.G., Mothes, U.
and Weygand, F. 1962. Über die Umwandlung von
Elymoclavin in Lysergsäure derivative durch Mutterborn
pilze (Claviceps). Tetrahedron Letters (London) 21:
933-937.
- Murashige, T. 1964. Analysis of the inhibition of organ
formation in tobacco tissue culture by gibberellin.
Physiol. Plant. 17: 636-643.
- Murashige, T. 1965. Effect of stem elongation retardants and
gibberellin on callus growth and organ formation in
tobacco tissue culture. Physiol. Plant. 18: 665-673.
- Murashige, T. and Nakano, R. 1965. Morphogenetic behaviour
of tobacco tissue cultures and implication of plant
senescence. Amer. J. Bot. 52: 819-827.
- Murashige, T. and Skoog, F. 1962. A revised medium for
rapid growth bioassay with tobacco tissue culture.
Physiol. Plant. 15: 473-497.
- Nettlship, L. and Slaytor, M. 1974. Adaptation of Peganum
harmala callus to alkaloid production. J. Exp. Bot.
25: 1114-1123.
- Nickell, L.G. and Burkholder, P.R. 1950. A typical growth of
plants. II. Growth in vitro of virus tumors of Rumex
in relation to temperature, pH and various sources of
nitrogen, carbon and sulphur. Amer. J. Bot. 37: 538-547.

- Nickell, L.G. and Tulecke, W. 1959. Responses of plant tissue cultures to gibberellin. Bot. Gaz. 120: 245-250.
- Nobecourt, P. 1939. Sur les radicelles naissant des cultures de tissus de tubercule de carotte. Compt. Rend. Soc. Biol. 130: 1271-1272.
- Paleg, L.G. 1961. Physiological effects of gibberellic acid. III. Observations on its mode of action on barley endosperm. Plant Physiol. 36: 829-837.
- Paris, D. and Duhamet, L. 1958. Sur un cas de sensibilité des tissus de crown-gall de scorsonère à l'acide indole-acétique. C. R. Acad. Sci. Paris 246 : 2023-2026.
- Plieninger, H. 1958. Prephen säure als mögliche biologische vorstufe von Indolderivaten. Experientia 14: 57.
- Plieninger, H., Fischer, R. and Liede, V. 1964. Liebig's Ann. Chem. 672: 223.
- Plieninger, H., Immel, H. and Völkl, A. 1967. Liebig's Ann. Chem. 706: 223.
- Prokofieva-Belgovskaya, A. and Popova, L. 1959. The influence of phosphorus on the development of Streptomyces aureofaciens and on its ability to produce chlortetracycline. J. Gen. Microbiol. 20: 462-472.
- Radin, J.W. 1975. Differential regulation of Nitrate reductase induction in roots and shoots of cotton plants. Plant Physiol. 55: 178-182.
- Rajbhandari, S.B., Collin, H.A., Thomas, E. and Street, H.E. 1969. Root, callus and cell suspension cultures, from Atropa belladonna L. and Atropa belladonna cultivar lutea Döll. Ann. Bot. 33: 647-656.

- Ramstad, E. 1968. Chemistry of alkaloid formation in ergot. *Lloydia* 31: 327.
- Rao, K.K. and Gupta, A.R. 1975. Inhibition of tryptophan synthetase by high phosphate in alkaloid producing culture of Aspergillus fumigatus. *Naturwiss.* 63: 394.
- Rao, K.K. and Patel, V.P. 1974. Effect of tryptophan and related compounds on alkaloid production in Aspergillus fumigatus. *Lloydia* 37: 608-610.
- Rao, K.K. and Satya Rao. 1975. Effect of Tweens on the production of Ergot alkaloids by Aspergillus fumigatus *Folia Microbiol.* 20: 418-422.
- Rao, N.M. 1971. Growth and nutritional studies of plant tissues cultured in vitro. Ph. D. Thesis, M. S. University of Baroda, Baroda.
- Rao, N.M. and Mehta, A.R. 1968. In vitro growth and nutrition of Datura anther callus. *Ind. J. Plant Physiol.* 11: 181-187.
- Reháček, Z. and Basappa, S.L. 1971. Effect of Tween-80 on alkaloid-producing cultures of Claviceps paspali. *Folia Microbiol.* 16: 110.
- Reinert, J. and White, P. R. 1956. The cultivation in vitro of tumor tissues and normal tissues of Picea gluca. *Physiol. Plant.* 9: 177-189.
- Robbers, J.E. and Floss, H.G. 1968. Biosynthesis of ergot alkaloids; formation of 4-dimethylallyl tryptophan by the ergot fungus. *Arch. Biochem. Biophys.* 126: 967.
- Robbers, J.E. and Floss, H.G. 1970. Physiological studies on ergot : Influence of 5-methyl tryptophan on alkaloid biosynthesis and the incorporation of tryptophan analogs into protein. *J. Pharm. Sci.* 59: 702-703.

- Robbers, J.E. and Floss, H.G. 1976. Induction by tryptophan of the enzymes of ergot alkaloid biosynthesis. In M. Luckner, K. Mothes and L. Nover (eds.), Nova Acta Leopoldina, No. 7, Secondary metabolism and coevolution, Deutsche Akademie der Naturforscher. Leopoldina, Halli, DDR, pp. 243-269.
- Robbins, W.J. 1922 a. Cultivation of excised root tips and stem tips under sterile conditions. Bot. Gaz. 73: 376.
- Robbins, W.J. 1922 b. Effect of autolyzed yeast and peptone on growth of excised corn root tips in the dark. Bot. Gaz. 74: 59.
- Salih, H., Flase, H., Brander, W. and Hobbs, J.R. 1972. Prolactin dependence in human breast cancer. Lancet : 1103.
- Schiedt, U.G., Boekh-Behrens and Dellua, A.M. 1962. Hoppe-scyler's Z. Physiol. Chem. 330: 46.
- Schmauder, H.P. and Gröeger, D. 1973. Untersuchungen Zur Aromaten biosynthese und alkaloid bildung in Claviceps. Arten. Biochem. Physiol. Pflanzen. 164 : 41-57.
- Shah, R.R. and Mehta, A. R. 1978~~a~~. Effect of carbohydrates on growth, formation of phenolic compounds and related enzymes in callus cultures of Crotolaria. Ind. J. Exp. Biol. 16: 768-770.
- Shah, R.R. and Mehta, A.R. 1978~~b~~. Effect of Nitrogen nutrition on growth and Phenolic accumulation in Crotolaria tissues cultured in vitro. Ind. J. Exp. Biol. 16: 1144-1147.
- Shailaja Ram Rao, 1979. The effect of Nitrogen sources on the biogenesis of Phenolic compounds in Arachis hypogaea L. tissue cultures. Ph. D. Thesis, M. S. University of Baroda, Baroda.

- Shantz, E.M. and Steward, F.C. 1959. Investigations on growth and metabolism of plant cells. VII. Sources of nitrogen for tissue cultures under optimal conditions for their growth. *Ann. Bot.* 23: 371-390.
- Shelesnyak, M.C. 1954. *Amer. J. Physiol.* 179: 301.
- Simpkins, I. and Street, H. E. 1970. Studies on the growth in culture of plant cells. *J. Exp. Bot.* 21: 171-185.
- Siw-Leung Lee, Heinz, G., Floss, H.G. and Peter Heinsteint. 1976. Purification and properties of dimethylallyl pyrophosphate : Tryptophan dimethylallyl transferase, the first enzyme of ergot alkaloid biosynthesis in Claviceps. *SP. SD. 58. Arch. Biochem. Biophys.* 177: 84-94.
- Skursky, L. and Waller, G.R. 1969. Biochemical and physiological relationship between ricinine and N. demethyl ricinine in Ricinus communis. In: *Proc. 4th Int. Symp. Biochemistry and physiology of alkaloids, Halle (Saale) Akademie-Verlag, Berlin.* pp. 181-186.
- Spilsbury, J.F. and Wilkinson, S.J. 1961. *Chem. Soc.*: 2085.
- Steinhart, C.E., Mann, J.D. and Mudd, S.H. 1964. Alkaloids and plant metabolism. VII. The kinetin produced elevation in tyramine methyltransferase levels. *Plant Physiol.* 39: 1030-1038.
- Steward, F.C., Bidwell, R.G.S. and Yemm, E.W. 1958. Nitrogen metabolism, respiration and growth of cultured plant tissue. *J. Expt. Bot.* 9: 11.
- Steward, F.C. and Caplin, S.M. 1954. The growth of carrot tissue explants and its relation to the growth factors present in coconut milk. I (A) The development of quantitative method and factors effecting the growth of carrot tissue explants. *Ann. Biol.* 30: 386-394.

- Steward, F. C. and Shantz, E.M. 1955. The chemical induction of growth in plant tissue cultures. In: "The chemistry and mode of action of plant growth substances". (R.L.Wain and Weightman, eds.). pp. 165-186. Butterworth, London.
- Stoll, A. 1952. Fortschr. Chem. Org. Naturst. 9: 114.
- Straus, J. and Epp, R.R. 1960. Response of Cupressus funebris tissue cultures to gibberellin. Science 131 : 1806-1807.
- Street, H. E. 1966. The nutrition and metabolism of plant tissue and organ cultures. In "Cell and tissues in culture". (E.N.Willmer ed.) Academic Press, London.
- Street, H.E., Henshaw, G.G. and Buiath, M.C. 1965. The culture of isolated plant cells. Chemistry and Industry. pp. 27-33.
- Subbaiah, K.V. 1974. Physiological and biochemical studies on plant tissues grown in sterile cultures. Ph. D. Thesis, M. S. University of Baroda, Baroda.
- Taber, W.A. 1967. Fermentative production of hallucinogenic indole compounds. Lloydia 30: 39-66.
- Taber, W.A. and Vining, L.C. 1958. The influence of certain factors on the "in vitro" production of ergot alkaloids by Claviceps purpurea (Fr.) Tul. Can. J. Microbiol. 4: 611-626.
- Taber, W.A. and Vining, L.C. 1959. The effect of homogenizing the inoculum on the in vitro production of ergot alkaloids. Can. J. Microbiol. 5: 418-421.
- Taylor, E.H. and Ramstad, E. 1960. Biogenesis of Lysergic acid in ergot. Nature (London) 188: 494.

- Taylor, E.H. and Ramstad, E. 1961. J. Pharm. Sci. 50: 681.
- Thomas, E. and Street, H.E. 1970. Organogenesis in cell suspension culture of Atropa belladonna. cultivar lutea Doll. Ann. Bot. 34: 657-670.
- Torrey, J.G. 1967. Morphogenesis in relation to chromosomal constitution in long-term plant tissue cultures. Physiol. Plant. 20: 265-275.
- Tulecke, W., Weinstein, L.H., Rutner, A. and Laurencott, H.J. Jr. 1962. Biochemical and physiological studies of tissue cultures and plant parts from which they are derived. II. Ginkgo biloba L. Contib. Boyu Thomson Inst. 21: 291-302.
- Tyler, V.E., Jr. 1961. J. Pharm. Sci. 50: 629.
- Van Tamelen, E.E. 1953. Experientia 9: 457.
- Van Urk, H.W. 1929. A new sensitive reaction for the ergot alkaloids, ergotamine, ergotoxine and ergotinine and its adaptation to the examination and colorimetric determination of ergot preparation. Pharm. Weekbl. 66: 473-481.
- Varadan, K.S.S., Vaidyanathan, T.S. and Rama Rao, M.V. 1958. Phytochemistry of Evolvulus alsinoides. Indian J. Pharm. 20: 100.
- Veliky, I.A. 1972. Synthesis of carboline alkaloids by plant cell cultures. Phytochem. 11: 1405-1406.
- Vining, L.C. 1970. Effect of tryptophan on alkaloid biosynthesis in cultures of a Claviceps species. Can. J. Microbiol. 16: 473-480.
- Vining, L.C. and Nair, P.M. 1966. ²Clavine alkaloid formation in submerged cultures of a Claviceps species. Can. J. Microbiol. 12: 915-931.

- Weinstein, L.H., Nickell, L.G., Laurencott, H.J. (Jr.) and Tulecke, W. 1959. Biochemical and physiological studies of tissue cultures and plant parts from which they are derived. I. Agave toumeyana. Trel. Contrib. Boyce Thomson Inst. 20: 239-250.
- West, F.R. Jr. and Mika, S. 1957. Synthesis of atrophine by isolated roots and root callus cultures of belladonna. Bot. Gaz. 119: 50-54.
- Weygand, F. and Floss, H.G. 1963. The biogenesis of ergot alkaloids. Angew. Chem. Inst. Ed., Engl. 2: 243-247.
- White, P.R. 1934. Potentially unlimited growth of excised tomato root tips in a liquid medium. Plant Physiol. 9: 585-600.
- White, P.R. 1939. Potentially unlimited growth of excised plant callus in an artificial nutrient. Amer. J. Bot. 26: 59.
- White, P.R. 1967. The promises and challenges of tissue culture for biology and mankind. In : Seminar on plant cell, tissue and organ culture. Delhi University, Delhi.
- Wie Wiorowski, M.H. and Podkowinska, M.D. 1966. International symposium on the biochemistry and physiology of alkaloids. (K. Mothes et al., eds.). No. 3. pp. 215-233. Abh. Deut. Akad. Wiss. Berlin.
- Willuhn, G. 1966. In "International symposium on the Biochemistry and physiology of alkaloids". (K. Mothes et al., eds.). No. 3. pp. 97-103. Abh. Deut. Akad. Wiss. Berlin.
