

## **CHAPTER-9**

## **REFERENCES**

- Abushama F. T. and Kambel, M. A. 1977.** Field observation on the attack of Sugarcane by the termite *Microtermes tragardhi* (Sjost). *Zeitschrift für Angewandte Entomologie.*, **82**:355-359.
- Agarwal, R. A. 1957.** Some preliminary observations on the use of BHC and Chlordane applied against termite and crickets in sugarcane seedlings. *Proc. 3<sup>rd</sup> bienn. Conf. Sugarc.* Delhi. 301-302.
- Agarwal, R. A. 1972.** Problems of termites of Sugarcane in India. In: *Termite problems in India*. (Ed. M. L. Roonwal). New Delhi (C.S.I.R). Pp 46-55.
- Agarwala, S. B. D., 1955.** Control of Sugarcane termites (1946-1953). *J. Econ. Ent.*, **48 (5)**: 533-537.
- Agarwala, S. B. D., 1964.** Termites. In: *Entomology in India*. (Ed. N. C. Pant). Entomological society of India, New Delhi. 359-383.
- Akhtar, M. S. and Shahid, A. S. 1989.** Pest status, feeding preferences on control of termites of Pakistan. *Final Technical Report*. Project. No. PSF/P-PU/Bio., No. **136**:1-260.
- Akhtar, M. S. and Shahid, A. S. 1993.** Termites as pest of agricultural crops in Pakistan. *Pakistan J. Zool.*, **25**: 187-193.
- Akhtar, M. S. and Sarwar, M. 1997.** Termite population, diversity and damage in wheat fields of Bahawalpur division. *Proc. Pakistsn Congr. Zool.*, **17**: 153-163.
- Alston, R. A. 1947.** A fungus parasite on *Coptotermes curvignathus* Holmg. *Nature*. **160**: 120.

**Anonymous, 1981.** Termite control in Eucalyptus plantations. *KFRI information Bull.* (Kerala Forest Research Institute, Peechi). No. 3: 1-6.

**Annandale, N. 1923.** The fauna of an island in the Chilka Lake: The habits of the termites of Barkuda Island. *Rec. Indian Mus.*, **25(2)**: 233-252.

**Annandale, N. 1924.** Termite mounds. *J. Bombay Nat. Hist. Soc.*, **30**: 25-35.

**Araujo, R. L. 1970.** Termites of the Neotropical Region. In: *Biology of Termites* (Eds. Krishna, K. & Weesner, F. M). Acad. Press New York. **2**: 527-576.

**Assmuth, J. 1913.** Wood-destroying white ants of the Bombay Presidency. *J. Bombay Nat. Hist. Soc.*, **23(2)**: 372 – 384.

**Beeson, C. F. C. 1941.** Isoptera. In: *The Ecology and Control of Forest Insects of India and the Neighbouring Countries*. Vasant Press, Dehradun. Pp 524-553.

**Bhatnagar, S. P. 1962.** Insecticidal trials against termites infesting cotton plants under unirrigated (barani) conditions in Rajasthan. In *Termites in Humid tropics, Proc. New Delhi Symp.*, 1960. Paris (UNESCO). 233.

**Bindra, O. S. 1960.** Termite damage in north-western Madhya Pradesh, with results of experiments on their chemical control. *Indian J. Ent.*, **22(4)**: 277-282.

**Chatterjee, P. N. & Thakur, M. L. 1968.** On a collection of termites from Daman. *Indian Forester*. **94(7)**: 560 - 567.

**Chhabra, K. S. 1981.** Incidence of termites on pulses in Punjab- a survey report. In: *Prog. In soil bio. in India*, (Ed. By G. K. Veeresh), Bangalore (Uni. Agric. Sci). 278-280.

**Chhotani, O. B. 1980.** Termite pests of Agriculture in Indian region and their control. *Tech. Monograph. No. 4. ZSI.*, Pp 84.

**Chhotani, O. B. 1997.** Fauna of India - Isoptera (Termites). . Vol. II. *ZSI.*, Calcutta publication. Pp 800.

**Cleveland, L. R. 1928.** Further observations and experiments on the symbiosis between termites and their intestinal protozoa. *Biol. Bull. Woods Hole*, **54**: 231 – 237.

**Constantino R. 2002.** The pest termites of South America: taxonomy, distribution and status. *J. App. Ent.*, **126**: 355-365.

**Collins, N. M. 1988.** Key Environments Malaysia. In: *Termites*. (Ed. E. Cranbrook, ). Oxford Pergamon Press.

**Cowie , R. H. and Wood, T. G. 1989.** Termite damage to crops, forestry and rangeland in Ethiopia. *Socio-biology*. **15**:139-153.

**Das, S. R., Maheshwari, K. L., Nigam, S. S., Shukla, P. K. and Tandon, R. N. 1962.** Micro-organisms from the fungus garden of termite *Odontotermes obesus* (Rambur). *Proc. Intern. Symp. On Termites in the Humid Tropics*, New Delhi; 1960. Pp 163-166.

**Dobzhansky, T. 1941.** The dynamics of termites. Columbia University press. Pp 446.

**Edwards, R. and Mill, A. 1986.** Termites in buildings- their biology and control, East Grinstead, Rentokil Ltd., Pp 263.

**Eggleton, P. (1999).** Termite species description rates and the state of termite taxonomy. *Insectes Sociaux.*, **46**: 1-5.

**Emerson, A. E. (1943).** Ecology, evolution and society. *Amer. Nat.*, **77**(1): 97 –118.

**Emerson, A. E. (1955).** Geographical origins and dispersions of termite genera. *Fieldiana. Zool.*, **37**: 465-521.

**Fletcher, T. B. 1914.** Some South Indian Insects. Madras: Govt. Press. Pp 565.

**Freise, F. 1949.** The significance of ants and termites in tropical forests. *An. Brasil. Econ. Forestal.*, **2**:145 – 154.

**French, J. R. J. 1988.** Ecosystem-level experimentation in termite research. *Sociobiology*. **14**: 269 – 280.

**Ghidini, G. M. 1938.** La presumibile funzione delle spugle legnose nei nidi dei Metatermitida. *Riv. Biol. Colon.*, Rome. **1**: 261-267.

**Gupta, B.D. 1959.** Studies on the Control of Termites in Sugarcane. *Proc. 10<sup>th</sup> Int. Congr. Sug. Tech.*, Netherlands. Pp 961-977.

**Harris, W. V. 1961.** Termites: their recognition and control. London. Longmans Green and Co. Ltd. Wiley New York. Pp 187.

**Harris, W. V. 1968.** Termites of Sudan. Sudan Nat. *Hist. Mus. Bull.*, **6**: 1-29.

**Harris, W. V. 1969.** Termites as pests of sugarcane. In: *Pests of Sugarcane*, Netherland (Eds. Williams, J.R., Metcalf J.R., Mungomery R.W. and Mathes R). Pp 225-235.

**Harris, W. V. 1971.** *Termites, their recognition and control*. 2nd ed. London, Longmans, Green. Pp 187.

**Hill, G. F. 1942.** Termites (Isoptera) from the Australian Region, CSIR, Melbourne. Pp 479.

**Hickin, N. E. 1971.** *Termites: A World Problem*. London (Hutchinson & Co.). Pp 232.

**Hussain, M. A. 1935.** Pest of Wheat Crop in India. *Proc. World's Grain Exhib. & Conf.*, 2: 562-564.

**Hungate, R. E. 1936.** Studies on the nutrition of Zootermopsis. II. The role of bacteria and moulds in cellulose decomposition. *Zent. f. Bakt.*, 94 (2): 240-249.

**Hungate, R. E. 1939.** Experiments on the nutrition of Zootermopsis. II. The relative importance of the termite and the protozoa in wood digestion. *Ecology*, 19 (1): 1 – 25.

**Imms, A. D. 1919.** On the structure and biology of Archotermopsis together with discussion of new species of intestinal protozoa and general observations on the Isoptera. *Philos. Trans. Roy. Soc.*, London. (B) 209: 75-180.

**Jnajua, N. A. and Khan, M. H. 1955.** Insect pests of Wheat in West Pakistan.

*Agric. Pakistan.* **6 (3):** 67-74.

**Kakde T. D., Siddhabhatti P. M., Panchbhai P. R. and Wadaskar R. M,**

**2006.** Comparative Efficacy of Candidate Termiticides Against Worker Termites, *Odontotermes obesus* (Rambur). *Resistant Pest Management Newsletter.* **16 (1):** 5-8.

**Kapur, A. P. 1958.** A report reviewing entomological problems in the humid

tropical regions of South Asia. In: *Problems of humid tropical Regions.*

Paris (UNESCO). 63-85.

**Kapur, A. P. and Bose, G. 1972.** Termite Problems in Tropical Ecology in

India. In: *Termite Problems in India* (Ed. M. L. Roonwal.) New Delhi

(C.S.I.R.). Pp 31-37.

**Katzin, L. I. and Kirby, H. 1933.** The relative weights of termites and their

protozoa. *J. Parasitology.* **25 (5):** 444 – 445.

**Khoo, B. K. and Sherman, M. 1979.** Toxicity of Chloropyriphos to normal

and defaunated Formosan Subterranean termites. *J. Econ. Entomol.*,

**72:** 298-304.

**Konig, J. G. 1779.** Naturgeschichte der sogenannten weissen Ameisen. *Bes.*

*Chr. Berlin Ges. Freunde.,* **4:1 – 28.**

**Krishna, K. and Weesner, F. M. 1970.** Biology of Termites. Vol. II. (Eds. K.

Krishna & F. M. Weesner). Academic Press, New York. Pp 643.

**Krishna, K. and Weesner, F. M. 1969.** Biology of Termites. Vol. I. (Eds. K. Krishna & F. M. Weesner). Academic Press, New York. Pp 598.

**Kumar, R. 1965.** Termite, a new pest of potato in India. *Indian Potato J.*, 7(1): 49.

**Latereille, P. A. 1775.** Extrait d'un memoirs pour servir de suite a l'histoire des Termes, ou fourmis blanches. *Bull. Sci. Soc. Philom.*, 1: 84-85.

**Lefroy, H. M. and Howlett, F. M. 1909.** Indian insect Life. Manual of the insects of the plains (tropical India) Calcutta, London: W. Thacker & Co. Pp 786.

**Lee, K. E. and Wood, T. G. 1971.** Termites and soils. Academic Press Pub., New York. Pp 252 .

**Lo, N. 1998.** A cellulase gene of termite origin. *Nature*. 294: 330 – 331.

**Logan, JW. M., Cowie, R. H. and Wood, T. G. 1990.** Termites (Isoptera) control in agriculture and forestry by non-chemical methods. A review, *Bull. Ent. Res.*, 80 (3): 309-330.

**Lespes, C. 1856.** Recherches su l' organization et le moeurs de term lucifuge. *Annals Sci. nat., Zool.*, 4(5): 227-282.

**Maan Singh and Madan, Y. P. 2002.** Incidence of termite in sugarcane genotypes. *Indian Sugar*. 52(5): 333-335.

**Maan Singh; Dharam Singh and Madan, Y. P. 2001.** Evaluation of different soil insecticides for the control of termites in sugarcane. *Indian Sugar*. 51(6): 365-368.

**Mathur, R. N. 1962.** Enemies of Termites (White ants). In: *Termites in the Humid Tropics, Proc. International Symp.* New Delhi. (UNESCO). 4:137-139.

**Mill, A. E. 1992.** Termites as agricultural pests in Amazonia, Brazil. *Outlook Agric.*, **21** (1): 41-46.

**Muller, M. 1993.** Review Article on "The hydrogenosome". *Journal of General Microbiology*. **139**: 2879 – 2889.

**Muller, F. 1873.** Beitrage zur Kenntnis der Termiten. IV Die Larven von *Calotermes rugosus* Hagen. *Z. Naturwiss.*, **7**: 333-358.

**Myles, T. G. 1998.** Proposed taxonomy of the order Isoptera. Internet material accessed on September 18, 2006. [www.utoronto.ca/forest/termite/taxon.htm](http://www.utoronto.ca/forest/termite/taxon.htm).

**Narayanan, E. S. and Rattanlal, 1952.** A short review of recorded informations on the control of termites damaging crops in India. *Indian J. Ent.*, **14**(1): 21-30.

**O'Brien R. W. and Slaytor, M. (1982).** Role of microorganisms in the metabolism of termites. *Aust. J. Biol. Sci.*, **35**: 239 – 262.

**Parihar, D. R. 1977.** Note on some termites of Rajasthan desert. *Geobios*, **4**: 173.

**Parihar, D. R. 1978.** Field observations on the nature and extent of damage by Indian desert termites and their control. *Ann. Arid zone*. **17** (2): 192-199.

**Parihar, D. R. 1981.** Termite pests of vegetation in Rajasthan and their management. *Tech. Monograph. No. 16.* CAZRI. Pp 31.

**Parihar, D. R. 1985.** Crop termite damage in Indian desert and its control in castor. *Zeitschrift für Angewandte Zoologie.* **72(3):** 309-315.

**Patel, G. A. and H. K. Patel, 1954.** Seasonal incidence of termite injury in the northern parts of the Bombay state. *Indian J. Ent., 15 (4):* 376-378.

**Patel, R. M. 1962.** Effect of BHC formulations on the control of field termites in Gujarat. In: *Termites in the Humid Tropics, Proc. International Symp.* New Delhi. (UNESCO). 219-221.

**Pearce, M.J. 1997.** Termites Biology and Pest Management. CAB International, University Press Cambridge, U.K., Pp 172.

**Pearce, M. J., Logan, J.W.M. Tiben, A. 1995.** Termites (Isoptera) from the Darfur region of the Sudan with comments on their pest status. *Journal of Arid Environment.* **30:** 197-206.

**Peswani, K. N. and Katiyar, R. N. 1972.** Termites in Indian agriculture and losses caused by them. In: *Termites problems in India* (Ed. M. L. Roonwal). New Delhi (C.S.I.R). Pp 15-21.

**Petch, T. 1906.** The fungi of certain termite nests. *Termes redemannii* Wasm. and *T. obscuriceps* Wasm. *Ann. Roy. Bot. Gardens, Peradeniya.* **3(2):** 185-270.

**Petch, T. 1913.** Termites and fungi: a resume. *Ann. Roy. Bot. Gardens, Peradeniya.* **5(5):** 303-341.

**Pradhan, S.** 1964. Assessment of losses caused by insect pests of crops and estimation of insect populations. In: *Entomology in India*. Ent. Soc. Of India, New Delhi. Pp 17-58.

**Rajagopal; D.** 2002. 33 economically important termite species in India. *Sociobiology*. **40**: 33-46.

**Rana, J. S; Ombir and Dahiya, K. K.** 2001. Management of termite, *Microtermes obesi* (Holmgren) in wheat, *Triticum aestivum* through seed treatment. *Annals of Biology*. **17(2)**: 207-209.

**Randall, M. and Doody, T. C.** 1934. Treatment with poison dusts. In : *Termite and Termite control*. (Ed. C.A. Kofoid). University of California Press, Berkeley. Pp 463 – 476.

**Reddy, D. B.** 1960. Termites in relation to agriculture. In: *Termites in the humid tropics*. New Delhi Symp. Proc. UNESCO 1962. Pp 225-227.

**Rathore N.S. and Bhattacharya A.K.** 2004. Termite (Insecta: Isoptera) Fauna of Gujarat and Rajasthan. Present state knowledge. *Tech. Monograph*. No. 4. ZSI. Pp 77.

**Rattan Lal and Menon, R. D.** (1953). Catalogue of Indian Insects. *Isoptera*. Publisher Delhi. Pp 27.

**Roonwal, M. L. and Chhotani, O. B.** 1960. Solider Caste found in the termite genus *Speculitermes*. *Sci and Cult.*, Calcutta. **26(3)**:143-144.

**Roonwal, M. L. and Chhotani, O. B.** 1961. The more important wood-destroying termites of India. *Proc. Symp. Timber & Allied Products*

(New Delhi, May, 1959). New Delhi (National Building Organisation)  
Pp.89-96.

**Roonwal, M. L. and Chhotani, O. B. 1967.** Indian wood-destroying termites.

*J. Bombay Nat. Hist. Soc., 63 (2):* 354-364.

**Roonwal, M. L. and Chhotani, O. B. 1989.** Fauna of India - Isoptera  
(Termites). Vol. I. ZSI., Calcutta publication. Pp 672.

**Roonwal, M. L. 1949.** Systematics, ecology and bionomics of mammals  
studied in connection with tsutsugamushi disease (scrub typhus) in  
the Assam-Burma Ware Theatre during 1945. *Trans. Nat. Inst. Sci.  
India. 3:* 67-122.

**Roonwal, M. L. 1958.** Recent work on termite research in India (1947-57).  
*Trans. Boss. Res. Inst., 22:* 77-100.

**Roonwal, M. L. 1979.** Termite Life and Termite Control in Tropical South  
Asia., Jodhpur. Scientific publisher. India. Pp 177.

**Roonwal, M. L. 1973.** Mound structure, fungus combs and primary  
reproductive (King and Queen) in the termite *Odontotermes brunneus*  
(Termitidae) in India. *Proc. Ind. Sci. Acad., 39:* 63 - 76.

**Roonwal, M. L. 1981.** Termites of agricultural importance in India and their  
importance. *Prog. In soil bio. In India,* (Ed. By G. K. Veeresh).  
Bangalore (Uni. Agric. Sci., Hebbal). Tech Series No. *37:* 253-265.

**Roonwal, M. L. and Chatterjee, P. N. 1962.** Destruction of colonies of mound building termites in India. In: *Termites in Humid Tropics. Symp. Proc.* New Delhi 1960, Paris (UNESCO). Pp 221-222.

**Sankaran, T. 1960.** Termites in relation to plant protection. In: *Termites in the humid tropics. Symp. Proc.* New Delhi 1962, (UNESCO). Pp 233-236.

**Sands, W. A. 1973.** Termites as pests of tropical food crops. *PNAS.* **19** (2):167-177.

**Sands, W. A. 1977.** The role of termites in tropical agriculture. *Outlook on Agriculture.* **9:** 131-143.

**Sands, W. A. 1998.** The identification of worker caste of termite genera from soils of Africa and the Middle East. Wallingford, UK: CAB International. Pp 500.

**Sannasi, A. 1969.** Apparent infestations of queens and drones of the mound building termites *Odontotermes obesus* by *Aspergillus flavus*. *J. Invertebrate Path.*, **10:** 434-535.

**Sen-Sarma, P. K., Thakur, M. L., Misra, S. C. and Gupta, B. K. 1975.** Studies on wood destroying termites in relation to natural termite resistance of timber. *Final Technical Report*, PL-480 Project No. A7-FS-58. Pp 1-87.

**Sen-Sarma P. K., 1989.** Protection of cultural heritage against insect borers and termites. *Indian J. Ent.*, **51(3):** 256-260.

**Sen-Sarma P. K., 2000.** Ecology and Biogeography of the Termites of India.  
*In Forest Entomology* (Ed. M. L. Thakur), Sai Publication. Dehradun.  
Pp 422.

**Sharma, S. K. and Bohara O. P. 1966.** Some observations on termite damage to agricultural crops in the arid region of Rajasthan. *Paper read at the Entomological Seminar, Aligarh* as quoted by Thakur (1996)  
Pp.165.

**Singh, S. B. and Kishan, R. 1946.** An analysis of the cause of low germination in Sugarcane. *Proc. 15<sup>th</sup> ann. Conv. Sug. Tech. Assoc. India.* **2:** 22-26.

**Southwood, T. R. E. and Henderson, P. A. 2000.** Ecological Methods. Blackwell Science Ltd; 3<sup>rd</sup> rev ed. Oxford. Pp 575.

**Smeathman, H. 1781.** Some account of termites which are found in Africa and other hot climates. *Phil. Trans.*, **71:** 139 – 192.

**Snyder, T. E. 1933.** New Termites from India. *Proc. U.S. Nat. Mus.*, **82:** 1-15.

**Snyder, T. E. 1949.** Catalogue of termites (Isoptera) of the world. *Smiths, misc. Coll.*, Washington. **112:** 1-490.

**Thakur, C. Prasad, A. R. and Singh, R. P. 1956.** The use of different doses and formulations of aldrin and dieldrin against termites and their effects on soil fertility. *Indian J. Sugarc. Res. & Devel.*, Delhi. **1(1):** 30-35.

**Thakur, C. Prasad, A. R. and Singh, R. P.** 1957. Use of aldrin and dieldrin against termites and their effects on soil fertility. *Indian J. Ent.*, New Delhi. **19(1)**: 155-163.

**Thakur, M. L.** 1976. Zoogeography of termite genus *Odontotermes* in the Indian region (Isoptera: Termitidae, Macrotermitinae). *Indian Forester*. **102(8)**: 498 – 505.

**Thakur, M. L.** 1981. Revision of the termite genus *Odontotermes* Holmgren (Isoptera: Termitidae: Macrotermitinae) from India. *Ind. For. Records*. **14(2)**: 1 – 183.

**Thakur, M. L.** 2000. Forest Entomology (Ecology and Management). Sai publisher, Dehradun. Pp 326-471.

**Thakur R. K.** 1991. Field ecology, eco-biogeography and economic importance of Gujarat termites. *Indian Forest Records*. **16 (1)**: 1-42.

**Thakur R. K.** 1996. Termite problems in arid zones and their management. *Indian Forester*. **122 (2)**: 161-169.

**Thakur, R. K.** 1989. Termite fauna of Gujarat (Insecta: Isoptera). *Indian Forest Records*. **15 (1)**: 1-76.

**Thakur, R. K.** 1985. Pest status of termite in Gujarat, India. *Indian Journal of Forestry*. **8 (1)**: 37-40.

**Thakur, R. K.** 1988. Termites from arid areas of Punjab and Haryana. *Rec. ZSI*, Calcutta. Ms. 1-12.

**Tho, Y. P. 1992.** Termites of Peninsula Malaysia. *Malaysia Forest Records.* 36: 224.

**Thorne, B. L. (1998).** Biology of subterranean termites of the genus *Reticulitermes*. *NPCA Research reports on subterranean termites* Part I. National Pest Control Association. 1 – 30.

**Thorne, B. L. and Carpenter, J.M. 1992.** Phylogeny of the Dictyoptera. *Systematic Entomology.* 17: 253-268.

**UNEP/FAO, 2000.** Finding Alternatives to Persistent Organic Pollutants (POPs) for Termite Management. Pp 1-47

**Verkerk, R. 1990.** Identifying Termites. In: *Building out termites*. Pub. Pluto Press Australia Limited. Pp 19 – 36.

**Verma, A. N., Khurana A. D. and Bhanot, J. P. 1980.** A new method of checking termite damage in wheat crop. *Annals Arid Zone*, Jodhpur. 19(4): 515-518.

**Verma, S. K. and Joshi, N. L. 1984.** Infestation by *Microtermes tenuignathus* Holmgren (Isoptera: Termitidae: Amitermitinae) in some Kharif crops. *Annals of Arid Zone*, Jodhpur. 23(2): 131-133.

**Waller, D. A., La Fage, J. P. 1987.** Nutritional ecology of termites. In: *Nutritional Ecology of Insects, Mites and Spiders*. (Eds. Slansky, F. & Rodriguez, J. G.). New York (Wiley and Sons). Pp 487- 532.

**Wardle, D. A. 1987.** Control of termites in nurseries and young plantations in Africa: Established practices and alternative courses of action.

*Commonw. For Rev.*, **66 (1)**: 77-89.

**Watson J. A. L. and Gay, F. J. 1991.** Isoptera (Termites). In: *The Insect of Australia*. Vol. I. published by the University of Melbourne. 330 – 347.

**Wood, T. G., and Johnson, R. A. 1986.** The biology, physiology and ecology of termites. In *Economic impact and control of social insects*. (Ed. S. B. Vinson) Praeger, New York, USA. Pp 1–68.

**Wood, T. G. 1978.** Food and feeding habits of termites. In *Production ecology of ants and termites*. (Ed. M. V. Brian), Cambridge Univ. Press, Cambridge. Pp 55–80.

**Wood, T. G. 1996.** The agricultural importance of termites in the tropics. *Agric. Zool. Rev.*, **7**: 117-155.

**Wood, T. G. 2000.** [UNEP and FAO] United Nations Environment Programme and Food and Agriculture Organization. 2000. Termite biology and management workshop (Geneva: UNEP). Pp 1-157.

**Yamin, M. A. 1978.** Axenic cultivation of the cellulolytic flagellate *Trichmitopsis termopsidis* (Cleveland) from the termite Zootermopsis. *J. Proto Zool.* **25 (4)**: 535 – 538.

**Yoshimura, T. 1995.** Contribution of the Protozoan Fauna to Nutritional Physiology of the lower termite, *Coptotermes formosanus* Shiraki (Isoptera: Rhinotermitidae). *PhD. Thesis*. Kyoto University.