

LIST OF FIGURES

Figures	Title	Page No.
Chapter 1	Introduction	
1.1	Bucky ball Fullerene and cylindrical nanotubes	2
1.2	Rolling of graphene sheet along different directions to get different nanotubes	4
1.3	Double-walled carbon nanotubes	6
1.4	Torus	8
1.5	High Pressure Carbon Monoxide Method	12
1.6	Arc discharge method	14
1.7	Laser ablation Process	17
1.8	Chemical vapor deposition (CVD) process	19
1.9	Availability of renewable fresh water in India	36
Chapter 2	Nanotube cleaning, functionalization, characterization, metal removal and adsorption isotherm studies	
2.1	SEM image of commercially available Pristine CNTs	48
2.2	Schematic representation of functionalization of nanotubes	51
2.3	Raman spectra (a) Pristine (b) Purified CNTs	54
2.4	TEM images (a) Pristine (b) Oxidized (c) Acylated (d) Amide (e) Azide functionalized CNTs	56
2.5	FT-IR spectras (a) Pristine (b) Oxidized (c) Acylated (d) Amide (e) Azide functionalized CNTs	58
2.6	EDS spectras (a) Pristine (b) Oxidized (c) Azide functionalized CNTs	60
2.7	XRD spectra of oxidized and functionalized CNTs	62
2.8	Thermo-gravimetric studies of Purified CNT's and various functionalized CNT's	64
2.9	Plots of (a) % Removal of metal ions v/s time (b,c) $\ln(1-Ut)$ v/s Time(h) for removal of heavy metals by unfunctionalized CNTs	66
2.10	Plots of (a) % Removal of metal ions v/s time (b,c) $\ln(1-Ut)$ v/s Time(h) for for removal of heavy metals by acylated CNTs	67
2.11	Plots of (a) % Removal of metal ions v/s time (b,c) $\ln(1-Ut)$ v/s Time(h) for for removal of heavy metals by amide functionalized CNTs	68
2.12	Plots of (a) % Removal of metal ions v/s time (b,c) $\ln(1-Ut)$ v/s Time(h) for for removal of heavy metals by azide functionalized CNTs	69

2.13	Removal of Cr+6 ions at diff. pH by (a)amide and (b) azide functionalized CNTs	82
2.14	Freundlich and Langmuir adsorption isotherm of Chromium onto amide functionalized CNTs	89
2.15	Freundlich and Langmuir adsorption isotherm of Chromium onto azide functionalized CNTs	90
Chapter 3 Comparative study of surface cleaning and modification Of MWNT's using various oxidizing agents		
3.1	Effect of washing on the behavior of nanotubes towards magnetic needle	97
3.2	SEM images of MWNT's (a) pristine (b) H ₂ SO ₄ /HNO ₃ treated (c) Base piranha treated (d) Acid piranha treated (e) KMnO ₄ /CH ₃ COOH treated in absence of PTC (f) KMnO ₄ /CH ₃ COOH treated in presence of PTC	100
3.3	Pictures of the dispersion of the MWCNTs (10 mg) in water (10 ml). 1-H ₂ SO ₄ /HNO ₃ -treated MWCNTs; 2-KMnO ₄ -PTC treated MWCNTs; 3-base piranha treated MWCNTs; 4-acid piranha treated MWCNTs; 5-Pristine MWNT's. Samples were kept for 100 days. MWCNTs were dispersed in water by sonication for 1h	102
3.4	FT-IR spectra of MWNT's (a) Purified (b) H ₂ SO ₄ /HNO ₃ treated (c) Base Piranha treated (d) Acid Piranha treated (e) KMnO ₄ /CH ₃ COOH treated in presence of PTC	104
3.5	TGA curves of the MWCNT samples: (a) MWCNT-HNO ₃ , (b) MWCNT-NH ₄ OH/H ₂ O ₂ , (c) MWCNT-H ₂ SO ₄ /H ₂ O ₂ , (d) MWCNT-KMnO ₄ -PTC	106
3.6	Raman spectra of the MWCNT samples: (a) MWCNT-HNO ₃ , (b) MWCNT-NH ₄ OH/H ₂ O ₂ , (c) MWCNT-H ₂ SO ₄ /H ₂ O ₂ , (d) MWCNT-KMnO ₄ -PTC	108
3.7	Raman spectra of differently oxidized MWCNT samples	109
Chapter 4 Preparation of MWNT/PSf composite membranes and its effect on metal removal		
4.1	FT-IR scans of MWNTs (a) carboxylated MWNT and (b) azide functionalized MWNTs	120
4.2	Hydrogen bonding between the possible arrangement of functional groups on nanotubes and polysulfone	122
4.3	Charge development on surface of membrane or dispersed particle in a dispersion medium	125
4.4	FESEM images of CNT/PSf composite membranes (a) 0.0% (b) 0.1% (c) 1% functionalized MWNTs	128
4.5	FT-IR of (a) oxidized CNT/PSF (b) amide functionalized CNT/PSF blend membranes	130

4.6	TGA data composite polysulfone membranes with different percentages of amide functionalized MWNTs	132
4.7	Flow rate at different pressures for different amide MWCNT/PSf membranes at acidic pH 2.6	141
4.8	%Removal of metal ions at different pressure (a) %amide CNT/PSf (b) %azide CNT/PSf composite membranes at pH 2.6	145
4.9	Removal studies of Cr+6 ions at different pH for (a) oxidized (b) amide (c) azide functionalized MWCNT/PSf. at pressure of 0.49MPa	147

Chapter 5 ATRP using a Novel Initiator :Acetyl Chloride/Acylated nanotubes

5.1	Schematic presentation of general mechanism of controlled radical polymerization (CRP) method	154
5.2	Reaction scheme employed in the process where K_a , K_p , K_t are rate coefficients for activation, propagation and termination	159
5.3	FTIR of (a)PMMA (b) Styrene initiated from acetyl chloride/acylated nanotubes	163
5.4	NMR of acetylchloride/acylated nanotubes initiated PMMA	165
5.5	^{13}C NMR of PMMA obtained from labeled acetyl chloride used as initiator	166
5.6	^{13}C NMR of Polystyrene obtained from acetyl chloride used as initiator	168
5.7	Thermogravimetric analysis of PMMA, obtained by (a) acetyl chloride (b) acylated nanotubes as initiator	170
5.8	Thermogravimetric analysis of Polystyrene by acylated nanotubes as initiator	171
5.9	DSC curve for PMMA (glass transition temperature:135°C)	173
5.10	DSC curve for PS (glass transition temperature:109°C)	174
5.11	SEM images of polymer PMMA depict the foamy fibrous texture of the polymer	176
5.12	SEM images of polymer PMMA initiated by acylated CNT	177
5.13	SEM images of polymer PS initiated by acylated CNT	178
5.14	SEC curves for different sets S1, S2, S3, S4 depicting the peak apex and weight average molecular weight	181
5.15	SEC curves for different sets PMNS and PMVLS depicting the peak apex and weight average molecular weight	182

5.16	(a) SEC curve for acetyl chloride initiated ATRP of MMA depicting 2.83×10^5 and 2.84×10^5 as peak apex and weight average molecular weight respectively (b) PD and Mn as a function of monomer conversion ; reaction conditions: Temperature = 60°C and $[M]_0/[M_t^sX]_0/[L]_0/I_0 = [\text{PMMA}]_0/[\text{Cu(1)Br}]_0/[2,2'\text{bipyridyl}]_0/[\text{CH}_3\text{COCl}]_0 = 100:0.5:1:0.625$ and surfactant (Brij-98)concentration = 1.64gm/10 mL of distilled water	185
5.17	(a) SEC curve for acetyl chloride initiated ATRP of MMA depicting 8.0×10^5 and 7.2×10^5 as peak apex and weight average molecular weight respectively (b) PD as a function of %Conversion(c) $\ln[M]_0/[M]$ versus time and (d)Mn as a function of %Conversion; reaction conditions: Temperature = 28°C and $[M]_0/[M_t^sX]_0/[L]_0/I_0 = [\text{PMMA}]_0/[\text{Cu(1)Br}]_0/[2,2'\text{bipyridyl}]_0/[\text{CH}_3\text{COCl}]_0 = 100:0.5:1:0.625$ and surfactant (Brij-98)concentration = 0.82gm/10 mL of distilled water	188
5.18	(a) Mn as a function of %Conversion (b) PD as a function of %Conversionfor polystyrene at room temperature (c) Mn as a function of %Conversion (b) PD as a function of %Conversionfor polystyrene at high temperature: $[M]_0/[M_t^sX]_0/[L]_0/I_0 = [\text{PS}]_0/[\text{Cu(1)Br}]_0/[2,2'\text{bipyridyl}]_0/[\text{CH}_3\text{COCl}]_0 = 100:0.5:1:0.625$ and surfactant (Brij-98)concentration = 1.64gm/10 mL of distilled water	192
5.19	Activation energies for decomposition acyl radicals and formation of acyl radical	194
5.20	Action of acyl radical on double bond(a) and subsequent propagation to help in polymerization of ethene(b)	194