



References



- [1] Anonymous, WHO. *The World Medicines Situation 2011 - Traditional Medicines: Global Situation, Issues and Challenges*, 2011
- [2] Eisenberg DM et al., Unconventional medicine in the United States. *N Engl J Med* 1993;328: 246-52
- [3] Sanjoy Kumar Pal, "Complementary and alternative medicine: An overview," *CURR SCI*, 2002; 518(5): 518-524
- [4] Benarye E, Frenkel M. Referring to complementary and alternative medicine-A possible tool for implementation. *Com TherMed*. 2008;16: 325-330
- [5] Olshansky B. Alternative Medicine-Boom or Bust? *Card Electrophysiology Rev*, 2002;6: 170-173
- [6] Pearson NI, Chesney MA. The CAM education program of the National Center for Complementary and Alternative Medicine: an overview. *Acad Med*, 2007;82: 921-6
- [7] Gaylord SA, Mann JD. Rationales for CAM education in health professions training programs, *Acad Med*, 2007;82: 927-33
- [8] Zollman C, Vickers A. ABC of complementary medicine: What is complementary medicine? *BMJ* 1999; 319: 693-6
- [9] Saydah SH, Eberhardt MS. Use of complementary and alternative medicine among adults with chronic diseases: United States 2002. *J Altern Complement Med*. 2006;12(8):805-12
- [10] Yeh GY, Davis RB, Phillips RS, Use of complementary therapies in patients with cardiovascular disease. *Am J Cardiol* 2006;98: 673-80
- [11] Harris P, Rees R. The prevalence of complementary and alternative medicine use among the general population: a systematic review of the literature. *Complement Ther Med*, 2000;8(2): 88-96
- [12] Eisenberg DM et al. Trends in alternative medicine use in the United States, 1990–1997: results of a follow-up national survey. *J of the American Med Asso*, 1998, 280(18): 1569–75
- [13] Goldbeck-Wood S et al. Complementary medicine is booming worldwide. *Brit Med J*, 1996, 313(7050):131–133
- [14] Anonymous, WHO. *The World Medicines Situation 2011 - Traditional Medicines: Global Situation, Issues and Challenges*, 2011
- [15] World Health Organization. *Report of the Inter-Regional Workshop on Intellectual Property Rights in the Context of Traditional Medicine. Bangkok, Thailand, 6–8 December 2000*. Geneva, World Health Organization, 2001

- [16] World Health Organization. *General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine*. Geneva, World Health Organization, 2000
- [17] World Health Organization. *Regional Consultation on Development of Traditional Medicine in South-East Asia Region, 1999*. New Delhi, WHO Regional Office for South-East Asia, 1999
- [18] Ben-arye E, Frenkel M. Referring to complementary and alternative medicine-A possible tool for implementation. *Complementary Ther in Med*, 2008;16: 325-330
- [19] Anderson IB, Mullen WH, Meeker JE, et al. Pennyroyal toxicity: Measurement of toxic metabolite levels in two cases and review of the literature. *Ann Intern Med* 1996;124:726-734
- [20] Anderson JW, Johnstone BM, Cook-Newell ME, Meta-analysis of the effects of soy protein intake on serum lipids, *N Engl J Med* 1995;333:276-282
- [21] Bailey DG, Arnold JMO, Spence JD. Grapefruit juice and drugs: How significant is the interaction? *Clin Pharmacol* 1994;26: 91-98
- [22] Frishman WH, Opie LH, Sica DA. Adverse cardiovascular drug interactions and complications, In: Fuster V, Alexander RW, O'Rourke RA, et al, editors. *Hurst's The Heart*, 11th ed. New York, NY: McGraw Hill, 2004. p. 2169-88
- [23] McRae S. Elevated serum digoxin levels in a patient taking digoxin and Siberian ginseng. *Can Med Assoc J* 1996;155: 293-295
- [24] Piscitelli SC, Burstein AH, Chait D, Alfaro RM, Falloon J. Indinavir concentrations and St. John's Wort (letter). *Lancet* 2000;355: 547-548
- [25] Kato H, Kanaoks M, Yano S, Kobayashi M. 3-monoglucuronyl-glycyrrhetic acid is a major metabolite that causes licorice-induced pseudo- hyperaldosteronism. *J Clin Endo Metab* 1995;80: 1929-1933
- [26] De Smet PA. Health risks of herbal medicine. *Drug Safety* 1995;13: 81-93
- [27] Perharic L, Shaw D, Murray V. Toxic effects of herbal medicine and food supplements. *Lancet* 1993;342: 180-181
- [28] Series L, Chiappelli F, Prolo P, Cajulis OS. Evidence-based Research in Complementary and Alternative Medicine I: History. *Access*. 2005;2:453-458
- [29] Wiseman N, Designations of Medicines. *eCAM* 2004;1: 327-329.
- [30] Hankey A. CAM Modalities Can Stimulate Advances in Theoretical Biology. *eCAM* 2005;2:5-12
- [31] Anonymous, Herbal Medicines: an Evidenced based look, *Therapeutic letter*, 25; June-July 1998

- [32] Debus AG, *World Who's Who In Science: A Biographical Dictionary of Notable Scientists from Antiquity to the Present*. Chicago: Marquis, 1968
- [33] Hall JE, The promise of translational physiology. *Am J Physiol*, 2002;283: L235–L236
- [34] Smith MK et al., Implementation of a Bayesian adaptive design in a proof of concept study, *Pharmaceut Statist*, 2006;5: 39–50
- [35] Guidance for Industry: Botanical Drug Products. Draft Guidance, Center for Drug Evaluation and Research, US Food and Drug Administration, 2000.
- [36] Anonymous, WHO. *The World Medicines Situation 2011 - Traditional Medicines: Global Situation, Issues and Challenges*, 2011
- [37] Marcus D, Grollman A. Botanical medicines: The need for new regulations. *N Eng J of Med*, 2002;47(25): 2073–2075
- [38] World Health Organization. *Regional Consultation on Development of Traditional Medicine in South-East Asia Region, 1999*. New Delhi, WHO Regional Office for South-East Asia, 1999
- [39] Peters D et al., Time for a new approach for reporting herbal medicine adverse events. *J of Altern and Complementary Med*, 2003;9(5): 607–609
- [40] Astin JA. Why patients use alternative medicine: results of a national study [letter]. *Journal of the American Medical Association*, 1998, 280(19):1548–53.
- [41] European Commission. *COST Action B4: Unconventional Medicine. Final Report of the Management Committee, 1993–98*. Brussels, European Commission, 1998
- [42] Nelson L, Perrone J. Herbal and alternative medicine. *Emerg Med Clin North Am* 2000;18:7 09-22
- [43] Davies MG, Hagen PO. Systemic inflammatory response syndrome, *Br J Surg* 1997;84: 920-35
- [44] Shanmugasundaram KR, Kumar SS, Rajajee S. Excessive free radical generation in the blood of children suffering from asthma. *Clin Chim Acta* 2001;305: 107-14
- [45] Witztum JL, Steinberg D, Role of oxidized low density lipoprotein in atherogenesis, *J Clin Invest* 1991;88: 1785-92
- [46] Chan P, Tomlinson B. Antioxidant effects of Chinese traditional medicine: focus on trillinolein isolated from the Chinese herb sanchi (*Panax pseudoginseng*). *J Clin Pharmacol* 2000;40: 457-61
- [47] Aviram M, Oxidative modification of low density lipoprotein and its relation to atherosclerosis, *Isr J Med Sci* 1995;31: 241-9

- [48] Gary P Anderson, Endotyping asthma: new insights into key pathogenic mechanisms in a complex, heterogeneous disease, *The Lancet*, 2008;372: 1107-1120
- [49] Anonymous, Asthma: still more questions than answers, *The Lancet*, 2008;372: 1009
- [50] Busse WW, Calhoun WF, Sedgwick JD, Mechanism of airway inflammation in asthma, *Am Rev Respir Dis*, 1993;147:S20-4
- [51] Horwitz RJ, Busse WW, Inflammation and asthma, *Clin Chest Med*, 1995;16(4): 583-602
- [52] Tattersfield AE, Knox, A. J., Britton, J. R. & Hall, I. P. Asthma. *Lancet*, 2002;60: 1313-1322
- [53] Barnes PJ, Pathophysiology of asthma. *Eur. Respir. Mon.* 2003;8: 84-11
- [54] Gauvreau GM et al., Effects of Interleukin-13 Blockade on Allergen-induced Airway Responses in Mild Atopic Asthma. *Am J Respir Crit Care Med*. 2011;183(8): 1007-14
- [55] Busse WW, Lemanske RF Jr. Asthma. *N Engl J Med* 2001;344(5): 350-62
- [56] Stevenson DD, Szczeklik A, Clinical and pathologic perspectives on aspirin sensitivity and asthma. *J Allergy Clin Immunol*, 2006;118(4): 773-86
- [57] Tattersfield, A. E., Knox, A. J., Britton, J. R. & Hall, I. P. Asthma. *Lancet* 2002;360: 1313-1322
- [58] Shore SA, Airway smooth muscle in asthma-not just more of the same. *N Engl J Med* 2004;351: 531-2
- [59] Bousquet J, Jeffery PK, Busse WW, Johnson M, Vignola AM, Asthma-From bronchoconstriction to airways inflammation and remodeling, *Am J Respir Crit Care Med*, 2000;161(5): 1720-45
- [60] Holgate ST, Polosa R. The mechanisms, diagnosis, and management of severe asthma in adults *Lancet* 2006;368(9537):780-93.
- [61] Burrows B, Barbee RA, Cline MG, Knudson RJ, Lebowitz MD, Characteristics of asthma among elderly adults in a sample of the general population. *Chest*. 1991;100(4): 935-42
- [62] Akbari O, Faul JL, Hoyte EG, Berry GJ, Wahlstrom J, Kronenberg M, DeKruyff RH, Umetsu DT. CD4+ invariant T-cell-receptor+ natural killer T cells in bronchial asthma. *N Engl J Med*, 2006;354(11): 1117-29
- [63] Larche M, Robinson DS, Kay AB. The role of T lymphocytes in the pathogenesis of asthma *J Allergy Clin Immunol* 2003;111(3):450-63
- [64] Barnes PJ, Cytokine modulators as novel therapies for asthma. *Annu Rev Pharmacol Toxicol* 2002;42: 81-98
- [65] Zimmermann N, Hershey GK, Foster PS, Rothenberg ME, Chemokines in asthma: cooperative interaction between chemokines and IL-13. *J Allergy Clin Immunol* 2003;111(2): 227-42

- [66] Boyce JA, Mast cells: beyond IgE. *J Allergy Clin Immunol* 2003;111(1):24–32
- [67] Robinson DS, The role of the mast cell in asthma: induction of airway hyperresponsiveness by interaction with smooth muscle? *J Allergy Clin Immunol* 2004;114(1):58–65
- [68] Galli SJ, Kalesnikoff J, Grimbaldeston MA, Piliponsky AM, Williams CM, Tsai M, Mast cells as "tunable" effector and immunoregulatory cells: recent advances. *Annu Rev Immunol*, 2005;23:749–86.
- [69] Brightling CE, Bradding P, Symon FA, Holgate ST, Wardlaw AJ, Pavord ID. Mast-cell infiltration of airway smooth muscle in asthma, *N Engl J Med*, 2002;346(22): 1699–1705
- [70] Chu HW, Martin RJ, Are eosinophils still important in asthma? *Clin Exp Allergy* 2001;31(4): 525–28
- [71] Sampson AP, The role of eosinophils and neutrophils in inflammation., *Clin Exp Allergy* 2000;30 Suppl 1:22–7
- [72] Williams TJ, The eosinophil enigma. *J Clin Invest* 2004;113(4): 507–9
- [73] Leckie MJ, ten Brinke A, Khan J, Diamant Z, O'Connor BJ, Walls CM, Mathur AK, Cowley HC, Chung KF, Djukanovic R, et al. Effects of an interleukin-5 blocking monoclonal antibody on eosinophils, airway hyperresponsiveness, and the late asthmatic response, *Lancet* 2000;356(9248):2144–8
- [74] Fahy JV, Kim KW, Liu J, Boushey HA, Prominent neutrophilic inflammation in sputum from subjects with asthma exacerbation, *J Allergy Clin Immunol* 1995;95(4):843–52
- [75] Jatakanon A, Uasuf C, Maziak W, Lim S, Chung KF, Barnes PJ, Neutrophilic inflammation in severe persistent asthma. *Am J Respir Crit Care Med*, 1999;160(5 Pt 1):1532–9
- [76] Wenzel SE, Szeffler SJ, Leung DY, Sloan SI, Rex MD, Martin RJ, Bronchoscopic evaluation of severe asthma-Persistent inflammation associated with high dose glucocorticoids, *Am J Respir Crit Care Med*, 1997;156(3):737–43
- [77] Wenzel SE, Asthma: defining of the persistent adult phenotypes, *Lancet* 2006;368(9537): 804–13
- [78] Kuipers H, Lambrecht BN, The interplay of dendritic cells, Th2 cells and regulatory T cells in asthma, *Curr Opin Immunol* 2004;16(6):702–8
- [79] Peters-Golden M, The alveolar macrophage: the forgotten cell in asthma, *Am J Respir Cell Mol Biol* 2004;31(1):3–7
- [80] Politio AJ, Proud D. Epithelia cells as regulators of airway inflammation. *J Allergy Clin Immunol* 1998;102(5):714–8
- [81] Busse WW, The role of leukotrienes in asthma and allergic rhinitis. *Clin Exp Allergy* 1996;26(8): 868–79

- [82] Leff AR, Regulation of leukotrienes in the management of asthma: biology and clinical therapy, *Annu Rev Med* 2001;52:1–14
- [83] Gelfand EW, Dakhama A, CD8+ T lymphocytes and leukotriene B4: novel interactions in the persistence and progression of asthma, *J Allergy Clin Immunol* 2006;117(3):577–82
- [84] Deykin A, Massaro AF, Drazen JM, Israel E, Exhaled nitric oxide as a diagnostic test for asthma: online versus offline techniques and effect of flow rate, *Am J Respir Crit Care Med*, 2002;165(12): 1597–1601
- [85] Strunk RC, Szeffler SJ, Phillips BR, Zeiger RS, Chinchilli VM, Larsen G, Hodgdon K, Morgan W, Sorkness CA, Lemanske RF Jr; Childhood Asthma Research and Education Network of the National Heart, Lung, and Blood Institute-Relationship of exhaled nitric oxide to clinical and inflammatory markers of persistent asthma in children. *J Allergy Clin Immunol* 2003;112(5): 883–92
- [86] Green RH, Brightling CE, McKenna S, Hargadon B, Parker D, Bradding P, Wardlaw AJ, Pavord ID, Asthma exacerbations and sputum eosinophil counts: a randomised controlled trial. *Lancet* 2002;360(9347): 1715–21
- [87] Sporik R, Ingram JM, Price W, Sussman JH, Honsinger RW, Platts-Mills TA, Association of asthma with serum IgE and skin test reactivity to allergens among children living at high altitude. Tickling the dragon's breath. *Am J Respir Crit Care Med* 1995;151(5):1388–92
- [88] Holgate S, Casale T, Wenzel S, Bousquet J, Deniz Y, Reisner C, The anti-inflammatory effects of omalizumab confirm the central role of IgE in allergic inflammation. *J Allergy Clin Immunol* 2005;115(3):459–65
- [89] *Global Initiative for Asthma: Management and Prevention*. NHLBI/WHO Workshop Report. US National Institutes of Health, 1995
- [90] The British Guidelines on Asthma Management. *Thorax* 1997; 52 (suppl): S1–21
- [91] Emergency Management of Acute Asthma Scottish Intercollegiate Guidelines Network (SIGN). 1999, no 38, 1–50
- [92] Rona RJ. Asthma and poverty. *Thorax* 2000; 55: 239–44
- [93] Wong CA, Walsh LJ, Smith CJP, et al. Inhaled corticosteroid use and bone-mineral density in patients with asthma. *Lancet* 2000; 355: 1399–403
- [94] Israel E, Banerjee TR, Fitzmaurice GM, Kotlov TV, LaHive K, LeBoff MS. Effects of inhaled glucocorticoids on bone density in premenopausal women. *N Engl J Med* 2001; 345: 941–47
- [95] Garbe E, LeLorier J, Boivin JF. Inhaled and nasal glucocorticoids and the risk of ocular hypertension or open-angled glaucoma. *JAMA* 1997; 277: 722–27

- [96] Dawson-Hughes B. Bone loss accompanying medical therapies. *N Engl J Med* 2001; 345: 989–91
- [97] Stirling RG, Chung KF. Leukotriene antagonists and Churg-Strauss syndrome: the smoking gun. *Thorax* 1999; 54: 865–66
- [98] Tuggey JM, Hosker HSR. Churg-Strauss syndrome associated with montelukast therapy. *Thorax* 2000; 55: 805–06
- [99] Ernst E. Complementary therapies in asthma: what patients use. *J Asthma* 1998;35: 667–71
- [100] Bielory L, Lupoli K. Review article: herbal interventions in asthma and allergy. *J Asthma* 1999;36:1–65
- [101] Aristo Vojdani and Jonathan Erde, Regulatory T Cells, a Potent Immunoregulatory Target for CAM Researchers: Modulating Allergic and Infectious Disease Pathology (II), Advance Access Publication, *eCAM* 2006;3(2)209–215
- [102] Ernst E. Harmless Herbs? A review of the recent literature *Am J Medicine* 1998;104:170–178
- [103] Eisenberg DM, Davis RB, Ettner SL, Appel S, Wilkey S, Van RompayM, Kessler RC. Trends in alternative medicine use in the United States, 1990– 1997. Results of a follow-up National Survey. *JAMA* 1998;280:1569–1575
- [104] Ernst E. The role of complementary and alternative medicine. *BMJ* 2000;321:1133–5
- [105] Ernst E. Why alternative medicines are used. *The Pharmaceutical Journal* 2005;275(7357):55
- [106] Sirois FM, Gick ML, An investigation of the health beliefs and motivations of complementary medicine clients. *Social Science & Medicine* 2002;55: 1025–37
- [107] Graham DM, Blaiss MS, Complementary/alternative medicine in the treatment of asthma, *Annals of Allergy, Asthma and Immunology*, 2000;85(6): 438–49
- [108] Barnes J, Mills SY, Abbot NC, Willoughby M, Ernst E. Different standards for reporting ADRs to herbal remedies and conventional OTC medicines: face-to-face interviews with 515 users of herbal remedies. *British Journal of Clinical Pharmacology* 1998;45: 496–500
- [109] Joanne Barnes et al., Different standards for reporting ADRs to herbal remedies and conventional OTC medicines: face-to-face interviews with 515 users of herbal remedies *Br J Clin Pharmacol.* 1998 May; 45(5): 496–500
- [110] Yuri N Clement et al., Medicinal herb use among asthmatic patients attending a specialty care facility in Trinidad. *BMC Complementary and Alternative Medicine* 2005, 5:1-8
- [111] Huntley A, Ernst E, Herbal medicines for asthma: a systematic review. *Thorax* 2000;55:925–9

References

- [112] Bielory L, Lupoli K, Herbal interventions in asthma and allergy, *Journal of Asthma* 1999;36(1):1–65
- [113] Ziment I, Tashkin D, Alternative medicine for allergy and asthma. *Journal of Allergy & Clinical Immunology* 2000;106(4):603–14
- [114] Anonymous, World Health Organization, Cardiovascular disease, The World Health report, Access online at <http://www.who.int/mediacentre/factsheets/fs317/en/> Geneva: WHO, 2011
- [115] World Health Organization. 2008-2013 Action Plan for the global strategy for the prevention and control of noncommunicable diseases. Geneva: WHO, 2008
- [116] Gaziano T, Reducing the growing burden of cardiovascular disease in the developing world, *Health Affairs* 2007; 26 (1):13–24
- [117] Yusuf S, Reddy S, Ounpuu S and Anand S. Global burden of cardiovascular diseases. Part 1: General considerations, the epidemic transition, risk factors, and impact of urbanisation. *Circulation* 2001; 104:2746–53
- [118] Vijaylakshmi SV et al., Oxidative stress in cardiovascular disease, *Indian J of Biochem and Biophy.*, 2009;46: 421-440
- [119] Rimm EB, Katan MB, Ascherio A, Stampfer MJ, Willett WC, Relation between intake of flavonoids and risk for coronary heart disease in male health professionals, *Ann Intern Med* 1996;125:384–389
- [120] Knekt P, Jarvinen R, Reunanen A, Maatela J. Flavonoid intake and coronary mortality in Finland: A cohort study. *BMJ* 1996;312: 478–481
- [121] Hertog MG, Feskens EJ, Hollman PC, Katan MB, Kromhout D. Dietary antioxidant flavonoids and risk of coronary heart disease: The Zutphen Elderly Study. *Lancet* 1993;342: 1007–1011
- [122] Yochum L, Kushi LH, Meyer K, Folsom AR. Dietary flavonoid intake and risk of cardiovascular disease in postmenopausal women. *Am J Epidemiol* 1999;149: 943–949
- [123] Fikel T, Holbrook NJ, Oxidant stress and the biology of aging, *Nature*. 2000;408: 239-247
- [123] Beris H., Antioxidant effects, a basis for drug selection, *Drugs*, 42 (1991), 569
- [146] Halliwell B, Free radicals, antioxidants and human disease: Curiosity, cause or consequence? *Lancet*, 1994;344: 721-724
- [124] Rackova L, Oblozinsky M, Kostalova D, Kettmann V, Bezakova L, Free radical scavenging activity and lipoxygenase inhibition of *Mahonia aquifolium* extract and isoquinoline alkaloids, *J. Inflamm.* 2007;4: 15
- [125] Kinnula VL, Crapo JD, Superoxide dismutases in malignant cells and human tumors, *Free Rad. Biol. Med.* 2004;36: 718-744

- [126] Singh U, Jialal I, Oxidative stress and atherosclerosis, *Pathophysiol.* 2006;13: 129-142
- [127] Sas K, Robotka H, Toldi J, Vecsei L, Mitochondrial, metabolic disturbances, oxidative stress and kynurenine system, with focus on neurodegenerative disorders, *J. Neurol. Sci.* 2007;257: 221-239
- [128] Smith MA, Rottkamp CA, Nunomura A, Raina AK, Perry G, Oxidative stress in Alzheimer's disease. *Biochim. Biophys. Acta* 2000;1502: 139-144
- [129] Guidi I, Galimberti D, Lonati S, Novembrino C, Bamonti F, Tiriticco M, Fenoglio C, Venturelli E, Baron P, Bresolin N, Oxidative imbalance in patients with mild cognitive impairment and Alzheimer's disease. *Neurobiol. Aging* 2006;27: 262-269
- [130] Bolton JL, Trush MA, Penning TM, Dryhurst G, Monks TJ, Role of quinones in toxicology, *Chem. Res. Toxicol.* 2000;13: 135-160
- [131] Arteel GE, Oxidants and antioxidants in alcohol induced liver disease, *Gastroenterol.* 2003;124: 778-790
- [132] Ramakrishna BS, Varghese R, Jayakumar S, Mathan M, Balasubramanian KA, Circulating antioxidants in ulcerative colitis and their relationship to disease severity and activity. *J. Gastroenterol. Hepatol.* 1997;12: 490-494.
- [133] Jainu M, Shyamala Devi CS, *In vitro* and *in vivo* evaluation of free radical scavenging potential of *Cissus quadrangularis*, *Afr J Biomed Res* 2005;8: 95-99
- [134] Wiseman H, Halliwell B, Damage to DNA by reactive oxygen and nitrogen species: Role of inflammatory disease and progression to cancer. *Biochem. J.* 1996;313: 17-29
- [135] Vijayalakshmi SV et al., Oxidative stress in cardiovascular disease, *Indian J of Biochem and Biophys.*, 2009;46: 421-440
- [136] Lavhale M., Mishra S H., Evaluation free radical scavenging of *Butea monosperma* Lam., *Ind J of Exp Biol*, 2007; 45: 376-384
- [137] Gardiner P, Graham RE, Legedza AT, Eisenberg DM, Phillips RS, Factors associated with dietary supplement use among prescription medication users. *Arch Intern Med* 2006;166: 1968-1974
- [138] Ernst E, Pittler MH, Wider B, Boddy K, *The desktop guide to complementary and alternative medicine*, 2nd ed.. Edinburgh: Mosby/Elsevier, 2006
- [139] Ernst E, Pittler MH, Wider B, Boddy K. *Complementary therapies for pain management*. London: Mosby/Elsevier, 2007
- [140] Mashour NH, Lin GI, Frishman WH, Herbal medicine for the treatment of cardiovascular disease: clinical considerations. *Arch Intern Med* 1998;158: 2225-34

- [141] Bordia A, Effect of garlic on blood lipids in patients with coronary heart disease, *Am J Clin Nutr* 1981;34:2100—3
- [142] Warshafsky S, Kamer RS, Sivak SL, Effect of garlic on total serum cholesterol. A meta-analysis, *Ann Intern Med* 1993;119:599-605
- [143] Stevinson C, Pittler MH, Ernst E. Garlic for treating hypercholesterolemia. A meta-analysis of randomized clinical trials. *Ann Intern Med* 2000;133:420-9
- [144] Natural Medicines Comprehensive Database. 2009. Available from: <http://www.naturaldatabase.com>
- [145] Artz MB, Harnack LJ, Duval SJ, et al. Use of nonprescription medications for perceived cardiovascular health. *Am J PrevMed* 2006;30:78–81
- [146] Qato DM, Alexander GC, Conti RM, et al. Use of prescription and over-the-counter medications and dietary supplements among older adults in the United States. *JAMA* 2008;300: 2867–2878
- [147] Fuhrman B, Volkova N, Kaplan M, et al. Antiatherosclerotic effects of licorice extract supplementation on hypercholesterolemic patients: increased resistance of LDL to atherogenic modifications, reduced plasma lipid levels, and decreased systolic blood pressure. *Nutrition* 2002;18: 268-73
- [148] Eisenberg D, David RB, Ettner SL, Appel S, Wilkey S, Van Rompay M, et al. Trends in alternative medicine use in the United States, 1990-1997: Results of a Follow-up National Survey. *JAMA* 1998;280: 1569-75
- [149] Patricia M. Barnes and Barbara Bloom, Complementary and Alternative Medicine Use Among Adults and Children: United States, 2007, *National Center for Health Statistics* 2008;12: 1-24
- [150] Giveon SM, Liberman N, Klang S, Kahan E, Are people who use “natural drugs” aware of their potentially harmful side effects and reporting to family physician? *Patient Educ Couns* 2004;53: 5–11
- [151] Cuzzolin L, Safety implications regarding use of phytomedicines alone or in combination with traditional drugs, *Eur J Clin Pharmacol* 2005;6: 453-8
- [152] Ernst E, Herb-drug interactions – an update, *Perfusion* 2003;16:175–194
- [153] Wold RS, Lopez ST, Yau CL, Butler LM et al, Increasing trends in elderly persons’ use of nonvitamin, nonmineral dietary supplements and concurrent use of medications. *J Am Diet Assoc* 2005;105:54–63
- [154] Marja J Verhoef, Andrea Mulkins, Ania Kania, Barbara Findlay-Reece and Silvano Mior Identifying the barriers to conducting outcomes research in integrative health care clinic settings - a qualitative study *BMC Health Serv Res.* 2010; 10: 14
- [155] Mendes John, *Cote ce Cote la: Trinidad & Tobago Dictionary*, Arima, Trinidad, 1986. p. 135

- [156] Pandey C.N., Raval B.R., Mali Seema, Salvi Harshad, Medicinal Plants of Gujarat, Published by Gujarat Ecological Education and Research (GEER) foundation, Gandhinagar, 2005, pp. 211
- [157] Anonymous, <http://plants.usda.gov/>
- [158] Ayurvedic Formulary of India, Government of India, ministry of health and family welfare, Department of ISM & H, part I, Vol. 3, pp 58-9
- [159] C. P. Kala, Ethnomedicinal botany of the Apatani in the Eastern Himalayan region of India, *J of Ethnobiology and Ethnomedicine* 2005;1:11
- [160] Clement *et al.* Medicinal herb use among asthmatic patients attending a specialty care facility in Trinidad. *BMC Complementary and Alternative Medicine* 2005 5:3; 1-8
- [161] D. Mahabir and M. C. Gulliford, Use of medicinal plants for diabetes in Trinidad and Tobago, *Rev Panam Salud Publica/Pan Am J Public Health* 1997;1(3): 174-179
- [162] Cheryl Lans, Ethnomedicines used in Trinidad and Tobago for reproductive problems, *Journal of Ethnobiology and Ethnomedicine* 2007, 3:13
- [163] Elisabetsky E, Posey DA: Use of contraceptive and related plants by the Kayapo Indians (Brazil). *Journal of Ethnopharmacology* 1989, 26(3):299-316
- [164] Stasi LC, Oliveira GP, Carvalhaes MA, Queiroz-Junior M, Tien OS, Kakinami SH, Reis MS. Medicinal plants popularly used in the Brazilian Tropical Atlantic Forest *Fitoterapia* 2002;73: 69-91
- [165] Tadahihiro Takeda, Yuji Narukawa, and Noriyasu Hada, Studies on the Constituents of *Leonotis nepetaefolia*, *Chem. Pharm. Bull.* 1999;47(2):284-6
- [166] L. Govindaswamy, V. Rajakannan, D. Velmurugan, S. Banumathi, S. Vasanth, Structural Studies on Three Plant Diterpenoids from *Leonotis nepetaefolia*, *Cryst. Res. Technol.* 2002;37(8):896-909
- [167] James R Hanson, Diterpenoids, *Natural Product Reports*, 1998; 93-106
- [168] Bagby MO, Smith CR & Wolff IA, Laballic acid- A new allenic acid from *Leonotis nepetaefolia* Seed Oil, *J Org Chem* 1965;30: 4227-9
- [169] B. Lasserre, R. Kaiser, Pham Huu Chanh, Effects on rats of aqueous extracts of plants used in folk medicine as antihypertensive agents, *Naturwissenschaften*, 1983;70:95-6
- [170] Calixto, JB, Yunes, RA; Rae, GA, Effect of crude extracts from *Leonotis nepetaefolia* (Labiatae) on rat and guinea-pig smooth muscle and rat cardiac muscle, *J. Pharm. Pharmacol.* 1991;43(8):529-34
- [171] Gopal, RH, Antibacterial activity of *Leonotis nepetaefolia*. *Fitoterapia* 1995;66(1):83-5

- [172] Hortensia PD, Gabriela GR, Antonio NC, Mariano MV, Antiinflammatory activity of some extracts and isolates from *Leonotis nepetaefolia* on TPA induced edema model, *Rev. Soc. Quim Mex.*, 2004;48:293-5
- [173] C Clarkson, VJ Maharaj, NR Crouch, OM Grace, P Pillay, MG Matsabisa, *et al.* In vitro antiplasmodial activity of medicinal plants native to or naturalised in South Africa, *J of Ethnopharmacology*, 2004;92:177-91
- [174] JP David, M Meira, JM David, HN Brandao, A Branco, M de F Agra, *et al.* Radical scavenging, antioxidant and cytotoxic activity of Brazilian Caatinga plants, *Fitoterapia*, 2007;78:215-8
- [175] Kirtikar and Basu. *Indian medicinal plants*. 3rd edition, M.S. periodical experts, New Delhi 32.1975; Vol. I: 437
- [176] E. Noumi, A. Yomi, Medicinal plants used for intestinal diseases in Mbalmayo Region, Central Province, Cameroon, *Fitoterapia* 72;2001.246-254
- [177] Kusamba Chifundera, Antivenous plant used in Zairean Pharmacopoeia, *Asian Study Monograph*, 1987;7: 21-35
- [178] S Satish, MP Raghavendra and KA Raveesha, Evaluation of the Antibacterial Potential of Some Plants Against Human Pathogenic Bacteria, *Advances in Biological Research* 2008(3-4): 44-48
- [179] MP Raghavendra, S Satish and KA Raveesha, Phytochemical analysis and antibacterial activity of *Oxalis corniculata*; a known medicinal plant, *mySCIENCE* 1(1), 2006, 72-78
- [180] Bisignano G, Sanogo K, Masino A, Aquino R, Angelo UD, Germano M.P, De pasquale R and Pizza C, *Phytochemistry*, 2000;30: 105-108
- [181] Unni BG, Archana Borah, SB Wann, HR Singh, Basabrani Devi and MinakshiBhattacharjee. Phytochemical and Antibacterial Study of Traditional Medicinal Plants of North East India on *Escherichia coli.*, *Asian J. Exp. Sci.*, 2009; 23(1): 103-108
- [182] Seal SN, and Sen SP, The Photosynthetic production of *Oxalic acid* in *Oxalis corniculata*, *Plant and Cell Physiology* 1970;11: 119-128
- [183] Hiroki M, Kaori TY and K Yoshitama, Flavonoids in the leaves of *Oxalis corniculata* and sequestration of the flavonoids in the wing scales of the pale grass blue butterfly, *Pseudozizeerimaha*, *J Plant Res*, 2008; 121:133-136
- [184] Hebbar SS, Harsha VH, Shripathi V and Hegde GR, Ethnomedicine of Dharwad district in Karnataka, India- Plants used in oral health care, *Journal of Ethnopharmacology* 2004;94: 261-266
- [185] Achola KJ, Mwangi JW, and Munenge RW, Pharmacological activity of *Oxalis Corniculata*, *Pharmaceutical Biology* 1995;33, 247-249

- [186] Taranalli AD, Tipare, SV, and Torgal SS, Wound healing activity of *Oxalis corniculata* whole plant extract in rats, *Indian Journal of Pharmaceutical Research* 2004;66: 444-446
- [187] Farre M, Xirgu J, Salgado A, et al. Fatal oxalic acid poisoning from sorrel soup. *Lancet* 1989;2: 1524
- [188] Abhilash PA, et al., Cardioprotective effects of aqueous extract of *Oxalis corniculata* in experimental myocardial infarction *Exp Toxicol Pathol* (2010)
- [189] Evans WC, *Trease and Evans Pharmacognosy*, (14th edn WB Saunders company limited, London), 1996, 545
- [190] Anonymous, WHO, *World Health Organisation*, Quality Control Methods for Medicinal Plant Materials, WHO, Geneva, 1998
- [191] Brain KR & Turner TD, *The practical evaluation of phytopharmaceuticals*, (Wright Sciencetechnica, Bristol), 1975, 36, 81
- [192] Wallis TE, "Practical Pharmacognosy" Churchill Ltd, 1952, PP-178-179
- [193] Anonymous, The Ayurvedic Pharmacopoeia of India I (vol III), Government of India, Ministry of Health and Family Welfare, Department of ISM & H, 58
- [194] Kokate C K, Practical Pharmacognosy, 3rd edition, Vallabh Prakashan, 1991 :108-109
- [195] Harborne JB, *Methods of extraction and isolation*, In: *Phytochemical Methods*, (Chapman & Hall, London), 1998, 60
- [196] Wagner H & Bladt S, *Plant Drug Analysis, A Thin Layer Chromatography Atlas*, [2nd edn & 1st Indian reprint, Springer (INDIA) Pvt. Ltd., New Delhi], 2004
- [197] Singleton VL, Rossi Jr. JA, *American J.Enol. Viticult.* 1965; 16(3) : 144-158
- [198] Chia-Chi Chang, Ming-Hua Yang, Hwei-Mei Wen, Jiing-chuan Chern, Estimation of Total Flavonoid content in propolis by two complementary colorimetric methods, *J food and drug ana*, 2002; 10 (3): 178-182
- [199] Kumaran A, Karunakaran RJ: *In vitro* antioxidant activities of methanol extracts of *Phyllanthus* species from India. *Volume 40. Lebens-Wiss Technologie*; 2007:344-352
- [200] Sureshkumar SV and Mishra SH, Hepatoprotective effect of *Pergulariadaemia* (Forsk.) ethanol extract and its fraction, *Indian J Exp Biol.* 2008; 46(6):447-52
- [201] Harborne JB, *Phytochemical Methods, A Guide to Modern Techniques of Plant Analysis*, [3rd edn, Springer (INDIA) Pvt. Ltd., New Delhi], 1998, 124

- [202] Clivio, Pascale, Bernard Richard, Jean-Robert Deverre, Thierry Sevenet, Monique Zeches and Louise Le Men-Oliver, Alkaloids from the leaves and root bark of *Ervatamia hirta*, *Phytochemistry*, 1991;30(11): 3785-3792
- [203] Ibrahim G, Abdulmunin S, Musa K and Yaro A. Anticonvulsant activity of the stem bark of *Ficussycomorus* (Moraceae), *J of Pharm and Tox*, 2008; 3(5): 351-356
- [204] Woo SWH, Y Shin and KS Kang. Chemistry and pharmacology of flavone-c-glycoside from *Zizypus* seeds, *Korean J Pharm.*, 1980; 11 (3-4):141-148
- [205] Indian Pharmacopoeia, Government of India, 1996
- [206] Sethi PD, Quantitative analysis of Pharmaceutical formulations by HPTLC, CBS Publishers, New Delhi, 1996; 25-35
- [207] ICH-Guidelines Q 2B, Validation of Analytical procedures: Methodology (CPMP/ICH/281/95)
- [208] Roll R, Hofer-BosseTh, Kayser D, New perspectives in acute toxicity testing of chemicals, *Toxicol Lett Suppl.* 1986; 31: 86
- [209] Blois MS, Antioxidant determination by the use of a stable free radical, *Nature*, 1958;181: 1199—1200
- [210] Prieto P, Pineda M, Aguilar M, Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: specific application to the determination of vitamin E, *Analytical Biochemistry*, 1999;269: 337–341
- [211] Oktay M, Gülçin, Küfrevio, Determination of in vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts, *Lebensm Wissen Technol*, 2003;36: 263-271
- [212] Athukorala Y, Nam K, Jeon Y, Antiproliferative and antioxidant properties of an enzymatic hydrolysate from brown algae *Ecklonia cava*, *Food Chem Toxicol.*, 2006;44: 1065-1074
- [213] Jaime L, Mendiola JA, Herrero M, Soler-Rivas C, Santoyo S, Senorans FJ, Cifuentes A, Ibanez E. Separation and characterization of antioxidants from *Spirulina platensis* microalga combining pressurized liquid extraction, TLC, and HPLC-DAD. *Sep. Sci.*, 2005;28: 2111 2119
- [214] Althunibat OY et al., *In Vitro* Antioxidant and Antiproliferative Activities of Three Malaysian Sea Cucumber Species, *Eur J Scienc Res*,2009;37(3): 376-387
- [215] Moongkarndi P, Kosem N, Kaslungka S,Luanratana O, Pongpan N, Neungton N. Antiproliferation, antioxidation and induction of apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line. *Journal of Ethnopharmacology* 2004;90: 161- 166

- [216] Tappel AL, Boyer PD, Lundberg WO, The Reaction Mechanism of Soy Bean Lipoxidase. *J. Biol. Chem.*, 1952;199: 267-81
- [217] Siddiqui RA, English D, Cui Y et al, Phorbol ester-induced priming of superoxide generation by phosphatidic acid-stimulated neutrophils and granule-free neutrophil cytoplasts, *J Leukoc Biol* 1995;58: 189–195
- [218] Tan AS, Berridge VM, Superoxide produced by activated neutrophils efficiently reduces the tetrazolium salt, WST-1 to produce a soluble formazan: a simple colorimetric assay for measuring respiratory burst activation and for screening anti-inflammatory agents, *J Immunol Methods* 2000;238: 50–68
- [219] MacDonalds TM, Beard K, Bruppacher R et al, The safety of drug for OTC use: what evidence is required for an NSAID switch, *Pharmacol Drug Safety* 2002;11: 577–584
- [220] Martin C, Connelly A, Keku TO et al, Non-steroidal antiinflammatory drugs, apoptosis and colorectal adenomas, *Gastroenterology* 2002;123: 1770–1777
- [221] Lee YM, Kim SH, Shin TY, Ki HM, Anti anaphylactic activity of *Poncirus trifoliata* fruit extract, *J Ethnopharmacol* 1990;54: 77–84
- [222] Loeffler LJ, Lovenberg W, Sjoerdsma A, Effects of dibutyl-1-3,5-cyclic adenosine monophosphate, phosphodiesterases inhibitors and prostaglandin E1 on compound 48/80 induced histamine release from rat peritoneal mast cells in vitro, *Biochemical Pharmacology* 1971;20: 2278–2297
- [223] Brekhman LI, Dardymov IV, New specific substance of plant origin, which increases nonspecific resistance, *Annu Rev Pharmacol* 1969;9: 419 – 428
- [224] Bhargava KP, Singh N, Anti-stress activity of *Ocimum sanctum*, *Indian J Med Res* 1981;73: 443- 445
- [225] Taur DJ, Nirmal SA, Patil R and Kharya M, Antistress and antiallergic effects of *Ficus bengalensis* bark in asthma, *Nat Prod Res*, 2007;21:1266 – 1270
- [226] Winter CA, Risley EA, Nuss GW, Carrageenin-induced edema in hind paw of the rats as an assay for anti-inflammatory drugs. In: *Proceedings of the Society for Experimental Biology and Medicine*, 1962; 3: 544–547
- [227] Mitra SK, Gopumadhavan S, Venkataranganna MV and Anturlikar SD, Anti-asthmatic and anti-anaphylactic effect of E-721B, a herbal formulation, *Ind J Pharmacol* 1999 ;31: 133-137
- [228] Sheth UK, Dadkar NK and Kamat UG, Selected topics in experimental pharmacology, First edition, Kothari Book Depot, Bombay, India, 1972: 63
- [229] Goyal S, Siddiqui MK, Siddiqui KM, Arora S, Mittal R, Joshi S, Arya DS, Cardioprotective effect of 'Khamira Abresham Hakim Arshad Wala' a Unani formulation in isoproterenol-induced myocardial necrosis in rats, *Exp. Toxicol. Pathol.* 2010; 62(1): 61-74

- [230] Hevener A, D Reichart, A Janez and J Olefsky, Female rats do not exhibit free fatty acid-induced insulin resistance, *Diabetes*, 2002; 51: 1907-1912
- [231] Okhawa H, Oohishi N, Yagi N. Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, *Ann. Biochem.* 1979; 95:351–358
- [232] Moron MS, Depierre JW, Mannervik B, Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver, *Biochem.Biophys.Acta* 1979; 582: 67–78
- [233] Aebi H. Catalase. In: Bergmeyer, H.U. (Ed.), *Methods of Enzymatic Analysis*. Academic Press Inc., 1974; 673–685
- [234] Marklund S and Marklund G., Involvement of the superoxide anion radical in the autoxidation of pyrogallol and a convenient assay for superoxide dismutase, *Eur. J. Biochem.* 1974; 47, 469–474
- [235] Lie JT, Pairolero PC and Holley KE. Macroscopic enzyme mapping verification of large, homogenous, experimental myocardial infarcts of predictable size and location in dogs, *J Thorac Cardiovasc Surg*, 1975; 69:599-605
- [236] Soni S, Kondalkar A, Tailang M & Pathak AK, Pharmacognostic and Phytochemical Investigation of *Stevia rebaudiana*, *Phcog Mag*, 2008; 4(13, Suppl 1): 89
- [237] Anonymous, *The Ayurvedic Pharmacopoeia of India I (vol III)*, Government of India, Ministry of Health and Family Welfare, Department of ISM & H
- [238] Fiske CH, Subbarow IP, The colorimetric determination of phosphorus, *J. Biol. Chem.* 1925;66: 375-379
- [239] Chen PS, Toribara TY, Warner H, Microdetermination of phosphorus, *Anal Chem* 1956;28: 1756-1763
- [240] Greenlee RT, Hill-Marmon MB, Murray T, Thun M, *Cancer Statistics*, *CA Cancer J Clin*, 2001;51: 15-36
- [241] Kummalue T, Molecular mechanism of herbs in human lung cancer cells, *J Med Assoc Thai*, 2005;88(11):1725-34
- [242] Barclay AS and Perdue RE Jr, Distribution of anticancer activity in higher plants, *Cancer Treat Rep* 1976;60: 1081–111
- [243] Chen SH, Farina V, Paclitaxel chemistry and structure-activity relationships, In: Farina V (ed), *The Chemistry and Pharmacology of Taxol and its Derivatives*. Elsevier Science: Amsterdam, 1995, 165–254
- [244] Hu W, Kavanagh JJ, Anticancer therapy targeting the apoptotic pathway, *Lancet Oncol.*, 2003;4(12):721-9
- [245] Yang YL, Li XM, The IAP family: endogenous caspase inhibitors with multiple biological activities. *Cell Res* 2000; 10: 169–77

- [246] Sun XM, MacFarlane M, Zhuang J, et al. Distinct caspase cascades are initiated in receptor-mediated and chemical-induced apoptosis. *J Biol Chem* 1999; 274: 5053–60
- [247] Duke JA. *Mentha pulegium* L. (Lamiaceae)-Pennyroyal, In: Duke JA. Handbook of medicinal herbs, Boca Raton: CRC Press, Florida, USA. 2001. pp. 307-308
- [248] Briggs CJ, Pennyroyal traditional medicinal herb with toxic potential, *Can Pharm J*, 1989; 122: 379-372
- [249] David JP, Meira M, David JM, Brandao HM, Branco A, et al. Radical scavenging, antioxidant and cytotoxic activity of Brazilian Caatinga plants, *Fitoterapia*, 2007;78:215–8
- [250] Land WEM, Mechanisms of action of anti-inflammatory drugs, *Adv Drug Res* 1985;14: 147–167
- [251] Steinhilber DA, 5-Lipoxygenase: a target for anti-inflammatory drugs revisited, *Curr Med Chem*, 1999;6: 71-75
- [252] Nie D, Honn KV, Cyclooxygenase, lipoxygenase and tumor angiogenesis, *Cell Mol Life Sci* 2002;59: 799–807
- [253] Ding XY, Tong WG, and Adrian TE, Cyclooxygenases and Lipoxygenases as potential targets for treatment of pancreatic cancer, *Pancreatology*, 2001;4: 291
- [254] Shinde, U.A., K.R. Kulkarni, A.S. Phadke, A.M. Nair, Dikshit V.J. Mungantiwar and M.N. Saraf, Mast cell stabilizing and lipoxygenase inhibitory activity of *Cedrus deodara* Loud. Wood Oil. *Indian J. Exp. Biol.*, 1999;37(3): 258-261
- [255] Land WEM, Mechanisms of action of anti-inflammatory drugs, *Adv Drug Res* 1985;14: 147–167
- [256] Vallyathan V, Shi X, The role of oxygen free radicals in occupational and environmental lung diseases, *Environ Health Perspect* 1997; 105 (Suppl. 1): 165–177
- [257] Babior BM, Kipnes RS, Curnutte JT, Biological defense mechanisms-The production by leukocytes of superoxide, a potential bactericidal agent, *J Clin Invest* 1973; 52:741–744
- [258] Chanez P, Dent G, Yukawa T, Barnes PJ, Chung KF, Generation of oxygen free radicals from blood from asthma patients after stimulation with PAF or phorbol ester, *Eur Respir J* 1990; 3: 1002–1007
- [259] Vachier I, Damon M, Doucen CL, Paulet ACD, Enhancement of ROS formation in stable and unstable asthmatic patients, *Eur Respir J* 1994; 7: 1585–1592
- [260] Vachier I, Damon M, Doucen CL, Paulet ACD, Chanez, Increased ROS in blood monocytes of asthmatic patients, *Am Rev Respir Dis* 1992; 146: 1161–1166

- [261] Russell P. Bowler, Oxidative Stress in the Pathogenesis of Asthma, *Current Allergy and Asthma Reports* 2004, 4:116–122
- [262] B Palmieri, V Sblendorio, Oxidative stress detection: what for? Part II, *European Review for Medical and Pharmacological Sciences*, 2007; 11: 27-54
- [263] Cadenas E, & Sies H, The lag phase, *Free. Radic. Res.*, 1998;28, 601–609
- [264] Mates JM, Perez-Gomez C, & De Castro IN, Antioxidant enzymes and human diseases, *Clin. Biochem.*, 1999;32, 595–603
- [265] Church MK, Levi-Schaffer F, The human mast cell, *Journal of Allergy and Clinical Immunology*, 1997; 99: 155-160
- [266] Norton S, Quantitative determination of mast cells fragmentation by compound 48/80, *British Journal of Pharmacology*, 1954.; 2, 484
- [267] Stephen J Galli, Mindy Tsai & Adrian M. Piliponsky, The development of allergic inflammation, *Nature* 2008; 445-454
- [268] Brightling CE, Kaur D, Berger P et al, Differential expression of CCR3 and CXCR3 by human lung and bone marrow-derived mast cells: implications for tissue mast cell migration, *J Leuk Biol* 2005, 77:S759–S66
- [269] Madeleine Ennis, New Targets for Modifying Mast Cell Activation in Asthma, *Current Allergy and Asthma Reports*, 6(3);247-25
- [270] Mang Yu et al, Identification of an IFN- γ /mast cell axis in a mouse model of chronic asthma, *The Journal of Clinical Investigation*, 2011;121: 3133-3143
- [271] Gleich GJ, Adolphson CR, Leiferman KM, The biology of eosinophilic leukocyte, *Annu Rev Med* 1993;44: 85 - 101
- [272] Kroegel C, Warner JC, Virchow JR, Matthys H, Pulmonary immune cells in health and disease: the eosinophil leukocyte (Part II), *Eur Respir J*, 1994;7: 743 - 760
- [273] Sampson, The role of eosinophils and neutrophils in inflammation, *Clin Exp Allerg*, 2000;30: 22 - 27
- [274] Brigden ML, Eosinophilia, *Postgrad Med* 1999;3: 105-115
- [275] Justice JP, McGary MP, Lee NA and Lee JJ, Ablation of eosinophils leads to a reduction of allergen-induced pulmonary pathology, *Am J Physiol Lung Cell Mol Physiol* 2003;284: 169-178

- [276] Bandeira-Melo C, Cordeiro RSB, Silva PMR, Martins MA, Modulatory Role of Eosinophils in Allergic Inflammation: New Evidence for a Rather Outdated Concept, *Mem Inst Oswaldo Cruz Rio de Janeiro*. 1997; 92: 37-43
- [277] Ehright T, Chua S, Lim DJ, Pulmonary eosinophilic syndromes, *Annu Allergy* 1989;62: 277 - 283
- [278] Oliver N, Gerald H, Gert K, Immunological and clinical changes in allergic asthmatics following treatment with Omalizumab, *Int Arch Allergy Immunol*, 2003;131: 46-52
- [279] Uvnas B, Mast cells and histamine release, *Ind Pharm* 1969;23-32a
- [280] Maldini M et al., Screening of the topical anti-inflammatory activity of the bark of *Acacia cornigera* Willdenow, *Byrsonima crassifolia* Kunth, *Sweetia panamensis* Yakovlev and the leaves of *Sphagneticola trilobata* Hitchcock *Jof Ethnopharmacol*, 2009;122: 430–433
- [281] Vinegar R, Schreiber W, Hugo R, Biphasic development of carrageenan oedema in rats, *Journal of Pharmacology and Experimental Therapeutics*, 1969;166: 96–103
- [282] Cuzzocrea S, Zingarelli B, Hake P, Salzman AL, Szabo C, Anti-inflammatory effects of mercaptoethylguanidine, a combined inhibitor of nitric oxide synthase and peroxynitrite scavenger in carrageenan-induced models of inflammation, *Free Radical Biology and Medicine* 1998;24, 450–459
- [283] Ueno A, Naraba H, Ikeda Y, Ushikubi F, Murata T, Naramiya S, Ohishi S, Intrinsic prostacycline contributes to exudation induced by bradykinin or carrageenan: a study on the paw oedema induced in IP-receptor-deficient mice. *Life Sciences* 2000;66: 155–160
- [284] Seibert K, Zhang Y, Leahy K, Hauser S, Masferrer J, Perkins W, Lee L, Isakson P, Pharmacological and biochemical demonstration of the role of cyclooxygenase 2 in inflammation and pain. *Proceedings of the National Academy of Sciences of the United States of America*, 1994;12013–12017
- [285] Di-Rosa M, Giroud JP, Willoughby DA, Studies on the mediators of acute inflammatory response induced in rats in different sites of carrageenan and turpentine, *J Pathol*. 1971; 104: 15–29
- [286] Shore SA, Airway smooth muscle in asthma-not just more of the same, *N Engl J Med* 2004;351: 531-2
- [287] Parmar SK, Kathad HK, Gangwal AP, Sheth NR, Evaluation of anti-asthmatic activity of leaves of *Murraya koenigii* L. *BVU Sci Res J*. 2009; 7: 15-21
- [288] Mukherjee PK, “Quality Control of Herbal Drugs”, 1st edi, Business Horizons Pharmaceutical Publishers, New Delhi, (2002) 144- 582
- [289] Sethiya NK, Trivedi A, Patel MB & Mishra SH, Comparative pharmacognostical investigation on four ethanobotanicals traditionally used as Shankhpushpi in India, *J Adv Pharm Tech Res*, 2010;1: 388

- [290] Zhou B, LJ Wu, LH Li, S Tashiro, S Onodera, F Uchiyama and T Ikejima, Silibinin protects against isoproterenol-induced rat cardiac myocyte injury through mitochondrial pathway after upregulation of SIRT, *J Pharmacol Sci*, 2006; 102: 387-395
- [291] Sabeena Farvin KH, R Anandan, SH Kumar, KS Shiny, TV Sankar and TK Thankappan, Effect of squalene on tissue defense system in isoproterenol-induced myocardial infarction in rats, *Pharmacol. Res.*, 2004; 50: 231-236
- [292] Gurgun C, M Ildizli, O Yavuzgil, A Sin, A Apaydin, C Cinar and H Kultursay, The effects of short term statin treatment on left ventricular function and inflammatory markers in patients with chronic heart failure, *Int J Cardiol*, 2008; 123: 102-107
- [293] Singal PK, Kapur N, Dhillon KS, Beamish RE and Dhalla NS, Role of free radicals in catecholamine-induced cardiomyopathy, *Can J Physiol Pharmacol* 1982; 60: 1390–1397
- [294] Rajyalakshmi P, K Venkatalakshmi, TVN Padmavathi and V Suneetha, Effect of processing on beta-carotene content in forest green leafy vegetables consumed by tribals of south India, *Plant Foods for Human Nutrition*, 2003; 58: 1–10
- [295] Unni BG, Archana Borah, SB Wann, HR Singh, Basabrani Devi and MinakshiBhattacharjee, Phytochemical and Antibacterial Study of Traditional Medicinal Plants of North East India on *Escherichia coli*, *Asian J Exp Sci*, Vol. 23, No. 1, 2009; 103-108
- [296] Halliwell, B and Chirico S, Lipid peroxidation: its mechanism, measurement, and significance, *Am J Clin Nutr*, 1993;57(5): 715S–725S
- [297] Loh HK, Sahoo KC, Kishore K, Ray R, Nag TC, Kumari S and Arya DS, Effects of thalidomide on isoprenaline-induced acute myocardial injury: A haemodynamic, histopathological and ultrastructural study, *Basic Clin Pharmacol Toxicol*, 2007; 100, 233–239
- [298] Tappia PS, Heta T and Dhalla NS, Role of oxidative stress in catecholamine- induced changes in cardiac sarcolemmal Ca^{2+} transport, *Arch Biochem Biophys* 2001; 377:85–92
- [299] Senthil S, M Sridevi and KV Pugalendi, Cardioprotective Effect of Oleanolic Acid on Isoproterenol-Induced Myocardial Ischemia in Rats, *Toxicol. Pathol.* 2007; 35:3418-423
- [300] MohantyI, Arya DS, Dinda A, Talwar KK, Joshi S, Gupta SK, Mechanisms of cardioprotective effect of *Withaniasomnifera* in experimentally induced myocardial infarction, *Basic & Clinical Pharmacology & Toxicology*, 2004; 94(4):184-190
- [301] Naik SR and VS Panda, Cardioprotective activity of polyherbal extracts in experimental myocardial necrosis in rodents: an evidence of antioxidant activity, *J Compl Integr Med*, 2008; 5:35

References

- [302] Nirmala C. & R. Puvanakrishnan, Isoproterenol induced myocardial infarction in rats: functional and biochemical alterations. *Med. Sci. Res.* 1994, 22, 575–577
- [303] Gandhi C, Upaganalawar A and BalaramanR, Protection against in vivo focal myocardial ischemia/reperfusion injury-induced arrhythmias and apoptosis by hesperidin; *Free Radic Res.* 2009; 43(9):817-27
- [304] Dhalla NS, Temsah RM and Netticadan T, Role of oxidative stress in cardiovascular diseases, *J Hypertens* 2000; 18:655–73
- [305] Kubota, Nakajima, Isolation from leaves of *Leonurus sibiricus* L., Labiatae, *C.A.* 1931; 25, 771
- [306] Goto *et al.*, Structure: *Tetrahedron Lett.* 1962, 545
- [307] Sugiura *et al.*, Structure and synthesis, *Tetrahedron* 1969;25, 5155
- [308] Hiroki M, Kaori TY and K Yoshitama, Flavonoids in the leaves of *Oxalis corniculata* and sequestration of the flavonoids in the wing scales of the pale grass blue butterfly, *Pseudozizeerimaha*, *J Plant Res*, 2008; 121:133–136