

REFERENCES

- Agarwal, G. C. (1984) Further studies on Tertiary and Quaternary sequences of south Gujarat with reference to their structural style and geomorphic expressions. M. S. University, Baroda Unpublished Ph. D. Thesis, 177p
- Agarwal, G. C. (1986) Structure and tectonics of exposed Tertiary rocks between Narmada and Kim rivers in South Gujarat. *Jour. Geol. Soc. Ind.*, v. 27, pp. 531-542.
- Ahuja, A. D., Rao, S. V., Patel, B. K., Singh, A. K., Saini, S. S. and Thattacharry B. J. (1990) Structural styles in south Cambay basin-genesis and impact on hydrocarbon accumulation. *Bull. O.N.G.C.*, v. 2, p. 11-40.
- Alavi, S. A. and Merh, S. S. (1991) Geomorphic history of the south Gujarat highlands. *Ind Jour. Earth Sci.*, v. 18, pp. 170-183.
- Arora, B. R. and Reddy, C. D. (1991) Magnetovariational study over a seismically active area in the Deccan Trap province of western India. *Phy. Earth and Planet. Int.*, v. 66, pp. 118-131.
- Auden, J B. (1949) Dykes in western India. *Trans. Nat. Inst. Sci. Ind.*, v. 3, pp. 123-157.
- Babu, P. V. L. P. (1984) A Structural Synthesis of the lower Narmada River Basin and its bearing on the Mesozoic Oil Prospects. *Petroleum Asia Journal, Petroliferous Basins of India*, v. 2, pp. 97-101.
- Balance, P F. (1984) Sheet-flow dominated gravel fans of the non-marine Middle Cenozoic Simmler Formation, Central California *Jour. Sediment. Geol* , v. 38, pp. 337-359.
- Best, J. L. and Bridge, J. S. (1992) The morphology and dynamics of low amplitude bedwaves upon upper stage plane beds and preservation of planar laminae. *Sedimentology*, v. 39, pp. 737-752.

- Bhandari S., Raj, R., Maurya, D. M. and Chamyal, L. S. (2001) Formation and Erosion of Holocene Alluvial fans along Narmada – Son Fault near Rajpipla in lower Narmada basin, western India. *Jour. Geol. Soc. Ind.*, v 58, pp 519-531.
- Bhandari, S., Maurya, D. M. and Chamyal, L. S. (2004) Late Pleistocene alluvial plain sedimentation in lower Narmada valley, Western India: Palaeoenvironmental implications *Jour. of Asian Earth Sciences* (in press).
- Billi, P., Magi, M. and Saggi, M. (1987) Coarse-grained low sinuosity river deposits: examples from Plio-Pleistocene Valdarno Basin, Italy, In: Ethridge, F. G., Flores, R. M., Harvey, M. D. (Eds.), *Recent Developments in Fluvial Sedimentology* Soc. Econ. Paleontol. Mineral. Spec. Publ. No. 39, pp. 197-203.
- Biswas, S. K. (1982) Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch Basin. *Jour. Am. Assoc. of Petrol. Geol.*, v. 10, pp. 1497-1513.
- Biswas, S. K. (1987) Regional tectonic framework, structure and evolution of western marginal basins of India. *Tectonophysics*, v. 135, pp. 307-327.
- Biswas, S. K. (1988) Structure of the western continental margin and related igneous activity. In: *Deccan flood basalts* (Ed. Subbarao, K. V.), *Geol. Soc. Ind. Mem.*, No. 10, pp. 371-390.
- Blair, T. C. (1987) Sedimentary processes, vertical stratification sequences and geomorphology of the Roaring River alluvial fan, Rocky Mountain National Park, Colorado. *Jour. Sediment. Petrol.*, v. 57, pp. 845-862.
- Blanford, W. T. (1869) On the geology of the Tapti and Lower Narmada valleys and some adjoining districts. *Mem. Geol. Surv. Ind.*, v. 6, pp. 163-384
- Boothroyd, J. C. and Ashley, G. M. (1975) Process, bar morphology and sedimentary structures on braided outwash fans, North-eastern Gulf of Alaska. *Glaciofluvial and Glaciolacustrine Sedimentation*, Jopling, A. V., McDonald, B. C. (Eds.), *Soc. Econ. Paleontol. Mineral. Spec. Publ.*, pp. 193-222.

- Bose, M. K. (1980) Magnetically defined tectonic framework of the Deccan Volcanic province. *News Mineral*, v. 8, pp. 373-384.
- Bridge, J. S. and Best, J. L. (1988) Flow, sediment transport and bedform dynamics over the transition from dunes to upper-stage plane beds: implications for the formation of planar laminae. *Sedimentology*, v. 35, pp. 753-763.
- Burke, K. and Dewey, J. F. (1973) Plume generated triple junctions: key indicators in applying plate tectonics to old rocks. *Jour. Geol.*, v. 81, 406p
- Clemente, P. and Perez-Arlucea, M. (1993) Depositional architecture of the Cuerda Del Pozo formation, lower Cretaceous of the extensional Cameros Basin, North-central Spain. *Jour. Sediment. Petrol.* v. 63, pp. 437-452.
- Chamyal, L. S. and Merh, S. S. (1992) Sequence stratigraphy of the surface Quaternary deposits in the semi arid basins of Gujarat. *Man and Environment*, v.17, pp. 33-40.
- Chamyal, L. S., Maurya, D. M., Bhandari, S., and Raj, R. (2002) Late Quaternary geomorphic evolution of the Lower Narmada Valley, Western India: Implications for neotectonic activity along the Narmada-Son Fault. *Geomorphology*, v. 46, pp. 177-202.
- Collinson, J. D. and Thompson, D. B. (1989) *Sedimentary Structures*. 2nd ed. Unwin Hyman, London, 207p.
- Darymple, R. W., Zaitlin, B. A. and Boyd, R. (1992) Estuarine facies models: conceptual basis and stratigraphic implications. *Jour. Sed. Petrol.*, v. 62, pp. 1130-1146.
- De, S. K. and Jain, A. P. (1979). Basement mapping along Cambay basin from DSS refraction data. Workshop on geological interpretation of geophysical data. IPE, Dehradun.
- DeCelles, P. G., Gray, M. B., Ridgway, K. D., Cole, R. B., Pivnik, D. A., Pequera, N. and Srivastava, P. (1991) Controls on synorogenic alluvial-fan architecture, Beartooth conglomerate (Paleocene), Wyoming and Montana. *Sedimentology*, v. 38, pp. 567-590.

- Friend, P. F. (1966) Clay fractions and colours of some Devonian red beds in the Catskill Mountains, USA. *Quart. Jour. Geol. Soc. London*, v. 122, pp. 273-292.
- Friend, P. F. and Sinha, R. (1988) Braiding and meandering parameters. In: J. L. Best and C. S. Bristow (eds.), *Braided Rivers*. Geol. Soc. London., Spl. Publ., No. 75, pp. 105-111.
- Gupta, M. L. and Gaur, V. K. (1984) Surface heat flow and probable evolution of Deccan Volcanism. *Tectonophysics*, v. 105, pp. 309-318.
- Hansen, D. L. and Nielsen, S. B. (2003) Why rifts invert in compression? *Tectonophysics*, v. 373, pp. 5-24.
- Harms, J. C., Southard, J. B., Spearing, D. R., Walker, R. G. (1982) Structures and Sequences in Clastic Rocks. Soc. Econ. Paleontol. Mineral., Short Course No. 0, 161 Calgary.
- Hashimi, N. H., Nigam, R., Nair, R. R. and Rajagopalan, G. (1995) Holocene sea level fluctuations on western Indian continental margin: An update. *Jour. Geol. Soc. India*, v. 46, pp. 157-162.
- Hein, F. J. and Walker, R. G. (1977) Bar evolution and development of stratification in the gravelly, braided Kicking Horse River, British Columbia. *Can. J. Earth Sci.* v. 14, pp. 562-570.
- Horton, R. E. (1945) Erosional development of streams and their drainage basins, hydrophysical approach to quantitative morphology. *Geol. Soc. Amm.*, v. 83, pp. 1649-1670.
- Jo, H. R. and Chough, S. K. (2001) Architectural analysis of fluvial sequences in the northwestern part of Kyongsang Basin (Early Cretaceous), SE Korea. *Sediment. Geol.* v. 144, pp. 307-334.
- Kaila, K. L., Krishna, V. G. and Mall, D. (1981) Crustal structure along Mehmabad-Billimora profile in the Cambay basin, India from deep seismic soundings. *Tectonophysics*, v. 76, pp. 99-130.

- Kailasam, L. M. and Qureshi, M. N. (1964) On some anomalous Bouger gravity anomalies in India. In: *Advancing frontiers in Geology and Geophysics* (Subramanam, A. P. and Balakrishna, S., eds), pp 135-146
- Kailasam, L. N., Murthy, B.G.K. and Chayanulu, A.V.S.R., (1972) Regional gravity studies of the Deccan Trap areas of peninsular India. *Curr. Sci.*, v. 41, pp 403-407.
- Karpeta, W. P. (1993) Sedimentology and gravel bar morphology in an Archean braided sequence: the Witpan Conglomerate Member (Witwatersrand Supergroup) in the Welkom Goldfield, South Africa Braided Rivers, Best, J. L., Bristow, C. S. (Eds.). *Geol. Soc. London, Spec. Publ. No. 75*, pp. 369-388.
- Khadkikar, A. S., Merh, S. S., Malik, J. N., Chamyal, L. S. (1998) Calcretes in semi-arid alluvial systems: formative pathways and sinks. *Sediment. Geol.* v. 116, pp. 251-260.
- Koopman, A., Speksnijder, A. and Horsfield, W. T. (1987) Sandbox model studies of inversion tectonics. *Tectonophysics*, v. 137, pp. 379-388.
- Krishnamachary, T. (1972) Dykes around Dadiapada, Broach district, Gujarat. *Bull. Volcanologique*, v. 35, pp. 947-956.
- Krishnaswamy, V. S. (1981) The Deccan Volcanic episodes, related tectonics and geothermal manifestations. *Mem. Geol. Soc. Ind.*, v. 3, pp. 1-7
- Lake, S. T. and Karner, G. D. (1987) The structure and evolution of the Wessex basin, Southern England: an example of inversion tectonics. *Tectonophysics*, v. 137, pp. 347-378.
- Maizels, J. (1993) Lithofacies variations within sandur deposits: the role of runoff regime, flow dynamics and sediment supply characteristics. *Sediment. Geol.* v. 85, pp. 299-325.
- Mather, A. E. (1993) Basin inversion: some consequences for drainage evolution and alluvial architecture. *Sedimentology*, v. 40, pp. 1069-1089.
- Mathur, L. P., Rao, K. L. N. and Chaube, A. N. (1968) Tectonic framework of Cambay basin, India. *Bull., O.N.G.C.*, v. 5, pp. 7-28.

- Maurya, D. M., Chamyal, L. S. and Merh, S. S. (1995) Tectonic evolution of the Central Gujarat plain, Western India. *Current Science*, v. 69, pp. 610-613.
- Maurya, D. M., Raj, R. and Chamyal, L. S. (2000) History of tectonic evolution of Gujarat alluvial plains, Western India, during Quaternary: a review *Jour Geol Soc. India*, v. 55, pp. 343-366
- Merh, S. S. (1993) Neogene-Quaternary sequence in Gujarat : A review . *Jour. Geol. Soc. Ind* , v 41, pp. 259-276.
- Merh, S. S. (1995) *Geology of Gujarat*. Geol. Soc. India, Bangalore, 222 p.
- Miall, A. D. (1977) A review of the braided river depositional environment. *Earth-Sci. Rev.* v 13, pp. 1-62.
- Miall, A. D. (1978) Lithofacies types and vertical profile models. In: A. D. Miall (Editor) *Fluvial sedimentology*. Can. Soc. Pet. Geol. Mem., v. 5, pp. 597-604.
- Miall, A. D. (1985) Architectural element analysis: A new method of analysis applied to fluvial deposits. *Earth Sci. Rev.*, v. 22, pp. 261-308.
- Miall, A. D. (1996) *The Geology of Fluvial Deposits*, Springer-Verlag, Berlin. 582p.
- Muller, J. E. (1968) An introduction to the hydraulic and topographic sinuosity indices. *Annals Ass Am. Geog* , v 58, pp. 371-385.
- Powar, K. B. (1980) Lineament fabric and dyke pattern in the western part of the Deccan Volcanic Province. *Jour. Geol. Soc. Ind.*, v. 3, pp. 45-57.
- Quereshy, M. N. (1982) Geophysical and landsat lineament mapping – an approach illustrated from west-central and south India. *Photogrammetria*, v. 37, pp. 161-184.

- Raj, R., Bhandari, S. Maurya, D. M. and Chamyal, L. S. (2003) Geomorphic indicators of active tectonics in the Karjan River basin, Lower Narmada Valley, Western India. *Jour Geol. Soc of Ind.*, v 62, pp. 739-752
- Radhakrishna, B. P. (1989). Suspect tectonostratigraphic terrace elements in the Indian subcontinent. *Jour. Geol Soc. Ind.*, v. 34, pp. 1-24.
- Rao, N D. J. (1968) An interpretation of gravity data of Cambay basin. *Bull. O.N.G.C.*, v. 4, pp 74-80.
- Ravishankar (1987) Status of geothermal exploration in Maharashtra and Madhya Pradesh. *Rec Geol Suv. Ind.*, v. 115, pp. 7-29.
- Ravishankar (1988) Heat flow Map of India and its geological and economic significance. *Ind. Min.*, v. 42, pp 89-110.
- Ravishankar (1991) Thermal and crustal structure of 'SONATA'. A zone of mid-continental rifting in Indian shield. *Jour. Geol. Soc. India*, v. 37, pp 211-220.
- Rhea, S. (1993) Geomorphic observation of rivers in the Oregon Coast Range from a regional reconnaissance perspective. *Geomorphology*, v. 27, pp.135-150.
- Richardson, L. F. (1961) The problem of contiguity: An appendix of statistics of deadly quarrels. *General systems yearbook*, v. 6, pp. 139-188.
- Roy, T. K. (1990) Structural styles in southern Cambay basin and role of Narmada geofracture in the formation of giant hydrocarbon accumulation. *Bull. O.N.G.C.*, v. 27, pp. 15-38
- Rust, B. R. (1978) Depositional models for braided alluvium. *Fluvial Sedimentology*, Miall, A. D. (Eds.), *Can. Soc Petol. Geol Mem.* 5, pp. 187-198.
- Smith, S. A. (1990) The sedimentology and accretionary styles of an ancient gravel-bed stream: the Budleigh Salterton Pebble Beds (Lower Triassic), southwest England. *Sediment. Geol.* v. 67, pp. 199-219.

- Snow, R. S. (1989) Fractal sinuosity of stream channels *Pageoph* , v. 131, pp. 99-109.
- Sroka, W. and Kowalska, A. (1998) Late Cainozoic evolution of the Nysa Kłodzka river system between Kłodzko and Kamieniec Zabkowicki, Sudetes Mts, southwestern Poland. *Geologia Sudetica*, v. 31, pp. 133-155.
- Strahler, A. N. (1957) Quantitative analysis of watershed geomorphology: *American Geophysical Union Transactions*, v. 38, pp. 913-920.
- Strahler, A. N. (1964) Quantitative geomorphology of drainage basins and channel networks. In: V. T. Chow (Ed.), *Handbook of Applied Hydrology*, McGraw Hill, New York, pp. 39-79.
- Todd, S. P. (1989) Stream-driven, high density gravelly traction carpets: possible deposits in the Trabeg Conglomerate Formation, SW Ireland and theoretical considerations of their origin. *Sedimentology*, v. 36, pp. 513-530.
- Todd, S. P. and Went, J. D. (1991) Lateral migration of sand bed rivers: examples from the Devonian Glashabeg formation, SW Ireland and the Cambrian Alderney sandstone formation, Channel Islands. *Sedimentology*, v. 38, pp. 997-1020.
- Turner, P. (1980) *Continental Red Beds*. Elsevier, Amsterdam, 562p.
- Venkatesan, T. R., Pande, K. and Gopalan, K. (1986) $^{40}\text{Ar}/^{39}\text{Ar}$ dating of Deccan Basalts. *Jour. Geol. Soc. Ind.*, v. 27, pp. 102-109.
- Verma, R. K., Gupta, M. L., Hamza, V. M. Rao, V. G and Rao, R. U. M. (1968) Heat flow and crustal structure near Cambay, Gujarat, India *Bull., Natl. Geophys. Res. Inst. (Ind.)*, v. 6, pp. 153-166.
- Visser, W. A. (1980) *Geological Nomenclature*. Royal Geological and Mining Society of the Netherlands-Bohn, Scheltema and Holkema, Utrecht; Martinus Nijhoff. The Hague, 540p.
- Widdowson, M. (1997) Tertiary palaeosurfaces of the SW Deccan western India: implications for passive margin uplift. In: Widdowson, M. (Ed.). *Recognition, Reconstruction and Palaeoenvironmental Interpretation* *Geo. Soc. Lond. Spec. Publ. No.120*, pp. 221-248.

- Woodroffe, C. D., Chappell, J., Thom, B. G and Wallensky, E. (1989) Depositional model of a microtidal estuary and floodplain, South Alligator river, northern Australia *Sedimentology*, v. 36, pp. 737-756.
- Ziegler, P. A. (1987a) Compressional intra-plate deformations in the Alpine foreland-an introduction *Tectonophysics*, v. 137, pp 1-5
- Ziegler, P. A (1987b) Late Cretaceous and Cenozoic intra-plate compressional deformations in the Alpine foreland-a geodynamic model. *Tectonophysics*, v. 137, pp. 389-420