

REFERENCES

- Agrawal, D.P. and Gupta, S.K. (1988). Climatic changes in India during the last 700,000 years. In *The Palaeoenvironment of east Asia from the mid-Tertiary*, 1. Whyte, P. et al (eds). pp: 488-499. Hong Kong Univ., Hong Kong.
- Agrawal, D.P., Dodia, R., Kotlia, B.S., Razdan, H. and Sahni, A. (1989). The Plio-Pleistocene geologic and climatic record of the Kashmir valley, India: A review and new data. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* **73**. pp: 267-286.
- Ahmad, F. (1986). Geological evidence bearing on the origin of Rajasthan Desert (India). *Proc. Ind. Natn. Sci. Acad.* **52A**. pp: 1285-1306.
- Aitken, M.J. (1974). *Physics and archaeology*. Clarendon press, Oxford.
- Aitken, M.J. (1985). *Thermoluminescence dating*. Academic press, Oxford.
- Aitken, M.J. and Bowman, S.G.E. (1975). Thermoluminescent dating: assessment of alpha particle contribution. *Archaeometry*. **17**. pp: 132-138.
- Aitken, M.J. and Bussel, A.J. (1979). Zero glow monitoring (ZGM). *Ancient TL*. **6**. pp: 13-15.
- Allchin, B., Goudie, A. and Hedge, K. (1978). *The prehistory and paleogeography of the Great Indian Desert*. Acad. Press.
- Bailliff, I.K., Bowman, S.G.E., Mobbs, S.F. and Aitken, M.J. (1977). The phototransfer technique and its use in thermoluminescence dating. *J. of Electrostatics*. **3**. pp: 269-280.
- Balescu, S. and Lamothe, M. (1994). Comparison of TL and IRSL age estimates of feldspar coarse grains from waterlain sediments. *Quat. Sci. Rev.* **13**. pp: 437-444.

Barnett, T.P., Dumenil, L. and Latif, M. (1989). The effect of Eurasian snow cover on regional and global climatic variations. *J. Atmos. Sci.* **46(5)**. pp: 661-685.

Bender, M.M. (1968). Mass spectroscopic studies of carbon -13 variations in corn and other grasses. *Radiocarbon*. **10**. pp: 468-472.

Berger, G.W. (1988). Dating of Quaternary events by luminescence in 'Dating Quaternary Sediments' Easterbrook D.J. (ed) *Geol. Soc. of America*. **227**. pp: 13-50.

Berger, G.W. (1990). Effectiveness of natural zeroing of the thermoluminescence in sediments. *J. Geophys. Res.* **95**. pp: 12375-12397.

Berger, G.W. and Easterbrook, D.J. (1993). Thermoluminescence dating tests for lacustrine, glaciomarine, and floodplain sediments from western Washington and British Columbia. *Can. Jour. Earth Sci.* **30**. pp: 1815-1828.

Berger, G.W. and Luternauer, J.J. (1987). Preliminary fieldwork for thermoluminescence dating studies at Fraser river delta, British Columbia. *Geological Survey of Canada paper*. **87-1A**. pp: 901-904.

Bhaskaran, M., Rajagopalan, G. and Somayajulu, B.L.K. (1989). $^{230}\text{Th}/^{234}\text{U}$ dating of the Quaternary carbonate deposits of Saurashtra, India. *Chem. Geol.* **79**. pp: 65-82

Bhattacharya, A. (1989). Vegetation and climate during the last 30,000 years in Ladakh. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* **73**. pp: 25-38.

Biscaye, P.E. (1965). Mineralogy and sedimentation of Recent deep sea clay in the Atlantic ocean and adjacent seas and oceans. *Geol. Soc. Am. Bull.* **76**. pp: 803-802.

Biswas, S.K. (1982). Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch basin. *Am. Assoc. Petrol. Geol.* **10**. pp: 1497-1513.

- Biswas, S.K. (1987). Regional tectonic framework, structure and evolution of the western Marginal basin of India. *Tectonophysics*. **135**. pp: 307-327.
- Blackburn, T.H. (1983). The microbial nitrogen cycle. *Microbial Geochemistry*. W.E. Krumbein (ed.), Blackwell, Oxford. pp: 63-69.
- Bradley, R. (1985). *Quaternary Palaeoclimatology*. Publ. Allen and Unwin.
- Bryson, R.A. and Swain, A.M. (1981). Holocene variations of monsoon rainfall in Rajasthan. *Quat. Res.* **16**. pp: 135-145.
- Caratini, C., Bentaleb, I., Fontugne, M., Morzadec-Kerfourn, M. T., Pascal, J.P. and Tissot, C. (1994). A less humid climate since ca 3500 yr BP from marine cores off Karwar, western India. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* **109**. pp: 371-384.
- Carver, R.E. (1971). *Procedures in sedimentary petrology*. London. John Wiley.
- Chamyal, L.S. and Merh, S.S. (1992). Sequence stratigraphy of the surface Quaternary deposits in the semi-arid basins of Gujarat. *Man and Environment*. **XVII (1)**. pp: 33-40.
- Chandra, P.K. and Chaudhary, L.R. (1969). Stratigraphy of the Cambay basin. *Bull. O.N.G.C.* **6(2)**. pp: 37-50.
- Chapman, F. (1900). Notes on the consolidated aeolian sands of Kathiawar. *Q.J.G.S.*, London. **5**. pp: 584-588.
- Chappel, J. and Shackleton, N.J. (1986). Oxygen isotopes and sea level. *Nature*. **324**. pp: 137-140.
- Chawla, S., Dhir, R.P. and Singhvi, A.K. (1992). Thermoluminescence chronology of sand profiles in the Thar Desert and their implications. *Quat. Sci. Rev.* **11**. pp: 25-32.
- Craig, H. (1953). The geochemistry of the stable carbon isotopes. *Geochem. Cosmochem. Acta*. **3**. pp: 53.

- Craig, H. (1957). Isotopic standards for carbon and oxygen and correction factors for mass spectrometric analysis of carbon dioxide. *Geochem. Cosmochem. Acta*. **12**. pp: 133-149.
- Cronin, T.M., Szabo, B.J., Ager, T.A., Hazel, J.E. and Owens, J.P. (1981). Quaternary climate and the sea level in the U.S. Atlantic coastal plain. *Science*. **211**. pp: 233-240.
- Debenham, N.C. (1985). Use of UV emissions in TL dating of sediments. *Nucl. Tracks and Rad. Meas.* **10**. pp: 717-724.
- Debenham, N.C. and Walton, D. (1983). TL properties of some wind blown sediments. *PACT*. **9**. pp: 531-538.
- Deines, P. (1980). The isotopic composition of reduced organic carbon. Handbook of Environmental Isotope Geochemistry, Vol. 1. *The Terrestrial Environment A*. Elsevier, Amsterdam. Fritz, P. and Fontes, J. Ch. (eds).
- Demaree, G.R. and Nicolis, C. (1990). Onset of Sahelian drought viewed as a fluctuation induced transition. *Q.J.R. Meteorol. Soc.* **16**. pp: 221-238.
- Denton, G.H. and Karlen, W. (1973). Holocene climatic variations - Their pattern and possible causes. *Q. Res.* **3**. pp: 155-205.
- Desai, V.S. (1975). Studies in radon emanation relevant to thermoluminescent dating. Unpubl. M.Sc. thesis. Oxford Univ.
- Ditlefson, C. (1992) Bleaching of K-feldspars in turbid water suspensions: a comparison of photo- and thermoluminescence signals. *Quat. Sci. Rev.* **11**. pp: 33-38.
- Duller, G.A.T. (1992). Comparison of equivalent doses determined by thermoluminescence and infrared stimulated luminescence for dune sands in New Zealand. *Quat. Sci. Rev.* **11**. pp: 39-43.
- Duller, G.A.T. (1994). Luminescence dating of poorly bleached sediments from Scotland. *Quat. Sci. Rev.* **13**. pp: 521-524.

- Fleming, S.J. (1970). Thermoluminescence dating: refinement of quartz inclusion method. *Archaeometry*. **12**. pp: 135-145.
- Folk, R.L. (1976). Reddening of desert sands, Simpson desert, Northern Territory, Australia. *Jour. Sed. Petrol.* **46**. pp: 604-615.
- Foote, R.B. (1898). *Geology of Baroda State*. Govt. Press, Baroda State pp:194
- Forman, S.L. and Ennis, G. (1991). Effect of light intensity and spectra on reduction of thermoluminescence of near shore sediments from Spitsbergen, Svalbard: implications for dating Quaternary waterlain sequences. *Geophy. Res. Lett.* **18**. pp: 1727-1730.
- Gemmel, A.M.D. (1985). Zeroing of the thermoluminescence signal of sediments undergoing fluvial transportation: a laboratory experiment. *Nuclear Tracks*. **10**. pp: 695-702.
- Ghosh, P.K. (1952). Western Rajputana, its tectonics and minerals, including evaporites. *Bull. Natn. Inst. Sci. India*. **1**. pp: 101-130.
- Gillespie, A. and Molnar, P. (1995). Asynchronous maximum advances of mountain and continental glaciers. *Rev. of Geophy.* **33(3)**. pp: 311-364.
- Godfrey Smith, D.I., Huntley, D.J. and Chen, W. H. (1988). Optical dating studies of quartz and feldspar sediment extracts. *Quat. Sci. Rev.* **7**. pp:373-380.
- Gossens, C. and Berger, A.L (1987). How to recognise an abrupt climatic change. *Abrupt Climatic Change*. W.H. Berger and L.D. Labeyrie (eds.). Reidel, Dordrecht. pp: 31-45.
- Goudie, A.S., Allchin, B. and Hedge, K.T.M. (1973). The former extensions of the Great Indian Sand Desert. *Geographical journal*. **139(2)**. pp: 243-257.
- Guerin, G. and Valladas, G. (1980). Thermoluminescence dating of volcanic plagioclases. *Nature*. **286**. pp: 697-699.
- Gupta, S.K. (1972). Chronology of the raised beaches and inland coral reefs of Saurashtra coast. *Journal of Geology*. **80**. pp: 357-361.

Gupta, S.K. (1973). Stability of the Saurashtra coast during late Quaternary and silting of the Rann of Kutch during Holocene. Unpubl. Ph.D. thesis.

Gupta, S.K. (1975). Silting of Rann of Kutch during Holocene. *Indian Jour. Earth Sci.* **2(2)**. pp: 163-175.

Gupta, S.K. (1976). Quaternary sea-level changes along the Saurashtra coast. *Ecology and archaeology of western India*. D.P. Agrawal and B.M. Pande (eds.). Concept publishing company.

Gupta, S.K. (1991). $^{230}\text{Th}/^{234}\text{U}$ and ^{14}C dating of Quaternary carbonate deposits of Saurashtra, India - Comments. *Chem. Geol.* **86**. pp: 179-186.

Gupta, S.K. and Polach, H.A. (1985). *Radiocarbon dating practices at ANU*. Handbook, Radiocarbon Laboratory, Research School of Pacific Studies, ANU, Canberra.

Hashimi, N.H., Nigam, R. and Rajagopalan, G. (1995). Holocene sea level fluctuations on western Indian continental margin: An update. *Geol. Soc. India*. **46**. pp: 157-162.

Hatch, M.D. and Slack, C.R. (1970). Photosynthetic CO_2 fixation pathway. *Annu. Rev. Plant. Physiol.* **21**. pp: 141-162.

Hedges, J.I., Clark, W.A., Quay, P.D., Richey, J.E., Devol, A.H. and U.D.E.M. Santos. (1986). Compositions and fluxes of particulate organic matter in the Amazon river. *Limnol. Oceanogr.* **31**. pp: 717-738.

Huntley, D.J. (1985a). A note on temperature dependence of anomalous fading. *Ancient TL*. **3**. pp: 20-21.

Huntley, D.J., Godfrey-Smith, D.I. and Thewalt, M.L.W. (1985). Optical dating of sediments. *Nature*. **313**. pp: 105-107.

Islam, Md. B. and Merh, S.S. (1988). Tidal currents and sediments in the Gulf of Khambat. *Procs. Natn Sem. on Recent Quat. Studies in India*. 11-13 Feb. 1988. pp: 79-91.

- Jerlov, N.G. (1976). *Marine optics*. Elsevier Scientific, New York. pp: 231.
- Jones, P.D., Raper, S.C.B., Bradley, R.S., Diaz, H.F., Kelly, P.M. and Wigley, T.M.L. (1986). Northern hemisphere surface air temperature variation: 1851-1984. *J. Clim. Appl. Meteorol.* **25**. pp: 161-179.
- Keeling, C.D. (1961). The concentrations and isotopic abundances of carbon dioxide in rural and marine air. *Geochem. Cosmochem. Acta.* **24**. pp: 277-298.
- Kluge, M. and Ting, I. (1978). *Crassulacean acid metabolism*. Springer-Verlag, New York.
- Kortschak, H.P., Hart, C.F. and Burr, G.O. (1965). Carbon dioxide fixation in sugarcane leaves. *Plant Physiol.* **40**. pp: 209-213.
- Krishnamurthy, R.V., Bhattacharya, S.K. and Kusumger, S. (1986). Palaeoclimatic changes deduced from $^{13}\text{C}/^{12}\text{C}$ and C/N ratios of Karewa lake sediments, India. *Nature*. **323**. pp: 150-152.
- Krynine, P.D. (1949). The origin of red beds. *Trans. New York Acad. Sciences, Sr. II*. pp: 60-68.
- Ku, T.L., Kimmel, M.A., Eason, W.H. and O'Neil, T.J. (1974). Eustatic sea level 120,000 years ago on O'ahu, Hawaii. *Science*. **183**. pp: 959-962.
- Kubeina, W.L. (1963). Palaeosols as indicators of palaeoclimate. *Arid Zone Res.*, UNESCO, Paris. **20**. pp: 207-209.
- Lee, C. and Olson, B.L. (1984). Dissolved, exchangeable and bound aliphatic amines in marine sediments: initial results. *Org. Geochem.* **6**. pp: 259-263.
- Li, J.J. (1990). The patterns of environmental evolution in northwestern China since Late Pleistocene. *Quat. Sci.* **3**.
- Mathur, L.P., Rao, K.L.N. and Chaube, A.N. (1968). Tectonic framework of Cambay basin, India. *Bull. O.N.G.C.* **V(1)**. pp: 7-28.

- Matsumoto, E. (1991). Studies on the past global changes (PAGES) with special reference to the Asian region. *Procs. Asian Workshop*. New Delhi.
- Maurya, D.M., Chamyal, L.S. and Merh, S.S. (1995). Tectonic evolution of the central Gujarat plain, western India. *Current Sci.* **69(7)**. pp: 610-613.
- Maybeck, M. (1982). Carbon, nitrogen and phosphorus transport by world rivers. *Am. J. Sci.* **282**. pp: 401-450.
- Mejdahl, V. (1985). Thermoluminescence dating of partially bleached sediments. *Nucl. Tracks and Rad. Meas.* **10**. pp: 711-715.
- Mejdahl, V and Winther-Nielson, M. (1983). TL dating based on feldspar inclusions. *PACT*. **6**. pp: 426-437.
- Merh, S.S. (1992). Quaternary sea level changes along Indian coast. *Proc. Indian Natn. Sci. Acad.* **58**. pp: 461-472.
- Merh, S.S. (1995). *Geology of Gujarat*. Publ. Geological Soc. of India.
- Merh, S.S. and Chamyal, L.S. (1993). The Quaternary sediments in Gujarat. *Current Science*. **64**. pp 823-827.
- Nakai, N. and Koyama, M. (1987). Reconstruction of palaeoenvironment from view points of inorganic constituents, C/N ratio and carbon isotopic ratio in the 1400m long core taken from lake Biwa. In *History of Lake Biwa*. Horie, S. (ed).
- Oana, S. and Deevey, E.S. (1960). Carbon-13 in lake waters and its possible bearing on palaeoclimatology. *Am. Jour. Sci.* **258A**. pp: 253-272.
- O'Leary, M.H. (1981). Carbon isotope fractionation in plants. *Phytochemistry*. **20**. pp: 553-567.
- O'Leary, M.H. (1988). Carbon isotopes in photosynthesis. *Bioscience*. **38**. pp: 328-336.
- Osmond, C.B. (1978). Crassulacean acid metabolism: a curiosity in context. *Annu. Rev. Plant. Physiol.* **29**. pp: 379-414.

- Pant, R.K. and Chamyal, L.S. (1990). Quaternary sedimentation pattern and terrain evolution in the Mahi river basin, Gujarat, India. *Proc. Indian. Natn. Sci. Acad.* **56A(6)**. pp: 501-511.
- Pant, R.K. and Juyal, N. (1993). Late Quaternary coastal instability and sea level changes: new evidences from Saurashtra coast, western India. *Z. Geomorph N.F.* **37**. pp: 29-40.
- Park, R. and Epstein, S. (1960). Carbon isotope fractionation - during photosynthesis. *Geochem. Cosmochem. Acta.* **21**. pp: 110
- Parthasarathy, B., Sontake, N.A., Monot, A.A. and Kothawale, D.R. (1986). Droughts/floods in the summer monsoon season over different meteorological subdivisions of India for the period 1871-1984. *J. Climatol.* **7**. pp: 57-70.
- Pascoe, E.H. (1964). *A manual of geology of India and Burma.* **3**. Govt. of India press.
- Patel, M.P. and Desai, S.J. (1988). Environmental significance of fossil sand dunes of North Gujarat. *Procs. Natn. Sem Recent Quat Studies in India.* 11-13 Feb. 1988. pp: 139-147.
- Patel, M.P. and Bhatt, N. (1995). Evidence of palaeoclimatic changes in miliolite rocks of Saurashtra, western India. *J. Geol. Soc. India.* **45**. pp: 191-200.
- Pye, K. (1983). *Red Beds in Chemical Sediments and Geomorphology.* Goudie, A.S. and Pye, K. (eds.) Academic Press, London. pp: 227-264.
- Rao, K.K., Jayalakshmy, K.V. and Kutty, M.K. (1991). Ecology and distribution of recent planktonic foraminifera in eastern part of the Arabian sea. *Ind. Jour. Marine Sci.* **20**. pp: 25-35.
- Rao, M.S. (1996). Studies on physical basis of luminescence geochronology and its applications . Unpubl. Ph.D. Thesis. Nagpur University. pp: 136.
- Rao, V.P. (1991). Clay mineral distribution in the continental shelf and slope off Saurashtra, west coast of India. *Indian. Jour. of Marine Sciences.* **20**. pp: 1-6.

Rao, V.P. and Rao, B.R. (1995). Provenance and distribution of clay minerals in the sediments of the western continental shelf and slope of India. *Continental Shelf Res.* **15**(14). pp: 1757-1771.

Raup, D.M. and Stanley, S.M. (1985). *Principles of Paleontology*. CBS publishers and distributors. second edition. pp: 261.

Rendall, H.M. and Townsend, P.D. (1988). Thermoluminescence dating of a 10m loess profile in Pakistan. *Quat. Sci. Rev.* **7**. pp: 251-255.

Sankalia, H.D. (1945). *Investigations into the Pre-Historic archaeology of Gujarat*. Baroda State Press, Baroda. pp: 336.

Sareen, B.K., Rao, M.S., Tandon, S.K. and Singhvi, A.K. (1992). A tentative chronological framework for the Quaternary deposits of the Sabarmati basin of semi-arid western India using Thermoluminescence. *Abs. Int. Symp. on Evolution of Deserts*. India 11-19 Feb. '92. pp: 177-179.

Sareen, B.K., Tandon, S.K. and Bhola, A.M. (1993). Slope deviatory alignment, stream network and lineament analysis of the Sabarmati river system- neotectonic activity in the mid to late Quaternary. *Curr. Sci.* **64**. pp: 827-836.

Scott, M.R. (1968). Thorium and uranium concentration and isotopic ratios in river sediments. *Earth Planet. Sci. Lett.* **4**. pp: 245-252.

Singh, G., Joshi, R.D. and Singh, A.B. (1972). Stratigraphic and radiocarbon evidence for the age and development of three salt lake deposits in India. *Quat. Res.* **2**. pp: 496-505.

Singh, G., Wasson, R.J. and Agrawal, D.P. (1990). Vegetational and seasonal climatic changes since the last full glacial in the Thar Desert, northwestern India. *Rev. Palaeobot. Palynol.* **64**. pp: 351-358.

Singhvi, A.K. and Aitken, M.J. (1978). Americium-241 for alpha irradiations. *Ancient TL.* **3**. pp: 2-9.

Singhvi, A.K., Sharma, Y.P. and Agrawal, D.P. (1982). Thermoluminescence dating of sand dunes in Rajasthan. *Nature.* **295**. pp: 313-315.

Singhvi, A.K., Dhir, R.P. and Rajaguru, S.N. (1989). Climatic change in the Indian sub-continent during the Quaternary: some suggestions for research in the nineties. *Mem. Geol. Soc. India*. **16**. pp: 1-4.

Smith, B.N. and Epstein, S. (1971). Two categories of $^{13}\text{C}/^{12}\text{C}$ ratios for higher plants. *Plant Physiol.* **47**. pp: 380-384.

Sood, R.K. (1983). Geomorphology of the Kathiawar peninsula and environs using remote sensing techniques. unpubl. Ph.D thesis.

Spooner, N.A. (1993). The validity of optical dating based on feldspar. D.Phil Thesis. Oxford.

Sridhar, V.S. (1995). Sequential stratigraphy and palaeoclimatic studies on the Quaternary deposits of lower Luni and Sabarmati basins of western India. Unpubl. Ph.D thesis, M.S. Univ. Baroda.

Sridhar, V., Chamyal, L.S. and Merh, S.S. (1994). North Gujarat rivers: Remnants of a super fluvial system. *Jour. Geol. Soc. India*. **44**. pp: 427-434.

Stuiver, M. (1975). Climate versus changes in ^{13}C content of the organic component of lake sediments during the late Quaternary. *Quat. Res.* **5**. pp: 251-262.

Sukeshwala, R.N. (1948). *Geological evolution of Maha-Gujarat*. Monograph 3. Maha Gujarat series. Publ. Gujarat Res. Soc.

Sukumar, R., Ramesh, R., Pant, R.K. and Rajagopalan, G. (1993). A $\delta^{13}\text{C}$ record of late Quaternary climate change from tropical peats in southern India. *Nature*. **364**, pp: 703-706.

Swain, A.M., Kutzbach, J.E. and Hastenrath, S. (1983). Estimates of Holocene precipitation for Rajasthan, India, based on pollen and lake level data. *Quat. Res.* **19**. pp: 1-17.

Swain, P.H. and Davis, S.M. (1978). *Remote sensing: the quantitative approach*. McGraw Hill, New York.

Sweeney, R.E., Kalil, E.K. and Kaplan, I.R. (1980). Characterisation of domestic and industrial sewage in southern California coastal sediments using nitrogen, carbon, sulfur and uranium tracers. *Mar. Environ. Res.* **3**. pp: 225-243.

Talbot, M.R. and Johannessen, T. (1992). A high resolution palaeoclimatic record for the last 27,500 years in tropical West Africa from the carbon and nitrogen isotopic composition of organic matter. *Earth. Planet. Sci. Lett.* **110**. pp: 23-37.

Tandon, S.K., Sareen, B.K., Someshwar Rao, M. and Singhvi, A.K. (1996). Aggradation history and luminescence chronology of late Quaternary semi-arid sequences of the Sabarmati basin, Gujarat, western India. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* (in press).

Templer, R.H. (1985). The removal of anomalous fading in zircon. *Nucl. Tracks. Rad. Meas.* **10**. pp: 531-537

Thornbury, W.D. (1985). *Principles of Geomorphology*. Second Ed. Wiley Eastern Ltd.

Tieszen, L.L., Senyimba, M.M., Imbamba, S.K. and Troughton, J.H. (1979). The distribution of C₃ and C₄ grasses and carbon isotope discrimination along an altitudinal and moisture gradient in Kenya. *Oecologia*. **37**. pp: 337-350.

Urey, H.C. (1947). The thermodynamic properties of isotopic substances. *J. Chem. Soc.* pp: 562-581.

Visocekas, R. (1979). Miscellaneous aspect of artificial TL of calcite: emission spectra, athermal detrapping and anomalous fading. *PACT*. **3**. pp: 258-265.

Wadia, D.N. (1953). *Geology of India*. Publ. MacMillan and Co.

Wasson, R.J., Rajaguru, S.N., Misra, V.N., Agrawal, D.P., Dhir, R.P. and Singhvi, A.K. (1983). Geomorphology, late Quaternary stratigraphy and palaeoclimatology of the Thar dune field. *Z. Geomorph. N F.* **45**. pp: 117-151.

- Wasson, R.J., Smith, J.I. and Agrawal, D.P. (1984). Late Quaternary sediments, minerals and inferred geochemical history of Didwana lake, Thar Desert, India. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* **46**. pp: 345-372.
- Wetzel, R.G. (1983). *Limnology*. Saunders, Philadelphia.
- Winstanley, D. (1976). Rainfall trends in Africa, Middle East and India. *Nature*. **243**. pp: 464-465.
- Wintle, A.G. (1973). Anomalous fading of thermoluminescence in mineral samples. *Nature*. **245**. pp: 143-144.
- Wintle, A.G. (1977). Detailed study of minerals exhibiting anomalous fading. *J. Lum.* **15**. pp: 385-393.
- Wintle, A.G. (1985b). Thermoluminescence dating of loess deposits in Normandy. *Ancient TL*. **3**. pp: 11-13.
- Wintle, A.G. (1990). A review of current research on TL dating of loess. *Quat. Sci. Rev.* **9**. pp: 385-397.
- Wintle, A.G., and Huntley, D.J. (1980). Thermoluminescence dating of ocean sediments. *Can. Jour. Earth sciences*. **17**. pp: 348-60.
- Wintle, A.G. and Proszynska, H. (1983). TL dating of loess in Germany and Poland. *PACT*. **9**. pp: 547-554.
- Yan, Z and Petit-Maire, N. (1994). The last 140 ka in the Afro-Asian arid/semi arid transitional zone. *Palaeogeogr., Palaeoclimatol., Palaeoecol.* **110**. pp: 217-233.
- Yan, Z.W., Ji, J.J. and Ye, D.Z. (1990). Northern hemisphere summer climatic jump during the 1960's, Part 1, rainfall and temperature. *Sci. China B*. **33**. pp: 1092-1102.
- Zeuner, F.E. (1950). *Stone age and Pleistocene chronology in Gujarat*. Deccan College Monograph Series: 6

Zhang, M.L., (1989). Rainfall changes in east China during the recent 100 yrs.
Kexue Tongbao (Sci. Bull). **34**. pp: 605-607.

Zimmerman, D.W. (1971). TL dating using fine grains from pottery.
Archaeometry. **13**. pp: 29-52.