

Chapter 8

Chapter 8

REFERENCES

- Adams, J. C. (2001). Cell-matrix contact structures. *Cell Mol Life Sci*, 58(3), 371-392. doi:10.1007/pl00000864
- Afzali, M., Ghaeli, P., Khanavi, M., Parsa, M., Montazeri, H., Ghahremani, M. H., & Ostad, S. N. (2015). Non-addictive opium alkaloids selectively induce apoptosis in cancer cells compared to normal cells. *Daru*, 23(1), 16. doi:10.1186/s40199-015-0101-1
- Agarwal, G., Pradeep, P. V., Aggarwal, V., Yip, C. H., & Cheung, P. S. (2007). Spectrum of breast cancer in Asian women. *World J Surg*, 31(5), 1031-1040. doi:10.1007/s00268-005-0585-9
- Aggarwal, V., Tuli, H. S., Varol, A., Thakral, F., Yerer, M. B., Sak, K., . . . Sethi, G. (2019). Role of Reactive Oxygen Species in Cancer Progression: Molecular Mechanisms and Recent Advancements. *Biomolecules*, 9(11). doi:10.3390/biom9110735
- Agrawal, R. C., & Pandey, S. (2009). Evaluation of anticarcinogenic and antimutagenic potential of Bauhinia variegata extract in Swiss albino mice. *Asian Pac J Cancer Prev*, 10(5), 913-916.
- Akar, A. R., Durdu, S., & Baran, C. (2008). Letter by Akar et al regarding article, "Effect of autologous bone-marrow cell transplantation on ischemic ulcer in patients with Buerger's disease". *Circ J*, 72(4), 684; author reply 685-686. doi:10.1253/circj.72.684
- Allegrezza, M. J., & Conejo-Garcia, J. R. (2017). Targeted Therapy and Immunosuppression in the Tumor Microenvironment. *Trends Cancer*, 3(1), 19-27. doi:10.1016/j.trecan.2016.11.009
- Allemani, C., Matsuda, T., Di Carlo, V., Harewood, R., Matz, M., Nikšić, M., . . . Coleman, M. P. (2018). Global surveillance of trends in cancer survival 2000-14 (CONCORD-3): analysis of individual records for 37 513 025 patients diagnosed with one of 18 cancers from 322 population-based registries in 71 countries. *Lancet*, 391(10125), 1023-1075. doi:10.1016/s0140-6736(17)33326-3
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D. G., & Lightfoot, D. A. J. P. (2017). Phytochemicals: Extraction, isolation, and identification of bioactive compounds from plant extracts. 6(4), 42.
- Antoon, J. W., Lai, R., Struckhoff, A. P., Nitschke, A. M., Elliott, S., Martin, E. C., . . . Burow, M. E. (2012). Altered death receptor signaling promotes epithelial-to-mesenchymal transition and acquired chemoresistance. *Scientific reports*, 2, 539. doi:10.1038/srep00539
- Arumugham, R., Raj, A., Nagarajan, M., & Vijilakshmi, R. J. A. o. O. (2014). Survival Analysis of Breast Cancer Patients Treated at a Tertiary Care Centre in Southern India. 25, iv107.
- Ashkenazi, A., & Dixit, V. M. (1998). Death receptors: signaling and modulation. *Science*, 281(5381), 1305-1308. doi:10.1126/science.281.5381.1305
- Awad, A., Williams, H., & Fink, C. (2001). Phytosterols Reduce In Vitro Metastatic Ability of MDA-MB-231 Human Breast Cancer Cells. *Nutr Cancer*, 40, 157-164. doi:10.1207/S15327914NC402_12
- Balkwill, F. (2009). Tumour necrosis factor and cancer. *Nat Rev Cancer*, 9(5), 361-371. doi:10.1038/nrc2628

- Banerjee, S., Bueso-Ramos, C., & Aggarwal, B. B. (2002). Suppression of 7,12-dimethylbenz(a)anthracene-induced mammary carcinogenesis in rats by resveratrol: role of nuclear factor-kappaB, cyclooxygenase 2, and matrix metalloprotease 9. *Cancer Res*, 62(17), 4945-4954.
- Baraya, Y. S., Wong, K. K., & Yaacob, N. S. (2017). The Immunomodulatory Potential of Selected Bioactive Plant-Based Compounds in Breast Cancer: A Review. *Anticancer Agents Med Chem*, 17(6), 770-783. doi:10.2174/1871520616666160817111242
- Bell, C., English, L., Boulais, J., Chemali, M., Caron-Lizotte, O., Desjardins, M., & Thibault, P. (2013). Quantitative Proteomics Reveals the Induction of Mitophagy in Tumor Necrosis Factor- α -activated (TNF α) Macrophages. *Molecular & cellular proteomics : MCP*, 12. doi:10.1074/mcp.M112.025775
- Benej, M., Hong, X., Vibhute, S., Scott, S., Wu, J., Graves, E., . . . Denko, N. C. (2018). Papaverine and its derivatives radiosensitize solid tumors by inhibiting mitochondrial metabolism. *Proc Natl Acad Sci U S A*, 115(42), 10756-10761. doi:10.1073/pnas.1808945115
- Bhaskar, B. (2013). Free radical scavenging activity of bark extracts of Bauhinia variegata L. *Asian Journal of Biomedical and Pharmaceutical Sciences*, 3(22), 9.
- Bhatia L, B. H., Chauhan P, Kinja K, Shailesh S (2011). In-vitro Comparative Antioxidant Activity of Ethanolic Extracts of Glycosmis pentaphylla and Bauhinia variegata. *Recent Research in Science and Technology*, 3(7), 01-03.
- Bilir, C., Engin, H., Can, M., Likhan, S., Demirtas, D., Kuzu, F., & Bayraktaroglu, T. (2015). Increased serum tumor necrosis factor receptor-associated factor-6 expression in patients with non-metastatic triple-negative breast cancer. *Oncol Lett*, 9(6), 2819-2824. doi:10.3892/ol.2015.3094
- Blaser, H., Dostert, C., Mak, T. W., & Brenner, D. (2016). TNF and ROS Crosstalk in Inflammation. *Trends Cell Biol*, 26(4), 249-261. doi:10.1016/j.tcb.2015.12.002
- Blaser, H., Dostert, C., Mak, T. W., & Brenner, D. (2016). TNF and ROS Crosstalk in Inflammation. *Trends in Cell Biology*, 26(4), 249-261. doi:<https://doi.org/10.1016/j.tcb.2015.12.002>
- Bonora, M., & Pinton, P. (2014). The mitochondrial permeability transition pore and cancer: molecular mechanisms involved in cell death. *Front Oncol*, 4, 302. doi:10.3389/fonc.2014.00302
- Brenner, D., Blaser, H., & Mak, T. W. (2015). Regulation of tumour necrosis factor signalling: live or let die. *Nat Rev Immunol*, 15(6), 362-374. doi:10.1038/nri3834
- Burow, M. E., Weldon, C. B., Tang, Y., Navar, G. L., Krajewski, S., Reed, J. C., . . . Beckman, B. S. (1998). Differences in susceptibility to tumor necrosis factor alpha-induced apoptosis among MCF-7 breast cancer cell variants. *Cancer Res*, 58(21), 4940-4946.
- Burstein, H. J., Keshaviah, A., Baron, A. D., Hart, R. D., Lambert-Falls, R., Marcom, P. K., . . . Winer, E. P. (2007). Trastuzumab plus vinorelbine or taxane chemotherapy for HER2-overexpressing metastatic breast cancer: the trastuzumab and vinorelbine or taxane study. *Cancer*, 110(5), 965-972. doi:10.1002/cncr.22885
- Campbell, N. C., Murray, E., Darbyshire, J., Emery, J., Farmer, A., Griffiths, F., . . . Kinmonth, A. L. (2007). Designing and evaluating complex interventions to improve health care. 334(7591), 455-459. doi:10.1136/bmj.39108.379965.BE %J BMJ
- Candé, C., Vahsen, N., Métivier, D., Tourrière, H., Chebli, K., Garrido, C., . . . Kroemer, G. (2004). Regulation of cytoplasmic stress granules by apoptosis-inducing factor. *J Cell Sci*, 117(Pt 19), 4461-4468. doi:10.1242/jcs.01356
- Canli, Ö., Nicolas, A. M., Gupta, J., Finkelmeier, F., Goncharova, O., Pesic, M., . . . Greten, F. R. (2017). Myeloid Cell-Derived Reactive Oxygen Species Induce Epithelial Mutagenesis. *Cancer Cell*, 32(6), 869-883.e865. doi:10.1016/j.ccell.2017.11.004

- Chaitanya, G. V., Steven, A. J., & Babu, P. P. (2010). PARP-1 cleavage fragments: signatures of cell-death proteases in neurodegeneration. *Cell Commun Signal*, 8, 31. doi:10.1186/1478-811x-8-31
- Chanda, S., & Nagani, K. (2013). In vitro and in vivo Methods for Anticancer Activity Evaluation and Some Indian Medicinal Plants Possessing Anticancer Properties: An Overview. *J Pharm Phytochem*, 2, 140-152.
- Chandel, N. S., Schumacker, P. T., & Arch, R. H. (2001). Reactive oxygen species are downstream products of TRAF-mediated signal transduction. *J Biol Chem*, 276(46), 42728-42736. doi:10.1074/jbc.M103074200
- Chen, A. Y., & Chen, Y. C. (2013). A review of the dietary flavonoid, kaempferol on human health and cancer chemoprevention. *Food Chem*, 138(4), 2099-2107. doi:10.1016/j.foodchem.2012.11.139
- Chen, X., Bäuml, M., Männel, D. N., Howard, O. M., & Oppenheim, J. J. (2007). Interaction of TNF with TNF receptor type 2 promotes expansion and function of mouse CD4+CD25+ T regulatory cells. *J Immunol*, 179(1), 154-161. doi:10.4049/jimmunol.179.1.154
- Chen, X., Shu, Y., Li, W., & Yin, Y. (2008). TNF-alpha-induced metastasis gene changes in MCF-7 cells. *Journal of Nanjing Medical University*, 22(6), 366-371. doi:[https://doi.org/10.1016/S1007-4376\(09\)60008-3](https://doi.org/10.1016/S1007-4376(09)60008-3)
- Choi, W. Y., Kim, G. Y., Lee, W. H., & Choi, Y. H. (2008). Sanguinarine, a benzophenanthridine alkaloid, induces apoptosis in MDA-MB-231 human breast carcinoma cells through a reactive oxygen species-mediated mitochondrial pathway. *Chemotherapy*, 54(4), 279-287. doi:10.1159/000149719
- Clarke, R. B., Howell, A., Potten, C. S., & Anderson, E. (1997). Dissociation between steroid receptor expression and cell proliferation in the human breast. *Cancer Res*, 57(22), 4987-4991.
- Condeelis, J., & Segall, J. E. (2003). Intravital imaging of cell movement in tumours. *Nat Rev Cancer*, 3(12), 921-930. doi:10.1038/nrc1231
- Corde, S., Laplace, C., Vicaut, E., & Duranteau, J. (2001). Rapid reactive oxygen species production by mitochondria in endothelial cells exposed to tumor necrosis factor-alpha is mediated by ceramide. *Am J Respir Cell Mol Biol*, 24(6), 762-768. doi:10.1165/ajrcmb.24.6.4228
- Costa, E. C., Moreira, A. F., de Melo-Diogo, D., Gaspar, V. M., Carvalho, M. P., & Correia, I. J. (2016). 3D tumor spheroids: an overview on the tools and techniques used for their analysis. *Biotechnol Adv*, 34(8), 1427-1441. doi:10.1016/j.biotechadv.2016.11.002
- Couse, J. F., & Korach, K. S. (1999). Estrogen receptor null mice: what have we learned and where will they lead us? *Endocr Rev*, 20(3), 358-417. doi:10.1210/edrv.20.3.0370
- Coussens, L. M., & Werb, Z. (2002). Inflammation and cancer. *Nature*, 420(6917), 860-867. doi:10.1038/nature01322
- Crompton, M. (1999). The mitochondrial permeability transition pore and its role in cell death. *Biochem J*, 341 (Pt 2)(Pt 2), 233-249.
- Cruceriu, D., Baldasici, O., Balacescu, O., & Berindan-Neagoe, I. (2020). The dual role of tumor necrosis factor-alpha (TNF-α) in breast cancer: molecular insights and therapeutic approaches. *Cell Oncol (Dordr)*, 43(1), 1-18. doi:10.1007/s13402-019-00489-1
- Czop, M., Bogucka-Kocka, A., Kubrak, T., Knap-Czop, K., Makuch-Kocka, A., Galkowski, D., . . . Kocki, J. (2019). Imaging Flow Cytometric Analysis of Stilbene-Dependent Apoptosis in Drug Resistant Human Leukemic Cell Lines. *Molecules*, 24(10). doi:10.3390/molecules24101896
- D'Amours, D., Sallmann, F. R., Dixit, V. M., & Poirier, G. G. (2001). Gain-of-function of poly(ADP-ribose) polymerase-1 upon cleavage by apoptotic proteases: implications for apoptosis. *J Cell Sci*, 114(Pt 20), 3771-3778. doi:10.1242/jcs.114.20.3771

- data, W. c. (2022). Global cancer statistics for the most common cancers in the world. Retrieved from <https://www.wcrf.org/cancer-trends/worldwide-cancer-data/>
- De Palma, M., & Lewis, C. E. (2013). Macrophage regulation of tumor responses to anticancer therapies. *Cancer Cell*, 23(3), 277-286. doi:10.1016/j.ccr.2013.02.013
- Deepa, K. V., Venghateri, J. B., Khajanchi, M., Gadgil, A., & Roy, N. (2020). Cancer epidemiology literature from India: Does it reflect the reality? *J Public Health (Oxf)*, 42(4), e421-e427. doi:10.1093/pubmed/fdz160
- Degterev, A., Boyce, M., & Yuan, J. (2003). A decade of caspases. *Oncogene*, 22(53), 8543-8567. doi:10.1038/sj.onc.1207107
- DeNardo, D. G., & Coussens, L. M. (2007). Inflammation and breast cancer. Balancing immune response: crosstalk between adaptive and innate immune cells during breast cancer progression. *Breast Cancer Res*, 9(4), 212. doi:10.1186/bcr1746
- Denkert, C., Liedtke, C., Tutt, A., & von Minckwitz, G. (2017). Molecular alterations in triple-negative breast cancer-the road to new treatment strategies. *Lancet*, 389(10087), 2430-2442. doi:10.1016/s0140-6736(16)32454-0
- do Amaral, J. B., Rezende-Teixeira, P., Freitas, V. M., & Machado-Santelli, G. M. (2011). MCF-7 cells as a three-dimensional model for the study of human breast cancer. *Tissue Engineering Part C: Methods*, 17(11), 1097-1107.
- Duan, H., Luan, J., Liu, Q., Yagasaki, K., & Zhang, G. (2010). Suppression of human lung cancer cell growth and migration by berbamine. *Cytotechnology*, 62(4), 341-348. doi:10.1007/s10616-009-9240-x
- Duarte-Almeida, J. M., Negri, G., & Salatino, A. (2004). Volatile oils in leaves of Bauhinia (Fabaceae Caesalpinioideae). *Biochemical Systematics and Ecology*, 32(8), 747-753.
- Engels, H., Wohlleber, E., Zink, A., Hoyer, J., Ludwig, K. U., Brockschmidt, F. F., . . . Rauch, A. (2009). A novel microdeletion syndrome involving 5q14.3-q15: clinical and molecular cytogenetic characterization of three patients. *Eur J Hum Genet*, 17(12), 1592-1599. doi:10.1038/ejhg.2009.90
- Esquivel-Velázquez, M., Ostoa-Saloma, P., Palacios-Arreola, M. I., Nava-Castro, K. E., Castro, J. I., & Morales-Montor, J. (2015). The role of cytokines in breast cancer development and progression. *J Interferon Cytokine Res*, 35(1), 1-16. doi:10.1089/jir.2014.0026
- Figueroa, D., Asaduzzaman, M., & Young, F. (2018). Real time monitoring and quantification of reactive oxygen species in breast cancer cell line MCF-7 by 2',7'-dichlorofluorescein diacetate (DCFDA) assay. *J Pharmacol Toxicol Methods*, 94(Pt 1), 26-33. doi:10.1016/j.jvascn.2018.03.007
- Frasor, J., Danes, J. M., Komm, B., Chang, K. C. N., Lyttle, C. R., & Katzenellenbogen, B. S. (2003). Profiling of Estrogen Up- and Down-Regulated Gene Expression in Human Breast Cancer Cells: Insights into Gene Networks and Pathways Underlying Estrogenic Control of Proliferation and Cell Phenotype. *Endocrinology*, 144(10), 4562-4574. doi:10.1210/en.2003-0567 %J Endocrinology
- Friedl, P., & Alexander, S. (2011). Cancer invasion and the microenvironment: plasticity and reciprocity. *Cell*, 147(5), 992-1009. doi:10.1016/j.cell.2011.11.016
- Friedl, P., & Bröcker, E.-B. (2000). The biology of cell locomotion within three-dimensional extracellular matrix. *Cellular and molecular life sciences CMLS*, 57(1), 41-64.
- Friedl, P., & Wolf, K. (2003). Tumour-cell invasion and migration: diversity and escape mechanisms. *Nat Rev Cancer*, 3(5), 362-374. doi:10.1038/nrc1075
- Fu, R., Deng, Q., Zhang, H., Hu, X., Li, Y., Liu, Y., . . . Gao, N. (2018). A novel autophagy inhibitor berbamine blocks SNARE-mediated autophagosome-lysosome fusion through upregulation of BNIP3. *Cell Death Dis*, 9(2), 243. doi:10.1038/s41419-018-0276-8
- Furuse, K., Kubota, K., Kawahara, M., Ogawara, M., Kinuwaki, E., Motomiya, M., . . . Sakuma, A. (1994). A phase II study of vinorelbine, a new derivative of vinca alkaloid, for previously untreated advanced non-small cell lung cancer. Japan Vinorelbine Lung

- Cancer Study Group. *Lung Cancer*, 11(5-6), 385-391. doi:10.1016/0169-5002(94)92167-9
- Galdiero, M. R., Varricchi, G., Loffredo, S., Mantovani, A., & Marone, G. (2018). Roles of neutrophils in cancer growth and progression. *J Leukoc Biol*, 103(3), 457-464. doi:10.1002/jlb.3mr0717-292r
- Garud, M. S., & Kulkarni, Y. A. (2014). Hyperglycemia to nephropathy via transforming growth factor beta. *Curr Diabetes Rev*, 10(3), 182-189. doi:10.2174/1573399810666140606103645
- Ghandadi, M., Behravan, J., Biabani, S., Abbaspor, S., & Mosaffa, F. (2019). MCF-7 and its Multidrug Resistant Variant MCF-7/ADR Overcome TNF Cytotoxicity through Prevention of Reactive Oxygen Species Accumulation. *Pharmaceutical Sciences*, 25, 118-123. doi:10.15171/PS.2019.18
- Ghosh, P., Vidal, C., Dey, S., & Zhang, L. (2020). Mitochondria Targeting as an Effective Strategy for Cancer Therapy. 21(9), 3363. Retrieved from <https://www.mdpi.com/1422-0067/21/9/3363>
- Gomes, D. A., Joubert, A. M., & Visagie, M. H. (2021). In Vitro Effects of Papaverine on Cell Proliferation, Reactive Oxygen Species, and Cell Cycle Progression in Cancer Cells. *Molecules*, 26(21). doi:10.3390/molecules26216388
- Goossens, V., De Vos, K., Vercammen, D., Steemans, M., Vancompernelle, K., Fiers, W., . . . Grooten, J. (1999). Redox regulation of TNF signaling. *Biofactors*, 10(2-3), 145-156. doi:10.1002/biof.5520100210
- Goossens, V., Grooten, J., De Vos, K., & Fiers, W. (1995). Direct evidence for tumor necrosis factor-induced mitochondrial reactive oxygen intermediates and their involvement in cytotoxicity. *Proc Natl Acad Sci U S A*, 92(18), 8115-8119. doi:10.1073/pnas.92.18.8115
- Goto, T., Matsushima, H., Kasuya, Y., Hosaka, Y., Kitamura, T., Kawabe, K., . . . Takeda, K. (1999). The effect of papaverine on morphologic differentiation, proliferation and invasive potential of human prostatic cancer LNCaP cells. *Int J Urol*, 6(6), 314-319. doi:10.1046/j.1442-2042.1999.00069.x
- Gottlieb, E., Vander Heiden, M. G., & Thompson, C. B. (2000). Bcl-x(L) prevents the initial decrease in mitochondrial membrane potential and subsequent reactive oxygen species production during tumor necrosis factor alpha-induced apoptosis. *Mol Cell Biol*, 20(15), 5680-5689. doi:10.1128/mcb.20.15.5680-5689.2000
- Gregory E. Weitsman, A. R., Uri A. Liberman, Ruth Koren. ((2003)). VITAMIN D ENHANCES CASPASE-DEPENDENT AND -INDEPENDENT
- TNF α -INDUCED BREAST CANCER CELL DEATH: THE ROLE OF REACTIVE OXYGEN SPECIES AND MITOCHONDRIA. *Int. J. Cancer*, 106, 178 –186 doi:10.1002/ijc.11202
- Grell, M., Douni, E., Wajant, H., Löhden, M., Clauss, M., Maxeiner, B., . . . Scheurich, P. (1995). The transmembrane form of tumor necrosis factor is the prime activating ligand of the 80 kDa tumor necrosis factor receptor. *Cell*, 83(5), 793-802. doi:10.1016/0092-8674(95)90192-2
- Greten, F. R., & Grivennikov, S. I. (2019). Inflammation and Cancer: Triggers, Mechanisms, and Consequences. *Immunity*, 51(1), 27-41. doi:10.1016/j.immuni.2019.06.025
- Griess, B., Mir, S., Datta, K., & Teoh-Fitzgerald, M. (2020). Scavenging reactive oxygen species selectively inhibits M2 macrophage polarization and their pro-tumorigenic function in part, via Stat3 suppression. *Free Radic Biol Med*, 147, 48-60. doi:10.1016/j.freeradbiomed.2019.12.018
- Grivennikov, S. I., Greten, F. R., & Karin, M. (2010). Immunity, inflammation, and cancer. *Cell*, 140(6), 883-899. doi:10.1016/j.cell.2010.01.025

- Grivennikov, S. I., & Karin, M. (2010). Inflammation and oncogenesis: a vicious connection. *Curr Opin Genet Dev*, 20(1), 65-71. doi:10.1016/j.gde.2009.11.004
- Gu, J. W., Makey, K. L., Tucker, K. B., Chinchar, E., Mao, X., Pei, I., . . . Miele, L. (2013). EGCG, a major green tea catechin suppresses breast tumor angiogenesis and growth via inhibiting the activation of HIF-1 α and NF κ B, and VEGF expression. *Vasc Cell*, 5(1), 9. doi:10.1186/2045-824x-5-9
- Gunalan, G., & Vijayalakshmi, K. (2020). Altered gene and protein expressions in COLO 320 cell lines by Bauhinia variegata Linn. *Biomedicine*, 40, 134-142.
- Gupta, N., Bhattacharya, S., Sharma, R., & Narang, E. (2011). In vitro Comparative Antioxidant Activity of Ethanolic Extracts of Glycosmis pentaphylla, Bauhinia variegata and Leucas aspera. *Journal of Pharmaceutical Research*, 10(1), 42-45.
- Gupta, P. K., & Sahu, G. (2012). A review on Bauhinia Variegata.
- Gupta, R., Paarakh, P. M., & Gavani, U. (2009). Pharmacognostical and phytochemical screening of Bauhinia variegata Linn leaves. *Journal of Pharm. Res*, 2(7), 1196-1198.
- Gupta, S. C., Kim, J. H., Prasad, S., & Aggarwal, B. B. (2010). Regulation of survival, proliferation, invasion, angiogenesis, and metastasis of tumor cells through modulation of inflammatory pathways by nutraceuticals. *Cancer Metastasis Rev*, 29(3), 405-434. doi:10.1007/s10555-010-9235-2
- Gupta, V. K., Park, J. O., Jaskowiak, N. T., Mauceri, H. J., Seetharam, S., Weichselbaum, R. R., & Posner, M. C. (2002). Combined gene therapy and ionizing radiation is a novel approach to treat human esophageal adenocarcinoma. *Ann Surg Oncol*, 9(5), 500-504. doi:10.1007/bf02557275
- Habtetsion, T., Ding, Z. C., Pi, W., Li, T., Lu, C., Chen, T., . . . Zhou, G. (2018). Alteration of Tumor Metabolism by CD4+ T Cells Leads to TNF- α -Dependent Intensification of Oxidative Stress and Tumor Cell Death. *Cell Metab*, 28(2), 228-242.e226. doi:10.1016/j.cmet.2018.05.012
- Hagemann, T., Robinson, S. C., Schulz, M., Trümper, L., Balkwill, F. R., & Binder, C. (2004). Enhanced invasiveness of breast cancer cell lines upon co-cultivation with macrophages is due to TNF-alpha dependent up-regulation of matrix metalloproteases. *Carcinogenesis*, 25(8), 1543-1549. doi:10.1093/carcin/bgh146
- Han, L., Song, J. H., Yoon, J. H., Park, Y. G., Lee, S. W., Choi, Y. J., . . . Park, W. S. (2012). TNF- α and TNF- β Polymorphisms are Associated with Susceptibility to Osteoarthritis in a Korean Population. *Korean J Pathol*, 46(1), 30-37. doi:10.4132/KoreanJPathol.2012.46.1.30
- Hanahan, D. (2022). Hallmarks of Cancer: New Dimensions. *Cancer Discov*, 12(1), 31-46. doi:10.1158/2159-8290.Cd-21-1059
- Hanahan, D., & Weinberg, R. A. (2000). The hallmarks of cancer. *Cell*, 100(1), 57-70. doi:10.1016/s0092-8674(00)81683-9
- Hanahan, D., & Weinberg, R. A. (2011). Hallmarks of cancer: the next generation. *Cell*, 144(5), 646-674. doi:10.1016/j.cell.2011.02.013
- Harbeck, N., & Gnant, M. (2017). Breast cancer. *Lancet*, 389(10074), 1134-1150. doi:10.1016/s0140-6736(16)31891-8
- Harbeck, N., Penault-Llorca, F., Cortes, J., Gnant, M., Houssami, N., Poortmans, P., . . . Cardoso, F. (2019). Breast cancer. *Nat Rev Dis Primers*, 5(1), 66. doi:10.1038/s41572-019-0111-2
- He, J., Chen, K., Deng, T., Xie, J., Zhong, K., Yuan, J., . . . Xu, J. (2021). Inhibitory Effects of Rhaponticin on Osteoclast Formation and Resorption by Targeting RANKL-Induced NFATc1 and ROS Activity. *Front Pharmacol*, 12, 645140. doi:10.3389/fphar.2021.645140

- Hibasami, H., Takagi, K., Ishii, T., Tsujikawa, M., Imai, N., & Honda, I. (2007). Induction of apoptosis by rhapontin having stilbene moiety, a component of rhubarb (*Rheum officinale* Baillon) in human stomach cancer KATO III cells. *Oncol Rep*, 18(2), 347-351.
- Holbrook, J., Lara-Reyna, S., Jarosz-Griffiths, H., & McDermott, M. (2019). Tumour necrosis factor signalling in health and disease. *F1000Res*, 8. doi:10.12688/f1000research.17023.1
- Hsu, E. L., Chen, N., Westbrook, A., Wang, F., Zhang, R., Taylor, R. T., & Hankinson, O. (2009). Modulation of CXCR4, CXCL12, and Tumor Cell Invasion Potential In Vitro by Phytochemicals. *J Oncol*, 2009, 491985. doi:10.1155/2009/491985
- Huang, F., Wang, P., & Wang, X. (2018). Thapsigargin induces apoptosis of prostate cancer through cofilin-1 and paxillin. *Oncol Lett*, 16(2), 1975-1980. doi:10.3892/ol.2018.8833
- Huang, H., Li, L. J., Zhang, H. B., & Wei, A. Y. (2017). Papaverine selectively inhibits human prostate cancer cell (PC-3) growth by inducing mitochondrial mediated apoptosis, cell cycle arrest and downregulation of NF- κ B/PI3K/Akt signalling pathway. *J buon*, 22(1), 112-118.
- Huang, J., Ngai, C. H., Deng, Y., Tin, M. S., Lok, V., Zhang, L., . . . Wong, M. C. S. (2022). Cancer Incidence and Mortality in Asian Countries: A Trend Analysis. *Cancer Control*, 29, 10732748221095955. doi:10.1177/10732748221095955
- Huang, R., Chen, H., Liang, J., Li, Y., Yang, J., Luo, C., . . . Xie, X. (2021). Dual Role of Reactive Oxygen Species and their Application in Cancer Therapy. *J Cancer*, 12(18), 5543-5561. doi:10.7150/jca.54699
- Hutchinson, L. J. N. r. c. o. (2010). Challenges, controversies, breakthroughs. 7(12), 669-670.
- Issa, M. E., Berndt, S., Carpentier, G., Pezzuto, J. M., & Cuendet, M. (2016). Bruceantin inhibits multiple myeloma cancer stem cell proliferation. *Cancer Biol Ther*, 17(9), 966-975. doi:10.1080/15384047.2016.1210737
- Javadov, S., & Karmazyn, M. (2007). Mitochondrial permeability transition pore opening as an endpoint to initiate cell death and as a putative target for cardioprotection. *Cell Physiol Biochem*, 20(1-4), 1-22. doi:10.1159/000103747
- Jeoung, D. I., Tang, B., & Sonenberg, M. (1995). Effects of tumor necrosis factor- α on antimitogenicity and cell cycle-related proteins in MCF-7 cells. *J Biol Chem*, 270(31), 18367-18373. doi:10.1074/jbc.270.31.18367
- Ji, H., Cao, R., Yang, Y., Zhang, Y., Iwamoto, H., Lim, S., . . . Cao, Y. (2014). TNFR1 mediates TNF- α -induced tumour lymphangiogenesis and metastasis by modulating VEGF-C-VEGFR3 signalling. *Nature Communications*, 5(1), 4944. doi:10.1038/ncomms5944
- Jia, T., Zhang, L., Duan, Y., Zhang, M., Wang, G., Zhang, J., & Zhao, Z. (2014). The differential susceptibilities of MCF-7 and MDA-MB-231 cells to the cytotoxic effects of curcumin are associated with the PI3K/Akt-SKP2-Cip/Kips pathway. *Cancer Cell International*, 14(1), 126. doi:10.1186/s12935-014-0126-4
- Jin, X., & Wu, Y. (2014). Berbamine enhances the antineoplastic activity of gemcitabine in pancreatic cancer cells by activating transforming growth factor- β /Smad signaling. *Anat Rec (Hoboken)*, 297(5), 802-809. doi:10.1002/ar.22897
- Jin, Z., & El-Deiry, W. S. (2005). Overview of cell death signaling pathways. *Cancer Biol Ther*, 4(2), 139-163. doi:10.4161/cbt.4.2.1508
- Jordan, M. A., Thrower, D., & Wilson, L. (1991). Mechanism of inhibition of cell proliferation by Vinca alkaloids. *Cancer Res*, 51(8), 2212-2222.
- K, N. K. M. N. A. (1954). Dr. k.m. nadkarni's indian materia medica 3.
- Kakarala, M., Brenner, D. E., Korkaya, H., Cheng, C., Tazi, K., Ginestier, C., . . . Wicha, M. S. (2010). Targeting breast stem cells with the cancer preventive compounds curcumin and piperine. *Breast Cancer Res Treat*, 122(3), 777-785. doi:10.1007/s10549-009-0612-x

- Kalliolias, G. D., & Ivashkiv, L. B. (2016). TNF biology, pathogenic mechanisms and emerging therapeutic strategies. *Nat Rev Rheumatol*, 12(1), 49-62. doi:10.1038/nrrheum.2015.169
- Kamel, M., Shouman, S., El-Merzebany, M., Kilic, G., Veenstra, T., Saeed, M., . . . Salama, S. (2012). Effect of tumour necrosis factor- α on estrogen metabolic pathways in breast cancer cells. *J Cancer*, 3, 310-321. doi:10.7150/jca.4584
- Kapinova, A., Kubatka, P., Golubnitschaja, O., Kello, M., Zubor, P., Solar, P., & Pec, M. (2018). Dietary phytochemicals in breast cancer research: anticancer effects and potential utility for effective chemoprevention. *Environ Health Prev Med*, 23(1), 36. doi:10.1186/s12199-018-0724-1
- Karin, M., & Greten, F. R. (2005). NF- κ B: linking inflammation and immunity to cancer development and progression. *Nat Rev Immunol*, 5(10), 749-759. doi:10.1038/nri1703
- Kartikasari, A. E. R., Huertas, C. S., Mitchell, A., & Plebanski, M. (2021). Tumor-Induced Inflammatory Cytokines and the Emerging Diagnostic Devices for Cancer Detection and Prognosis. *Front Oncol*, 11, 692142. doi:10.3389/fonc.2021.692142
- Kashyap, D., Pal, D., Sharma, R., Garg, V. K., Goel, N., Koundal, D., . . . Belay, A. (2022). Global Increase in Breast Cancer Incidence: Risk Factors and Preventive Measures. *BioMed Research International*, 2022, 9605439. doi:10.1155/2022/9605439
- Kemp, K., Griffiths, J., Campbell, S., & Lovell, K. (2013). An exploration of the follow-up up needs of patients with inflammatory bowel disease. *J Crohns Colitis*, 7(9), e386-395. doi:10.1016/j.crohns.2013.03.001
- Khazir, J., Singh, P. P., Reddy, D. M., Hyder, I., Shafi, S., Sawant, S. D., . . . Kumar, H. M. (2013). Synthesis and anticancer activity of novel spiro-isoxazoline and spiro-isoxazolidine derivatives of α -santonin. *Eur J Med Chem*, 63, 279-289. doi:10.1016/j.ejmech.2013.01.003
- Khorsandi, L., Orazizadeh, M., Moradi-Gharibvand, N., Hemadi, M., Mansouri, E. J. E. S., & Research, P. (2017). Beneficial effects of quercetin on titanium dioxide nanoparticles induced spermatogenesis defects in mice. 24(6), 5595-5606.
- Kim, A., & Ma, J. Y. (2018). Rhaponticin decreases the metastatic and angiogenic abilities of cancer cells via suppression of the HIF-1 α pathway. *Int J Oncol*, 53(3), 1160-1170. doi:10.3892/ijo.2018.4479
- Kim, J. A., Jang, J.-H., & Lee, S.-Y. (2021). An Updated Comprehensive Review on Vitamin A and Carotenoids in Breast Cancer: Mechanisms, Genetics, Assessment, Current Evidence, and Future Clinical Implications. *Nutrients*, 13(9), 3162. Retrieved from <https://www.mdpi.com/2072-6643/13/9/3162>
- Kim, K., Doi, A., Wen, B., Ng, K., Zhao, R., Cahan, P., . . . Daley, G. Q. (2010). Epigenetic memory in induced pluripotent stem cells. *Nature*, 467(7313), 285-290. doi:10.1038/nature09342
- Kim, S. Y., Lee, I. S., & Moon, A. (2013). 2-Hydroxychalcone and xanthohumol inhibit invasion of triple negative breast cancer cells. *Chem Biol Interact*, 203(3), 565-572. doi:10.1016/j.cbi.2013.03.012
- Kim, Y. S., Morgan, M. J., Choksi, S., & Liu, Z. G. (2007). TNF-induced activation of the Nox1 NADPH oxidase and its role in the induction of necrotic cell death. *Mol Cell*, 26(5), 675-687. doi:10.1016/j.molcel.2007.04.021
- Kingston, D. G. (2011). Modern natural products drug discovery and its relevance to biodiversity conservation. *J Nat Prod*, 74(3), 496-511. doi:10.1021/np100550t
- Kirtikar, K., & Basu, B. (1935). Indian medicinal plants. *Indian Medicinal Plants*.
- Kirtonia, A., Sethi, G., & Garg, M. (2020). The multifaceted role of reactive oxygen species in tumorigenesis. *Cell Mol Life Sci*, 77(22), 4459-4483. doi:10.1007/s00018-020-03536-5
- Kischkel, F. C., Hellbardt, S., Behrmann, I., Germer, M., Pawlita, M., Krammer, P. H., & Peter, M. E. (1995). Cytotoxicity-dependent APO-1 (Fas/CD95)-associated proteins form a

- death-inducing signaling complex (DISC) with the receptor. *Embo j*, 14(22), 5579-5588. doi:10.1002/j.1460-2075.1995.tb00245.x
- Kitanaka, C., & Kuchino, Y. (1999). Caspase-independent programmed cell death with necrotic morphology. *Cell Death Differ*, 6(6), 508-515. doi:10.1038/sj.cdd.4400526
- Kocyigit, A., & Guler, E. M. (2017). Curcumin induce DNA damage and apoptosis through generation of reactive oxygen species and reducing mitochondrial membrane potential in melanoma cancer cells. *Cell Mol Biol (Noisy-le-grand)*, 63(11), 97-105. doi:10.14715/cmb/2017.63.11.17
- Komori, A., Yatsunami, J., Suganuma, M., Okabe, S., Abe, S., Sakai, A., . . . Fujiki, H. (1993). Tumor necrosis factor acts as a tumor promoter in BALB/3T3 cell transformation. *Cancer Res*, 53(9), 1982-1985.
- Koti, B., Biradar, S., Karadi, R., Taranalli, A., & Benade, V. (2009). Effect of Bauhinia variegata bark extract on blood glucose level in normal and alloxanised diabetic rats. *Journal of Natural Remedies*, 27-34.
- Kovacs, E., Hajto, T., & Hostanska, K. (1991). Improvement of DNA repair in lymphocytes of breast cancer patients treated with Viscum album extract (Iscaador). *European Journal of Cancer and Clinical Oncology*, 27(12), 1672-1676. doi:[https://doi.org/10.1016/0277-5379\(91\)90443-H](https://doi.org/10.1016/0277-5379(91)90443-H)
- Kowalski, J., Samojedny, A., Paul, M., Pietsz, G., & Wilczok, T. (2005). Effect of apigenin, kaempferol and resveratrol on the expression of interleukin-1beta and tumor necrosis factor-alpha genes in J774.2 macrophages. *Pharmacol Rep*, 57(3), 390-394.
- Krinsky, N. I., Landrum, J. T., & Bone, R. A. (2003). Biologic mechanisms of the protective role of lutein and zeaxanthin in the eye. *Annu Rev Nutr*, 23, 171-201. doi:10.1146/annurev.nutr.23.011702.073307
- Krishna, S., Ganapathi, S., Ster, I. C., Saeed, M. E., Cowan, M., Finlayson, C., . . . Kumar, D. (2015). A Randomised, Double Blind, Placebo-Controlled Pilot Study of Oral Artesunate Therapy for Colorectal Cancer. *EBioMedicine*, 2(1), 82-90. doi:10.1016/j.ebiom.2014.11.010
- Kubatka, P., Uramova, S., Kello, M., Kajo, K., Kruzliak, P., Mojzis, J., . . . Busselberg, D. (2017). Antineoplastic effects of clove buds (*Syzygium aromaticum* L.) in the model of breast carcinoma. *J Cell Mol Med*, 21(11), 2837-2851. doi:10.1111/jcmm.13197
- Kulothungan, V., Sathishkumar, K., Leburu, S., Ramamoorthy, T., Stephen, S., Basavarajappa, D., . . . Mathur, P. (2022). Burden of cancers in India - estimates of cancer crude incidence, YLLs, YLDs and DALYs for 2021 and 2025 based on National Cancer Registry Program. *BMC Cancer*, 22(1), 527. doi:10.1186/s12885-022-09578-1
- Kumar, B., & Bhat, K. (2014). Apoptosis and flowcytometric studies of Bauhinia variegata bark extract. *Asian Journal of Pharmaceutical and Clinical Research*, 7, 45-47.
- Kumar, P. S., Shiras, A., Das, G., Jagtap, J. C., Prasad, V., & Shastry, P. (2007). Differential expression and role of p21cip/waf1 and p27kip1 in TNF-alpha-induced inhibition of proliferation in human glioma cells. *Mol Cancer*, 6, 42. doi:10.1186/1476-4598-6-42
- Landskron, G., De la Fuente, M., Thuwajit, P., Thuwajit, C., & Hermoso, M. A. (2014). Chronic Inflammation and Cytokines in the Tumor Microenvironment. *J Immunol Res*, 2014, 149185. doi:10.1155/2014/149185
- Landskron, G., De la Fuente, M., Thuwajit, P., Thuwajit, C., & Hermoso, M. A. (2014). Chronic inflammation and cytokines in the tumor microenvironment. *J Immunol Res*, 2014, 149185. doi:10.1155/2014/149185
- Lang, A., Lahav, M., Sakhnini, E., Barshack, I., Fidler, H. H., Avidan, B., . . . Chowers, Y. (2004). Allicin inhibits spontaneous and TNF-alpha induced secretion of proinflammatory cytokines and chemokines from intestinal epithelial cells. *Clin Nutr*, 23(5), 1199-1208. doi:10.1016/j.clnu.2004.03.011

- Lee, S. H., & Nam, H. S. (2008). TNF alpha-induced down-regulation of estrogen receptor alpha in MCF-7 breast cancer cells. *Mol Cells*, 26(3), 285-290.
- Lee, Y. G., Park, D. H., & Chae, Y. C. (2022). Role of Mitochondrial Stress Response in Cancer Progression. *Cells*, 11(5). doi:10.3390/cells11050771
- Leek, R. D., Landers, R., Fox, S. B., Ng, F., Harris, A. L., & Lewis, C. E. (1998). Association of tumour necrosis factor alpha and its receptors with thymidine phosphorylase expression in invasive breast carcinoma. *Br J Cancer*, 77(12), 2246-2251. doi:10.1038/bjc.1998.373
- Li, C., Dong, L., Su, R., Bi, Y., Qing, Y., Deng, X., . . . Jin, J. (2020). Homoharringtonine exhibits potent anti-tumor effect and modulates DNA epigenome in acute myeloid leukemia by targeting SP1/TET1/5hmC. *Haematologica*, 105(1), 148-160. doi:10.3324/haematol.2018.208835
- Li, H. H., Zhu, H., Liu, L. S., Huang, Y., Guo, J., Li, J., . . . Zhai, K. (2015). Tumour Necrosis Factor- α Gene Polymorphism Is Associated with Metastasis in Patients with Triple Negative Breast Cancer. *Sci Rep*, 5, 10244. doi:10.1038/srep10244
- Li, Y., Zhang, T., Korkaya, H., Liu, S., Lee, H. F., Newman, B., . . . Sun, D. (2010). Sulforaphane, a dietary component of broccoli/broccoli sprouts, inhibits breast cancer stem cells. *Clin Cancer Res*, 16(9), 2580-2590. doi:10.1158/1078-0432.Ccr-09-2937
- Liao, Y. J., Bai, H. Y., Li, Z. H., Zou, J., Chen, J. W., Zheng, F., . . . Xie, D. (2014). Longikaurin A, a natural ent-kaurane, induces G2/M phase arrest via downregulation of Skp2 and apoptosis induction through ROS/JNK/c-Jun pathway in hepatocellular carcinoma cells. *Cell Death Dis*, 5(3), e1137. doi:10.1038/cddis.2014.66
- Lin, H. J., Liu, Y., Lofland, D., & Lin, J. (2022). Breast Cancer Tumor Microenvironment and Molecular Aberrations Hijack Tumoricidal Immunity. *Cancers (Basel)*, 14(2). doi:10.3390/cancers14020285
- Lin, W. W., & Karin, M. (2007). A cytokine-mediated link between innate immunity, inflammation, and cancer. *J Clin Invest*, 117(5), 1175-1183. doi:10.1172/jci31537
- Lin, Z. Y., Kuo, C. H., Wu, D. C., & Chuang, W. L. (2016). Anticancer effects of clinically acceptable colchicine concentrations on human gastric cancer cell lines. *Kaohsiung J Med Sci*, 32(2), 68-73. doi:10.1016/j.kjms.2015.12.006
- Lippitz, B. E. (2013). Cytokine patterns in patients with cancer: a systematic review. *Lancet Oncol*, 14(6), e218-228. doi:10.1016/s1470-2045(12)70582-x
- Lippitz, B. E. (2013). Cytokine patterns in patients with cancer: a systematic review. *The Lancet Oncology*, 14(6), e218-e228. doi:[https://doi.org/10.1016/S1470-2045\(12\)70582-X](https://doi.org/10.1016/S1470-2045(12)70582-X)
- Lis, K., Kuzawińska, O., & Bałkowiec-Iskra, E. (2014). Tumor necrosis factor inhibitors - state of knowledge. *Arch Med Sci*, 10(6), 1175-1185. doi:10.5114/aoms.2014.47827
- Liu, L., Yan, J., Cao, Y., Yan, Y., Shen, X., Yu, B., . . . Wang, S. (2021). Proliferation, migration and invasion of triple negative breast cancer cells are suppressed by berbamine via the PI3K/Akt/MDM2/p53 and PI3K/Akt/mTOR signaling pathways. *Oncol Lett*, 21(1), 70. doi:10.3892/ol.2020.12331
- Lo, Y. Y., & Cruz, T. F. (1995). Involvement of reactive oxygen species in cytokine and growth factor induction of c-fos expression in chondrocytes. *J Biol Chem*, 270(20), 11727-11730. doi:10.1074/jbc.270.20.11727
- Lu, D., Huang, J., & Basu, A. (2006). Protein kinase Cepsilon activates protein kinase B/Akt via DNA-PK to protect against tumor necrosis factor-alpha-induced cell death. *J Biol Chem*, 281(32), 22799-22807. doi:10.1074/jbc.M603390200
- Luo, C., Li, N., Lu, B., Cai, J., Lu, M., Zhang, Y., . . . Dai, M. (2021). Global and regional trends in incidence and mortality of female breast cancer and associated factors at national level in 2000 to 2019. *Chin Med J (Engl)*, 135(1), 42-51. doi:10.1097/cm9.0000000000001814

- Lüönd, F., Tiede, S., & Christofori, G. (2021). Breast cancer as an example of tumour heterogeneity and tumour cell plasticity during malignant progression. *Br J Cancer*, 125(2), 164-175. doi:10.1038/s41416-021-01328-7
- Ma, Z., Fan, C., Yang, Y., Di, S., Hu, W., Li, T., . . . Yan, X. (2016). Thapsigargin sensitizes human esophageal cancer to TRAIL-induced apoptosis via AMPK activation. *Sci Rep*, 6, 35196. doi:10.1038/srep35196
- Maeda, H., & Akaike, T. (1998). Nitric oxide and oxygen radicals in infection, inflammation, and cancer. *Biochemistry (Mosc)*, 63(7), 854-865.
- Malarkodi Velraj, & Sowmya, D. (2016). A Review on Cancer Screening. *International Journal of PharmTech Research*, 9, 224-233. Retrieved from [https://sphinxsai.com/2016/ph_vol9_no3/abstracts/A\(224-233\)V9N3PT.pdf](https://sphinxsai.com/2016/ph_vol9_no3/abstracts/A(224-233)V9N3PT.pdf)
- Mallath, M. K., Taylor, D. G., Badwe, R. A., Rath, G. K., Shanta, V., Pramesh, C. S., . . . Sullivan, R. (2014). The growing burden of cancer in India: epidemiology and social context. *Lancet Oncol*, 15(6), e205-212. doi:10.1016/s1470-2045(14)70115-9
- Malvia, S., Bagadi, S. A., Dubey, U. S., & Saxena, S. (2017). Epidemiology of breast cancer in Indian women. *Asia Pac J Clin Oncol*, 13(4), 289-295. doi:10.1111/ajco.12661
- Mantovani, A., Allavena, P., Sica, A., & Balkwill, F. (2008). Cancer-related inflammation. *Nature*, 454(7203), 436-444. doi:10.1038/nature07205
- Mantovani, A., & Dejana, E. (1989). Cytokines as communication signals between leukocytes and endothelial cells. *Immunology Today*, 10(11), 370-375. doi:[https://doi.org/10.1016/0167-5699\(89\)90270-3](https://doi.org/10.1016/0167-5699(89)90270-3)
- Marín, Y. E., Wall, B. A., Wang, S., Namkoong, J., Martino, J. J., Suh, J., . . . Ryu, J. H. (2007). Curcumin downregulates the constitutive activity of NF-kappaB and induces apoptosis in novel mouse melanoma cells. *Melanoma Res*, 17(5), 274-283. doi:10.1097/CMR.0b013e3282ed3d0e
- Mathur, P., Sathishkumar, K., Chaturvedi, M., Das, P., Sudarshan, K. L., Santhappan, S., . . . Roselind, F. S. (2020). Cancer Statistics, 2020: Report From National Cancer Registry Programme, India. *JCO Glob Oncol*, 6, 1063-1075. doi:10.1200/go.20.00122
- Maurya, A. P., & Brahmachari, S. J. I. J. o. S. (2020). Current Status of Breast Cancer Management in India. 1-6.
- McCormack, D., & McFadden, D. (2013). A review of pterostilbene antioxidant activity and disease modification. *Oxid Med Cell Longev*, 2013, 575482. doi:10.1155/2013/575482
- Medzhitov, R. (2008). Origin and physiological roles of inflammation. *Nature*, 454(7203), 428-435. doi:10.1038/nature07201
- Mehlen, P., Kretz-Remy, C., Briolay, J., Fostan, P., Mirault, M. E., & Arrigo, A. P. (1995). Intracellular reactive oxygen species as apparent modulators of heat-shock protein 27 (hsp27) structural organization and phosphorylation in basal and tumour necrosis factor alpha-treated T47D human carcinoma cells. *Biochem J*, 312 (Pt 2)(Pt 2), 367-375. doi:10.1042/bj3120367
- Mehrotra, R., & Yadav, K. (2022). Breast cancer in India: Present scenario and the challenges ahead. *World J Clin Oncol*, 13(3), 209-218. doi:10.5306/wjco.v13.i3.209
- Meier, B., Radeke, H. H., Selle, S., Younes, M., Sies, H., Resch, K., & Habermehl, G. G. (1989). Human fibroblasts release reactive oxygen species in response to interleukin-1 or tumour necrosis factor-alpha. *Biochem J*, 263(2), 539-545. doi:10.1042/bj2630539
- Méndez-García, L. A., Trejo-Millán, F., Martínez-Reyes, C. P., Manjarrez-Reyna, A. N., Esquivel-Velázquez, M., Melendez-Mier, G., . . . Escobedo, G. (2018). Infliximab ameliorates tumor necrosis factor-alpha-induced insulin resistance by attenuating PTP1B activation in 3T3L1 adipocytes in vitro. *Scand J Immunol*, 88(5), e12716. doi:10.1111/sji.12716

- Meng, L. H., Zhang, J. S., & Ding, J. (2001). Salvicine, a novel DNA topoisomerase II inhibitor, exerting its effects by trapping enzyme-DNA cleavage complexes. *Biochem Pharmacol*, 62(6), 733-741. doi:10.1016/s0006-2952(01)00732-8
- Meng, Z., Li, T., Ma, X., Wang, X., Van Ness, C., Gan, Y., . . . Huang, W. (2013). Berbamine inhibits the growth of liver cancer cells and cancer-initiating cells by targeting Ca²⁺/calmodulin-dependent protein kinase II. *Mol Cancer Ther*, 12(10), 2067-2077. doi:10.1158/1535-7163.mct-13-0314
- Mercogliano, M. F., Bruni, S., Mauro, F., Elizalde, P. V., & Schillaci, R. (2021). Harnessing Tumor Necrosis Factor Alpha to Achieve Effective Cancer Immunotherapy. *Cancers (Basel)*, 13(3). doi:10.3390/cancers13030564
- Micheau, O., & Tschopp, J. (2003). Induction of TNF receptor I-mediated apoptosis via two sequential signaling complexes. *Cell*, 114(2), 181-190. doi:10.1016/s0092-8674(03)00521-x
- Mickymaray, S., Alfaiz, F. A., Paramasivam, A., Veeraraghavan, V. P., Periadurai, N. D., Surapaneni, K. M., & Niu, G. (2021). Rhaponticin suppresses osteosarcoma through the inhibition of PI3K-Akt-mTOR pathway. *Saudi J Biol Sci*, 28(7), 3641-3649. doi:10.1016/j.sjbs.2021.05.006
- Mikhaylova, I. V., Kuulasmaa, T., Jääskeläinen, J., & Voutilainen, R. (2007). Tumor necrosis factor-alpha regulates steroidogenesis, apoptosis, and cell viability in the human adrenocortical cell line NCI-H295R. *Endocrinology*, 148(1), 386-392. doi:10.1210/en.2006-0726
- Miles, D. W., Happerfield, L. C., Naylor, M. S., Bobrow, L. G., Rubens, R. D., & Balkwill, F. R. (1994). Expression of tumour necrosis factor (TNF alpha) and its receptors in benign and malignant breast tissue. *Int J Cancer*, 56(6), 777-782. doi:10.1002/ijc.2910560603
- Milkovic, L., Cipak Gasparovic, A., Cindric, M., Mouthuy, P. A., & Zarkovic, N. (2019). Short Overview of ROS as Cell Function Regulators and Their Implications in Therapy Concepts. *Cells*, 8(8). doi:10.3390/cells8080793
- Miller, M. D., & Krangel, M. S. (1992). Biology and biochemistry of the chemokines: a family of chemotactic and inflammatory cytokines. *Crit Rev Immunol*, 12(1-2), 17-46.
- Min, Y. D., Choi, C. H., Bark, H., Son, H. Y., Park, H. H., Lee, S., . . . Kim, S. H. (2007). Quercetin inhibits expression of inflammatory cytokines through attenuation of NF-kappaB and p38 MAPK in HMC-1 human mast cell line. *Inflamm Res*, 56(5), 210-215. doi:10.1007/s00011-007-6172-9
- Mishra, A., Sharma, A. K., Kumar, S., Saxena, A. K., & Pandey, A. K. (2013). Bauhinia variegata leaf extracts exhibit considerable antibacterial, antioxidant, and anticancer activities. *Biomed Res Int*, 2013, 915436. doi:10.1155/2013/915436
- Mishra, K., Ojha, H., & Chaudhury, N. K. J. F. c. (2012). Estimation of antiradical properties of antioxidants using DPPH assay: A critical review and results. 130(4), 1036-1043.
- Missiroli, S., Genovese, I., Perrone, M., Vezzani, B., Vitto, V. A. M., & Giorgi, C. (2020). The Role of Mitochondria in Inflammation: From Cancer to Neurodegenerative Disorders. *J Clin Med*, 9(3). doi:10.3390/jcm9030740
- Mohamed, M. A., Mammoud, M. R., & Hayen, H. (2009). Evaluation of antinociceptive and anti-inflammatory activities of a new triterpene saponin from Bauhinia variegata leaves. *Z Naturforsch C J Biosci*, 64(11-12), 798-808. doi:10.1515/znc-2009-11-1208
- Mojžiš, J., Sariský, M., Pilatova, M., Voharová, V., Varinska, L., Mojzisoová, G., . . . Mirossay, L. (2008). In vitro antiproliferative and antiangiogenic effects of Flavin7®. *Physiological research / Academia Scientiarum Bohemoslovaca*, 57, 413-420. doi:10.33549/physiolres.931127
- Monteiro, K., Santos, Faria, I., Oliveira, R., Pinto, F., Oliveira, B., . . . Ribeiro, R. (2019). ID7 Isolated from Bauhinia variegata Stem Inhibits Tumor Progression and Metastatic Mechanisms of Triple Negative Breast Cancer in Vivo ID7 fraction from Bauhinia

- variegata Inhibits Triple Negative Breast Cancer. 368-384. doi:10.17265/2328-2150/2019.07.003
- Moriwaki, K., Bertin, J., Gough, P. J., Orlowski, G. M., & Chan, F. K. (2015). Differential roles of RIPK1 and RIPK3 in TNF-induced necroptosis and chemotherapeutic agent-induced cell death. *Cell Death & Disease*, 6(2), e1636-e1636. doi:10.1038/cddis.2015.16
- Mosmann, T. J. J. o. i. m. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. 65(1-2), 55-63.
- Nagai, H., & Kim, Y. H. (2017). Cancer prevention from the perspective of global cancer burden patterns. *J Thorac Dis*, 9(3), 448-451. doi:10.21037/jtd.2017.02.75
- Nair, B. C., Vallabhaneni, S., Tekmal, R. R., & Vadlamudi, R. K. (2011). Roscovitine confers tumor suppressive effect on therapy-resistant breast tumor cells. *Breast Cancer Res*, 13(3), R80. doi:10.1186/bcr2929
- Nakashima, J., Tachibana, M., Ueno, M., Miyajima, A., Baba, S., & Murai, M. (1998). Association between tumor necrosis factor in serum and cachexia in patients with prostate cancer. *Clin Cancer Res*, 4(7), 1743-1748.
- Navarro-González, J. F., & Mora-Fernández, C. (2008). The Role of Inflammatory Cytokines in Diabetic Nephropathy. 19(3), 433-442. doi:10.1681/ASN.2007091048 %J Journal of the American Society of Nephrology
- Newton, K., & Dixit, V. M. (2012). Signaling in innate immunity and inflammation. *Cold Spring Harb Perspect Biol*, 4(3). doi:10.1101/cshperspect.a006049
- Noureini, S. K., & Wink, M. (2014). Antiproliferative effect of the isoquinoline alkaloid papaverine in hepatocarcinoma HepG-2 cells--inhibition of telomerase and induction of senescence. *Molecules*, 19(8), 11846-11859. doi:10.3390/molecules190811846
- O'Dea, E., & Hoffmann, A. (2009). NF-κB signaling. *Wiley Interdiscip Rev Syst Biol Med*, 1(1), 107-115. doi:10.1002/wsbm.30
- Orosz, P., Echtenacher, B., Falk, W., Rüschoff, J., Weber, D., & Männel, D. N. (1993). Enhancement of experimental metastasis by tumor necrosis factor. *Journal of Experimental Medicine*, 177(5), 1391-1398. doi:10.1084/jem.177.5.1391 %J Journal of Experimental Medicine
- Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., & Simons, A. (2009). Agroforestry Database: a tree reference and selection guide. Version 4. *Agroforestry Database: a tree reference and selection guide. Version 4*.
- Ouhtit, A., Gaur, R. L., Abdraboh, M., Ireland, S. K., Rao, P. N., Raj, S. G., . . . Murthy, S. N. J. J. o. C. (2013). Simultaneous inhibition of cell-cycle, proliferation, survival, metastatic pathways and induction of apoptosis in breast cancer cells by a phytochemical super-cocktail: genes that underpin its mode of action. 4(9), 703.
- Pagliacci, M. C., Smacchia, M., Migliorati, G., Grignani, F., Riccardi, C., & Nicoletti, I. (1994). Growth-inhibitory effects of the natural phyto-oestrogen genistein in MCF-7 human breast cancer cells. *European Journal of Cancer*, 30(11), 1675-1682. doi:[https://doi.org/10.1016/0959-8049\(94\)00262-4](https://doi.org/10.1016/0959-8049(94)00262-4)
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: an overview. *J Nutr Sci*, 5, e47. doi:10.1017/jns.2016.41
- Pandey, P. R., Okuda, H., Watabe, M., Pai, S. K., Liu, W., Kobayashi, A., . . . Watabe, K. (2011). Resveratrol suppresses growth of cancer stem-like cells by inhibiting fatty acid synthase. *Breast Cancer Res Treat*, 130(2), 387-398. doi:10.1007/s10549-010-1300-6
- Pandey, S., Agrawal, R., & Maheshwari, S. (2012). In-vitro antioxidant and free radical scavenging activity of Bauhinia variegata Linn. *International Journal of Scientific and Research Publications*, 2(2), 1-5.
- Patel, P. B., Thakkar, V. R., & Patel, J. S. (2015). Cellular Effect of Curcumin and Citral Combination on Breast Cancer Cells: Induction of Apoptosis and Cell Cycle Arrest. *J Breast Cancer*, 18(3), 225-234. doi:10.4048/jbc.2015.18.3.225

- Peng, C. H., Tseng, T. H., Liu, J. Y., Hsieh, Y. H., Huang, C. N., Hsu, S. P., & Wang, C. J. (2004). Penta-acetyl geniposide-induced C6 glioma cell apoptosis was associated with the activation of protein kinase C-delta. *Chem Biol Interact*, 147(3), 287-296. doi:10.1016/j.cbi.2004.01.003
- Perou, C. M., Sørli, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., . . . Botstein, D. (2000). Molecular portraits of human breast tumours. *Nature*, 406(6797), 747-752. doi:10.1038/35021093
- Pettit, G. R., Singh, S. B., Boyd, M. R., Hamel, E., Pettit, R. K., Schmidt, J. M., & Hogan, F. (1995). Antineoplastic agents. 291. Isolation and synthesis of combretastatins A-4, A-5, and A-6(1a). *J Med Chem*, 38(10), 1666-1672. doi:10.1021/jm00010a011
- Pileczki, V., Braicu, C., Gherman, C. D., & Berindan-Neagoe, I. (2012). TNF- α gene knockout in triple negative breast cancer cell line induces apoptosis. *Int J Mol Sci*, 14(1), 411-420. doi:10.3390/ijms14010411
- Pledge-Tracy, A., Sobolewski, M. D., & Davidson, N. E. (2007). Sulforaphane induces cell type-specific apoptosis in human breast cancer cell lines. *Mol Cancer Ther*, 6(3), 1013-1021. doi:10.1158/1535-7163.Mct-06-0494
- Pollard, J. W. (2004). Tumour-educated macrophages promote tumour progression and metastasis. *Nat Rev Cancer*, 4(1), 71-78. doi:10.1038/nrc1256
- Porporato, P. E., Filigheddu, N., Pedro, J. M. B.-S., Kroemer, G., & Galluzzi, L. (2018). Mitochondrial metabolism and cancer. *Cell Research*, 28(3), 265-280. doi:10.1038/cr.2017.155
- Pucci, C., Martinelli, C., & Ciofani, G. (2019). Innovative approaches for cancer treatment: current perspectives and new challenges. *Ecancermedicalscience*, 13, 961. doi:10.3332/ecancer.2019.961
- Purohit, A., Newman, S. P., & Reed, M. J. (2002). The role of cytokines in regulating estrogen synthesis: implications for the etiology of breast cancer. *Breast Cancer Res*, 4(2), 65-69. doi:10.1186/bcr425
- Raj Kapoor, B., Jayakar, B., & Muruges, N. (2003). Antitumour activity of Bauhinia variegata on Dalton's ascitic lymphoma. *J Ethnopharmacol*, 89(1), 107-109. doi:10.1016/s0378-8741(03)00264-2
- Raj Kapoor, B., Jayakar, B., & Muruges, N. (2003). Antitumour activity of Bauhinia variegata on Dalton's ascitic lymphoma. *Journal of Ethnopharmacology*, 89(1), 107-109.
- Raj Kapoor, B., Jayakar, B., Muruges, N., & Sakthisekaran, D. (2006). Chemoprevention and cytotoxic effect of Bauhinia variegata against N-nitrosodiethylamine induced liver tumors and human cancer cell lines. *J Ethnopharmacol*, 104(3), 407-409. doi:10.1016/j.jep.2005.08.074
- Ranjan, A., Ramachandran, S., Gupta, N., Kaushik, I., Wright, S., Srivastava, S., . . . Srivastava, S. K. (2019). Role of Phytochemicals in Cancer Prevention. *Int J Mol Sci*, 20(20). doi:10.3390/ijms20204981
- Rath, P. C., & Aggarwal, B. B. (1999). TNF-induced signaling in apoptosis. *J Clin Immunol*, 19(6), 350-364. doi:10.1023/a:1020546615229
- Ricci, J. E., Gottlieb, R. A., & Green, D. R. (2003). Caspase-mediated loss of mitochondrial function and generation of reactive oxygen species during apoptosis. *J Cell Biol*, 160(1), 65-75. doi:10.1083/jcb.200208089
- Richard, V., Kindt, N., & Saussez, S. (2015). Macrophage migration inhibitory factor involvement in breast cancer (Review). *Int J Oncol*, 47(5), 1627-1633. doi:10.3892/ijo.2015.3185
- Rieger, A. M., Nelson, K. L., Konowalchuk, J. D., & Barreda, D. R. (2011). Modified annexin V/propidium iodide apoptosis assay for accurate assessment of cell death. *J Vis Exp*(50). doi:10.3791/2597

- Rigas, J. R. (2004). Taxane-platinum combinations in advanced non-small cell lung cancer: a review. *Oncologist*, 9 Suppl 2, 16-23. doi:10.1634/theoncologist.9-suppl_2-16
- Rivas, M. A., Carnevale, R. P., Proietti, C. J., Rosemblyt, C., Beguelin, W., Salatino, M., . . . Schillaci, R. (2008). TNF alpha acting on TNFR1 promotes breast cancer growth via p42/P44 MAPK, JNK, Akt and NF-kappa B-dependent pathways. *Exp Cell Res*, 314(3), 509-529. doi:10.1016/j.yexcr.2007.10.005
- Rubio, G., López-Muñoz, F., & Alamo, C. (2006). Effects of lamotrigine in patients with bipolar disorder and alcohol dependence. *Bipolar Disord*, 8(3), 289-293. doi:10.1111/j.1399-5618.2006.00292.x
- Rubio, M. F., Werbach, S., Cafferata, E. G. A., Quaglino, A., Coló, G. P., Nojek, I. M., . . . Costas, M. A. (2006). TNF- α enhances estrogen-induced cell proliferation of estrogen-dependent breast tumor cells through a complex containing nuclear factor-kappa B. *Oncogene*, 25(9), 1367-1377. doi:10.1038/sj.onc.1209176
- Rubis, B., Kaczmarek, M., Szymanowska, N., Galezowska, E., Czyrski, A., Juskowiak, B., . . . Rybczynska, M. (2009). The biological activity of G-quadruplex DNA binding papaverine-derived ligand in breast cancer cells. *Investigational New Drugs*, 27(4), 289-296. doi:10.1007/s10637-008-9173-9
- Sahu, G., & Gupta, P. (2012). A review on Bauhinia variegata Linn. *International research Journal of pharmacy*, 3(1), 48-51.
- Sajadian, S., Vatankhah, M., Majdzadeh, M., Kouhsari, S. M., Ghahremani, M. H., & Ostad, S. N. (2015). Cell cycle arrest and apoptogenic properties of opium alkaloids noscapine and papaverine on breast cancer stem cells. *Toxicol Mech Methods*, 25(5), 388-395. doi:10.3109/15376516.2015.1045656
- Sakon, S., Xue, X., Takekawa, M., Sasazuki, T., Okazaki, T., Kojima, Y., . . . Nakano, H. (2003). NF-kappaB inhibits TNF-induced accumulation of ROS that mediate prolonged MAPK activation and necrotic cell death. *Embo j*, 22(15), 3898-3909. doi:10.1093/emboj/cdg379
- Salama, S. A., Kamel, M. W., Diaz-Arrastia, C. R., Xu, X., Veenstra, T. D., Salih, S., . . . Kumar, R. (2009). Effect of tumor necrosis factor-alpha on estrogen metabolism and endometrial cells: potential physiological and pathological relevance. *J Clin Endocrinol Metab*, 94(1), 285-293. doi:10.1210/jc.2008-1389
- Santos, K., Nunes, D., Faria, I., Da Silva, S., & Ribeiro, R. (2015). Inhibition of gelatinase activity of MMP-2 and MMP-9 by extracts of Bauhinia unguolata L. *Bioscience Journal*, 31, 584-590.
- Santos, K. M., Gomes, I. N. F., Silva-Oliveira, R. J., Pinto, F. E., Oliveira, B. G., Chagas, R. C. R., . . . Ribeiro, R. (2018). Bauhinia variegata candida Fraction Induces Tumor Cell Death by Activation of Caspase-3, RIP, and TNF-R1 and Inhibits Cell Migration and Invasion In Vitro. *Biomed Res Int*, 2018, 4702481. doi:10.1155/2018/4702481
- Sawai, H. (2014). Characterization of TNF-induced caspase-independent necroptosis. *Leuk Res*, 38(6), 706-713. doi:10.1016/j.leukres.2014.02.002
- Sehgal, P., Szalai, P., Olesen, C., Praetorius, H. A., Nissen, P., Christensen, S. B., . . . Møller, J. V. (2017). Inhibition of the sarco/endoplasmic reticulum (ER) Ca(2+)-ATPase by thapsigargin analogs induces cell death via ER Ca(2+) depletion and the unfolded protein response. *J Biol Chem*, 292(48), 19656-19673. doi:10.1074/jbc.M117.796920
- Semesiuk, N. I., Zhylchuk, A., Bezdenezhnykh, N., Lykhova, A., Vorontsova, A. L., Zhylchuk, V. E., & Kudryavets, Y. I. (2013). Disseminated tumor cells and enhanced level of some cytokines in bone marrow and peripheral blood of breast cancer patients as predictive factors of tumor progression. *Exp Oncol*, 35(4), 295-302.
- Shacter, E., & Weitzman, S. A. (2002). Chronic inflammation and cancer. *Oncology (Williston Park)*, 16(2), 217-226, 229; discussion 230-212.

- Sharma, D., Chawla, M., & Negi, S. (1968). Chemical composition and nutritive value of bamboo (*Bamboosa arundinaceae*) and 'Kachnar' (*Bauhenia variegata*) tree leaves. *Journal of Research-Punjab Agricultural University*, 5, 253-258.
- Sharma, K. R., Kalauni, S. K., & Awale, S. (2015). Antioxidant, phytotoxic and antimicrobial activities of methanolic extract of *Bauhinia variegata* barks. *Journal of Institute of Science and Technology*, 20(2), 37-41.
- Sharma, N., Bhardwaj, R., Kumar, S., & Kaur, S. (2011). Evaluation of *Bauhinia variegata* L. bark fractions for in-vitro antioxidant potential and protective effect against H₂O₂-induced oxidative damage to pBR322 DNA. *African Journal of Pharmacy and Pharmacology*, 5, 1494-1500.
- Sharma, N., Sharma, A., Bhatia, G., Landi, M., Brestic, M., Singh, B., . . . Bhardwaj, R. (2019). Isolation of Phytochemicals from *Bauhinia variegata* L. Bark and Their In Vitro Antioxidant and Cytotoxic Potential. *Antioxidants (Basel)*, 8(10). doi:10.3390/antiox8100492
- Shen, C. H., Shee, J. J., Wu, J. Y., Lin, Y. W., Wu, J. D., & Liu, Y. W. (2010). Combretastatin A-4 inhibits cell growth and metastasis in bladder cancer cells and retards tumour growth in a murine orthotopic bladder tumour model. *Br J Pharmacol*, 160(8), 2008-2027. doi:10.1111/j.1476-5381.2010.00861.x
- Shimada, Y., Yoshino, M., Wakui, A., Nakao, I., Futatsuki, K., Sakata, Y., . . . Ogawa, N. (1993). Phase II study of CPT-11, a new camptothecin derivative, in metastatic colorectal cancer. CPT-11 Gastrointestinal Cancer Study Group. *J Clin Oncol*, 11(5), 909-913. doi:10.1200/jco.1993.11.5.909
- Shimizu, T., Ohta, Y., Ozawa, H., Matsushima, H., & Takeda, K. (2000). Papaverine combined with prostaglandin E₂ synergistically induces neuron-like morphological changes and decrease of malignancy in human prostatic cancer LNCaP cells. *Anticancer Res*, 20(2a), 761-767.
- Shinde, A., Jung, H., Lee, H., Singh, K., Roy, M., Gohel, D., . . . Singh, R. (2021). TNF- α differentially modulates subunit levels of respiratory electron transport complexes of ER/PR +ve/-ve breast cancer cells to regulate mitochondrial complex activity and tumorigenic potential. *Cancer & Metabolism*, 9(1), 19. doi:10.1186/s40170-021-00254-9
- Shishodia, S., Majumdar, S., Banerjee, S., & Aggarwal, B. B. (2003). Ursolic acid inhibits nuclear factor-kappaB activation induced by carcinogenic agents through suppression of I κ B kinase and p65 phosphorylation: correlation with down-regulation of cyclooxygenase 2, matrix metalloproteinase 9, and cyclin D1. *Cancer Res*, 63(15), 4375-4383.
- Shoji, Y., Uedono, Y., Ishikura, H., Takeyama, N., & Tanaka, T. (1995). DNA damage induced by tumour necrosis factor- α in L929 cells is mediated by mitochondrial oxygen radical formation. *Immunology*, 84(4), 543-548.
- Siddiqui, J. A., Singh, A., Chagtoo, M., Singh, N., Godbole, M. M., & Chakravarti, B. (2015). Phytochemicals for breast cancer therapy: current status and future implications. *Curr Cancer Drug Targets*, 15(2), 116-135. doi:10.2174/1568009615666141229152256
- Siegle, I., Fritz, P., McClellan, M., Gutzeit, S., & Mürdter, T. E. (2001). Combined cytotoxic action of *Viscum album* agglutinin-1 and anticancer agents against human A549 lung cancer cells. *Anticancer Res*, 21(4a), 2687-2691.
- Simstein, R., Burow, M., Parker, A., Weldon, C., & Beckman, B. (2003). Apoptosis, chemoresistance, and breast cancer: insights from the MCF-7 cell model system. *Exp Biol Med (Maywood)*, 228(9), 995-1003. doi:10.1177/153537020322800903
- Singh, K., Poteryakhina, A., Zheltukhin, A., Bhatelia, K., Prajapati, P., Sripada, L., . . . Singh, R. (2015). NLRX1 acts as tumor suppressor by regulating TNF- α induced apoptosis and

- metabolism in cancer cells. *Biochim Biophys Acta*, 1853(5), 1073-1086. doi:10.1016/j.bbamcr.2015.01.016
- Singh, R., Bachheti, R., Saraswat, S., & Singh, S. K. (2012). Assessment of phytochemical and biological potentials of *Bauhinia variegata* L. *International Journal of Pharmaceutical Research*, 4(1), 95-100.
- Singh, R., & Pandey, H. (2006). Two new long chain compounds from *Bauhinia variegata* Linn.
- Skibinski, A., & Kuperwasser, C. (2015). The origin of breast tumor heterogeneity. *Oncogene*, 34(42), 5309-5316. doi:10.1038/onc.2014.475
- society, a. c. (2022). Breast Cancer Facts & Figures. *American Cancer Society journal, CA: A Cancer Journal for Clinicians*. Retrieved from <https://www.cancer.org/research/cancer-facts-statistics/breast-cancer-facts-figures.html>
- Soria, G., Ofri-Shahak, M., Haas, I., Yaal-Hahoshen, N., Leider-Trejo, L., Leibovich-Rivkin, T., . . . Gutman, M. (2011). Inflammatory mediators in breast cancer: coordinated expression of TNF α & IL-1 β with CCL2 & CCL5 and effects on epithelial-to-mesenchymal transition. *BMC cancer*, 11(1), 1-20.
- Sørbye, T., Perou, C. M., Tibshirani, R., Aas, T., Geisler, S., Johnsen, H., . . . Børresen-Dale, A. L. (2001). Gene expression patterns of breast carcinomas distinguish tumor subclasses with clinical implications. *Proc Natl Acad Sci U S A*, 98(19), 10869-10874. doi:10.1073/pnas.191367098
- Sternlicht, M. D., & Werb, Z. (2001). How matrix metalloproteinases regulate cell behavior. *Annu Rev Cell Dev Biol*, 17, 463-516. doi:10.1146/annurev.cellbio.17.1.463
- Stiborová, M., Poljaková, J., Martínková, E., Bořek-Dohalská, L., Eckschlager, T., Kizek, R., & Frei, E. (2011). Ellipticine cytotoxicity to cancer cell lines - a comparative study. *Interdiscip Toxicol*, 4(2), 98-105. doi:10.2478/v10102-011-0017-7
- Subbaramaiah, K., Sue, E., Bhardwaj, P., Du, B., Hudis, C. A., Giri, D., . . . Dannenberg, A. J. (2013). Dietary polyphenols suppress elevated levels of proinflammatory mediators and aromatase in the mammary gland of obese mice. *Cancer Prev Res (Phila)*, 6(9), 886-897. doi:10.1158/1940-6207.Capr-13-0140
- Sudheerkumar, K., Seetaramswamy, S., Babu, K. A., & Kumar, P. K. (2015). Phyto pharmacognostical and isolation of chemical constituents from *bauhinia variegata* leaf extract. *Journal of Pharmacognosy and Phytochemistry*, 4(1).
- Suganuma, M., Okabe, S., Marino, M. W., Sakai, A., Sueoka, E., & Fujiki, H. (1999). Essential role of tumor necrosis factor alpha (TNF-alpha) in tumor promotion as revealed by TNF-alpha-deficient mice. *Cancer Res*, 59(18), 4516-4518.
- Sun, Y., & Peng, Z. L. (2009). Programmed cell death and cancer. *Postgrad Med J*, 85(1001), 134-140. doi:10.1136/pgmj.2008.072629
- Sundaresan, M., Yu, Z. X., Ferrans, V. J., Sulciner, D. J., Gutkind, J. S., Irani, K., . . . Finkel, T. (1996). Regulation of reactive-oxygen-species generation in fibroblasts by Rac1. *Biochem J*, 318 (Pt 2)(Pt 2), 379-382. doi:10.1042/bj3180379
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA Cancer J Clin*, 71(3), 209-249. doi:10.3322/caac.21660
- Sunil K. Manna, H. J. Z., Tao Yan, Larry W. Oberley, and Bharat B. Aggarwal. (1998). Overexpression of Manganese Superoxide Dismutase Suppresses Tumor Necrosis Factor-induced Apoptosis and Activation of Nuclear Transcription Factor- κ B and Activated Protein-1. *Journal of Biological Chemistry*, 273(21). doi:<https://doi.org/10.1074/jbc.273.21.13245>
- Syng-Ai, C., Kumari, A. L., & Khar, A. (2004). Effect of curcumin on normal and tumor cells: role of glutathione and bcl-2. *Mol Cancer Ther*, 3(9), 1101-1108.

- Taniguchi, K., & Karin, M. (2018). NF- κ B, inflammation, immunity and cancer: coming of age. *Nat Rev Immunol*, 18(5), 309-324. doi:10.1038/nri.2017.142
- Teng, Y. (2015). Hanging drop aggregation assay of breast cancer cells. *Bio-protocol*, 5(3), e1393-e1393.
- Terceiro, L. E. L., Edechi, C. A., Ikeogu, N. M., Nickel, B. E., Hombach-Klonisch, S., Sharif, T., . . . Myal, Y. (2021). The Breast Tumor Microenvironment: A Key Player in Metastatic Spread. *Cancers (Basel)*, 13(19). doi:10.3390/cancers13194798
- Ting, C. Y., Wang, H. E., Yu, C. C., Liu, H. C., Liu, Y. C., & Chiang, I. T. (2015). Curcumin Triggers DNA Damage and Inhibits Expression of DNA Repair Proteins in Human Lung Cancer Cells. *Anticancer Res*, 35(7), 3867-3873.
- To, S. Q., Cheung, V., Lazarus, K. A., Knowler, K. C., & Clyne, C. D. (2014). Estradiol regulates Tumor Necrosis Factor- α expression and secretion in Estrogen Receptor positive breast cancer cells. *Mol Cell Endocrinol*, 394(1-2), 21-28.
- Tobiume, K., Matsuzawa, A., Takahashi, T., Nishitoh, H., Morita, K., Takeda, K., . . . Ichijo, H. (2001). ASK1 is required for sustained activations of JNK/p38 MAP kinases and apoptosis. *EMBO Rep*, 2(3), 222-228. doi:10.1093/embo-reports/kve046
- Toyokuni, S., Okamoto, K., Yodoi, J., & Hiai, H. (1995). Persistent oxidative stress in cancer. *FEBS Lett*, 358(1), 1-3. doi:10.1016/0014-5793(94)01368-b
- Tröger, W., Galun, D., Reif, M., Schumann, A., Stanković, N., & Milićević, M. (2013). Viscum album [L.] extract therapy in patients with locally advanced or metastatic pancreatic cancer: a randomised clinical trial on overall survival. *Eur J Cancer*, 49(18), 3788-3797. doi:10.1016/j.ejca.2013.06.043
- Truffi, M., Sorrentino, L., & Corsi, F. (2020). Fibroblasts in the Tumor Microenvironment. *Adv Exp Med Biol*, 1234, 15-29. doi:10.1007/978-3-030-37184-5_2
- Turashvili, G., & Brogi, E. (2017). Tumor Heterogeneity in Breast Cancer. *Front Med (Lausanne)*, 4, 227. doi:10.3389/fmed.2017.00227
- Vantangoli, M. M., Madnick, S. J., Huse, S. M., Weston, P., & Boekelheide, K. (2015). MCF-7 Human Breast Cancer Cells Form Differentiated Microtissues in Scaffold-Free Hydrogels. *PLoS One*, 10(8), e0135426. doi:10.1371/journal.pone.0135426
- Varfolomeev, E. E., & Ashkenazi, A. (2004). Tumor necrosis factor: an apoptosis JuNKie? *Cell*, 116(4), 491-497. doi:10.1016/s0092-8674(04)00166-7
- Vazquez Rodriguez, G., Abrahamsson, A., Jensen, L. D., & Dabrosin, C. (2017). Estradiol Promotes Breast Cancer Cell Migration via Recruitment and Activation of Neutrophils. *Cancer Immunol Res*, 5(3), 234-247. doi:10.1158/2326-6066.cir-16-0150
- VILSMAIER, T., RACK, B., KÖNIG, A., FRIESE, K., JANNI, W., JESCHKE, U., & WEISSENBACHER, T. (2016). Influence of Circulating Tumour Cells on Production of IL-1 α , IL-1 β and IL-12 in Sera of Patients with Primary Diagnosis of Breast Cancer Before Treatment. 36(10), 5227-5236. Retrieved from <https://ar.iijournals.org/content/anticancer/36/10/5227.full.pdf>
- Visvader, J. E. (2009). Keeping abreast of the mammary epithelial hierarchy and breast tumorigenesis. *Genes Dev*, 23(22), 2563-2577. doi:10.1101/gad.1849509
- Wajant, H., Pfizenmaier, K., & Scheurich, P. (2003). Tumor necrosis factor signaling. *Cell Death Differ*, 10(1), 45-65. doi:10.1038/sj.cdd.4401189
- Wang, G. Y., Lv, Q. H., Dong, Q., Xu, R. Z., & Dong, Q. H. (2009). Berbamine induces Fas-mediated apoptosis in human hepatocellular carcinoma HepG2 cells and inhibits its tumor growth in nude mice. *J Asian Nat Prod Res*, 11(3), 219-228. doi:10.1080/10286020802675076
- Wang, G. Y., Zhang, J. W., Lü, Q. H., Xu, R. Z., & Dong, Q. H. (2007). Berbamine induces apoptosis in human hepatoma cell line SMMC7721 by loss in mitochondrial transmembrane potential and caspase activation. *J Zhejiang Univ Sci B*, 8(4), 248-255. doi:10.1631/jzus.2007.B0248

- Wang, H., & Yang, X. (2017). Association between serum cytokines and progression of breast cancer in Chinese population. *Medicine (Baltimore)*, 96(49), e8840. doi:10.1097/md.00000000000008840
- Wang, L., Du, F., & Wang, X. (2008). TNF-alpha induces two distinct caspase-8 activation pathways. *Cell*, 133(4), 693-703. doi:10.1016/j.cell.2008.03.036
- Wang, L., Zhang, Z. G., Zhang, R. L., Gregg, S. R., Hozeska-Solgot, A., LeTourneau, Y., . . . Chopp, M. (2006). Matrix metalloproteinase 2 (MMP2) and MMP9 secreted by erythropoietin-activated endothelial cells promote neural progenitor cell migration. *J Neurosci*, 26(22), 5996-6003. doi:10.1523/jneurosci.5380-05.2006
- Wang, S., Liu, Q., Zhang, Y., Liu, K., Yu, P., Liu, K., . . . Wang, F. (2009). Suppression of growth, migration and invasion of highly-metastatic human breast cancer cells by berbamine and its molecular mechanisms of action. *Molecular cancer*, 8(1), 1-15.
- Wang, S., Liu, Q., Zhang, Y., Liu, K., Yu, P., Liu, K., . . . Zhang, G. (2009). Suppression of growth, migration and invasion of highly-metastatic human breast cancer cells by berbamine and its molecular mechanisms of action. *Mol Cancer*, 8, 81. doi:10.1186/1476-4598-8-81
- Wang, S., Yang, D., & Lippman, M. E. (2003). Targeting Bcl-2 and Bcl-XL with nonpeptidic small-molecule antagonists. *Semin Oncol*, 30(5 Suppl 16), 133-142. doi:10.1053/j.seminoncol.2003.08.015
- Wang, Y., Ding, L., Wang, X., Zhang, J., Han, W., Feng, L., . . . Wang, X. J. (2012). Pterostilbene simultaneously induces apoptosis, cell cycle arrest and cyto-protective autophagy in breast cancer cells. *Am J Transl Res*, 4(1), 44-51.
- Waters, J. P., Pober, J. S., & Bradley, J. R. (2013). Tumour necrosis factor and cancer. *J Pathol*, 230(3), 241-248. doi:10.1002/path.4188
- Way, T. D., Kao, M. C., & Lin, J. K. (2005). Degradation of HER2/neu by apigenin induces apoptosis through cytochrome c release and caspase-3 activation in HER2/neu-overexpressing breast cancer cells. *FEBS Lett*, 579(1), 145-152. doi:10.1016/j.febslet.2004.11.061
- Weitzenfeld, P., Meron, N., Leibovich-Rivkin, T., Meshel, T., & Ben-Baruch, A. (2013). Progression of luminal breast tumors is promoted by ménage à trois between the inflammatory cytokine TNF α and the hormonal and growth-supporting arms of the tumor microenvironment. *Mediators Inflamm*, 2013, 720536. doi:10.1155/2013/720536
- Weng, T. Y., Wu, H. F., Li, C. Y., Hung, Y. H., Chang, Y. W., Chen, Y. L., . . . Lai, M. D. (2018). Homoharringtonine induced immune alteration for an Efficient Anti-tumor Response in Mouse Models of Non-small Cell Lung Adenocarcinoma Expressing Kras Mutation. *Sci Rep*, 8(1), 8216. doi:10.1038/s41598-018-26454-w
- Wertz, I. E., & Dixit, V. M. (2010). Regulation of death receptor signaling by the ubiquitin system. *Cell Death Differ*, 17(1), 14-24. doi:10.1038/cdd.2009.168
- Wiseman, C. L., Yap, H.-Y., Bedikian, A. Y., Bodey, G. P., & Blumenschein, G. R. (1982). Phase II trial of bruceantin in metastatic breast carcinoma. *American Journal of Clinical Oncology*, 5(4). Retrieved from https://journals.lww.com/amjclinicaloncology/Fulltext/1982/08000/Phase_II_trial_of_bruceantin_in_metastatic_breast.7.aspx
- Wolczyk, D., Zaremba-Czogalla, M., Hryniewicz-Jankowska, A., Tabola, R., Grabowski, K., Sikorski, A. F., & Augoff, K. (2016). TNF- α promotes breast cancer cell migration and enhances the concentration of membrane-associated proteases in lipid rafts. *Cell Oncol (Dordr)*, 39(4), 353-363. doi:10.1007/s13402-016-0280-x
- Wu, C.-H., Hong, B.-H., Ho, C.-T., Yen, G.-C. J. J. o. a., & chemistry, f. (2015). Targeting cancer stem cells in breast cancer: potential anticancer properties of 6-shogaol and pterostilbene. 63(9), 2432-2441.

- Wu, J. S., Jiang, J., Chen, B. J., Wang, K., Tang, Y. L., & Liang, X. H. (2021). Plasticity of cancer cell invasion: Patterns and mechanisms. *Transl Oncol*, 14(1), 100899. doi:10.1016/j.tranon.2020.100899
- Wu, X., Wu, M. Y., Jiang, M., Zhi, Q., Bian, X., Xu, M. D., . . . Li, W. (2017). TNF- α sensitizes chemotherapy and radiotherapy against breast cancer cells. *Cancer Cell Int*, 17, 13. doi:10.1186/s12935-017-0382-1
- Wu, Y., & Zhou, B. P. (2010). TNF-alpha/NF-kappaB/Snail pathway in cancer cell migration and invasion. *Br J Cancer*, 102(4), 639-644. doi:10.1038/sj.bjc.6605530
- Xiang, L. P., Wang, A., Ye, J. H., Zheng, X. Q., Polito, C. A., Lu, J. L., . . . Liang, Y. R. (2016). Suppressive Effects of Tea Catechins on Breast Cancer. *Nutrients*, 8(8). doi:10.3390/nu8080458
- Xu, C., Shen, G., Chen, C., G  linas, C., & Kong, A. N. (2005). Suppression of NF-kappaB and NF-kappaB-regulated gene expression by sulforaphane and PEITC through IkappaBalpha, IKK pathway in human prostate cancer PC-3 cells. *Oncogene*, 24(28), 4486-4495. doi:10.1038/sj.onc.1208656
- Yamaguchi, H., & Condeelis, J. (2007). Regulation of the actin cytoskeleton in cancer cell migration and invasion. *Biochim Biophys Acta*, 1773(5), 642-652. doi:10.1016/j.bbamcr.2006.07.001
- Yang, N. D., Tan, S. H., Ng, S., Shi, Y., Zhou, J., Tan, K. S., . . . Shen, H. M. (2014). Artesunate induces cell death in human cancer cells via enhancing lysosomal function and lysosomal degradation of ferritin. *J Biol Chem*, 289(48), 33425-33441. doi:10.1074/jbc.M114.564567
- Yokota, T., Matsuzaki, Y., Koyama, M., Hitomi, T., Kawanaka, M., Enoki-Konishi, M., . . . Sakai, T. (2007). Sesamin, a lignan of sesame, down-regulates cyclin D1 protein expression in human tumor cells. *Cancer Science*, 98(9), 1447-1453. doi:<https://doi.org/10.1111/j.1349-7006.2007.00560.x>
- Yoon, H., & Liu, R. H. (2007). Effect of selected phytochemicals and apple extracts on NF-kappaB activation in human breast cancer MCF-7 cells. *J Agric Food Chem*, 55(8), 3167-3173. doi:10.1021/jf0632379
- Yu, H., Kortylewski, M., & Pardoll, D. (2007). Crosstalk between cancer and immune cells: role of STAT3 in the tumour microenvironment. *Nat Rev Immunol*, 7(1), 41-51. doi:10.1038/nri1995
- Yuan, D., Huang, S., Berger, E., Liu, L., Gross, N., Heinzmann, F., . . . Heikenwalder, M. (2017). Kupffer Cell-Derived Tnf Triggers Cholangiocellular Tumorigenesis through JNK due to Chronic Mitochondrial Dysfunction and ROS. *Cancer Cell*, 31(6), 771-789.e776. doi:<https://doi.org/10.1016/j.ccell.2017.05.006>
- Zhang, R., Kang, K. A., Piao, M. J., Lee, K. H., Jang, H. S., Park, M. J., . . . Hyun, J. W. (2007). Rhapontigenin from Rheum undulatum protects against oxidative-stress-induced cell damage through antioxidant activity. *J Toxicol Environ Health A*, 70(13), 1155-1166. doi:10.1080/15287390701252766
- Zhang, T., Chen, W., Jiang, X., Liu, L., Wei, K., Du, H., . . . Li, J. (2019). Anticancer effects and underlying mechanism of Colchicine on human gastric cancer cell lines in vitro and in vivo. *Biosci Rep*, 39(1). doi:10.1042/bsr20181802
- Zhang, Y.-J., Gan, R.-Y., Li, S., Zhou, Y., Li, A.-N., Xu, D.-P., & Li, H.-B. (2015). Antioxidant Phytochemicals for the Prevention and Treatment of Chronic Diseases. 20(12), 21138-21156. Retrieved from <https://www.mdpi.com/1420-3049/20/12/19753>
- Zhao, Y., Lv, J. J., Chen, J., Jin, X. B., Wang, M. W., Su, Z. H., . . . Zhang, H. Y. (2016). Berbamine inhibited the growth of prostate cancer cells in vivo and in vitro via triggering intrinsic pathway of apoptosis. *Prostate Cancer Prostatic Dis*, 19(4), 358-366. doi:10.1038/pcan.2016.29

- Zhou, B. P., Hu, M. C., Miller, S. A., Yu, Z., Xia, W., Lin, S. Y., & Hung, M. C. (2000). HER-2/neu blocks tumor necrosis factor-induced apoptosis via the Akt/NF-kappaB pathway. *J Biol Chem*, 275(11), 8027-8031. doi:10.1074/jbc.275.11.8027
- Zhu, H., Ruan, S., Jia, F., Chu, J., Zhu, Y., Huang, Y., & Liu, G. (2018). In vitro and in vivo superior radiosensitizing effect of berbamine for head and neck squamous cell carcinoma. *Onco Targets Ther*, 11, 8117-8125. doi:10.2147/ott.S171212
- Zorov, D. B., Juhaszova, M., & Sollott, S. J. (2014). Mitochondrial reactive oxygen species (ROS) and ROS-induced ROS release. *Physiol Rev*, 94(3), 909-950. doi:10.1152/physrev.00026.2013