

REFERENCES

1. Abalovich M, Amino N, Barbour LA, Cobin RH, De Groot LJ, Glinoe D, Mandel SJ, Stagnaro-Green A (2007) Management of thyroid dysfunction during pregnancy and postpartum: an Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab*, 92(Suppl): S1–S47.
2. Abalovich M, Gutierrez S, Alcaraz G, Maccallini G, Garcia A, Levalle O (2002) Overt and subclinical hypothyroidism complicating pregnancy. *Thyroid*, 12(1): 63–68.
3. Abel ED, Moura EG, Ahima RS, Campos-Barros A, Pazos-Moura CC, Boers ME, Kaulbach HC, Forrest D, Wondisford FE (2003) Dominant inhibition of thyroid hormone action selectively in the pituitary of thyroid hormone receptor-beta null mice abolishes the regulation of thyrotropin by thyroid hormone. *Mol Endocrinol*, 17: 1767–1776.
4. Abuid J, Stinson DA, Larsen PR (1973) Serum triiodothyronine and thyroxine in the neonate and the acute increases in these hormones following delivery. *J Clin Invest*, 52:1195–1199.
5. ACC/SCN (United Nations Administrative Committee on Coordination, Subcommittee on Nutrition) (1997) Report of the meeting of the Working Group on Iron Deficiency, Kathmandu, Nepal. *United Nations*, New York, USA, 14 pp.
6. Agarwal J, Nair S, Sekri T (2011) Screening of pregnant women for thyroid disorders so as to prevent brain damage of fetus. P.hD. thesis, Department of Foods and Nutrition, Faculty of Family and Community Sciences, The M. S. University of Baroda, Vadodara, Gujarat.
7. Ain KB, Mori Y, Refetoff S (1987) Reduced clearance rate of thyroxine binding globulin (TBG) with increased sialylation: a mechanism for estrogen-induced elevation of serum TBG concentration. *J Clin Endocrinol Metab*, 65:686–696.
8. Alexander EK (2010) Here's to you, baby! A step forward in support of universal screening of thyroid function during pregnancy. *J Clin Endocrinol Metab*, 95(4): 1575–1577.
9. Alexander EK, Marqusee E, Lawrence J, Jarolim P, Fischer GA, Larsen PR (2004) Timing and magnitude of increases in

- levothyroxine requirements during pregnancy in women with hypothyroidism. *N Engl J Med*, 351(3): 241–249.
10. Alkemade A, Friesema EC, Kuiper GG, Wiersinga WM, Swaab DF, Visser TJ, Fliers E (2006) Novel neuroanatomical pathways for thyroid hormone action in the human anterior pituitary. *Eur J Endocrinol*, 154: 491–500.
 11. Alkemade A, Friesema EC, Unmehopa UA, Fabriek BO, Kuiper GG, Leonard JL, Wiersinga WM, Swaab DF, Visser TJ, Fliers E (2005) Neuroanatomical pathways for thyroid hormone feedback in the human hypothalamus. *J Clin Endocrinol Metab*, 90: 4322–4334.
 12. Allan WC, Haddow JE, Palomaki GE, Williams JR, Mitchell ML, Hermos RJ, Faix JD, Klein RZ (2000) Maternal thyroid deficiency and pregnancy complications: implications for population screening. *J Med Screen*, 7(3): 127–130.
 13. Alvarez-Pedrerol M, Guxens M et al (2009) Iodine levels and thyroid hormones in healthy pregnant women and birth weight of their offspring. *Eur J Endocrinol*, 160(3): 423–429.
 14. Anselmo J, Cao D, Karrison T, Weiss RE, Refetoff S (2004) Fetal loss associated with excess thyroid hormone exposure. *JAMA*, 292: 691–695.
 15. Ategbo EA, Sankar R, Schultink W, vander Haar F, Pandav CS (2008) An assessment of progress toward universal salt iodization in Rajasthan, India, using iodine nutrition indicators in school-aged children and pregnant women from the same households. *Asia Pac J Clin Nutr*, 17: 56–62.
 16. Auso E, Lavado-Autric R, Cuevas E, de Escobar RF, de Escobar MG, Berbel P (2004) A moderate and transient deficiency of maternal thyroid function at the beginning of fetal neocortico-genesis alters neuronal migration. *Endocrinology*, 145: 4037–4047.
 17. Aziz N, Reddy P, Fernandez E (2006) Hypothyroidism in pregnancy: Is universal screening needed? *J Obstet Gynecol India*, 56(6): 495–498.
 18. Ballabio M, Nicolini U, Jowett T, Ruiz de Elvira MC, Ekins RP, Rodeck CH (1989) Maturation of thyroid function in normal human fetuses. *Clin Endocrinol*, 31: 565–571.
 19. Banerjee S (2011) Thyroid disorders in pregnancy. *J Assoc Physicians India*, 59(Suppl): 32–34.

20. Basdevant A, Laville M, Lerebours E (2007) Treaty of Clinical Nutrition in adults. Flammarion Medecine Edition. p. 723.
21. Bates JM, St Germain DL, Galton VA (1999) Expression profiles of the three iodothyronine deiodinases, D1, D2, and D3, in the developing rat. *Endocrinology*, 140: 844–851.
22. Beckers C, Reinwein D (1991) The Thyroid and Pregnancy. *Stuttgart*, Schattauer pub, 1: 1-203.
23. Benhadi N, Wiersinga WM, Reitsma JB, Vrijkotte TGM, Bonsel GJ (2009) Higher maternal TSH levels in pregnancy are associated with increased risk for miscarriage, fetal or neonatal death. *Eur J Endocrinol*, 160(3): 985–991.
24. Bernal J (2005) Thyroid hormones and brain development, Elsevier. *Vitam Horm*, 71: 95-122.
25. Bernal J, Guadano-Ferraz A, Morte B (2003) Perspectives in the study of thyroid hormone action on brain development and function. *Thyroid*, 13: 1005–1012.
26. Bernal J, Pekonen F (1984) Ontogenesis of the nuclear 3, 5, 3 triiodothyronine receptor in human fetal brain. *Endocrinology*, 114(2): 677–679.
27. Bianco AC, Kim BW (2006) Deiodinases: implications of the local control of thyroid hormone action. *J Clin Invest*, 116: 2571–2579.
28. Billon N, Jolicoeur C, Tokumoto Y, Vennstrom B, Raff M (2002) Normal timing of oligodendrocyte development depends on thyroid hormone receptor alpha 1 (TRalpha1). *EMBO J*, 21: 6452–6460.
29. Bocos-Terraz JP, Izquierdo-Alvarez S, Bancalero-Flores J et al (2009) Thyroid hormones according to gestational age in pregnant Spanish women. *BMC Res Notes*, 2: 237.
30. Bonner J, Goldberg A (1969) The assessment of iron deficiency in pregnancy. *Scott Med J*, 14: 209–214.
31. Boss M, Kingstone D (1979) Serum free thyroxine in pregnancy. [Letter]. *Br Med J*, 2: 550.
32. Bothwell TH (2000) Iron requirements in pregnancy and strategies to meet them. *Am Soc Nutrition*, 72: 257S-264S.
33. Bothwell TH, MacPhail AP (1992) Prevention of iron deficiency by food fortification. In: Foman SJ, Zlotkin S, eds. Nutritional anemia. New York, Raven Press, 183–192.

34. Brabin BJ, Hakimi M, Pelletier D (2001) An analysis of anemia and pregnancy-related maternal mortality. *Journal of Nutrition*, 131: S604–614.
35. Bradley DJ, Towle HC, Young WS III (1992) Spatial and temporal expression of alpha- and beta-thyroid hormone receptor mRNAs, including the beta 2-subtype, in the developing mammalian nervous system. *J Neurosci*, 12: 2288–2302.
36. Bradley DJ, Towle HC, Young WS III (1994) Alpha and beta thyroid hormone receptor (TR) gene expression during auditory neurogenesis: evidence for TR isoform-specific transcriptional regulation in vivo. *Proc Natl Acad Sci USA*, 91: 439–443.
37. Brahmbhatt SR, Fearnley RA, Brahmbhatt RM, Eastman CJ, Boyages SG (2001) Biochemical assessment of iodine deficiency disorders in Baroda and Dang districts of Gujarat State. *Indian Pediatr*, 38(3): 247–255.
38. Brander L, Als C, Buess H, Haldimann F, Harder M, Hanggi W, Herrmann U, Lauber K, Niederer U, Zurcher T, Burgi U, Gerber H (2003) Urinary iodine concentration during pregnancy in an area of unstable dietary iodine intake in Switzerland. *J Endocrinol Invest*, 26: 389–396.
39. Brent GA (1997) Maternal thyroid function: interpretation of thyroid function tests in pregnancy. *Clin Obstet Gynecol*, 40: 3–15.
40. Brokken LJ, Bakker O, Wiersinga WM, Prummel MF (2005) Functional thyrotropin receptor expression in the pituitary folliculo-stellate cell line TtT/GF. *Exp Clin Endocrinol Diabetes*, 113: 13–20.
41. Browne-Martin K, Emerson CH (1997) Postpartum thyroid dysfunction. *Clin Obstet Gynecol*, 40: 90–101.
42. Burmeister LA, Pachucki J, St Germain DL (1997) Thyroid hormones inhibit type 2 iodothyronine deiodinase in the rat cerebral cortex by both pre- and posttranslational mechanisms. *Endocrinology*, 138: 5231–5237.
43. Burrow GN, Fisher DA, Larsen PR (1994) Maternal and fetal thyroid function. *N Engl J Med*, 331:1072–1078.
44. Campos-Barros A, Amma LL, Faris JS, Shailam R, Kelley MW, Forrest D (2000) Type 2 iodothyronine deiodinase expression in the cochlea before the onset of hearing. *Proc Natl Acad Sci USA*, 97: 1287–1292.

45. Casey BM, Dashe JS, Spong CY, McIntire DD, Leveno KJ, Cunningham GF (2007) Perinatal significance of isolated maternal hypothyroxinemia identified in the first half of pregnancy. *Obstet Gynecol*, 109(5): 1129–1135.
46. Casey BM, Dashe JS, Wells CE, McIntire DD, Byrd W, Leveno KJ, Cunningham FG (2005) Subclinical hypothyroidism and pregnancy outcomes. *Obstet Gynecol*, 105(2): 239–245.
47. Casey BM, Dashe JS, Wells CE, McIntire DD, Leveno KJ, Cunningham FG (2006) Subclinical hyperthyroidism and pregnancy outcomes. *Obstet Gynecol*, 107(2): 337–341.
48. Chakraborty I, Chatterjee S, Bhadra D, Mukhopadhyaya B, Dasgupta A, Purkait B (2006) Iodine deficiency disorders among the pregnant women in a rural hospital of West Bengal. *Indian J Med Res*, 123: 825-9.
49. Chan S, Kilby MD (2000) Thyroid hormone and central nervous system development. *Soc Endocrinology*, 165: 1-8.
50. Chan SS, Hams YG, Wiley V, Wilcken B, McElduff A (2003) Postpartum maternal iodine status and the relationship to neonatal thyroid function. *Thyroid*, 13(9): 873-876.
51. Chassande O (2003) Do unliganded thyroid hormone receptors have physiological functions. *J Mol Endocrinol*, 31: 9–20.
52. Cleary-Goldman J, Malone FD, Lambert-Messerlian G, Sullivan L, Canick J, Porter TF, Luthy D, Gross S, Bianchi DW, D Alton ME (2008) Maternal thyroid hypofunction and pregnancy outcome. *Obstet Gynecol*, 112(1): 85–92.
53. Cook CB, Kakucska I, Lechan RM, Koenig RJ (1992) Expression of thyroid hormone receptor beta 2 in rat hypothalamus. *Endocrinology*, 130: 1077–1079.
54. Costeira MJ, Oliveira P, Ares S, de Escobar GM, Palha JA (2009) Iodine status of pregnant women and their progeny in the Minho Region of Portugal. *Thyroid*, 19(2): 157-63.
55. Cuevas E, Auso E, Telefont M, de Escobar MG, Sotelo C, Berbel P (2005) Transient maternal hypothyroxinemia at onset of corticogenesis alters tangential migration of medial ganglionic eminence-derived neurons. *Eur J Neurosci*, 22: 541–551.
56. de Escobar GM, Obregon MJ et al (2007) Iodine deficiency and brain development in the first half of pregnancy. *Public Health Nutrition*, 10(12A): 1554–1570.

57. de Escobar GM, Obregon MJ, de Escobar Rey F (2000) Is neuropsychological development related to maternal hypothyroidism or to maternal hypothyroxinemia? *J Clin Endocrinol Metab*, 85: 3975–3987.
58. de Escobar GM, Obregon MJ, del Rey FE (2004) Maternal thyroid hormones early in pregnancy and fetal brain development. *Best Pract Res Clin Endocrinol Metab*, 18: 225–248.
59. de Leeuw NKM, Lowenstein L, Hsieh YS (1966) Iron deficiency and hydremia in normal pregnancy. *Medicine*, 45: 291–315.
60. de Maeyer EM (1989) Preventing and controlling iron deficiency anemia through primary health care: A guide for health administrators and programme managers. Geneva, *World Health Organization*.
61. Delange F (2004) Optimal Iodine Nutrition during Pregnancy, Lactation and the Neonatal Period. *Int J Endocrinol Metab*, 2:1-12.
62. Delange F, Bourdoux P, Chanoine JP, Ermans AM (1988) Physiopathology of iodine nutrition during pregnancy, lactation, and early postnatal life. In: Berger H, ed. Vitamin and minerals in pregnancy and lactation. Nestle Nutrition Workshop Series, vol. 16. New York: Nestec Ltd, Raven Press, Ltd, 205–213.
63. Delbert A, Fisher M (1997b) Fetal thyroid function: diagnosis and management of fetal thyroid disorders. *Clinical Obstetrics and Gynaecology*, 40: 16–31.
64. Desai MP, Colaco MP, Ajgaokar AR, Mahadik CV, Rege C, Shirodkar VV et al (1987) Neonatal Screening for congenital hypothyroidism in a developing country: problems and strategies. *Indian J Pediatr*, 54: 571-581.
65. Dhatt GS et al (2006) Thyrotrophin and free thyroxine trimester-specific reference intervals in a mixed ethnic pregnant population in the United Arab Emirates. *Clin Chim Acta*, 370(1-2): 147-151.
66. Dodd NS, Madan J (1993) Iodine status in pregnancy. *Asia Pacific J Clin Nutr*, 2:119-123.
67. Dussault JH (1999) The Anecdotal history of Screening for Congenital hypothyroidism. *J Clin Endocrinol Metab*, 84: 4332-4334.

68. Dworkin HJ, Jacquez JA, Beierwaltes WH (1966) Relationship of iodine ingestion to iodine excretion in pregnancy. *J Clin Endocrinol Metab*, 26(12): 1329-1342.
69. Eltom, A, Eltom M, Elnagar B, Elbagir B, Gebre-Medhin M (2000) Changes in iodine metabolism during late pregnancy and lactation: a longitudinal study among Sudanese women. *Eur J Clin Nutr*, 54: 429-433.
70. Erem C, Kavgaci H, Karahan C, Mocan MZ, Telatar M (2001) Thyroid function tests in pregnant women with and without goiter in the eastern Black Sea region. *GynecolEndocrinol*, 15: 293-297.
71. Fantz CR, Dagogo-Jack S et al (1999) Thyroid function during pregnancy. *Am Assoc Clin Chem*, 45: 2250-2258.
72. FAO (1988) Requirements of vitamin A, iron, folate, and vitamin B12. FAO, *Food and Nutrition Series* 23, Rome, FAO: 37-38.
73. FAO (2005) Vitamin and mineral requirements in human nutrition, OMS.
74. Fenton V, Cavill I, Fisher J (1977) Iron stores in pregnancy. *Br J Haematol*, 37:145-149.
75. Fisher DA (1992) Endocrinology of fetal development. In *Textbook of Endocrinology*, ed 8, pp 1049-1077.
76. Fisher DA, Dussault JH, Sacks J, Chopra IJ (1977) Ontogenesis of hypothalamic pituitary thyroid function and metabolism in man, sheep and rat. *Recent Progress in Hormone Research*, 33: 59-116.
77. Fisher DA, Polk DH, Wu SY (1994) Fetal thyroid metabolism: a pluralistic system. *Thyroid*, 4: 367-71.
78. Flamant F, Poguet AL, Plateroti M, Chassande O, Gauthier K, Streichenberger N, Mansouri A, Samarut J (2002) Congenital hypothyroid Pax8 mutant mice can be rescued by inactivating the TRalpha gene. *Mol Endocrinol*, 16: 24-32.
79. Fliers E, Alkemade A, Wiersinga WM, Swaab DF (2006) Hypothalamic thyroid hormone feedback in health and disease. *Prog Brain Res*, 153: 189-207.
80. Forrest D, Hallbook F, Persson H, Vennstrom B (1991) Distinct functions for thyroid hormone receptors alpha and beta in brain development indicated by differential expression of receptor genes. *EMBO J*, 10: 269-275.

81. Forrest D, Sjoberg M, Vennstrom B (1990) Contrasting developmental and tissue-specific expression of alpha and beta thyroid hormone receptor genes. *EMBO J*, 9: 1519–1528.
82. Fransson GB, Lonnerdal B (1980) Iron in human milk. *J Paediatr*, 96: 380–384.
83. Friedrichsen S, Christ S, Heuer H, Schafer MK, Mansouri A, Bauer K, Visser TJ (2003) Regulation of iodothyronine deiodinases in the Pax8 mouse model of congenital hypothyroidism. *Endocrinology*, 144: 777–784.
84. Friesema EC, Ganguly S, Abdalla A, Manning Fox JE, Halestrap AP, Visser TJ (2003) Identification of monocarboxylate transporter 8 as a specific thyroid hormone transporter. *J Biol Chem*, 278: 40128–40135.
85. Friesema EC, Grueters A, Biebermann H, Krude H, von Moers A, Reeser M, Barrett TG, Mancilla EE, Svensson J, Kester MH, Kuiper GG, Balkassmi S, Uitterlinden AG, Koehrle J, Rodien P, Halestrap AP, Visser TJ (2004) Association between mutations in a thyroid hormone transporter and severe X-linked psychomotor retardation. *Lancet*, 364: 1435–1437.
86. Friesema EC, Jansen J, Heuer H, Trajkovic M, Bauer K, Visser TJ (2006) Mechanisms of disease: psychomotor retardation and high T3 levels caused by mutations in monocarboxylate transporter 8. *Nat Clin Pract Endocrinol Metab*, 2: 512–523.
87. Friesema EC, Jansen J, Milici C, Visser TJ (2005) Thyroid hormone transporters. *Vitam Horm*, 70: 137–167.
88. Fuse Y, Wakae E, Nemoto Y, Uga N, Tanaka M, Maeda M, et al (1991) Influence of perinatal factors and sampling methods on TSH and thyroid hormone levels in cord blood. *Endocrinol Jpn*, 38: 297–302.
89. Galloway R, McGuire J (1994) Determinants of compliance with iron supplementation: Supplies, side effects or psychology? *Social Science and Medicine*, 39(3): 381–390.
90. Galton VA (1972) Some effects of altitude on thyroid function. *Endocrinology*, 91: 1393–1403.
91. Ganong WF (2005) The thyroid gland. In: Review of Medical Physiology, Lange Medical Books/McGraw-Hill, 317–332.
92. Gautam CS, Saha L, Sekhri K, MD, Demonstrator, Saha PK (2008) Iron Deficiency in Pregnancy and the Rationality of Iron

- Supplements Prescribed During Pregnancy. *Medscape J Med*, 10(12): 283.
93. Gibert, R M et al (2008) Assessment of thyroid function during pregnancy: first-trimester (weeks 9-13) reference intervals derived from Western Australian women. *Med J Aust*, 189(5): 250-253.
 94. Gillespie S, Kevany J, Mason J (1991) Controlling iron deficiency. United Nations Administrative Committee on Coordination/Sub-Committee on Nutrition, State-of-the- Art Series Nutrition Policy Discussion Paper 9. Geneva, *World Health Organization*.
 95. Girling J (2008) Thyroid disease in pregnancy. *Obstetrics, Gynaecology and Reproductive Medicine*, 8(10): 259-264.
 96. Glinoe D (1997) Maternal and fetal impact of chronic iodine deficiency. *Clin Obstet Gynecol*, 40:102.
 97. Glinoe D. (1997*) The regulation of thyroid function in pregnancy: pathways of endocrine adaptation from physiology to pathology. *Endocr Rev*, 18: 404-433.
 98. Glinoe D (1998) The systematic screening and management of hypothyroidism and hyperthyroidism during pregnancy. *Trends Endocrinol Metab*, 9: 403.
 99. Glinoe D (1999) What happens to the normal thyroid during pregnancy? *Thyroid*, 9: 631.
 100. Glinoe D, de Nayer P, Bourdoux P, Lemone M, Robyn C, Van Steirteghem A et al (1990) Regulation of maternal thyroid during pregnancy. *J Clin Endocrinol Metab*, 71: 276-287.
 101. Glinoe D, Delange F (2000) The potential repercussions of maternal, fetal, and neonatal hypothyroxinemia on the progeny. *Thyroid*, 10: 871.
 102. Glinoe D, Riahi M, Grun JP, Kinthaert J (1994) Risk of subclinical hypothyroidism in pregnant women with asymptomatic autoimmune thyroid disorders. *J Clin Endocrinol Metab*, 79(1): 197-204.
 103. Glinoe D (2008) Thyroid Regulation and Dysfunction in the Pregnant Patient, Chapter 14, available at <http://www.thyroidmanager.org/>

104. Goodwin TM, Hershman JM (1997) Hyperthyroidism due to inappropriate production of human chorionic gonadotropin. *Clin Obstet Gynecol*, 40: 32–44.
105. Green R, Charlton RW, Seftel H et al (1968) Body iron excretion in man. A collaborative study. *Am J Med*, 45: 336–53.
106. Guadano-Ferraz A, Benavides-Piccione R, Venero C, Lancha C, Vennstrom B, Sandi C, De Felipe J, Bernal J (2003) Lack of thyroid hormone receptor $\alpha 1$ is associated with selective alterations in behavior and hippocampal circuits. *Mol Psychiatry*, 8: 30–38.
107. Guadano-Ferraz A, Escamez MJ, Rausell E, Bernal J (1999) Expression of type 2 iodothyronine deiodinase in hypothyroid rat brain indicates an important role of thyroid hormone in the development of specific primary sensory systems. *J Neurosci*, 19: 3430–3439.
108. Guillaume J, Schussler GC, Goldman J, Wassel P, Bach L (1985) Components of the total serum thyroid hormone concentrations during pregnancy: high free thyroxine and blunted thyrotropin (TSH) response to TSH-releasing hormone in the first trimester. *J Clin Endocrinol Metab*, 60: 678–684.
109. Haddow JE, Palomaki GE, Allan WC, Williams JR, Knight GJ, Gagnon J, et al (1999) Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *N Engl J Med*, 341: 549–555.
110. Hadley ME, Levine JE (2007) Thyroid hormones. In: Endocrinology. Upper Saddle River, NJ, Pearson Prentice Hall, 293–314.
111. Hallberg L (1992) Iron balance in pregnancy and lactation. In: Foman SJ, Zlotkin S, eds. Nutritional anemias. New York, Raven Press, 13–28.
112. Hallberg L, Hulthen L (1996) Iron requirements, iron balance and iron deficiency in menstruating and pregnant women. In: Hallberg L, Asp N-G, eds. Iron nutrition in health and disease. London, George Libbey, 165–182.
113. Hallberg L, Rossander-Hulthen L (1991) Iron requirements in menstruating women. *Am J Clin Nutr*, 54: 1047–1058.
114. Harada A, Hershman JM, Reed AW, Braunstein GD, Dignam WJ, Derzko C et al (1979) Comparison of thyroid stimulators

- and thyroid hormone concentrations in the sera of pregnant women. *J Clin Endocrinol Metab*, 48: 793-797.
115. Harvey CB, Williams GR (2002) Mechanism of thyroid hormone action. *Thyroid*, 12: 441-446.
 116. Hashimoto K, Curty FH, Borges PP, Lee CE, Abel ED, Elmquist JK, Cohen RN, Wondisford FE (2001) An unliganded thyroid hormone receptor causes severe neurological dysfunction. *Proc Natl Acad Sci USA*, 98: 3998-4003.
 117. Hess SY, Zimmermann MB et al (2002) Treatment of iron deficiency in goitrous children improves the efficacy of iodized salt in Cote d'Ivoire. *Am Soc Nutrition*, 75: 743-748.
 118. Heuer H (2007) The importance of thyroid hormone transporters for brain development and function. *Best Pract Res Clin Endocrinol Metab*, 21: 265-276.
 119. Heuer H, Maier MK, Iden S, Mittag J, Friesema EC, Visser TJ, Bauer K (2005) The monocarboxylate transporter 8 linked to human psychomotor retardation is highly expressed in thyroid hormone-sensitive neuron populations. *Endocrinology*, 146: 1701-1706.
 120. Hidal JT, Kaplan MM (1985) Characteristics of thyroxine 5'-deiodination in cultured human placental cells: regulation by iodothyronines. *J Clin Invest*, 76: 947-955.
 121. Hodin RA, Lazar MA, Wintman BI, Darling DS, Koenig RJ, Larsen PR, Moore DD, Chin WW (1989) Identification of a thyroid hormone receptor that is pituitary-specific. *Science*, 244: 76-79.
 122. Hollowell JG, Staehling NW, Flanders WD, Hannon WH, Gunter EW, Spencer CA, Braverman LE (2002) Serum TSH, T(4), and thyroid antibodies in the United States population (1988 to 1994): National Health and Nutrition Examination Survey (NHANES III). *J Clin Endocrinol Metab*, 87(2): 489-99.
 123. Houstek J, Vizek K, Pavelka S et al (1993) Type II iodothyronine 5'-deiodinase and uncoupling protein in brown adipose tissue of human newborns. *J Clin Endocrinol Metab*, 77: 382-387.
 124. Idris R, Srinivasan A, Simm RC (2005) Maternal hypothyroidism in early and late gestation: effects on neonatal and obstetric outcome. *Clinical Endocrinology*, 63(5): 560-565.

125. Institute of Medicine, Academy of Sciences, USA (2001) Dietary reference intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium and Zinc. Washington DC, National Academy Press, pp. 1-773.
126. International Council for Control of Iodine Deficiency Disorders, *IDD Newsletter* (May), 2011.
127. International Council for Control of Iodine Deficiency Disorders, *IDD Newsletter* (Feb), 2010.
128. International Council for Control of Iodine Deficiency Disorders, *IDD Newsletter* (Feb), 2012.
129. Jansen J, Friesema EC, Milici C, Visser TJ (2005) Thyroid hormone transporters in health and disease. *Thyroid*, 15: 757-768.
130. Jaruratanasirikul S et al (2009) Maternal iodine status and neonatal thyroid-stimulating hormone concentration: a community survey in Songkhla, southern Thailand. *Public Health Nutr*, 12: 2279-2284.
131. Joshi K, Nair S (2010) Pilot study on impact of DFS supplementation on pregnant women, Department of Foods and Nutrition, The M. S. University of Baroda Vadodara, Gujarat (unpublished).
132. Kalaivani K (2009) Prevalence and consequences of anemia in pregnancy Indian. *J Med Res*, 130: 627-633.
133. Kamijo K, Saito T, Yachi A et al (1990) Transient subclinical hypothyroidism in early pregnancy. *Endocrinol Jpn*, 37: 397.
134. Kant S, Misra P, Baridalyne N, Goswami A, Pandav CS, Kumarkar M (2003) Iodine status of pregnant women residing in an urban resettlement colony of Delhi. *Obstet Gynecol*, 53: 554-557.
135. Kapil U, Pathak P, Singh C, Tandon M, Pradhan R (1999) Micronutrient deficiency disorders amongst pregnant women in three urban slum communities of Delhi. *Indian Pediatr*, 36: 983-989.
136. Kapil U, Saxena N, Ramachandran S, Nayar D (1997) Iodine status of pregnant women residing in a district of endemic iodine deficiency in the state of Himachal Pradesh, India. *Asia Pacific J Clin Nutr*, 6: 224-225.

137. Kaplan MM, McCann UD, Yaskoski KA, Larsen PR, Leonard JL (1981) Anatomical distribution of phenolic and tyrosyl ring iodothyronine deiodinases in the nervous system of normal and hypothyroid rats. *Endocrinology*, 109: 397–402.
138. Kaplan MM, Pan CY, Gordon PR, Lee JK, Gilchrest BA (1988) Human epidermal keratinocytes in culture convert thyroxine to 3,5,3'-triiodothyronine by type II iodothyronine deiodination: a novel endocrine function of the skin. *J Clin Endocrinol Metab*, 66: 815-822.
139. Kaufer M, Casanueva E (1990) Relation of prepregnancy serum ferritin levels to hemoglobin levels throughout pregnancy. *Eur J Clin Nutr*, 44: 709–715.
140. Kester MH, Martinez de Mena R, Obregon MJ, Marinkovic D, Howatson A, Visser TJ, Hume R, de Escobar MG (2004) Iodothyronine levels in the human developing brain: major regulatory roles of iodothyronine deiodinases in different areas. *J Clin Endocrinol Metab*, 89: 3117– 3128.
141. Khadilkar V, Khadilkar A, Cowasji H (2002) Neonatal thyroid screening program using filter paper method. *Cape News*, 6:1.
142. Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look P (2006) WHO analysis of causes of maternal death: a systematic review. *Lancet*, 367: 1066-1074.
143. Khandakar MA, Ali MS, Kahtun M (2002) Thyroid status of normal pregnant women in Dhaka City. *Mymensingh Med J*, 1: 1-5.
144. Kilby MD, Verhaeg J, Gittoes N, Somerset DA, Clarke P, Franklyn JA (1998) Circulating thyroid hormone concentrations and placental thyroid hormone receptor expression in normal human pregnancy and pregnancy complicated by intrauterine growth restriction. *J Clin Endocrinol Metab*, 83: 2964–2971.
145. Klein RZ, Haddow JE, Faix JD, Brown RS, Hermos RJ, Pulkkinen A, Mitchell ML (1991) Prevalence of thyroid deficiency in pregnant women. *Clin Endocrinol*, 35(1): 41–46.
146. Kooistra L, Crawford S, van Baar AL, Brouwers EP, Pop VJ (2006) Neonatal effects of maternal hypothyroxinemia during early pregnancy. *Pediatrics*, 117(1): 161–167.
147. Kotecha I, Bhalani K, Singh MO (2011) Prevalence of Goiter in the Children of 6-12 years in Porbandar district, Gujarat, India.

- National Journal of Integrated Research in Medicine*, 3(1):115-118.
148. Kothari M, Nouredine A (2010) Nutrition Update 2010. Calverton, Maryland, USA, ICF Macro.
 149. Krassas GE (2000) Thyroid disease and female reproduction. *Fertil Steril*, 74: 1063.
 150. Krassas GE, Pontikides N, Kaltsas T, Papadopoulou P, Paunkovic J, Paunkovic N, Duntas LH (1999) Disturbances of menstruation in hypothyroidism. *Clin Endocrinol*, 50(5): 655-659.
 151. Kumar A, Gupta N, Nath T, Sharma JB, Sharma S (2003) Thyroid function tests in pregnancy. *Indian J Med Sci*, 57: 252-258.
 152. Kung AW, Lao TT, Chau MT, Tam SC, Low LC (2000) Goitrogenesis during pregnancy and neonatal hypothyroxinaemia in a borderline iodine sufficient area. *Clin Endocrinol*, 53: 725-731
 153. Kung MP, Spaulding SW, Roth JA (1988) Desulfation of 3, 5, 3'-triiodothyronine sulfate by microsomes from human and rat tissues. *Endocrinology*, 122: 1195-1200.
 154. Kurioka, H, K Takahashi, and K Miyazaki (2005) Maternal thyroid function during pregnancy and puerperal period. *Endocrine J*, 52: 587-591.
 155. Kurtz A, Dwyer K, Ekins R (1979) Serum free thyroxine in pregnancy. *Br Med J*, 2: 550-551.
 156. La Franchi S (1999) Thyroid function in the preterm infant. *Thyroid*, 9: 71-78.
 157. Lao TT (2005) Thyroid disorders in pregnancy. *Current Opinion in Obstetrics and Gynecology*, 17(2): 123-127.
 158. Larsen PR, Davies TF, Hay ID (1998) The thyroid gland. In: Wilson JD, Foster DW, Kronenberg HM, Larsen PR., eds. Williams textbook of endocrinology, 9th ed. Philadelphia, WB Saunders, 389- 515.
 159. Larsen PR, Silva JE, Kaplan MM (1981) Relationships between circulating and intracellular thyroid hormones: physiological and clinical implications. *Endocr Rev*, 2: 87-102.
 160. Lazarus JH, Premawardhana LD (2005) Screening for thyroid disease in pregnancy. *J Clin Pathol*, 58: 449-452.

161. Levin HM (1986) A benefit-cost analysis of nutritional programs for anemia reduction. *The World Bank Observer*, 1(2): 219–246.
162. Lin KH, Fukuda T, Cheng SY (1990) Hormone and DNA binding activity of a purified human thyroid hormone nuclear receptor expressed in *Escherichia coli*. *J Biol Chem*, 265: 5161–5165.
163. Llewellyn-Jones D (1965) Severe anemia in pregnancy (as seen in Kuala Lumpur, Malaysia). *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 5:191–197.
164. Longo et al (accessible at www.accessmedicine.com)
165. Lucio RA, Garcia JV, Ramon Cerezo J, Pacheco P, Innocenti GM, Berbel P (1997) The development of auditory callosal connections in normal and hypothyroid rats. *Cereb Cortex*, 7: 303–316.
166. Lund CJ, Donovan JC (1967) Blood volume in pregnancy. *Am J Obstet Gynecol*, 98: 393–403.
167. Malkasian GD, Mayberry WE (1970) Serum total and free thyroxine and thyrotropin in normal and pregnant women, neonates and women receiving progestogens. *Am J Obstet Gynecol*, 108: 1234–1238.
168. Man EB, Jones WS, Holden RH, Mellits ED (1971) Thyroid function in human pregnancy, 8, Retardation of progeny aged 7 years: Relationships to maternal age and maternal thyroid function. *Am J Obstet Gynecol*, 111: 905–916.
169. Mandel SJ, Berry MJ, Kieffer JD, Harney JW, Warne RL, Larsen PR (1992) Cloning and in vitro expression of the human selenoprotein, type I iodothyronine deiodinase. *J Clin Endocrinol Metab*, 75:1133–1139.
170. Mandel SJ, Brent GA, Larsen PR (1993) Levothyroxine therapy in patients with thyroid disease. *Ann Intern Med*, 119(6): 492–502.
171. Marsh-Armstrong N, Huang H, Remo BF, Liu TT, Brown DD (1999) Asymmetric growth and development of the *Xenopus laevis* retina during metamorphosis is controlled by type III deiodinase. *Neuron*, 24: 871–878.
172. Marwaha RK, Chopra S, Gopalakrishnan S, Sharma B, Kanwar RS, Sastry A, Singh S (2008) Establishment of reference range for thyroid hormones in normal pregnant Indian women. *BJOG*, 115(5): 602–606.

173. Marwaha RK, Gopalakrishnan S (2011) Facts of Iodine Supplementation. Special Issue on Indian Thyroid Guidelines 2011. *J Assoc Physicians India*, 59(suppl): 7-10.
174. Matsuura N, Konishi J (1990) Transient hypothyroidism in infants born to mothers with chronic thyroiditis -A nationwide study of twenty-three cases. *Endocrinol Jpn*, 37: 369-379.
175. Mehdi, T, Hoque MM et al (2009) Maternal Iodine Status and Thyroid Function during Pregnancy. *J Medicine*, 10: 56-59.
176. Mellstrom B, Naranjo JR, Santos A, Gonzalez AM, Bernal J (1991) Independent expression of the alpha and beta c-erbA genes in developing rat brain. *Mol Endocrinol*, 5: 1339-1350.
177. Mestman JH, Goodwin TM, Montoro MM (1995) Thyroid disorders of pregnancy. *Endocrinol Metab Clin North Am*, 24(1): 41-71.
178. Micronutrient Initiative (2009) A Report on Double Fortified Salt Technology- Synthesis of Studies. *Micronutrient Initiative*, Canada.
179. Micronutrient Initiative (2010) Iodized salt coverage study. Available at <http://www.micronutrient.org/CMFiles/india-salt-coverage-report-2010.pdf>
180. Milman N, Agger AO, Nielsen OJ (1991) Iron supplementation during pregnancy. Effect on iron status markers, serum erythropoietin and human placental lactogen. A placebo controlled trial in 207 Danish women. *Dan Med Bull*, 38: 471-476.
181. Mitchell ML, Klein RZ (2004) The sequelae of untreated maternal hypothyroidism. *European Journal of Endocrinology*, 151(3): U45-48.
182. Mol JA, Visser TJ (1985) Rapid and selective inner ring deiodination of thyronine sulfate by rat liver deiodinase. *Endocrinology*, 117: 8-12.
183. Moleti M, Bella BD, Giorgianni Get al (2011) Maternal thyroid function in different conditions of iodine nutrition in pregnant women exposed to mild-moderate iodine deficiency: an observational study. *Clinical Endocrinology*, 74(6): 762-768.
184. Moleti M, Presti VPL, Campolo MC et al (2008) Iodine prophylaxis using iodized salt and risk of maternal thyroid

- failure in conditions of mild iodine deficiency. *J Clin Endocrinol Metab*, 93(7): 2616–2621.
185. Morte B, Manzano J, Scanlan T, Vennstrom B, Bernal J (2002) Deletion of the thyroid hormone receptor alpha 1 prevents the structural alterations of the cerebellum induced by hypothyroidism. *Proc Natl Acad Sci USA*, 99: 3985–3989.
 186. Morte B, Manzano J, Scanlan TS, Vennstrom B, Bernal J (2004) Aberrant maturation of astrocytes in thyroid hormone receptor alpha 1 knockout mice reveals an interplay between thyroid hormone receptor isoforms. *Endocrinology*, 145: 1386–1391.
 187. Mukherji J (2002) Iron deficiency anemia in pregnancy. *Rational Drug Bull*, 12: 2–5.
 188. Mulder JE (1998) Thyroid disease in women. *Med Clin North Am*, 82(1): 103–125.
 189. Murphy JF, Riordan OJ, Newcombe R, Cole EC, Pearson JF (1986) Relation of hemoglobin levels in the first and second trimesters to outcomes. *Lancet*, 1: 992–994.
 190. Narasinga Rao BS (1994) Fortification of salt with iron and iodine to control anemia and goiter. Development of a new formula with good stability and bioavailability of iron and iodine. *Food and Nutri. Bull*, 15:32–39.
 191. Narayanan CH, Narayanan Y (1985) Cell formation in the motor nucleus and mesencephalic nucleus of the trigeminal nerve of rats made hypothyroid by propylthiouracil. *Exp Brain Res*, 59: 257–266.
 192. National Health and Nutrition Examination Survey (2007) Thyroid profile. Available at http://www.cdc.gov/nchs/nhanes/nhanes2007-2008/THYROID_E.htm
 193. National Institute of Nutrition (2002) Annual Reports.
 194. National Institute of Nutrition (2005) Double fortified common salt (DFS) as a tool to control iodine deficiency disorders and iron deficiency anemia-A report. National Institute of Nutrition, Indian Council of Medical Research, Hyderabad.
 195. National Institute of Nutrition (2010) Dietary guidelines for Indians. (<http://www.ninindia.org/DGFinalforweb.pdf>)
 196. Negro R, Formoso G, Mangieri T, Pezzarossa A, Dazzi D, Hassan H (2006) LT4 in autoimmune thyroid disease during pregnancy. *J Clin Endocrinol Metab*, 91: 2587–2591.

197. Negro R, Mangieri T, Coppola L, Presicce G, Casavola EC, Gismondi R, Locorotondo G, Caroli P, Pezzarossa A, Dazzi D, Hassan H (2005) Levothyroxine treatment in thyroid peroxidase antibody-positive women undergoing assisted reproduction technologies: a prospective study. *Hum Reprod*, 20(6): 1529–1533.
198. Negro R, Schwartz A, Gismondi R, Tinelli A, Mangieri T, Stagnaro-Green A (2010) Universal screening versus case finding for detection and treatment of thyroid hormonal dysfunction during pregnancy. *J Clin Endocrinol Metab*, 95(4): 1699–1707.
199. NFHS-1, 2, 3 (<http://www.rchiips.org/NFHS/factsheet.shtml>).
200. Ng L, Goodyear RJ, Woods CA, Schneider MJ, Diamond E, Richardson GP, Kelley MW, Germain DL, Galton VA, Forrest D (2004) Hearing loss and retarded cochlear development in mice lacking type 2 iodothyronine deiodinase. *Proc Natl Acad Sci USA*, 101: 3474–3479.
201. NNMB-National Nutrition Monitoring Bureau (1979-2002) NNMB reports, National Institute of Nutrition, Hyderabad.
202. Obregon MJ, Calvo RM, Del Rey FE, de Escobar GM (2007) Ontogenesis of thyroid function and interactions with maternal function. *Endocr Dev*, 10: 86–98.
203. Ohashi T et al (2000) Simple microplate method for determination of urinary iodine. *Clin Chem*, 46: 529–536.
204. Ojo OA, Savage VY (1974) A ten-year review of maternal mortalities in University College Hospital, Ibadan, Nigeria. *Am J Obstet Gynaecol*, 118: 517–522.
205. Ordookhani A, Mirmiran P, Najafi R, Hedayati M, Azizi F (2003) Congenital hypothyroidism in Iran. *Indian J Pediatr*, 70: 625–628.
206. Osathanondh R, Tulchinsky D, Chopra IJ (1975) Total and free thyroxine and triiodothyronine in normal and complicated pregnancy. *J Clin Endocrinol Metab*, 42: 98–104.
207. Otten MH, Mol JA, Visser TJ (1983) Sulfation preceding deiodination of iodothyronines in rat hepatocytes. *Science*, 221: 81–83.

208. Panesar NS, Li CY, Rogers MS (2001) Reference intervals for thyroid hormones in pregnant Chinese women. *Ann Clin Biochem*, 38(4): 329–32.
209. Parik P, Nair S (2012) Initiating advocacy for consumption of Premixes - Comparision in Rural and Urban Vadodara, M.Sc. thesis, Department of Foods and Nutrition, Faculty of Family and Community Sciences, The M. S. University of Baroda, Vadodara, Guajrat.
210. Patel J, K Landers, et al (2011) Thyroid hormones and fetal neurological development. *J Endocrinol*, Apr, 209(1): 1-8.
211. Pathak P, Singh P, Kapil U, Raghuvanshi R (2003) Prevalence of iron, vitamin A, and iodine deficiencies amongst adolescent pregnant mothers. *Indian J Pediatr*, 70: 299-301.
212. Peterson M E (2011) Insights into Veterinary endocrinology available at <http://endocrinevet.blogspot.in/2011/09/treating-hyperthyroid-cats-with-iodine.html>
213. Phatak AT, Khurana B (1991) Baroda development screening test for infants. *Indian Pediatrics*, 28: 31-37.
214. Polk DH, Reviczky A, Lam RW, Fisher DA (1991) Thyrorophin releasing hormone in the ovine fetus: ontogeny and effect of thyroid hormone. *Am J Physiol*, 260: E53–E58.
215. Pop VJ, Kuijpers JL, van Baar AL, Verkerk G, van Son MM, de Vijlder JJ et al (1999) Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy. *Clin Endocrinol*, 50: 149–155.
216. Pop, V J, Brouwers EP, Vader HL, Vulsman T, Van Baar A, de Vijlder JJ (2003) Maternal hypothyroxinemia during early pregnancy and subsequent child development: a 3 year follow up study. *Clin Endocrinol*, 59: 282-288.
217. Porterfield SP, Hendrich CE (1993) The role of thyroid hormones in prenatal and neonatal neurological development – current perspectives. *Endocr Rev*, 14: 94–106.
218. Price A, Obel O, Cresswell J, Catch I, Rutter S, Barik S et al (2001) Comparison of thyroid function in pregnant and non-pregnant Asian and western Caucasian women. *Clin Chim Acta*, 308(1-2): 91–98.

219. Rajagopalan S, Malavika MK (2000) The effect of providing salt fortified with iron and iodine on the productivity of tea pluckers. *Food and Nutr Bull*, 21: 323—329.
220. Ramachandran P (2002) Maternal nutrition effect on fetal growth and outcome of pregnancy. *Nutr Rev*, 60(5): S26-34.
221. Rana R, Raghuvanshi RS (2011) Effect of different cooking methods on iodine losses, *Journal of Food Science and Technology*, DOI: 10.1007/s13197-011-0436-7
222. Refetoff S, Dumitrescu AM (2007) Syndromes of reduced sensitivity to thyroid hormone: genetic defects in hormone receptors, cell transporters and deiodination. *Best Pract Res Clin Endocrinol Metab*, 21: 277–305.
223. Report of the Working Group on Fortification of Salt with Iron (1982) Use of Common Salt fortified with iron in the control and prevention of anemia – a collaborative study. *Am J Clin. Nutr*, 35: 1442-1451.
224. Roti E, Fang SL, Green K, Emerson CH, Braverman LE (1981) Human placenta is an active site of thyroxine and 3, 3',5-triiodothyronine tyrosyl ring deiodination. *J Clin Endocrinol Metab*, 53: 498- 501.
225. Roti E, Gardini E, Minelli R, Bianconi L, Flisi M (1991) Thyroid function evaluation by different commercially available free thyroid hormone measurement kits in term pregnant women and their newborns. *J Endocrinol Investig*, 14: 1-9.
226. Rovet JF (2004) Neurodevelopmental consequences of maternal hypothyroidism during pregnancy (abstract 88: annual Meeting of the American Thyroid Association). *Thyroid*, 14: 710.
227. Sahasrabuddhe A, Pitale S (2012) Screening for thyroid dysfunction during pregnancy. *Thyroid Research and Practice*, 9(1): 15-18.
228. Santini F, Chopra IJ, Wu S-Y, Solomon DH, Chua Teco GN (1992) Metabolism of 3,5,3'-triiodothyronine sulfate by tissues of the fetal rat: a consideration of the role of desulfation of 3,5,3'-triiodothyronine sulfate as a source of T3. *Pediatr Res*, 31: 541-544.
229. Santini F, Hurd RE, Chopra IJ (1992*) A study of metabolism of deaminated and sulfoconjugated iodothyronines by rat placental iodothyronine 5-monodeiodinase. *Endocrinology*, 131: 1689-1694.

230. Santini F, Hurd RE, Lee B, Chopra IJ (1993) Thyromimetic effects of 3, 5, 3'-triiodothyronine sulfate in hypothyroid rats. *Endocrinology*, 133: 105-110.
231. Sap J, Munoz A, Damm K, Goldberg Y, Ghysdael J, Leutz A, Beug H, Vennstrom B (1986) The c-erb-A protein is a high-affinity receptor for thyroid hormone. *Nature*, 324: 635-640.
232. Sarin, AR (1995) Severe anemia of pregnancy, recent experience. *Int J Gynaecol Obstet*, 50(Suppl. 2): S45-S49.
233. Schneider MJ, Fiering SN, Pallud SE, Parlow AF, St Germain DL, Galton VA (2001) Targeted disruption of the type 2 selenodeiodinase gene (DIO2) results in a phenotype of pituitary resistance to T4. *Mol Endocrinol*, 15: 2137-2148.
234. Scholl T O, Hediger ML (1994) Anemia and iron deficiency anemia: a compilation of data on pregnancy outcome. *Am J Clin Nutr*, 59(suppl): 492S-501S.
235. Schwartz HL, Strait KA, Ling NC, Oppenheimer JH (1992) Quantitation of rat tissue thyroid hormone binding receptor isoforms by immunoprecipitation of nuclear triiodothyronine binding capacity. *J Biol Chem*, 267: 11794-11799.
236. Shan ZY, Chen YY et al (2009) A study for maternal thyroid hormone deficiency during the first half of pregnancy in China, *Eur J Clin Invest*, 39(1): 37-42.
237. Shields BM, Knight BA, Hill A, Hattersley AT, Vaidya B (2011) Fetal thyroid hormone level at birth is associated with fetal growth. *J Clin Endocrinol Metab*, 96(6): E934-E938.
238. Singh MB, Fotedar R, Lakshminarayana J (2009) Micronutrient deficiency status among women of desert areas of western Rajasthan, India. *Public Health Nutrition*, 12: 624-629.
239. Sinha A, Prabakaran D, Godbole M, Chattopadhyay N, Karmarkar M, Pickard M, Leonard A, Ekins R (1997) Recent Research Developments in Neuroendocrinology – Thyroid hormone and Brain Maturation, pp 1-14.
240. Sivakumar B (2004) Dual fortification of common salt-Technological hurdles and way ahead. In: towards National Nutrition Security”, Nutrition Foundation of India, Silver Jubilee Symposium, 29th November-1st December 2004, New Delhi, NFI, p. 148-150.

241. Sivakumar B, Nair KM (2002) Double fortified Salt at Cross Roads. *Indian J Ped*, 69: 617-623.
242. Sjoberg M, Vennstrom B, Forrest D (1992) Thyroid hormone receptors in chick retinal development: differential expression of mRNAs for alpha and N-terminal variant beta receptors. *Development*, 114: 39-47.
243. Skjoldebrand L, Brundin J, Carlstrom A, Pettersson T (1982) Thyroid associated components in serum during normal pregnancy. *Acta Endocrinol*, 100: 504-511.
244. Smyth PA (2006) Dietary iodine intake in pregnancy. *Ir Med J*, 99(4):103.
245. Smyth PP (1999) Variation in iodine handling during normal pregnancy. *Thyroid*, 9: 637-642.
246. Soldin OP, Hilakivi-Clarke L, Weiderpass E, Soldin SJ (2004) Trimester-specific reference intervals for thyroxine and triiodothyronine in pregnancy in iodine-sufficient women using isotope dilution tandem mass spectrometry and immunoassays. *Clin Chim Acta*, 349(1-2): 181-189.
247. Soldin OP, Soldin D, Sastoque M (2007) Gestation-specific thyroxine and thyroid stimulating hormone levels in the United States and worldwide. *Ther Drug Monit*, 29(5): 553-559.
248. Solution Exchange Query: Double Fortified Salt for Combating Anemia-Experiences (2006) [ftp:// ftp.solutionexchange.net.in /public/mch/cr/cr-se-food-mch-26090601-public.pdf]
249. Solution Exchange (2012 Query: Universalization of Double Fortified Salt – Examples; Advice). Available at ftp://ftp.solutionexchange.net.in/public/food/cr/cr-se-food-mch-10011201.pdf
250. Solvell L (1970) Oral iron therapy: side effects. In: Hallberg L, Harwerth H-G, Vanotti A, eds. Iron deficiency: pathogenesis, clinical aspects, therapy. New York: Academic Press, 573-583.
251. Sood SK, Ramachandran K, Mathur M, et al (1975) WHO sponsored collaborative studies on nutritional anemia in India. *Q J Med*, 44: 241-258.
252. Spencer C, Lee R, Kazarosyan M, Bergoglio L, Braverman L, Mereshian P, Goodwin M, Mestman J (2005) Thyroid reference ranges in pregnancy: studies on an iodine sufficient cohort. *Thyroid*, 15(Suppl 1):16.

253. Spencer CA, Wang CC (1995) Thyroglobulin measurement: techniques, clinical benefits, and pitfalls. *Endocrinol Metab Clin N Am*, 24: 841–863.
254. Spreen O, Strauss E (1998) A compendium of neuropsychological tests: Administration, norms, and commentary, Oxford University Press, USA.
255. Springer D, Zima T, Limanova Z (2009) Reference intervals in evaluation of maternal thyroid function during the first trimester of pregnancy. *Eur J Endocrinol*, 160(5): 791–797.
256. Srinath S (2004) Iodine status of pregnant women attending antenatal care clinic at comprehensive rural health services project (C.R.H.S.P.), Ballabgarh, Haryana, North India (MD Dissertation Submitted to Faculty of All India Institute of Medical Sciences, New Delhi, India).
257. Stagnaro-Green A, Chen X, Bogden JD, Davies TF, Scholl TO (2005) The thyroid and pregnancy: a novel risk factor for very preterm delivery. *Thyroid*, 15(4): 351–357.
258. Stagnaro-Green A, Abalovich M, Alexander E, Azizi F, Mestman J, Negro R, Nixon A, Pearce EN, Soldin OP, Sullivan S, Wiersinga W (2010) The American Thyroid Association Taskforce on Thyroid Disease During Pregnancy and Postpartum, Guidelines of the American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and Postpartum. *Thyroid*, 21(10): 1081–1125.
259. Stanbury JB (1960) Physiology of endemic goitre. *Monogr Ser World Health Organ*, 44: 261–277.
260. Stilwell G, Reynolds PJ et al (2008) The influence of gestational stage on urinary iodine excretion in pregnancy. *Endocrine Soc*, 93: 1737–1742.
261. Stoltzfus RJ, Dreyfus ML (1998) Guidelines for the use of iron supplements to prevent and treat iron deficiency anemia. INACG/WHO/ UNICEF. Washington, DC: ILSI Press.
262. Strait KA, Schwartz HL, Perez-Castillo A, Oppenheimer JH (1990) Relationship of c-erbA mRNA content to tissue triiodothyronine nuclear binding capacity and function in developing and adult rats. *J Biol Chem*, 265: 10514–10521.
263. Stricker R, Echenard M, Eberhart R, Chevailler MC, Perez V, Quinn FA (2007) Evaluation of maternal thyroid function during

- pregnancy: the importance of using gestational age-specific reference intervals. *Eur J Endocrinol*, 157(4): 509–514.
264. Su PY, Huang K et al (2011) Maternal Thyroid Function in the First Twenty Weeks of Pregnancy and Subsequent Fetal and Infant Development: A Prospective Population-Based Cohort Study in China. *J Clin Endocrinol Metab*, 96(10): 3234–3241.
 265. Surks MI (1969) Effect of thyrotropin on thyroidal iodine metabolism during hypoxia. *Am J Physiol*, 216: 436–439.
 266. Tan JY, Loh KC, Yeo GS, Chee YC (2002) Transient hyperthyroidism of hyperemesis gravidarum. *BJOG*, 109(6): 683–688.
 267. Tan TO, Cheng YW, Caughey AB (2006) Are women who are treated for hypothyroidism at risk for pregnancy complications? *Am J Obstet Gynecol*, 194:1–3.
 268. Taylor DJ, Lind T (1979) Red cell mass during and after normal pregnancy. *Br J Obstet Gynaecol*, 86: 364–370.
 269. Technical consultation for the prevention and control of iodine deficiency in pregnant and lactating women and in children less than two years old. Geneva, World Health Organization, 2007.
 270. Thevarajah M, Chew YY et al (2009) Determination of trimester specific reference intervals for thyroid hormones during pregnancy in Malaysian women. *Malaysian J Pathol*, 31 (1): 23–27.
 271. Thorpe-Beeston JG, Nicolaides KH, Felton CV, Butler J, McGregor AM (1991) Maturation of the secretion of thyroid hormone and thyroid-stimulating hormone in the fetus. *N Engl J Med*, Feb 21; 324(8): 532–536.
 272. Thorpe-Beeston JG, Nicolaides KH, McGregor AM (1992) Fetal thyroid function. *Thyroid*, 2: 207–217.
 273. Thung SF, Funai EF, Grobman WA (2009) The cost-effectiveness of universal screening in pregnancy for subclinical hypothyroidism. *Am J Obstet Gynecol*, 200(3): 267 e1–7.
 274. Thyroid Guidelines Committee (1999) AACE clinical practice guidelines for the evaluation and treatment of hyperthyroidism and hypothyroidism. *Endocr Pract*, 1:54–62.
 275. Tohyama K, Kusuhara H, Sugiyama Y (2004) Involvement of multispecific organic anion transporter, Oatp14 (Slc21a14), in

- the transport of thyroxine across the blood-brain barrier. *Endocrinology*, 145: 4384–4391.
276. Toldy E, Locsei Z, Rigo E, Kneffel P, Szabolcs I, Kovacs GL (2004) Comparative analytical evaluation of thyroid hormone levels in pregnancy and in women taking oral contraceptives: a study from an iodine deficient area. *Gynecol Endocrinol*, 18: 219–226.
 277. Tomoda S, Brace RA, Longo LD (1985) Amniotic fluid volume and fetal swallowing rate in sheep. *Am J Physiol*, 249: R133–R138.
 278. Tu HM, Kim SW, Salvatore D, Barthá T, Legradi G, Larsen PR, Lechan RM (1997) Regional distribution of type 2 thyroxine deiodinase messenger ribonucleic acid in rat hypothalamus and pituitary and its regulation by thyroid hormone. *Endocrinology*, 138: 3359–3368.
 279. Tu HM, Legradi G, Barthá T, Salvatore D, Lechan RM, Larsen PR (1999) Regional expression of the type 3 iodothyronine deiodinase messenger ribonucleic acid in the rat central nervous system and its regulation by thyroid hormone. *Endocrinology*, 140: 784–790.
 280. Tunbridge WM, Evered DC, Hall R, Appleton D, Brewis M, Clark F, Evans JG, Young E, Bird T, Smith PA (1977) The spectrum of thyroid disease in a community: the Wickham survey. *Clin Endocrinol*, 7(6): 481–93.
 281. UNICEF (2005) The roadmap towards achievement of sustainable elimination of iodine deficiency.
 282. UNICEF (2008) Sustainable Elimination of Iodine Deficiency: 1–43.
 283. UNICEF coverage evaluation survey, 2009 [http://www.unicef.org/india/health_6679.htm]
 284. UNICEF/UNU/WHO (2001) Iron deficiency anemia assessment, prevention, and control – a guide for programme managers (<http://www.who.int/reproductivehealth/docs/anemia.pdf>).
 285. UNICEF: The State of the World Children 2012: Children in an Urban World (<http://www.unicef.org/sowc07>).
 286. Vaidya B, Anthony S, Bilous M, Shields B, Drury J, Hutchison S, Bilous R (2007) Detection of thyroid dysfunction in early

- pregnancy: Universal screening or targeted high-risk case finding? *J Clin Endocrinol Metab*, 92(1): 203–207.
287. Valimaki M, Schalin JANTTI-C (2009) The thyroid gland. In: M. Valimaki, T. Sane and L. Dunkel (eds) *Endocrinology*. Helsinki, Finland, Duodecim Medical Publications Ltd: 174-230.
 288. van den Hove MF, Beckers C, Devlieger H, de Zegher F, De Nayer P (1999) Hormone synthesis and storage in the thyroid of human preterm and term newborns: effect of thyroxine treatment. *Biochimie*, 81: 563–570.
 289. Vanderpump MP, Tunbridge WM, French JM, Appleton D, Bates D, Clark F, Grimley Evans J, Hasan DM, Rodgers H, Tunbridge F, Young E (1995) The incidence of thyroid disorders in the community: a twenty-year follow-up of the Whickham Survey. *Clin Endocrinol*, 43(1): 55–68.
 290. Venero C, Guadano-Ferraz A, Herrero AI, Nordstrom K, Manzano J, de Escobar GM, Bernal J, Vennstrom B (2005) Anxiety, memory impairment, and locomotor dysfunction caused by a mutant thyroid hormone receptor $\alpha 1$ can be ameliorated by T3 treatment. *Genes Dev*, 19: 2152–2163.
 291. Vermiglio F, Lo Presti VP, Moleti M, Sidoti M, Tortorella G, Scaffidi G et al (2004) Attention deficit and hyperactivity disorders in the offspring of mothers exposed to mild-moderate iodine deficiency: A possible novel iodine deficiency disorder in developed countries. *J Clin Endocrinol Metab*, 89: 6054–6060.
 292. Villar J, Merialdi M, Gulmezoglu AM et al (2003) Nutritional interventions during pregnancy for the prevention or treatment of maternal morbidity and preterm delivery: an overview of randomized controlled trials. *J Nutr*, 133(suppl): 1606S–1625S.
 293. Vinodkumar M, Rajagopalan S et al (2007). A multicenter community study on the efficacy of double-fortified salt, Nevin Scrimshaw International Nutrition Foundation. *Food Nutr Bull*, Mar; 28(1): 100-108.
 294. Vulsma T, Gons MH, de Vijlder JJ (1989) Maternal-fetal transfer of thyroxine in congenital hypothyroidism due to a total organification defect or thyroid agenesis. *N Engl J Med*, 321: 13–16.
 295. Walfish PG (1976) Evaluation of three thyroid function screening tests for detecting neonatal hypothyroidism. *Lancet*, 1: 1208- 1210.

296. Wallis K, Sjogren M, van Hogerlinden M, Silberberg G, Fisahn A, Nordstrom K, Larsson L, Westerblad H, Morreale de Escobar G, Shupliakov O, Vennstrom B (2008) Locomotor deficiencies and aberrant development of subtype-specific GABAergic interneurons caused by an unliganded thyroid hormone receptor $\alpha 1$. *J Neurosci*, 28: 1904–1915.
297. Wang Q, Yu B et al (2011) Assessment of thyroid function during pregnancy: the advantage of self-sequential longitudinal reference intervals. *Arch Med Sci*, 7(4): 679–684.
298. Wang, Y, Zhang Z, Ge P, Wang Y, Wang S (2009) Iodine status and thyroid function of pregnant, lactating women and infants (0-1 yr) residing in areas with an effective Universal Salt Iodization program. *Asia Pac J Clin Nutr*, 18(1): 34-40.
299. Wasco EC, Martinez E, Grant KS, St Germain EA, St Germain DL, Galton VA (2003) Determinants of iodothyronine deiodinase activities in rodent uterus. *Endocrinology*, 144: 4253–4261.
300. Weinberger C, Thompson CC, Ong ES, Lebo R, Gruol DJ, Evans RM (1986) The c-erb-A gene encodes a thyroid hormone receptor. *Nature*, 324: 641–646.
301. Weiss RE, Refetoff S (2000) Resistance to thyroid hormone. *Rev Endocr Metab Disord*, 1: 97–108.
302. WHO (2006) WHO Child Growth Standards based on length/height, weight and age, Wiley Online Library, 95: 76-85.
303. WHO expert consultation (2004) Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 157-163.
304. WHO, UNICEF, ICCIDD (1996) Recommended iodine levels in salt and guidelines for monitoring their adequacy and effectiveness. Geneva, World Health Organization, (WHO/NUT/96.13) 69.
305. WHO, UNICEF, ICCIOD (2001) Assessment of the Iodine Deficiency Disorders and monitoring their elimination. Geneva: WHO publication, p 1-107.
306. WHO/UNICEF (2011) WHO child growth standards and the identification of severe acute malnutrition in infants and children: A joint statement by the World Health Organization and United Nations Children's Fund. Available at http://www.who.int/nutrition/publications/severemalnutrition/9789241598163_eng.pdf

307. WHO/UNICEF/ICCIDD (2007) Assessment of iodine deficiency disorders and monitoring their elimination: A guide for programme managers, Geneva.
308. Widdowson EM, Spray CM (1951) Chemical development in utero. *Arch Dis Child*, 26: 205-214.
309. Williams GR (2008) Neurodevelopmental and neurophysiological actions of thyroid hormone, *Wiley Online Library*, 20: 784-794.
310. Williams GR, Bassett JHD (2011) Local control of thyroid hormone action: role of type 2 deiodinase. *J Endocrinology*, 209: 261-272.
311. Winkelman DC (1974) Clinical Chemistry: Principles and Techniques. New York, Harper and Row, pp1118-1144.
312. Wong EM, Sullivan KM et al (2011) Comparison of median urinary iodine concentration as an indicator of iodine status among pregnant women, school-age children, and nonpregnant women. *Food Nutr Bull*, Sep; 32(3): 206-212.
313. Wood WM, Ocran KW, Gordon DF, Ridgway EC (1991) Isolation and characterization of mouse complementary DNAs encoding alpha and beta thyroid hormone receptors from thyrotrope cells: the mouse pituitary-specific beta 2 isoform differs at the amino terminus from the corresponding species from rat pituitary tumor cells. *Mol Endocrinol*, 5: 1049-1061.
314. World Health Organization (1992) The prevalence of anemia in women: a tabulation of available information. 2nd ed. Geneva: WHO (WHO/MCH/MSM/92.2.).
315. World Health Organization (1999) Progress towards the elimination of iodine deficiency disorders (IDD).
316. World Health Organization (2008) Salt as a vehicle for fortification.
317. Wu LL, Sazali BS, Adeeb N, Khalid BAK (1999) Congenital hypothyroid screening using cord blood TSH. *Singapore Med J*, 40: 23-26.
318. Wu SY, Huang W-S, Polk D et al (1993) The development of a radioimmunoassay for reverse triiodothyronine sulfate in human serum and amniotic fluid. *J Clin Endocrinol Metab*, 76:1625- 1630.
319. [www.pmindia.nic.in \[http://pmindia.nic.in/press_details.php?nodeid=1228\]](http://pmindia.nic.in/press_details.php?nodeid=1228)

320. Yadav K, Srivastava R, Badhal S, Palanivel C, Pandav CS, Karmarkar MG (2012) Iodine nutrition of pregnant women in India: evidence of significant iodine deficiency. *Indian Journal of Medical Specialities*, 3(1): 49-54.
321. Yeo CP, Khoo DH, Eng PH, Tan HK, Yo SL, Jacob E (2001) Prevalence of gestational thyrotoxicosis in Asian women evaluated in the 8th to 14th weeks of pregnancy: correlations with total and free beta human chorionic gonadotrophin. *Clin Endocrinol (Oxf)*, 55: 391-398.
322. Yip R (1996) Iron supplementation during pregnancy: Is it effective? *American Journal Clinical Nutrition (Editorial)*, 63: 853-855.
323. Yoshimura M, Hershman JM (1995) Thyrotropic action of human chorionic gonadotropin. *Thyroid*, 5: 425-434.
324. Yu B, Wang QW, Huang RP, Fang C, Zhu ZQ, Sun DC, Zhou H, Zhang YM (2010) Establishment of self-sequential longitudinal reference intervals of maternal thyroid function during pregnancy. *Experimental biology and medicine*, 235 (10): 1212-1215.
325. Zimmermann MB (2009) Iodine deficiency in pregnancy and the effects of maternal iodine supplementation on the offspring: a review. *Am Soc Nutrition*, 89: 668S-672S.
326. Zimmermann MB (2009*) Iodine deficiency. *Endocrine Soc*, 30: 376-408.
327. Zimmermann MB (2007) Iron deficiency predicts poor maternal thyroid status during pregnancy. *Endocrine Soc*, 92: 3436-3440.
328. Zimmermann MB, Hurrell RF (2007) Nutritional iron deficiency. *The Lancet*, 370: 511-520.
329. Zimmermann MB, Jooste PL et al (2008) Iodine-deficiency disorders. *Elsevier*, 372: 1251-1262.
330. Zimmermann MB, Zeder C, Chaouki N, Saad A, Torresani T, Hurrell RF (2003) Dual fortification of salt with iodine and microencapsulated iron: A randomized, double-blind, controlled trial in Moroccan school children. *Am J Clin Nutr*, 77: 425-432.
331. Zoeller RT (2003) Transplacental thyroxine and fetal brain development. *J Clin Invest*, 111(7): 954-957.

- 332. Zoeller RT (2010) New insights into thyroid hormone action in the developing brain: the importance of T3 degradation. *Endocrinology*, 151: 5089-5091.
- 333. Zoeller RT, Rovet J (2004) Timing of thyroid hormone action in the developing brain: clinical observations and experimental findings. *J Neuroendocrinol*, 16: 809–818.
- 334. Zoeller RT, Tan SW, Tyl RW (2007) General background on the hypothalamic-pituitarythyroid (HPT) axis. *Crit Rev Toxicol*, 37: 11-53.
- 335. Zucker JR, Lackritz EM, Ruebush TK, Hightower AW, Adungois JE, Were JBO, Campbell CC (1994) Anemia, blood transfusion practices, HIV and mortality among women of reproductive age in western Kenya. *Trans R Soc Trop Med Hyg*, 88: 173–176.