

BIBLIOGRAPHY

Abate, C., Patel, L., Rauscher III, F.J. and Curran, T. (1990). Redox regulation of Fos and Jun DNA-binding activity *in vitro*. *Science*. **249**: 1157-1161.

Adams, D.G. and Duggan, P.S. (1999). Heterocyst and akinete differentiation in cyanobacteria. *New Phytologist*. **144** : 3-33.

Adams, D.G.(1992). Multicellularity in Cyanobacteria: In "*The prokaryotes structure and function A new perspective*" (Eds. Mohan S , Dow, C and Cole, J. A), Cambridge Univ Press, Cambridge, pp341-384.

Apte, S. K. (1992). Molecular biology of cyanobacterial nitrogen fixation: Recent advances. *Indian J. Microbiol.*, **32**: 103-126.

Apte, S.K. (1993). Cyanobacterial nitrogen fixation: Molecular genetic aspects. *Proc. Indian Nat. Sci. Acad.*, **B59**: 367-386.

Apte, S.K. and Prabavathi, N. (1994). Rearrangement of nitrogen fixation genes (*nif*) in the heterocystous cyanobacteria. *J. Biosci.*, **19** : 579-602.

Apte, S.K. and Naresh Kumar, G. (1996). A model for cell-type-specific differential gene expression during heterocyst development and the constitution of aerobic nitrogen-fixation ability in *Anabaena* sp. strain PCC 7120. *J. Biosci.*, **21**: 397-411.

Apte, S.K. and Thomas, J. (1987). Nitrogen fixation genes (*nifK,D,H*) in the filamentous non-heterocystous cyanobacteria *Plectonema boryanum* do not rearrange. *J. Genet.* **66**: 101-110.

Apte, S.K., Rowell, P. and Stewart, W.D.P.(1978). Electron donation to ferredoxin in heterocysts of the nitrogen fixing alga *Anabaena cylindrica*. *Proc. R. Soc. London. Ser. B*, **200** : 1-25.

Arnold, W., Rump, A., Klipp, W., Priefer, U. V. and Puhler, A.(1988). Nucleotide sequence of a 24,206 bp DNA fragment carrying the entire nitrogen fixation gene cluster of *Klebsiella pneumoniae*. *J. Mol. Biol.*, **203**: 715-738.

Bagchi, S.N. and Singh, H.N. (1984). Genetic control of nitrate reductase in the cyanobacterium *Nostoc muscorum*. *Mol. Gen. Genet.*, **193**: 82-84.

Bauer, C.C., Ramaswamy, K. S., Endley, S., Scappino, L. A., Golden, J.W. and Haselkorn, R. (1997). Suppression of heterocyst differentiation in *Anabaena* PCC 7120 by cosmid carrying wild - type genes encoding enzymes for fatty acid synthesis. *FEMS Microbiology lett.*, **151**: 23-30.

Berger, D., Narberhaus, F., Lee, H. and Kustu, S. (1995). *In vitro* studies of the domains of the nitrogen fixation regulatory protein NifA. *J. Bacteriol.*, **177**: 191-199.

- Birnboim, H. C. and Doly, J. (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucl. Acids. Res.*, 7: 1513-1523.
- Bisen, P.S. and Shanthi, S. (1991). Regulation of assimilatory nitrate reductase in the cyanobacterium *Anabaena doliolum*. *Curr. Microbiol.* 23 : 239-244
- Black, T. A. and Wolk, C. P. (1994). Analysis of a *Het* mutation in *Anabaena* sp. strain PCC 7120 implicates a secondary metabolite in the regulation of heterocyst spacing. *J. Bacteriol.*, 176: 2282-2292.
- Black, T. A. Cai, Y and Wolk, C.P. (1993). Spatial expression and autoregulation of *hetR*: a gene involved in the control of heterocyst development in *Anabaena*. *Mol. Microbiol.* 9 : 77-84.
- Blanco, F., Alana, A., Uama, M.J., and Serra, J.L. (1989). Purification and properties of glutamine synthetase from the non-nitrogen fixing cyanobacterium *Phormidium laminosum*. *J. Bacteriol.*, 171: 1158-1165.
- Bohme, H. and Haselkorn, R. (1988). Cloning and nucleotide sequence analysis of the gene coding for heterocyst ferredoxin from *Anabaena* sp. strain PCC 7120. *Mol. Gen. Genet.* 214 : 278-285.
- Bothe, H. and Neuer, G. (1988). Electron donation to nitrogenase in heterocysts. *Methods Enzymol.*, 167: 496-501.
- Bothe, H. (1982). Nitrogen fixation: In "*The Biology of Cyanobacteria*" (Eds. Carr, N.G. and Whitton, B.A.), Blackwell Scientific Publication, Oxford, pp87-104.
- Botsford, J.L. and Harman, J.G. (1992). Cyclic AMP in prokaryotes. *Microbiol. Rev.*, 56: 100-122.
- Bourret, R.B., Borkovich, K.A. and Simon, M.I. (1991). Signal transduction pathways involving protein phosphorylation in prokaryotes. *Ann. Rev. Biochem.*, 60: 401-441.
- Boussiba, S. and Gibson, J. (1991). Ammonia translocation in cyanobacteria. *FEMS Microbiol. Rev.* 88 : 1-14.
- Brahamsha, B. and Haselkorn, R. (1992). Identification of multiple RNA polymerase sigma factor homolog in the cyanobacterium *Anabaena* sp. strain PCC 7120: Cloning, expression and inactivation of the *sigB* and *sigC* genes. *J. Bacteriol.*, 174: 7273-7282.
- Brock, T.D. (1973). Evolutionary and ecological aspects of the cyanophytes: In "*The Biology of Blue - Green Algae*" (Eds. Carr, N.G. and Whitton, B.A.), Blackwell Publishers, London, pp487-500.
- Brusca, J.S., Chastain, C. J. and Golden, J.W. (1990). Expression of the *Anabaena* sp. strain PCC 7120 *xisA* gene from a heterologous promoter results in the excision of the *nifD* element. *J. Bacteriol.*, 172: 3925-3931.

- Brusca, J.S., Hale, M. A., Carrasco, C.D. and Golden, J.W. (1989). Excision of an 11-kilobase pair DNA element from within the *nifD* gene in *Anabaena variabilis* heterocysts. J. Bacteriol., 171: 4138-4145.
- Buchanan-Wallaston, J., Cannon, M.C., Beynon, J.L and Cannon, F.C.(1981). Role of *nifA* gene product in the regulation of *nif* gene expression in *Klebsiella pneumoniae*. Nature. 294 : 776-778.
- Buck, M. and Cannon, W. V. (1992). Specific binding of the transcription factor sigma 54 to promoter DNA. Nature. 358:422-423.
- Buikema, W. J. and Haselkorn, R. (1991) Characterization of a gene controlling heterocyst development in the cyanobacterium *Anabaena* 7120. Genes Dev., 5 :321-330.
- Buikema, W. J. and Haselkorn, R.(1993).Molecular genetics of cyanobacterial development. Ann. Rev. Plant.Physiol. Mol. Biol. 44 : 33-52.
- Cai, Y. and Wolk, C.P. (1997a). Nitrogen deprivation of *Anabaena* sp. strain PCC 7120. elicits rapid activation of a gene cluster that is essential for uptake and utilization of nitrate. J. Bacteriol., 179 : 258-266.
- Cai, Y. and Wolk, C.P. (1997b). *Anabaena* sp. strain PCC 7120 responds to nitrogen deprivation with a cascade-like sequence of transcriptional activation. J. Bacteriol., 179 : 267-271.
- Callado-Vides, J., Magasnik, B. and Gralla, J. D. (1991) Control site location and transcriptional regulation in *Escherichia coli*. Microbiol. Rev., 55 : 371-394.
- Cannon, W. V., Chaney, M.K., Wang, X.Y. and Buck, M. (1997). Two domains within σ^N (σ^{54}) cooperate for DNA binding. Proc. Natl. Acad. Sci. USA., 94 :5006-5011.
- Capone, D.G. and Carpenter, E.J. (1982). Nitrogen fixation in the marine environment. Science, 217:1140-1142.
- Carlson, K. and Kosturko, L.D. (1998). Endonuclease II of coliphage T4: a recombinase disguised as a restriction endonuclease?. Mol. Microbiol.,27:671-676.
- Carrasco, C.D. Buetlner, J.A. and Golden, J.W.(1995). Programmed DNA rearrangement of a cyanobacterial *hupL* gene in heterocysts. Proc. Natl. Acad. Sci. USA., 92 : 791-795.
- Carrasco, C.D. Ramaswamy, K.S. Ramasubramanian, T.S. and Golden, J.W. (1994). *Anabaena xisF* gene encodes a developmentally regulated site-specific recombinase. Genes Dev., 8: 74-83.
- Carrasco, C.D. and Golden, J.W. (1995). Two heterocyst specific DNA rearrangements of *nif* operon in *Anabaena cylindrica* and *Nostoc* sp strain Mac. Microbiology. 141 : 2479-2487.
- Chang, A. C. and Cohen, S. (1977). In vivo site-specific recombination promoted by the EcoRI restriction endonuclease. Proc. Natl. Acad. Sci. USA.,74: 4811-4815.

Chang, A. C. and Cohen, S. (1978). Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the p15A cryptic miniplasmid. *J. Bacteriol.*, **134** : 1141-1145.

Chastain, C. J., Brusca, J. S., Ramasubramanian, T. S., Wei, T. F. and Golden, J. W. (1990). A sequence specific DNA-binding factor (VF1) from *Anabaena* sp. strain PCC 7120 vegetative cells binds to three adjacent sites in the *xisA* upstream region. *J. Bacteriol.*, **172**: 5044-5051.

Cohen, S.N., Chang, A.C.V. and Hsu, L. (1972). Non chromosomal antibiotic resistance in Bacteria: genetic transformation of *Escherichia coli* by R-Factor DNA. *Proc. Natl. Acad. Sci. USA.*, **69**: 2110.

Cohen-Kupiec, R., Zilberstein, A. and Gurevitz, M. (1995). Characterization of *cis*-elements that regulates the expression of *glnA* in *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.*, **177** : 2222-2226.

Copen-Kupiec, R., Gurevitz, M. and Zilberstein, A. (1993). Expression of *glnA* in the cyanobacterium *Synechococcus* sp. strain PCC 7942 is initiated from a single *nif*-like promoter under various nitrogen conditions. *J. Bacteriol.*, **175** : 7727-7731.

Crespo, J.L., Gracia-Dominquez, M. and Florencio, F.J. (1998). Nitrogen control of the *glnN* gene that codes for GS type III, the only glutamine synthetase in the cyanobacterium *Pseudoanabaena* sp PCC 6903. *Mol. Microbiol.*, **30** : 1101-1112.

Dalgaard, J.Z., Garrett, R.A. and Belfort, M. (1994). Purification and characterization of two forms of I-DmI, a thermophilic site-specific endonuclease encoded by an archaeal intron. *J. Biol. Chem.*, **269** : 28885-28892.

Delahodde, A., Goguel, V., Becam, A.M., Creusot, F., Perea, J., Banroques, J. and Jacq, C. (1989). Site- specific DNA endonucleases and RNA maturase activities of two homologous intron-encoded proteins from yeast mitochondria. *Cell*. **56**: 431-441.

Dharmawardene, M.W.N., Haystead, A. and Stewart, W.D.P. (1973). Glutamine synthetase of nitrogen-fixing alga *Anabaena cylindrica*. *Arch. Mikrobiol.*, **90** : 281-295.

Eisele, R. and Ullrich, W.R. (1977). Effect of glucose and CO₂ on nitrate uptake and coupled OH⁻ flux in *Ankistrodesmus brunii*. *Plant Physiol.*, **59** : 18-21.

Elhai, J. and Wolk, C.P. (1990). Developmental regulation and spatial pattern of expression of the structural genes for nitrogenase in the cyanobacterium *Anabaena*. *EMBO J.* **9**: 3379-3388.

Ernst, A., Liu, Y.D. Reich, S. and Boger, P. (1990). Diurnal nitrogenase modification in the cyanobacterium *Anabaena variabilis*. *Bot. Acta*, **103** : 183-189.

Fay, P.C. (1992). Oxygen relations of nitrogen fixation in cyanobacteria. *Micro. Rev.* **56** : 340-373.

- Fernandez-Pinas, F., Leganes, F. and Wolk, C.P. (1994). A third locus required for the formation of heterocyst in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **176**: 5277-5783.
- Fernandez-Valiente, E. and Leganos, F. (1989). Regulatory effect of pH and irradiance on the levels of nitrogenase activity in cyanobacterium *Nostoc* UAM205. *J. Plant Physiol.*, **135**: 623-627.
- Fideler, G., Arnold, M., Hannus, S. and Maldener, I. (1998). The *DevBCA* exporter is essential for envelope formation in heterocysts of the cyanobacterium *Anabaena* sp. strain PCC 7120. *Mol. Microbiol.*, **27**: 1193-1202.
- Fischer, R., Tuli, R. and Haselkorn, R. (1981). A cloned cyanobacterial gene from glutamine synthetase functions in *E. coli*, but the enzyme is adenylated. *Proc. Natl. Acad. Sci. USA.*, **78**: 3393-3397.
- Florencio, F.J. and Ramos, J.L. (1985). Purification and characterization of glutamine synthetase from the unicellular cyanobacterium *Anacystis nidulans*. *Biochem. Biophys. Acta.*, **838**: 39-48.
- Flores, E., Herrero, A. and Guerrero, M.G. (1987). Nitrite uptake and its regulation in the cyanobacterium *Anacystis nidulans*. *Biochem. Biophys. Acta.*, **896**: 103-108.
- Flores, F., Ramos, J.L., Herrero, A. and Guerrero, M.G. (1983). Nitrate assimilation in cyanobacteria. In "*In Photosynthetic Prokaryotes, Cellular differentiation and function*" (Eds. Papagerogiou, G.C. and Packer, L), Elsevier Biomedical Publishers, New York, pp 363-387.
- Flores, E., Guerrero, M.G. and Losada, M. (1983). Photosynthetic nature of nitrate uptake and reduction in the cyanobacterium *Anacystis nidulans*. *Biochem. Biophys. Acta.*, **722**: 408-416.
- Fogg, G. E., Stewart, W. D. P., Fay, P. and Walsby, A. E. (1973). The blue-green algae. Academic Press Ltd., London.
- Forchhammer, K. and Tandeau de Marsac, N. (1994). The P_{II} in the cyanobacterium *Synechococcus* sp. strain PCC 7942 is modified by serine phosphorylation and signals the cellular N-status. *J. Bacteriol.*, **176**: 84-91.
- Forchhammer, K. and Tandeau de Marsac, N. (1995b). Phosphorylation of the P_{II} protein in the cyanobacterium *Synechococcus* sp. strain PCC 7942 : Analysis of in vitro kinase activity. *J. Bacteriol.*, **177**: 5812-5817.
- Forchhammer, K. and Tandeau de Marsac, N. (1995a). Functional analysis of the phosphoprotein P_{II} (*glnB* gene product) in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.*, **177**: 2033-2040.
- Frias, J. E., Flores, E. and Herrero, A. (1994). Requirement of the regulatory protein NtcA for the expression of N- assimilation and heterocyst development genes in the cyanobacterium *Anabaena* sp. PCC 7120. *Mol. Microbiol.*, **14**: 823-832.

Frias, J.E., Flores, E. and Herrero, A. (1997). Nitrate assimilation gene cluster from the cyanobacterium *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **179** : 477-486.

Gabbara, S. and Bhagwat, A.S. (1992). Interaction of EcoRII endonuclease with DNA substrate containing single recognition sites. *J. Biol. Chem.*, **267**: 18623-18630.

Gallon, J. R. and Chaplin, A. E. (1988). In :*Recent studies on nitrogen fixation: Hundred years after* (Eds. Bothe, H., de Bruijn, F. J. and Newton, W. E), Gustav Fischer Publishers, Stuttgart. pp183-188.

Gallon, J. R., Hashem, M. A. and Chaplin, A. E. (1991). Nitrogen fixation of *Oscillatoria* spp., under autotrophic and photoautotrophic conditions. *J. Gen. Microbiol.* **137** : 31-39.

Gerhard, P., Murray, R.G. E., Costilow, R. N., Nester, E.W., Wood, W. A., Krieg, N. R. and Phillips, G. B. (1981). In: *Manual of methods of general Bacteriology* : Biophysical factors in growth. American Society of Microbiology, Washington DC, pp 66-78.

Golden J.W. and Wiest, D. R. (1988). Genome rearrangement and nitrogen fixation in *Anabaena* blocked by inactivation of *xisA* gene. *Science*, **242** :1421-1423.

Golden, J.W. Robinson, S.J. and Haselkorn, R. (1985). Rearrangement of nitrogen fixing genes during heterocyst differentiation in the cyanobacteria *Anabaena*. *Nature* **314** : 419-423.

Golden, J.W., Whorff, L.L. and Wiest, D. R. (1991). Independent regulation of *nifHDK* operon transcription and DNA rearrangement during heterocyst differentiation cyanobacterium *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **173** : 7098-7105.

Golden, J.W. (1988). Genome rearrangement during *Anabaena* heterocyst development. *Can. J. Bot.*, **66** : 2098-2102.

Golden, J.W., Carrasco, C.D., Mulligan, M.E. Schneider, G.J. and Haselkorn, R. (1988). Deletion of a 55kilobase pair DNA element from the chromosome during heterocyst differentiation of *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **170** : 5034 -5041.

Golden, J.W., Mulligan, M.E. and Haselkorn, R. (1987). Different recombination site specificity of two developmentally regulated genome rearrangements. *Nature* **327** : 526-529.

Gowrishankar, J. (1985) Identification of osmoreponsive genes in *Escherichia coli*: evidence for participation of potassium and proline transport system in osmoregulation. *J. Bacteriol.*, **164** : 434-445.

Gowrishankar, J., Jayashree, P. and Rajkumari, K. (1986). Molecular cloning of an osmoregulatory locus if *Escherichia coli*: Increased *proU* gene dosage results in enhanced osmotolerance. *J. Bacteriol.*, **168**: 1197-1204.

Gracia-Dominguez, M. and Florencio, F.J. (1997). Nitrogen availability and electron transport controls the expression of *glnB* gene (encoding P_{II} protein) in the cyanobacterium *Synechocystis* sp. strain PCC 6803. *Plant Mol. Biol.*, **35** : 723-734

Guerrero, M.G. and Lara, C.(1987). Assimilation of inorganic nitrogen: In "*Cyanobacteria*" (Eds. Fay, P. and Van Balaan, C), Elsevier Science Publishers. Amsterdam, pp163-186.

Gussin, G.N., Ronson, C.W. and Ausubel, F. .M. (1986). Regulation of nitrogen fixation genes. *Ann. Rev. Genet.* **20**: 567-591.

Haber, J. E. and Leung, W. Y. (1996). Lack of chromosome territoriality in yeast:promiscuous rejoining of broken chromosome ends. . *Proc. Natl. Acad. Sci. USA*, **93**: 13949-13954.

Hallenbeck, P.C., Kostel, P. J. and Benemann, J. R. (1979). Purification and properties of nitrogenase form the cyanobacterium *Anabaena cylindrica*. *Eur. J. Biochem.*, **98**: 275-284.

Hanahan, D. (1985). Studies on transformation of *E. coli* with plasmids. *J. .Mol. Biol.*, **166** : 557-580.

Harrison, M. A., Keen, J. N., Findlay, J. and Allen, J. F. (1990). Modification of a *glnB*-like product by photosynthetic electron transport in the cyanobacterium *Synechococcus* 6301. *FEBS Lett.*, **264**: 25-28.

Haselkorn, R. (1978). Heterocysts. *Ann. Rev. Plant Physiol.* **29** : 119-144.

Haselkorn, R. (1992). Developmentally regulated gene rearrangements in prokaryotes. *Ann. Rev. Genet.* **26**: 113-130.

Haselkorn, R. (1986). Organization of genes for nitrogen fixation in photosynthetic bacteria and cyanobacteria. *Ann. Rev. Microbiol.*, **40**: 525-547.

Haselkorn, R. (1989). Excision of elements interrupting nitrogen-fixation operon in cyanobacteria. In" *Mobile DNA*" (Eds. Berg, D. E. and Howe, M. M.), American Society of Microbiology, Washington DC, pp 735-742.

Haselkorn, R. (1998). How cyanobacteria count to 10. *Science*, **282**: 891-892.

Herrero, A., Flores, E. and Guerrero, M.G.(1985). Regulation of nitrate reductase cellular levels in the cyanobacterium *Anabaena variabilis* and *Synechocystis* sp. *FEMS. Microbiol. Lett.* **26**: 21-25.

Herrero, A., Flores, E. and Guerrero, M.G. (1984). Regulation of the nitrate reductase in *Anacystis nidulans*: activity decay under nitrogen stress. *Arch. Biochim. Biophys.* **234**: 454-459.

Herrero, A., Flores,E. and Guerrero, M.G. (1981). Regulation of nitrate of nitrate reductase levels in the *Anacystis nidulans*, *Anabaena* sp. strain 7119 and *Nostoc* sp strain 7119. *J. Bacteriol.* **145**: 175-180.

Herrero, A. and Guerrero, M.G. (1986). Regulation nitrite reductase in the cyanobacterium *Anacystis nidulans* . *J. Gen. Microbiol.*, **132**: 2463-2468.

Hoover, T.R., Imperial, J., Liang, J., Ludden, P.W. and Shah, V.K. (1988). Dinitrogenase with altered substrate specificity results from the use of homocitrate analogues for *in vitro* synthesis of the iron-molybdenum cofactor. *Biochemistry*. **27**: 3647-3652.

Hoover, T. R., Imperial, J., Ludden, P.W. and Shah, V. K. (1989). Homocitrate is a component of the iron-molybdenum cofactor of nitrogenase. *Biochemistry*. **28**:2768-2771.

Huang, T.C. and Grobbelaar, N. (1995). The circadian clock in the prokaryote *Synechococcus* RF1. *Microbiology*. **141**: 535-540.

Huang, T.C., Lin, R. F. Chu, M. K. and Chen, H.M. (1999). Organization and expression of nitrogen-fixation genes in the aerobic nitrogen-fixing unicellular cyanobacterium *Synechococcus* sp strain RF1. *Microbiology*. **145**: 743-753.

Jiang, F., Mannervik, B. and Bergman, B. (1997). Evidence for redox regulation of the transcription factor NtcA, acting both as an activator and a repressor in the cyanobacterium *Anabaena* PCC 7120. *Biochem. J.* **327** : 513-517.

Jo, K. and Topal, M.D. (1995). DNA topoisomerase and recombinase activities in Nae I restriction endonuclease. *Science*. **267** : 1817-1820.

Johnson, M.E. and Rajagopalan, K.V. (1987). Involvement of *chlA*, *E*, *M* and *N* loci in *Escherichia coli* molybdopterin biosynthesis. *J. Bacteriol.*, **169**: 117-125.

Kallas, T., Coursin, T. and Rippka, R. (1985). Different organization of *nif* genes in nonheterocytous and heterocytous cyanobacteria. *Plant. Mol. Biol.* **5** : 321-329.

Kemp, B. and Pearson, B. (1990). Protein kinase recognition sequence motifs. *Trends. Biochem. Sci.*, **15** : 342-346.

Kentimich, T., Danneberg, G., Hudeshagen, B. and Bothe, H. (1988). Evidence for the occurrence of alternative vanadium-containing nitrogenase in the cyanobacterium *Anabaena variabilis*. *FEMS Microbiol. Lett.*, **51**:19-24.

Khudyakov, I. and Wolk, C.P. (1996). Evidence that the *hanA* gene coding for HU protein is essential for heterocyst differentiation, and cyanophage A-4(L) sensitivity of *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **178** : 3572-3577.

Khudyakov, I. and Wolk, C.P. (1997). *hetC*, a gene coding for a protein similar to bacterial ABC protein exporters, is involved in early regulation of heterocyst differentiation in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **179** : 6971-6978.

Kikuchi, H., Aichi, M., Suzuki, I. and Omata, T. (1996). Positive regulation by nitrite of the nitrate assimilation operon in the cyanobacteria *Synechococcus* sp. strain PCC 7942 and *Plectonema boryanum*. *J. Bacteriol.*, **178**: 5822-5825.

Kim, J. and Rees, D.C. (1994). Nitrogenase and biological nitrogen fixation. *Biochemistry.*, **33**: 389-397.

Kuhkemeier, C. J., Logtenberg, T., Stoorvogel, W., Van Hengten, H.A.A. Borrias, W.E. and Van Arkel, G. A. (1984b). Cloning of nitrate reductase genes from the cyanobacterium *Anacystis nidulans* R2. J. Bacteriol., **159**: 36-41.

Kuhkemeier, C. J., Teeuwssen, V.J., Janssen, M.J.T. and Van Arkel, G. A. (1984a). Cloning of a third nitrate reductase gene from the cyanobacterium *Anacystis nidulans* R2 using shuttle cosmid library. Gene, **131**: 109-116.

Kuritz, T., Ernst, A., Black, T.A. and Wolk, C.P. (1993). High-resolution mapping of genetic loci of *Anabaena* 7120 required for photosynthesis and nitrogen fixation. Mol. Microbiol., **8**: 101-110.

Kustu, S., Santero, E., Popham, D. and Keener, J. (1989). Expression of σ^{54} (*ntrA*)-dependent genes is probably united but a common mechanism. Microbiol. Rev., **53**: 367-376.

Lammers, P.J., Golden, J.W. and Haselkorn, R. (1986). Identification and sequence of a gene required for a developmentally regulated DNA excision in *Anabaena*. Cell. **44**: 905-911.

Lara, C., Romas, J.M. and Guerrero, M.G. (1987). Regulated nitrate transport in the cyanobacterium *Anacystis nidulans*. J. Bacteriol., **169**: 4376-4378.

Lee, H.S., Berger, D.K. and Kustu, S. (1994). Activity of purified NifA, a transcriptional activator of nitrogen fixation genes. Proc. Natl. Acad. Sci USA., **90**: 2266-2270.

Lee, H.M., Vazquez-Bermudez, W. F. and Tandeau de Marsac, N. (1999). The global nitrogen regulator NtcA regulates transcription of the signal transduction P_{II} (GlnB) and influences its phosphorylation level in response to nitrogen and carbon supplies in the cyanobacterium *Synechococcus* sp strain PCC 7942. J. Bacteriol., **181**: 2697-2702.

Liang, J., Scappino, L. and Haselkorn, R. (1992). The *pata* gene product which contains a region similar to CheY of *Escherichia coli* controls heterocyst formation in the cyanobacteria *Anabaena* 7120. Proc. Natl. Acad. Sci USA., **89**: 5655-5659.

Liang, J., Scappino, L. and Haselkorn, R. (1993). The *patB* gene product, required for the growth of cyanobacteria *Anabaena* sp. strain PCC 7120 under nitrogen limited conditions, contains ferredoxin and helix-turn-helix domains. J. Bacteriol., **175**: 1697-1704.

Lightfoot, D.A., Baron, A.J. and Wootton, J.C. (1988). Expression of the *E. coli* glutamate dehydrogenase gene in the cyanobacterium *Synechococcus* sp. strain PCC 6301 causes ammonium tolerance. Plant Mol. Biol., **11**: 335-344.

Liu, S-L., Hessel, A. and Sanderson, K.E. (1993). Genomic mapping with I-Ceu I, an intron-encoded endonuclease specific for genes for ribosomal RNA, in *Salmonella* spp., *Escherichia coli*, and related bacteria. Proc. Natl. Acad. Sci USA., **90**: 6874-6878.

Lockau, W., Peterson, R.B., Wolk, C.P. and Burris, R.H. (1978). Modes of reduction of nitrogenase in heterocysts isolated from *Anabaena* sp... Biochim. Biophys. Acta., **502**: 298-302.

- Lonneto, M., Gribskov, M. and Gross, C.A. (1992). The σ^{70} family: sequence conservation and evolutionary relationships. *J. Bacteriol.*, **174**: 3843-3849.
- Luque, I., Flores, E. and Herrero, A. (1994). Molecular mechanisms for the operation of nitrogen control in cyanobacteria. *EMBO.J.* **12** : 2862-2869.
- Luque, I., Flores, E. and Herrero, A. (1993). Nitrite reductase gene from *Synechococcus* sp. strain PCC 7942: homology between cyanobacterial and higher plant nitrite reductases. *Plant. Mol. Biol.*, **21**: 1201-1205.
- Luque, T., Herrero, A., Flores, E. and Madueno, F. (1992). Clustering of genes involved in nitrate assimilation in the cyanobacterium *Synechococcus*. *Mol. Gen. Genet.*, **232**: 7-11.
- Lynn, M., Bantle, J.A. and Ownby, J. D. (1986). Estimation of gene expression in heterocyst of *Anabaena variabilis* by using DNA-RNA hybridizations. *J. Bacteriol.* **167** : 940-946.
- Madueno, F., Vega-Palas, M. A., Flores, E. and Herrero, A. (1988). A cytoplasmic-membrane protein repressible by ammonium in *Synechococcus* R2 altered expression in nitrate assimilation mutants. *FEBS Lett.*, **239**: 289-291.
- Maeda, S.I., Kawaguchi, Y., Ohe, T. A. and Omata, T. (1998). Cis-acting sequences required for NtcB- dependent, nitrite responsive positive regulation of the nitrate assimilation operon in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.* **180** : 4080-4088.
- Magnum, J.H., Magni, G. and Stadman, E. R. (1973). Regulation of glutamine synthetase adenylation and deadenylation by the enzymatic uridylation and deuridylation of the P_{II} regulatory protein. *Arch. Biochem. Biophys.*, **158** : 514-524.
- Maldener, I., Fiedler, G., Ernst, A., Fernandez-Pinas, F. and Wolk, C.P. (1994). Characterization of *devA* a gene required for the maturation of proheterocysts in the cyanobacterium *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **176**: 7543-7549.
- Marques, S., Merida, A., Candau, P. and Florencio, F.J. (1992). Light mediated regulation of glutamine synthetase in the unicellular cyanobacterium *Synechococcus* sp. strain PCC 6301. *Planta.* **187** : 247-253.
- Martin-Nieto, J., Herrero, A. and Flores, E. (1989). Regulation of nitrate and nitrite reductases in dinitrogen fixing cyanobacteria and *Nif* mutants. *Arch. Microbiol.* **151**: 475-478.
- Mazel, D., Houmard, J., Castets, A.M. and Tandeau de Marsac, N. (1990). Highly repetitive DNA sequences in cyanobacterial genomes. *J. Bacteriol.*, **172**: 2755-2761.
- Mazur, B.J. Rice, D. and Haselkorn, R. (1980). Identification of blue green algal nitrogen fixation genes using heterologous DNA hybridizing probes. *Proc. Natl. Acad. Sci. USA.*, **77** : 186-190.

- Meeks, J.C., Joseph, C. M. and Haselkorn, R. (1988). Organization of the *nif* genes in the cyanobacteria in symbiotic association with *Azolla* and *Anthoceros*. Arch. Microbiol. **150** : 61-71.
- Meeks, J.C. Campbell, E.L. and Bisen, P.S. (1994). Elements interrupting nitrogen fixing genes in cyanobacteria: presence and absence of *nifD* elements in clones of *Nostoc* sp. Mac. Microbiology. **140**: 3225-3232.
- Merida, A., Candau, P. and Florencio, F.J. (1991a) Regulation of glutamine synthetase activity in the unicellular cyanobacterium *Synechocystis* sp. PCC 6803 by the nitrogen source: effect of ammonium. J. Bacteriol., **173**: 4095-4100.
- Merida, A., Candau, P. and Florencio, F.J. (1991b) *In vitro* reactivation of *in vivo* ammonium inactivated glutamine synthetase from *Synechocystis* sp. PCC 6803 . Biochem. Biophys. Res. Comm. **181**: 780-786.
- Merida, A., Leurentop, L., Candau, P. and Florencio, F.J. (1990). Purification and properties of glutamine synthetase from the cyanobacteria *Synechococcus* PCC 6803 and *Calothrix* PCC 7601. J. Bacteriol., **172** : 4732-4735.
- Merrick, M.J. (1983). Nitrogen control of the *nif* regulon of *Klebsiella pneumoniae* : involvement of the *ntrA* gene and analogies between *ntrC* and *nifA*. EMBO. J. **2**: 39-44.
- Merrick, M.J. (1993). In a class of its own: the RNA polymerase sigma factor σ^{54} (σ^N) . Mol. Microbiol. **10**: 903-909.
- Merville, S. B. and Gunsalus, R. P.(1993). Isolation of an oxygen-sensitive FNR protein in *Escherichia coli*: Interaction at activator and repressor sites of FNR-controlled genes. Proc. Natl. Acad. Sci. USA., **93** : 1226-1231.
- Miller, J. (1992). In A short course in bacterial Genetics and Handbook of *E. coli* and related bacteria. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA, pp72-74.
- Morett, E. and Buck, M. (1989). *In vivo* studies on the interaction of RNA polymerase- σ^{54} with the *Klebsiella pneumoniae* and *Rhizobium meliloti nifH* promoters. The role of NifA in the formation of an open complex. J. Mol. Biol., **210**: 65-77.
- Morett, E. and Segovia, L. (1993). The σ^{54} bacterial enhancer-binding protein family: mechanism of action and phylogenetic relationship of their functional domains. J. Bacteriol., **175**: 6067-6074.
- Morishima, N., Nakagawa, K. and Shibata, T.A. (1993). A sequence-specific endonuclease, Endo.*SceI*, can efficiently induce gene conversion in yeast mitochondria lacking a major exonuclease. Curr.Genet., **23**: 537-541.
- Morret, E., Fischer, H.M. and Hennecke, H. (1991). Influence of oxygen on binding, positive control and stability of the *Bradyrhizobium japonicum* NifA regulatory protein. J. Bacteriol., **173**: 3478-3487.

Mulligan M.E., Buikema, W.J. and Haselkorn, R. (1988). Bacterial type ferredoxin genes in the nitrogen fixation regions in the cyanobacterium *Anabaena* sp. strain PCC 7120 and *Rhizobium meliloti*. J. Bacteriol., 170 : 4406-4410.

Mulligan, M.E. and Haselkorn, R. (1989). Nitrogen-fixation (*nif*) genes of the cyanobacterium *Anabaena* sp. strain PCC 7120: the *nifB-fdxN-nifS-nifU* operon. J. Biol. Chem., 264 : 19200-19207.

Nakagawa, K.-I., Morishima, N. and Shibata, T. (1992). An endonuclease with multiple cutting -sites, *Endo.SceI*, initiates genetic recombination at its cutting site in yeast mitochondria. EMBO. J. 11:2707-2711.

Nohno, T., Kasai, Y. and Saito, T. (1988). Cloning and sequencing of *E. coli chlEN* operon involved in molybdopterin biosynthesis. J. Bacteriol., 170: 4097-4102.

Nunes-Duby, S. E., Kwon, H. J., Tirumalai, R. S., Ellenberger, T. and Landy, A. (1998). Similarities and differences among 105 members of the Int family of site-specific recombinases. Nucleic. Acids Res. 26: 391-406.

Oller, A. R., Broek, W. V., Conrad, M., Topal, M. D. (1991). Ability of DNA and spermidine to affect the activity of restriction endonucleases from several bacterial species. Biochemistry. 30: 2543-2549.

Omata, T. (1991). Cloning and characterization of *nrtA* gene that encodes 45kDa protein involved in nitrate transport in the cyanobacterium *Synechococcus* PCC 7942. Plant Cell Physiol 32 : 151-157.

Omata, T., Andriesse, X. and Hirano, A. (1993). Identification and characterization of a gene cluster involved in nitrate transport in the cyanobacterium *Synechococcus* PCC 7942. Mol. Gen. Genet. 236: 151-157.

Omata, T., Ohamari, M., Arai, N. Ogawa, T.(1989). Genetically engineered mutant of the cyanobacterium *Synechococcus* PCC 7942 defective in nitrate transport. Proc. Natl. Acad. Sci. USA., 86 : 6612-6616.

Orr, J. and Haselkorn, R. (1982). Regulation of glutamine synthetase activity and synthesis in free-living and symbiotic *Anabaena* sp. J. Bacteriol. 152: 626-635.

Orr, J., Keefer, L. M., Keim, P., Nguyen, T. D., Wellems, T. and Haselkorn, R. (1981). Purification, physical characterization and NH₂ - terminal sequence of glutamine synthetase from cyanobacterium *Anabaena* 7120. J. Biol. Chem., 256: 13091-13098.

Paul, W. and Merrick, M.J. (1989). The roles of *nifW*, *nifZ* and *nifM* genes of *Klebsiella pneumoniae* in nitrogenase biosynthesis. Eur. J. Biochem., 178 : 675-682.

Pognonec, P., Kato, H. and Roeder, R.G.(1992). The helix-loop-helix/leucine repeat transcription factor USF can be functionally regulated in redox dependent manner. J. Biol. Chem. 267 : 24563-24567.

Popham, D.L., Szeto, D., Keener, J. and Kustu, S. (1989). Function of a bacterial activator protein that binds to transcriptional enhancers. *Science*, **243**: 629-635.

Ramasubramanian, T.S., Wei, T.F. and Golden, J.W. (1994). Two *Anabaena* sp. strain PCC 7120 specific DNA-binding factors interact with vegetative cells and heterocyst specific genes. *J. Bacteriol.*, **176** : 1214-1223.

Ramasubramanian, T.S., Wei, T.F., Oldham, A.K. and Golden, J.W. (1996). Transcription of the *Anabaena* sp. strain PCC 7120 *ntcA* gene : Multiple transcripts and NtcA binding. *J. Bacteriol.*, **178** : 922-926.

Ramaswamy, K. S., Endley, S. and Golden, J.W. (1996). Nitrate reductase activity and heterocyst suppression on nitrate in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **178** : 3893-3898.

Razquin, P., Schimtz, S., Fillat, M. F., Paleato, M. L. and Bohme, H. (1994). Transcriptional and translational analysis of ferredoxin and flavodoxin under iron and nitrogen stress in the *Anabaena* sp. strain PCC 7120. *J. Bacteriol.*, **176** : 7409-7411.

Reich, S. and Boger, P. (1989). Regulation of nitrogenase in *Anabaena variabilis* by modification of Fe protein. *FEMS Microbiol. Lett.* **58** : 81-86.

Reuter, M., Kupper, D., Pein, C.D., Petrusyte, M., Siksnys, V., Frey, B. and Kruger, D. H. (1993). Use of specific oligonucleotide duplexes to stimulate cleavage of refractory DNA sites by restriction endonucleases. *Anal Biochem.*, **209**: 232-237.

Reyes, J.C., Muro-Pastor, M.I., and Florencio, F.J. (1997). Transcription of glutamine synthetase genes (*glnA* and *glnN*) from the cyanobacterium *Synechocystis* sp. strain PCC 6803 is differently regulated in response to nitrogen availability, *J. Bacteriol.*, **179**:2678-2689.

Rice, D., Mazur, B.J. and Haselkorn, R. (1982). Isolation and physical mapping of nitrogen fixation genes from the cyanobacteria *Anabaena*. *J. Biol. Chem.*, **257** :13157-13163.

Rippka, R., Deruelles, J., Waterbury, J.B., Herdman, M. and Stainer, R.Y. (1979). Generic assignments, strain histories and properties of pure cultures of cyanobacteria. *J. Gen. Microbiol.*, **111** : 1-61.

Rodriguez, H., Rivas, J., Guerrero, M.G. and Losada, M. (1990). Ca^{2+} requirement for aerobic nitrogen fixation by heterocystous blue-green algae. *Plant Physiol.*, **92** : 886-890.

Sadowski, P. D. (1993). Site-specific genetic recombination: hops, flips, and flops. *FASEB J.* **7**: 760-767.

Sambrook, J., Fritsch, E. T. and Maniatis, T. (1989). *Molecular Cloning: A laboratory manual*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA.

- Sampaio, M.J.A.M., Rowell, P. and Stewart, W.D.P. (1979). Purification and some properties of glutamine synthetase from the nitrogen fixing cyanobacteria *Anabaena cylindrica* and a *Nostoc* spp. J. Gen. Microbiol., **111** : 181-191.
- Sargent, R. G., Brenneman, M. A. and Wilson, J. H. (1997). Repair of site-specific double-strand breaks in a mammalian chromosome by homologous and illegitimate recombination. Mol. Cell Biol., **17**:267-277.
- Sato, T., Harada, K. and Kobayashi, Y. (1996). Analysis of suppressor mutations of *spoIVCA* mutations: Occurrence of DNA rearrangement in the absence of a site-specific DNA recombinase *spoIVCA* in *Bacillus subtilis*. J. Bacteriol., **178** : 3380-3383.
- Saville, B., Strauss, N. and Coleman, J. R. (1987). Contiguous organization of nitrogenase genes in a heterocystous cyanobacteria. Plant Physiol. **85** : 26-29.
- Schiestl, R.H. and Petes, T.D. (1991). Integration of DNA fragments by illegitimate recombination in *Saccharomyces cerevisiae*. Proc. Natl. Acad. Sci. USA., **88** : 7585-7589.
- Schneider, G.J., Tumer, N.E., Richaud, C., Borbelly, G. and Haselkorn, R. (1987). Purification and characterization of RNA polymerase from the cyanobacterium *Anabaena* 7120. J. Biol. Chem., **262**, 14633-14639.
- Schopf, J.W. (1975). The age of microscopic life. Endeavour, **34** : 51-58.
- Shingler, V. (1996). Signal sensing by σ^{54} dependent regulators: derepression as a control mechanism. Mol. Microbiol., **19**: 409-416.
- Silman, N. J., Carr, N. G. and Mann, N. H. (1995). ADP-ribosylation of glutamine synthetase in the cyanobacterium *Synechocystis* sp. strain PCC 6803. J. Bacteriol., **177**: 3527-3533.
- Simon, H.M., Homer, M.J. and Roberts, G. P. (1996). Perturbation of *nifT* expression in *Klebsiella pneumoniae* has limited effect on nitrogen fixation. J. Bacteriol., **178**: 2975-2977.
- Smith, B.E. and Eady, R.R. (1992). Metalloclusters of the nitrogenase. Eur. J. Biochem., **205** : 1-15.
- Smith, R.L., Van Baalen, C. and Tabita, F.R. (1987). Alteration of Fe protein of nitrogenase by oxygen in the cyanobacterium *Anabaena* sp. strain CA. J. Bacteriol., **169**: 2537-2542.
- Smoker, J.A. Owen, H.A., Lehn, L.P.J. and Barnum, S. R. (1989). Ultrastructure of the nitrogen fixing filamentous, non-heterocystous cyanobacterium *Plectonema boryanum*. Protoplasma, **152** : 130-135.
- Stal, L.J. and Bergman, B. (1990). Immunological characterization of nitrogenase in the filamentous non heterocystous cyanobacterium *Oscillatoria limosa*. Planta. **182**: 287-291.
- Stevens, S. E. Jr. and Smith, R.L. (1994). Isolation and characterization of five genotype mutants of chlorate resistant cyanobacteria unable to utilize nitrate. Curr. Microbiol., **29**: 311-318.

Stewart, W.D.P. (1977). A botanical ramble among the blue-green algae. Br. Phycol. J. **12**: 89-115.

Stewart, W.D.P. (1980). Some aspects of structure and function of N_2 -fixing cyanobacteria. Ann. Rev. Microbiol. **34** : 497-536.

Stewart, W.D.P. and Rowell, P.(1986). Biochemistry and physiology of nitrogen fixation with particular emphasis on nitrogen fixing phototrophs. Plant Soil., **90** : 169-191.

Stock, J.B., Ninfa, A.J. and Stock, A.M. (1989). Protein phosphorylation and regulation of adaptive responses in bacteria. Microbiol. Rev., **53**: 450-490.

Stragier, P., Kunkel, B., Kroo, L. and Losick, R. (1989). Chromosomal rearrangement generating a composite gene for a developmental transcription factor. Science. **243**: 507-512.

Stricker, O., Masepohl, B., Klipp, W. and Bohme, H.(1997). Identification and characterization of the *nifV-nifZ-nifT* gene region from the filamentous cyanobacterium *Anabaena* sp. strain PCC 7120. J. Bacteriol., **179**: 2930-2937.

Stroz, G., Tartaglia, L.A. and Ames, B.N. (1990). Transcriptional regulator of oxidative-stress induced genes: direct activation by oxidation. Science. **248** : 189-194.

Suzuki, I., Horie, N., Sugiyama, T. and Omata, T. (1995). Identification and characterization of two nitrogen-regulated gene in the cyanobacterium *Synechococcus* sp. strain PCC 7942 required for maximum efficiency of nitrogen assimilation. J. Bacteriol., **177** : 290-296.

Tandeau de Marsac, N. and Houmard, J. (1993). Adaptation of cyanobacteria to environmental stimuli: new steps towards molecular mechanisms. FEMS Micro. Rev. **104**: 119-190.

Tel-Or, E. and Stewart, W.D.P.(1977). Photosynthetic components and activities of nitrogen-fixing isolated heterocysts of *Anabaena cylindrica*. Proc. R. Soc. London Ser B, **198** : 61-86.

Thiel, T., Lyons, E.M., Erker, J.C. and Ernst, A. (1995). A second nitrogenase in vegetative cells of a heterocyst- forming cyanobacterium. Proc. Natl. Acad. Sci. USA., **92**: 9358-9362.

Thomas, J. (1970). Absence of the pigments of photosystem II in heterocysts of a blue-green alga. Nature **228** : 181-183.

Tischner, R. and Schmidt, A. (1984). Light mediated regulation of nitrate assimilation in *Synechococcus leopoliensis*. Arch. Microbiol., **137** : 151-154.

Tsinoremas, N. F., Castets, A. M., Harrison, M. A., Allen, J. F. and Tandeau de Marsac, N.(1991). Photosynthetic electron transport controls N-assimilation in cyanobacteria by means of post-translational modification of the *glnB* gene product. Proc. Natl. Acad. Sci. USA., **88** : 4565-4569.

- Tumer, N.E., Robinson, S.J. and Haselkorn, R. (1983). Different promoters for the *Anabaena* glutamine synthetase gene during growth using molecular fixed nitrogen. *Nature*. **306**: 337-342.
- Van Gorkom, and Dorze, M. (1971). Localization of nitrogen-fixation in *Anabaena*. *Nature*. **234**: 241-242.
- Van-Baalan, C. (1987). Nitrogen fixation: In "*Cyanobacteria*" (Eds. Fay, P and Van Balaan, C), Elsevier Science Publishers, Amsterdam, pp 187-198.
- Vega-Palas, M. A., Flores, E. and Herrero, A. (1992). NtcA, a global nitrogen regulator from the cyanobacterium *Synechococcus* that belongs to the CRP family of bacterial regulators. *Mol. Microbiol.*, **6**: 1853-1859.
- Vega-Palas, M. A., Madueno, F., Herrero, A. and Flores, E (1990). Identification and cloning of regulatory gene for nitrogen assimilation in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.*, **172** : 643-647.
- Venkatraman, G.S. (1972). Algal Biofertilizers and Rice cultivation. Today and Tomorrow Printers, New Delhi. pp81.
- Walsby, A. E. (1986). Origin of chloroplasts. *Nature*. **320** : 21
- Wei, T.F., Ramasubramanian, T.S. , Pu, F. and Golden. J.W. (1993). *Anabaena* sp. strain PCC 7120 *bifA* gene encoding a sequence-specific DNA-binding protein cloned by *in vivo* transcriptional interference selection. *J. Bacteriol.*, **175**: 4025-4035.
- Wei, T.F., Ramasubramanian, T.S. and Golden. J.W. (1994). *Anabaena* sp. strain PCC 7120 *ntcA* gene required for growth on nitrate and heterocyst development. *J. Bacteriol.*, **176** : 4473-4482.
- Weiss, D., Batut, J., Klose, K. E., Keener, J. and Kustu, S. (1991). The phosphorylated form of the enhancer binding protein NTRC has an ATPase activity that is essential for activation of transcription. *Cell*. **67**: 155-167.
- Wolk, C.P. (1982). Heterocysts. In: "*The Biology of Cyanobacteria*". (Eds. Carr, N.G. and Whitton, B.A) University of California Press. Berkeley, pp359-386.
- Wolk, C.P. Cai, Y. and Panoff, J.M. (1991). Use of a transposon with luciferase as a reporter to identify environmentally responsive genes in a cyanobacterium, *Proc.Natl.Acad. Sci. USA.*, **88**: 5355-5359.
- Wolk, C.P. (1989). Models for the development of the pattern of spaced heterocysts in *Anabaena*. *Plant Systemat. Evol.* **164**: 27-31.
- Wolk, C.P. (1991). Genetic analysis of cyanobacterial development. *Curr. Opin. Genet. Devel.* **1** : 336-341.

- Wolk, C.P., Thomas, C.P., Shaffer, P.W., Austin, S.M. and Galonsky, A. (1976). Pathway of nitrogen metabolism after fixation of ^{15}N -labeled nitrogen by *Anabaena cylindrica*. J. Biol. Chem., **251**: 5027-5034.
- Wolk, C.P. (1996). Heterocyst formation. Ann. Rev. Genet. **30**: 59-78.
- Wolk, C.P., Ernst, A., and Elhai, J. (1994). Heterocyst metabolism and Development. In: "The Molecular of Cyanobacteria". (Eds. Bryant, D.A) Kluwer Academic Publishers, Dordrecht, The Netherlands, pp769-823.
- Wood, N. B. and Haselkorn, R. (1979). In : "*Limited proteolysis in Microorganisms*": (Eds. Cohen, G.N. and Holzer, H (U.S. Dept. of Health, Education and Welfare, Washington, D.C) Publ. No (NIH) 79-1591. Pp 159-166.
- Yang, J. and Pittard, J. (1987). Molecular analysis of the regulatory region of the *E. coli* K-12 *tyrB* gene. J. Bacteriol., **169**: 4710-4715.
- Yanisch-Perron, C., Vierra, J. and Messing, J. (1985). Improved M13 phage vectors and host strains: Nucleotide sequence of the M13mp18 and pUC19 vectors. Gene. **33** : 103-119.
- Yoon, H.S. and Golden, J.W. (1998). Heterocyst pattern formation controlled by a diffusible peptide. . Science. **282** : 935-938.
- Zhang, C.C., Friry, A. and Peng, L. (1998). Molecular and genetic analysis of two closely linked that encodes, respectively a protein phosphatase 1/2A/2B homolog and a protein kinase homolog in the cyanobacterium *Anabaena* sp. strain PCC 7120. J. Bacteriol., **180** : 2612-2622.
- Zhou, R., Wei, X., Jiang, N., Li, H., Dong, Y., His, K.L. and Zhao, J. (1998). Evidence that HetR protein is an unusual serine-protease. Proc. Natl. Acad. Sci. USA., **95** : 4959-4963.
- Zhu, J., Kong, R. and Wolk, C.P. (1998). Regulation of *hepA* of *Anabaena* sp. strain PCC 7120 by elements 5' from the gene and by *hepK*. J. Bacteriol., **180** : 4233-4242.