

LIST OF TABLES AND FIGURES:

Chapter I	TITLE
Table Number	
Table 1.1	Protein and genes involved in nitrogen metabolism in Bacteria
Table 1.2	Comparison of the regulation of nitrogen metabolism in Enteric and cyanobacteria.
Table 1.3	Rearrangements in <i>Anabaena</i> PCC 7120
Figure Number	
Figure 1.1	Organization of <i>nif</i> genes in different diazotrophs
Figure 1.2	Excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120
Chapter II	TITLE
Table Number	
Table 2.1	Excision of <i>nifD</i> element of <i>Anabaena</i> sp strain PCC 7120 in <i>E. coli</i> DH5 α and JM101 containing pMX25 grown on Luria broth
Table 2.2	Effect of growth media on excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> DH5 α and JM101 containing pMX25
Table 2.3	Effect of growth media on excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> strain RK#1 and RK#2 containing pMX25
Table 2.4	Effect of Fe and N source on excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> DH5 α containing pMX25
Table 2.5	Competition of blue and white colonies on minimal medium (initial 99% blue and 1% white colonies inoculated onto medium)
Figure Number	
Figure 2.1	Restriction map of pMX25 plasmid
Figure 2.2	Restriction map of pMX Δ 25 plasmid
Figure 2.3	Excision of the <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in different <i>E. coli</i> strains containing pMX25
Figure 2.4	Restriction endonuclease digestion pattern of pMX25 and pMX Δ 25 plasmids
Figure 2.5	HindIII digestion patterns of plasmids from blue and white colonies of JM101 and DH5 α containing pMX25 after growth in Luria broth and M9 minimal medium for 24h.
Figure 2.6	HindIII digestion pattern of plasmids from blue and white colonies of <i>E. coli</i> RK#1 and RK#2 containing pMX25 after growth in Luria broth and M9 minimal medium for 24h.
Figure 2.7	HindIII digestion pattern of plasmid DNA from white colonies appeared from different <i>E. coli</i> strains at 0h.
Figure 2.8	Growth curve of <i>E. coli</i> (JM101) containing unrearranged pMX25 plasmid (blue colony) and rearranged pMX Δ 25 plasmid (white colony) in Luria broth

Figure 2.9 Growth curve of *E. coli* (JM101) containing unrearranged pMX25 plasmid (blue colony) and rearranged pMXΔ25 plasmid (white colony) in minimal medium

Chapter III	TITLE
Table Number	
Table 3.1	Effect of <i>nifA</i> of <i>Klebsiella pneumoniae</i> on excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> PK#1 and GN#1
Table 3.2	Excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> (NK#6) σ^{54} mutant
Table 3.3	Excision of <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> (NK#2) σ^{54} mutant containing <i>nifA</i> gene of <i>Klebsiella pneumoniae</i>
Table 3.4	Growth dependent excision of the <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> containing <i>nifA</i> gene of <i>Klebsiella pneumoniae</i> in Luria broth
Table 3.5	Growth dependent excision of the <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> containing <i>nifA</i> gene of <i>Klebsiella pneumoniae</i> in M9 minimal medium
Table 3.6	Growth independent excision of the <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> containing <i>nifA</i> gene of <i>Klebsiella pneumoniae</i> in M9 minimal medium
Figure Number	
Figure 3.1	Promoter region of <i>xisA</i> gene of <i>Anabaena</i> PCC 7120
Figure 3.2	Restriction map of pMC71A plasmid
Figure 3.3	EcoRI digestion pattern of plasmid DNA from blue and white colonies of JM101 containing pMX25 , pMX Δ25 and GN#1.
Figure 3.4	Excision of the <i>nifD</i> element of <i>Anabaena</i> sp strain PCC 7120 in <i>E. coli</i> strains GN#1 and PK#1 in Luria broth and M9 minimal medium
Figure 3.5	EcoRI digestion pattern of plasmid DNA from blue and white colonies of PK#1 and GN#1 strains after growth in Luria broth and M9 minimal medium for 24h.
Figure 3.6	Excision of the <i>nifD</i> element of <i>Anabaena</i> PCC 7120 in <i>E. coli</i> strains NK#6 and NK#2 in Luria broth and M9 minimal medium
Figure 3.7	EcoRI and HindIII digestion pattern of plasmid DNA from blue and white colonies obtained from <i>E. coli</i> strains NK#6 and NK#2 after growth in Luria broth and M9 minimal medium for 24h.
Chapter IV	TITLE
Table Number	
Table 4.1	Viability of <i>E. coli</i> GN#1 and PK#1 grown in minimal medium containing ampicillin and chloramphenicol
Table 4.2	Growth dependent antibiotic susceptibility of <i>E. coli</i> GN#1 grown in Luria broth containing chloramphenicol and ampicillin
Table 4.3	Growth dependent antibiotic susceptibility of <i>E. coli</i> GN#1 in minimal medium in the presence of chloramphenicol and ampicillin

Table 4.4A	Growth dependent excision of the <i>nifD</i> element of <i>Anabaena</i> PCC 7120 and the antibiotic resistance of <i>E. coli</i> containing <i>nifA</i> gene of <i>K. pneumoniae</i> grown under M9 minimal medium in the absence of antibiotics
Table 4.4B	Viability of <i>E. coli</i> GN1 grown under minimal medium conditions
Table 4.4C	Viability and excision of <i>E. coli</i> GN#1 grown under M9 minimal medium conditions
Table 4.5	Growth Dependent antibiotic susceptibility of <i>E. coli</i> JM101 containing pAn207.65 plasmid in M9 minimal medium
Table 4.6	Ampicillin susceptibility of <i>E. coli</i> JM101 containing pAn207.65 in M9 minimal medium under different growth conditions
Table 4.7	Growth dependent antibiotic susceptibility of <i>E. coli</i> JM101 containing pAN 256 plasmid in M9 minimal medium
Table 4.8	Growth dependent antibiotic susceptibility of <i>E. coli</i> JM101 containing pAn207.65 plasmid in M9 minimal medium with and without IPTG
Table 4.9	Endonuclease activity of <i>E. coli</i> OK#1 grown in Luria broth
Figure Number	
Figure 4.1	White sectors in the blue colonies of <i>E. coli</i> JM101 containing pMX25 plasmid on Luria agar containing X-Gal and IPTG
Figure 4.2	Restriction map of pAn207.65 plasmid
Figure 4.3	Restriction map of pAn256 plasmid
Figure 4.4	Antibiotic susceptibility of <i>E. coli</i> GN#1 on minimal medium
Figure 4.5	EcoRI digestion pattern of pAn207.65 plasmid DNA from <i>E. coli</i> strains OK#1 and OK#2 grown overnight in Luria broth.

Chapter V	TITLE
Figure Number	
Fig 5.1	Construction of pKK#1
Fig 5.2	Restriction endonuclease digestion pattern of pAn207.65 plasmid
Fig 5.3	HindIII digestion pattern of pMU575 and pKK#1 plasmids.
Fig 5.4	Restriction endonuclease digestion pattern of pMU575 and pKK#1
Fig 5.5	β - galactosidase activity in logarithmic phase and stationary phase cells of different <i>E. coli</i> strains grown in Luria broth.
Fig 5.6	β - galactosidase activity in logarithmic phase and stationary phase cells of different <i>E. coli</i> strains grown in M9 minimal medium.
Fig 5.7	HindIII digestion pattern of plasmid DNA from different <i>E. coli</i> strains.
Fig 5.8	β - galactosidase activity in logarithmic phase cells of different <i>E. coli</i> strains grown in Luria broth and M9 minimal medium.
Fig 5.9	β - galactosidase activity in stationary phase cells of different <i>E. coli</i> strains grown in Luria broth and M9 minimal medium.