LIST OF PLATES

Sr.No.	Figure	Description	Page
1.	IV.1	Photoplate of a portion of Jhura Dome	38
2.	IV.2	Photoplate of Hogback at the northern flank of Jhura Dome	38
3.	IV.3	Photoplate of lower band of Golden Oolite facies	46
4.	IV.4	Photoplate of ripple marks on top of localized conglomerate bed below upper golden oolite bed.	46
5.	IV.5	Photoplate of nodular bedding in Chalky limestone subfacies, Jhurio Formation, Jhura dome	48
6.	IV.6	Photoplate of Flaggy limestone subfacies. Jhurio Formation, Jhura dome	48
7.	IV.7	Photoplate of central part of Jumara Dome.	50
8.	IV.8	Photoplate of Hogbacks at Jumara Dome	50
9.	IV.9	Photoplate of loose corals in coralline limestone facies, Jhurio Formation, Jumara dome	57
10.	IV.10	Photoplate of Limestone & marl facies Jhurio Formation, Jumara dome	57
11.	IV.11	Photoplate of white limestone alternated with eroded shales, Jhurio Formation, Jumara dome	59
12.	IV.12	Photoplate of a portion of Habo dome overlooking the Rann of Kutch.	59
13.	IV.13	Photoplate of limestone on top of Laccolith in the core of Habo dome.	61
14.	IV.14	Photoplate of brick like structure produced by the intersection of bedding plane and vertical joint planes in the lower part of bedded limestone facies.	65

3

4 5	*** • *		<u></u>
15.	17.15	Fnotoplate of beautiful banding of limestone and thinly bedded calcareous marly beds; Jhurio formation, Habo dome	65
16.	IV.16	Photoplate of Dhosaian/Charian unconformi- ty at Jumara Dome	68
17.	IV.17	Photoplate of Dhosa Oolite facies, Jumara Formation, Jumara dome.	71
18.	IV.18	Photoplate of Conglomerate on top of Dhosa oolite bed, Jumara dome	71
19.	IV.19	Photoplate showing ichnogenous of <i>Cochlichnus</i> (W.52) and <i>Plunolites</i> (W.95) on Calcareous sandstone, Jumara formation, Jhura dome.	73
20.	IV.20	Photoplate of current bedding with slump structures on sandstone of Jumara Formation, Jhura dome.	73
21.	IV.21	Photoplate showing calcareous Pebbly grit bed of KJH-VII facies, Jhura dome.	75
22.	IV.22	Photoplate of Ridge sandstone facies (KJH-VI), Jhura dome	75
23.	IV.23	Photoplate of coral colonies, Jumara Formation, Habo dome	77
24.	IV.24	Photoplate of current bedding on sandstone of Jumara formation, Habo dome	77
25.	¥.1	Photomicrograph of a pelloidal packstone showing micritized pelloids within sparitized calcitic groundmass. (Crossed nicols, X 60)	83
26.	¥.2	Photomicrograph showing longitudinal and cross sections of Monaxon sponge spicules with thick wall & central cannal. (Plane polarised light, X 60)	83
27.	V.3	Pelloidal packstone with shell fragment of bivalve showing good micritic rim and drusy growth. Echinoids showing syngenetic overgrowth. (Crossed nicols, X 60)	85
28.	₹.4	Oolitic packstone showing lumps and intraclast embedded within sparitized groundmass. (Crossed nicols, X 25)	85

- 29. V.5 Oolitic grainstone showing moderately 87 deformed oolities, brachiopod laths with good micritic rim within sparitized groundmass. (Plane polarised light, X 25)
- 30 V.6 SEM photograph of a single coid showing 87 details of thin concentric laminae. (X 82)
- 31 V.7 Bioclastic packstone with elongated shell 88 fragments of brachiopods showing preferred orientation with good micritic rim. (Plane polarised light, X 25)
- 32 V.8 Oolitic packstone showing moderately 88 deformed coids within sparitized groundmass. (Crossed nicol, X 25)
- 33. V.9 Mudstone with clots of ferruginous 90 matter. A sparitized fracture is also seen. (Plane polarised light, X 60)
- 34. V.10 Bands of pelloidal wackestone and 90 packstone. Bioclasts are mostly micritized. Note the neomorphic development of calcite. (Plane polarised light, X 73)
- 35. V.11 SEM Photograph showing neomorphic 91 development of calcite crystals within the micrite (X 425)
- 36. V.12 Pelloidal packstone with micritized 91 pelloids having diffused boundaries, alongwith brachiopods, echinoids and chambered foraminifers. Fine Ferruginous matrix is also present. (Plane polariased light, X 60)
- 37. V.13 Pelloidal grainstone with micritized 93 pelloids and authigenic development of quartz. The pelloidal boundaries are marked by high concentration of ferruginous matter. (Crossed nicols, X 73)
- 38. V.14 Packstone with micritized intraclasts and 93 a cross section of a gastropod shell alongwith broken shell fragments of brachiopod and corals. Note the abundance of ferruginous matter in the form of clots. (Plane polarised light, X 25)
- 39. V.15 Grainstone with evidence of pressure 95 welding. Note the abundance of elongated

shell fragments and syntaxial overgrowth in echinoids. (Crossed nicols, X 73)

- 40. V.16 Cross section of a coral showing bands of 95 light and dark color. The dark bands are septas consisting of micritic mass with dots of ferruginous material. Light bands are chambers completely sparitized. (Plane polarised light, X 25)
- 41. V.17 Wackestone showing a crinoidal grain 97 with syngenetic overgrowth. Note the distinct bimodality in fossil grain sizes. (Crossed nicols, X 25)
- 42. V.18 Mudstone with microfilaments and few 97 echinoid grains displaying syngenetic overgrowth. (Crossed nicols, X 60)
- 44. V.19 Pelliodal wackstone with abundance of 99 calcispheres and few microfilaments. The circular moldic pores of calcispheres are now filled by blocky non ferroan calcite cement. (Crossed nicols, X 60)
- 45 V.20 SEM photograph showing a calcisphere within 99 partly sparitized groundmass (X 2850)
 - 46 V.21 Wackstone consist of fine grained 100 argillaceous pelloidal mud with laths of echinoids and microfilaments showing a preferred orientation. (Plane polarised light, X 60)
 - 47. V.22 Dolomite wackestone with dolomite crystals 100 showing prominent boundary. The matrix and the fossil grains are mostly sparitized. (Plane polarised light, X 73)
 - 48. V.23 Calcitic grainstone. Note the close packing 102 of grains. The intergranular spaces are filled by fine grained neopmorphosed calcite crystals. (Crossed nicols, X 73)
 - 49. V.24 Stained photomicrograph of dolomitic 102 wackstone showing rhombohedral crystals of dolomites scattered within pink stained non-ferroan calcitic groundmass.(Plane polarised light, X 60)

.

- 50. V.25 SEM Photograph showing rhombohedral 103 crystals of dolomites in a partly sparitized groundmass. (X 220)
- 51. V.26 Intraclastic Packstone with colites, 109 intraclasts and partly sparitized shell fragments. Note the quartz grain forming the nucleii of coid. (Crossed nicols, X 25)
- 52. V.27 Photomicrograph of colitic wackestone with 109 good isopachous rim cement and isogyre extinction (Crossed nicols X 25)
- 53. V.28 Bioclastic packstone with ornamented shell 111 fragments of gastropods, echinoids, forams and other indeterminate fossil fragments within a ferruginous mass. (Crossed nicols, X 25)
- 54. V.29 Wackestone showing the high concentration 111 of arenaceous fractions in the form of quartz. Elongated shell fragments by brachiopod are also seen (Plane polarised light, X 60).
- 55. V.30 Mudstone heavily stained with iron. Note 113 the presence of ornamented forams alongwith few micro filaments. (Plane polarised light, X 60)
- 56. V.31 Photomicrograph showing fine grained 113 calcareous sandstone with angular to subangular grains of quartz within calcareous ground mass. (Crossed nicols, X 60)
- 57. V.32 Medium to coarse grained calcareous 115 sandstone; quartz boundaries are corroded by calcite. (Crossed nicols, X 60)
- 58. V.33 Mudstone with elongated thin spines of 115 echinoids and sparitized curverd shell fragment.(Plane polarised light, X 60)
- 59. V.34 Oolitic wackestone with angular to 117 subangular grains of quartz; note the fine concentric laminations in the ooid cortices despite ferruginous stain on them. (Plane polarised light, X 25)

7

60.	V.35	Packstone with argillaceous impurities ; note the presence of ghosts of oolites, rounded micritized pelloids and siltsize quartz grains.(Plane polarised light, X 60)	117
61.	V.36	Pelloidal packstone with micritized pelloids within sparitized ferroan calcite cement. (Crossed nicols, X 60)	119
62.	V.3 7	Medium to coarse grained calcareous bioclastic sandstone ; note the poor sorting of grains and sparitized groundmass. (Crossed nicols, X 25)	119
63.	V.38	Wackestone, arenaceous with laths of echinoids within a micritized mass ; note the angularity of quartz grains. (Plane polarised light, X 60)	121
64.	V.39	Oolitic packstone showing oolites embedded in an arenaceous groundmass; note the bivalve shell fragment and oomoldic porosity within oolites. (Plane polarised light, X 25)	121
65.	V.40	Stained photomicrograph of Grainstone with completely sparitized calcite and shell fragments of bivalves; note the close packing and pink stained non- ferroan calcite cement. (Crossed nicols, X 25)	123
66.	V.41	The transerve cut shell fragment with geopetal structure in floatstone of KH-III lithofacies in Habo dome (Crossed nicols, X 25)	123
67.	V.42	Solitary coral with completely sparitized chambers and thin partly sparitized brownish lines as septas. (Plane pola- rised light, X 25)	125
68.	V.43	Calcareous sandstone with dominance of quartz grains ; note the filling of calcite cement within cracks of quartz grains and on sparitized brachiopod shell fragment. (Crossed nicols, X 25)	125

69. V.44 Rudstone of pebbly grit facies; note the 127 presence of micritized pebble within mostly sparitized shell fragments of bivalve. (Crossed nicols X 25)

- 70. V.45 Oolitic wackestone showing isogyre 127 extinction of ooids and partly sparitized micritic groundmass with subangular garins of quartz. (Crossed nicols, X 60)
- 71. V.46 SEM photograph showing closer view of an 128 ooid with thin distinct cortices (X 45 and X 206)
- 72. VII.1 Photomicrograph showing micritic rim 170 surrounding brachiopod shell fragments of bioclastic grainstone of KJH-IV facies of Jhurio Formation, Jhura dome (Plane Polarised light, X 60).
- 73. VII.2 Photomicrograph showing hardground fea- 170 tures; note the algal boring and intraclasts within pink stained non-ferroan sparry calcite and heavy impregnation of iron minerals; coralline limestone facies (KJ-I), Jhurio Formation, Jumara dome (Plane Polarised light, X 25).
- 74. VII.3 Photoplate showing early lithification 172 in the form of nodular bedding in bedded limestone facies (KJH-V) of Jhurio Formation, Jhura dome.
- 75. VII.4 Photomicrograph of colitic grainstone 174 showing evidence of pressure welding, spalling and grain fracturation in KJH-III facies of Jhurio Formation, Jhura dome (Plane Polarised light X 25)
- 76 VII.5 SEM photograph showing compaction of an 174 ooid and details of its internal laminae, KJH-III facies of Jhurio Formation, Jhura dome (X 19 and X 152)
- 77. VII.6 Photomicrograph showing early fracturation 176 in the form of ooid fracturation and spalling of cortical layers of KJH-III facies of Jhurio Formation, Jhura dome (Plane Polarised light X 60)
- 78. VII.7 Photomicrograph showing development of 176 isopachous rim cement surrounding bioclastic grains within ridge sandstone facies, Jumara Formation, Jhura dome (Crossed nicols X 25)

- 79. VII.8 SEM Photograph of colitic packstone 178 with micritic cement showing an early cementation process, within facies KJH-III of Jhurio Formation, Jhura dome (X 63)
- 80. VII.9 Photomicrograph showing evidence of late 178 cementation in the form of drusy void filling sparite cement within KJH-IV facies, Jhurio Formation, Jhura dome (Crossed nicols X 25)
- 81. VII.10 SEM photograph showing completely spari- 180 tized shell fragment of bivalve within limestone of Jumara Formation, Jhura dome; note how late cementation has nullified the porosity (X 51)
- 82. VII.11 Photomicrograph showing aggradational 180 neomorphism with the presence of relict patches of micrite within KH-I facies of Jhurio Formation, Habo dome (Crossed nicols X 60)
- 83. VII.12 SEM Photograph showing neomorphic devel- 181 opment of calcite crystals within micritic groundmass of wackestone of KH-I facies of Jhurio Formation, Habo dome (X 1400)
- 84. VII.13 Photomicrograph showing evidence of late 181 acturation in the form of infilled parallel fractures within KJ-I facies of Jhurio Formation, Jumara dome (Crossed nicols X 60)
- 85. VII.14 Photomicrograph of a bioclastic grainstone 183 showing silicification within the chambers of bioclastic grains and pressure welding within KJ-I facies of Jhurio Formation, Jumara dome (Crossed nicols X 60)
- 86. VII.15 Infilling of moldic porosity by sparry 183 calcite cement showing drusy growth and sparitized intergranular spaces within limestone of Jumara Formation, Jhura dome (Crossed nicols X 25)
- 87. VII.16 SEM Photograph of a dolomitic wackestone 185 showing the development of dolomite crystals by replacement within KH-I facies of Jhurio Formation, Habo dome (X 360)

- 88. VII.17 Photomicrograph of dolomitic wackestone 185 showing presence of anhydrite crystals alongwith rhombohedral dolomites (Crossed nicols X 230)
- 89. VII.18 Photomicrograph showing filled up intraparticle primary porosity within the chambers of gastropod shell, KJ-III facies of Jhurio Formation, Jumara dome. (Crossed nicols X 60)
- 90. VII.19 Photomicrograph of a pelloidal grainstone 197 showing interparticle porosity (pink colour); mostly destroyed by late cementation within KJH-V facies of Jhurio Formation, Jhura dome (Crossed nicols with gypsum plate X 60)
- 91. VII.20 Photomicrograph showing shelter porosity 199 within KJ-I facies of Jhurio Formation, Jumara dome (Crossed nicols X 25)
- 92. VII.21 Photomicrograph showing intercrystalline 199 porosity (pink colour) within fine calcitilate grainstone of KH-I facies, Jhurio Formation, Habo dome (Crossed nicols with gypsum plate X 60)
- 93. VII.22 Photomicrograph of colitic wackestone 201 showing development of comoldic porosity (pink colour) within Dhosa colite facies of Jumara Formation, Jumara dome (Crossed nicols with gypsum plate X 60)
- 94. VII.23 Photomicrograph showing vugs and channel 201 porosity (pink colour) within pelloidal wackestone of KJH-V facies of Jhurio Formation, Jhura dome (Crossed nicols with gypsum plate X 60)
- 95. VII.24 SEM Photograph showing vugs and channel 202 porosity within KJH-IV facies of Jhurio Formation, Jhura dome (X 230)
- 96. VII.25 Photomicrograph showing filled in fracture 202 porosity within wackestone of grey limestone facies of Jumara Formation, Jumara dome (Crossed nicols X 25)
- 97. VII.26 SEM photograph showing fracture porosity 203 within limestone and marl facies of Jhurio Formation, Jumara dome (X 1300)