

References

- Abdel-Meguid, S. S., Grindley, N. D., Templeton, N. S. and Steitz, T. A. 1984. Cleavage of the site specific recombination protein $\gamma\delta$ resolvase: the smaller of two fragments binds DNA specifically. *Proc. Natl Acad. Sci. USA*. **81**: 2001–2005.
- Abremski, K. and Hoess, R. 1984. Bacteriophage P1 site-specific recombination, purification and properties of Cre recombinase protein. *J. Biol. Chem.* **259**: 1509–1514.
- Abremski, K. E. and Hoess, R. H. 1992. Evidence for a second conserved arginine residue in the integrase family of recombination proteins. *Protein Engg.* **5**: 87–91.
- Adams D. G. and Duggan P. S. 1999. Heterocyst and akinete differentiation in cyanobacteria. *New Phytol.* **144**: 3–33.
- Adler, S. P., Purich, D., and Stadtman, E. R. 1975. Cascade control of *Escherichia coli* glutamine synthetase: properties of the PII regulatory protein and the uridylyltransferase-uridylyl removing enzyme. *J. Biol. Chem.* **250**: 6264–6272.
- Aldehni, M. F., Sauer, J., Spielhauer, C., Schmid, R. and Forchhammer, K. 2003. Signal transduction protein PII is required for NtcA-regulated gene expression during nitrogen deprivation in the cyanobacterium *Synechococcus elongates* strain PCC 7942. *J. Bacteriol.* **185**: 2582–2591.
- Alfonso, M., Perewoska, I. and Kirilovsky, D. 2001. Redox control of *ntcA* gene expression in *Synechocystis* sp. PCC 6803 nitrogen availability and electron transport regulate the levels of the NtcA protein. *Plant Physiology*. **125**: 969–981.
- Apte, S. K. 1993. Cyanobacterial nitrogen fixation: Molecular genetic aspects. *Proc. Indian natn. Sci. Acad.* **59**: 367–386.
- Apte, S. K. and Prabavathi, N. 1994. Rearrangement of nitrogen fixation genes (*nif*) in the heterocystous cyanobacteria. *J. Biosci.* **19**: 579–602.
- Apte, S. K. and Naresh Kumar, G. 1996. A model for cell-type-specific differential gene expression during heterocyst development and the constitution of aerobic nitrogen-fixation ability in *Anabaena* sp. strain PCC 7120. *J. Biosci.* **21**: 397–411.
- Arcondeguy, T., Jack, R. and Merrick, M. 2001. PII signal transduction proteins: pivotal players in microbial nitrogen control. *Microbiol. Mol. Biol. Rev.* **65**: 80–105.
- Arcondeguy, T., Jack, R. and Merrick, M. 2000. Two residues in the T-loop of *Klebsiella pneumoniae* GlnK determine NifL-dependent nitrogen control of *nif* gene expression. *J. Biol. Chem.* **275**: 38452–38456.
- Argos, P., Landy, A., Abremski, K., Egan, J. B., Haggard-Ljunquist, E., Hoess, R. H., Kahn, M. L., Kalionis, B., Narayana, S. V. L., Pierson III, L. S., *et al.* 1986. The integrase family of site-specific recombinases: regional similarities and global diversity. *EMBO J.* **5**: 433–440.
- Atkinson M. R., Blauwkamp T. A., Bondarenko, V., Studitsky, V. and Ninfa, A. J. 2002. Activation of the *glnA*, *glnK* and *nac* promoters as *Escherichia coli* undergoes the transition from nitrogen excess growth to nitrogen starvation. *J. Bacteriol.* **184**: 5358–63.
- Bailey A. M., Webber M. A. and Piddock L. J. 2006. Medium plays a role in determining expression of *acrB*, *marA*, and *soxS* in *Escherichia coli*. *Antimicrob Agents Chemother.* **50**: 1071–4.

- Barbara, L. S., Alexendros, K. and Lawrence, J. R.** 1998. Arginine catabolism and the arginine succinyltransferase pathway in *Escherichia coli*. *J. Bacteriol.* **180**: 4278–4286.
- Bauer, C. C., Ramaswamy, K. S., Endley, S., Scappino, L. A., Golden, J. W. and Haselkorn, R.** 1997. Suppression of heterocyst differentiation in *Anabaena* PCC 7120 by a cosmid carrying wild-type genes encoding enzymes for fatty acid synthesis. *FEMS Microbiol. Lett.* **151**: 23–30.
- Bauer, C., Scappino, L. and Haselkorn, R.** 1993. Growth of the cyanobacterium *Anabaena* on molecular nitrogen: NifJ is required when iron is limited. *Proc. Natl. Acad. Sci. U. S. A.* **90**: 8812–8816.
- Birnboim, H. C. and Doly, J.** 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucl. Acids Res.* **7**: 1513–1523.
- Black, T. A. and Wolk, C. P.** 1994. Analysis of a HetS mutation in *Anabaena* sp. strain PCC 7120 implicates a secondary metabolite in the regulation of heterocyst spacing. *J. Bacteriol.* **176**: 2282–2292.
- Black, K., Buikema, W. J. and Haselkorn, R.** 1995. The *hglK* gene is required that the laminated layer of envelope glycolipids is absent in for localization of heterocyst-specific glycolipids in the cyanobacterium *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **177**: 6440–6448.
- Black, T. A., Cai, Y. and Wolk, C. P.** 1993. Spatial expression and autoregulation of *hetR*, a gene involved in the control of heterocyst development in *Anabaena*. *Mol. Microbiol.* **9**: 77–84.
- Blattner, F. R., G. Plunkett III, C. A. Bloch, N. T. Perna, V. Burland, M. Riley, J. Collado-Vides, J. D. Glasner, C. K. Rode, G. F. Mayhew, J. Gregor, N. W. Davis, H. A. Kirkpatrick, M. A. Goeden, D. J. Rose, B. Mau, and Shao, Y.** 1997. The complete genome sequence of *Escherichia coli* K-12. *Science*. **277**: 1453–1474.
- Bohme H.** 1998. Regulation of nitrogen fixation in heterocyst forming cyanobacteria. *Trends Plant Sci.* **3**: 346–351.
- Böhme, H. and Haselkorn, R.** 1988. Molecular cloning and nucleotide sequence analysis of a gene coding for heterocyst ferredoxin from the cyanobacterium *Anabaena* sp. strain PCC 7120. *Mol. Gen. Genet.* **214**: 278–285.
- Borthakur, D., Basche, M., Buikema, W. J., Borthakur, P. B. and Haselkorn, R.** 1990. Expression, nucleotide sequence and mutational analysis of two open reading frames in the *nif* gene region of *Anabaena* sp. strain PCC 7120. *Mol. Gen. Genet.* **221**: 227–234.
- Bradley, R. L. and Reddy, K. J.** 1997. Cloning, sequencing, and regulation of the global nitrogen regulator gene *ntcA* in the unicellular diazotrophic cyanobacterium *Cyanothece* sp. strain BH68K. *J. Bacteriol.* **179**: 4407–4410.
- Brahamsha, B. and Haselkorn, R.** 1992. Identification of multiple RNA polymerase sigma factor homologs in the cyanobacterium *Anabaena* sp. strain PCC 7120: cloning, expression, and inactivation of *sigB* and *sigC* genes. *J. Bacteriol.* **174**: 7273–7282.
- Bremer, H., and P. P. Denis.** 1996. Modulation of chemical composition and other parameters of the cell by growth rate, p. 1553–1569. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Brusca, J. S., Chastain, C. J. and Golden, J. W.** 1990. Expression of the *Anabaena* sp. Strain PCC 7120 *xisA* gene from a heterologous promoter results in the excision of the *nifD* element. *J. Bacteriol.* **172**: 3925–3931.

- Brusca, J. S., Hale, M. A., Carrasco, C. D. and Golden, J. W.** 1989. Excision of an 11-kilobase pair DNA element from within the *nifD* gene in *Anabaena variabilis* heterocysts. *J. Bacteriol.* **171**: 4138-4145.
- Brusca, J. S., Chastain, C. J. and J. S. Golden.** 1990. Expression of the *Anabaena* sp. Strain PCC 7120 *xisA* gene from a heterologous promoter results in excision of the *nifD* element. *J. Bacteriol.* **172**: 3925-3921.
- Buchanan-Wallaston, J., Cannon, M. C., Beynon, J. L and Cannon, F. C.** 1981. Role of *nifA* gene product in the regulation of *nif* gene expression in *Klebsiella pneumoniae*. *Nature* **294** : 776-778.
- Buikema, W. J. and Haselkorn, R.** 1991. Characterization of a gene controlling heterocyst development in the cyanobacterium *Anabaena* 7120. *Genes Dev.* **5**: 321-330.
- Buikema, W. J. and Haselkorn, R.** 2001. Expression of the *Anabaena* *hetR* gene from a copper-regulated promoter leads to heterocyst differentiation under repressing conditions. *Proc. Natl. Acad. Sci. USA.* **98**: 2729-2734.
- Buikema, W. J. and Haselkorn, R.** 1993. Molecular genetics of cyanobacterial development. *Ann. Rev. Plant Physiol. Mol. Biol.* **44**: 33-52.
- Burgin, A. B., Jr., and H. A. Nash.** 1995. Suicide substrates reveal properties of the homology-dependent steps during integrative recombination of bacteriophage λ . *Curr. Biol.* **5**: 1312-1321.
- Cai, J. and Wolk, C. P.** 1997. Nitrogen deprivation of *Anabaena* sp. strain PCC 7120 elicits rapid activation of a gene cluster that is essential for uptake and utilization of nitrate. *J. Bacteriol.* **179**: 258-266.
- Cai, Y. and Wolk, C. P.** 1997. *Anabaena* sp. strain PCC 7120 responds to nitrogen deprivation with a cascade-like sequence of transcriptional activations. *J. Bacteriol.* **179**: 267-271.
- Callahan, S. M. and Buikema, W. J.** 2001. The role of HetN in maintenance of the heterocyst pattern in *Anabaena* sp. PCC 7120. *Mol. Microbiol.* **40**: 941-950.
- Campbell, E. L., Hagen, K. D., Cohen, M. F., Summers, M. L. and Meeks, J. C.** 1996. The *devR* gene product is characteristic of receivers of two-component regulatory systems and is essential for heterocyst development in the filamentous cyanobacterium *Nostoc* sp. strain ATCC 29133. *J. Bacteriol.* **178**: 2037-2043.
- Campbell, A.** 1969. Episomes. *Adv. Genet.* **11**: 101-145.
- Capone, D. G.** 2001. Marine nitrogen fixation: what's the fuss? *Curr. Opin. Microbiol.* **4**: 341-348.
- Carlson, K. and Kosturko, L. D.** 1998. Endonuclease II of coliphage T4: a recombinase disguised as a restriction endonuclease? *Mol. Microbiol.* **27**: 671-676.
- Carrasco, C. D., Buettner, J. A. and Golden, J. W.** 1995. Programmed DNA rearrangement of a cyanobacterial *hupL* gene in heterocyst. *Proc. Natl. Acad. Sci. U. S. A.* **92**: 791-795.
- Carrasco, C. D., Ramaswamy, K. S., Ramasubramanian, T. S. and Golden, J. W.** 1994. *Anabaena* *xisF* gene encodes a developmentally regulated site-specific recombinase. *Genes Dev.* **8**: 74-83.
- Carrasco, C. D. and Golden, J. W.** 1995. Two heterocyst specific DNA rearrangements of *nif* operon in *Anabaena cylindrica* and *Nostoc* sp strain Mac. *Microbiology.* **141**: 2479-2487.
- Cashel, M., Gentry, D. R., Hernandez, V. J. and Vinella, D.** 1996. The stringent response, p. 1458-1496. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.

- Chastain, C. J., Brusca, J. S., Ramasubramanian, T. S., Wei, T. F. and Golden, J. W. 1990. Sequence-specific DNA-binding (VF1) from *Anabaena* sp. strain vegetative cells binds to three adjacent sites in the *xisA* upstream region. *J. Bacteriol.* 172: 5044-5051.
- Cheah, E., Carr, P. D., Suffolk, P. M., Vasudevan, S. G., Dixon, N. E. and Ollis, D. L. 1994. Structure of the *Escherichia coli* signal transducing protein PII. *Structure.* 2: 981-990.
- Chee, M., R. Yang, E. Hubbell, A. Berno, X. C. Huang, D. Stern, J. Winkler, D. J. Lockhart, M. S. Morris, and S. P. Fodor. 1996. Accessing genetic information with high-density DNA arrays. *Science.* 274: 610-614.
- Cheng Y., Li, J. H., Shi, L., Wang, L., Latifi, A. and Zhang, C. C. 2006. A pair of iron-responsive genes encoding protein kinases with a Ser/Thr kinase domain and a His kinase domain are regulated by NtcA in the cyanobacterium *Anabaena* sp strain PCC 7120. *J. Bacteriol.* 188: 4822-4829.
- Christiansen, B., Johnsen, M. G., Stenby, A., Vogensen, F. K. and Hammer, K. 1994. Characterization of the lactococcal temperate phage TP901-1 and its site specific integration. *J. Bacteriol.* 176: 1069-1076.
- Chu, S., DeRisi, J., Eisen, M., Mulholland, J., Botstein, D., Brown, P. O. and Herskowitz, I. 1998. The transcriptional program of sporulation in budding yeast. *Science.* 282: 699-705.
- Cohen, S. N., Chang, A. C. V. and Hsu, L. 1972. Non chromosomal antibiotic resistance in Bacteria: genetic transformation of *Escherichia coli* by R-Factor DNA. *Proc. Natl. Acad. Sci. USA.* 69: 2110.
- Craig, N. 1988. The mechanism of conservative site specific recombination. *Annu. Rev. Genet.* 22: 77-105.
- Cronan, J. E., and LaPorte, D. 1996. Tricarboxylic acid cycle and glyoxylate bypass, p. 206-216. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Csonka, L. N., and Epstein, W. 1996. Osmoregulation, p. 1210-1223. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Curatti, L., Flores, E. and Salerno, G. 2002. Sucrose is involved in the diazotrophic metabolism of the heterocyst- forming cyanobacterium *Anabaena* sp. *FEBS Lett.* 513: 175-178.
- Delaney, J. M, Ang, D. and Georgopoulos, C. 1992. Isolation and characterization of the *Escherichia coli* *htrD* gene, whose product is required for growth at high temperatures. *J. Bacteriol.* 174: 1240-1247.
- DeRisi, J. L., Iyer, V. R. and Brown, P. O. 1997. Exploring the metabolic and genetic control of gene expression on a genomic scale. *Science* 278: 680-686.
- DeRisi, J., Penland, L., Brown, P. O., Bittner, M. L., Meltzer, P. S., Ray, M., Chen, Y., Su, Y. A., and Trent, J. M. 1996. Use of a cDNA microarray to analyse gene expression patterns in human cancer. *Nat. Genet.* 14: 457-460.
- Dong, Y., Huang, X., Wu, X. Y. and Zhao, J. 2000. Identification of the active site of HetR protease and its requirement for heterocyst differentiation in the cyanobacterium *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* 182: 1575-1579.
- Dyson, P. J. and Farrell, P. J. 1985. Chromatin structure of Epstein-Barr virus. *J. Gen. Virol.* 66: 1931-1940.

- Ehira, S. and Ohmori, M. 2006. NtrA, a nitrogen –responsive response regulator facilitates heterocyst development in the cyanobacterium *Anabaena* sp strain PCC 7120. *Mol. Microbiol.* 59: 1692-1703.
- Elhai, J. and Wolk, C. P. 1990. Developmental regulation and spatial pattern of expression of the structural genes for nitrogenase in the cyanobacterium *Anabaena*. *EMBO J.* 9:3379-3388.
- El-Shehawy, R., Lugomela, C., Ernst, A. and Bergman, B. 2003. Diurnal expression of *hetR* and diazocyte development in the filamentous non-heterocystous cyanobacterium *Trichodesmium erythraeum*. *Microbiology.* 149: 1139–1146.
- Ernst, A., Liu, Y. D. Reich, S. and Boger, P. 1990. Diurnal nitrogenase modification in the cyanobacterium *Anabaena variabilis*. *Bot. Acta.* 103: 183-189.
- Esposito, D., and Scoocca, J. J. 1997. The integrase family of tyrosine recombinases: evolution of a conserved active site domain. *Nucleic Acids Res.* 25: 3605–3614.
- Fan, Q., Huang, G., Lechno-Yossef, S., Wolk P. C., Kaneko, T. and Tabat, S. 2005. Clustered genes required for synthesis and deposition of envelope glycolipids in *Anabaena* sp. strain PCC1720. *Mol. Micro.* 58: 227-243.
- Fiedler, G., Arnold, M., Hannus, S. and Maldener, I. 1998. The DevBCA exporter is essential for envelope formation in heterocysts of the cyanobacterium *Anabaena* sp. strain PCC 7120. *Mol Microbiol.* 27: 1193-1202.
- Fiedler, G., Muro-Pastor, A. M., Flores, E. and Maldener, I. 2001. NtcA-dependent expression of the *devBCA* operon, encoding a heterocyst specific ATP-binding cassette transporter in *Anabaena* sp. *J Bacteriol.* 183:3795-3799.
- Flores, E. and Herrero, A. (2005) Nitrogen assimilation and nitrogen control in Cyanobacteria. *Biochemical Society Transactions.* 33: 164-167.
- Flores, E. and Herrero, A. 1994. in *The molecular biology of cyanobacteria* (Bryant, D. A., Ed), pp 487-517, Kluwer scientific Publication, Dordrecht, The Netherlands.
- Flores, E., Guerrero, M. G. and Losada, M. 1983. Photosynthetic nature of nitrate Photosynthetic nature of nitrate uptake and reduction in the cyanobacterium *Anacystis nidulans*. *Biochim. Biophys. Acta.* 722: 408-416.
- Forchhammer, K. and Tandeau de Marsac, N. 1994. The PII in the cyanobacterium *Synechococcus* sp. strain PCC 7942 is modified by serine phosphorylation and signals the cellular N-status. *J. Bacteriol.* 176: 84-91.
- Forchhammer, K. 2004. Global carbon/nitrogen control by PII signal transduction in cyanobacteria: from signals to targets. *FEMS Microbiol. Rev.* 28: 319–333.
- Forchhammer, K., and N. Tandeau de Marsac. 1995. Functional analysis of the phosphoprotein PII (*glnB* gene product) in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J. Bacteriol.* 177: 2033–2040.
- Frias, J. E., Flores, E. and Herrero, A. 1994. Requirement of the regulatory protein NtcA for the expression of N- assimilation and heterocyst development genes in the cyanobacterium *Anabaena* sp. PCC 7120. *Mol. Microbiol.* 14: 823-832.
- Frias, J. E., Merida, A. Herrero, A., Martin-Nieto, J. and Flores, E. 1993. General distribution of the nitrogen control gene *ntcA* in cyanobacteria. *J. Bacteriol.* 175: 5710–5713.
- Frías, J. E., Flores, E. and Herrero, A. 1997. Nitrate assimilation gene cluster from the heterocyst-forming cyanobacterium *Anabaena* sp. strain PC 7120. *J. Bacteriol.* 179: 477–486.

- Frias, J. E., Flores, E. and Herrero, A.** 2000. Activation of the *Anabaena* nir operon promoter requires both NtcA (CAP family) and NtcB (LysR family) transcription factors. *Mol. Microbiol.* **38**: 613–625.
- Frias, J. E., Herrero, A. and Flores, E.** 2003. Open reading frame all0601 from *Anabaena* sp. strain PCC 7120 represents a novel gene, *cnaT*, required for expression of the nitrate assimilation nir operon. *J. Bacteriol.* **185**: 5037–5044.
- Friesen, H. and Sadowski, P. D.** 1992. Mutagenesis of a conserved region of the gene encoding the FLP recombinase of *Saccharomyces cerevisiae*. *J. Mol. Biol.* **225**: 313–326.
- Gaal, T., Bartlett, M. S., Ross, W., Turnbough, C. L. Jr., and R. L. Gourse, R. L.** 1997. Transcription regulation by initiating NTP concentration: rRNA synthesis in bacteria. *Science*. **278**: 2092–2097.
- Gallon, J. R., Hashem, M. A. and Chaplin, A. E.** 1991. Nitrogen fixation of *Oscillatoria* spp., under autotrophic and photoautotrophic conditions. *J. Gen. Microbiol.* **137**: 31–39.
- García-Domínguez, M. and Florencio, J. F.** 1997. Nitrogen availability and electron transport control the expression of *glnB* gene (encoding PII protein) in the cyanobacterium *Synechocystis* PCC 6803. *Plant Mol. Biol.* **35**: 723–734.
- García-Domínguez, M., Reyes, J. C. and Florencio, F. J.** 1999. Glutamine synthetase inactivation by protein-protein interaction. *Proc. Natl. Acad. Sci. U.S.A.* **96**: 7161–7166.
- García-Domínguez, M., Reyes, J.C. and Florencio, F.J.** 2000. NtcA represses transcription of *gifA* and *gifB*, genes that encode inhibitors of glutamine synthetase type I from *Synechocystis* sp. PCC 6803. *Mol. Microbiol.* **35**: 1192–1201.
- Gaston, K., Bell, A., Busby, S. and Fried, M.** 1992. A comparison of the DNA bending activities of the DNA binding proteins CRP and TFIID. *Nucleic Acids Res.* **20**: 3391–3396.
- Gerhardt, P., Murray, R. G. E., Costilow, R. N., Nester, E. W., Wood, W. A., Krieg, N. R. and Phillips, G. B.** 1981. In: *Manual of methods of general Bacteriology*: Biophysical factors in growth. American Society of Microbiology, Washington DC, pp 66–78.
- Golden J. W. and Wiest, D. R.** 1988. Genome rearrangement and nitrogen fixation in *Anabaena* blocked by inactivation of *xisA* gene. *Science* **242**: 1421–1423.
- Golden, J. W. and Yoon, H. S.** 2003. Heterocyst development in *Anabaena*. *Curr. Opin. Microbiol.* **6**: 557–563.
- Golden, J. W., and Wiest, D. R.** 1988. Genome rearrangement and nitrogen fixation in *Anabaena* blocked by inactivation of *xisA* gene. *Science* **242**: 1421–1423.
- Golden, J. W., Robinson, S. J. and Haselkorn, R.** 1985. Rearrangement of nitrogen fixing genes during heterocyst differentiation in the cyanobacteria *Anabaena*. *Nature*. **314**: 419–423.
- Golden, J. W. and Weist, D. R.** 1998. Genome rearrangement and nitrogen fixation in *Anabaena* blocked by inactivation of *xisA* gene. *Science*. **242**: 1421–1423.
- Golden, J. W.** 1988. Genome rearrangement during *Anabaena* heterocyst development. *Can. J. Bot.* **66**: 2098–2102.
- Golden, J. W., Mulligan, M. E. and Haselkorn, R.** 1987. Different recombination site specificity of two developmentally regulated genome rearrangements. *Nature*. **327**: 526–529.

- Gonzalez, L., Phalip, V. and Zhang, C.-C.** 2000. Modification of the PII protein in response to nitrogen availability in filamentous heterocystous cyanobacteria *Anabaena* sp. PCC 7120. In: Nitrogen Fixation: From Molecules to Crop Productivity (Pedrosa, F.O., Hungria, M., Yates, G. and Newton, W.A., Eds.), p. 107. Kluwer Academic, Dordrecht, NL.
- Grindley, N. D. F.** 2002. The movement of Tn3-like elements: transposition and resolution. In Craig, N., Craigie, R., Gellert, M. and Lambowitz, A. (eds), Mobile DNA II. ASM Press, Washington, DC, pp. 272-302.
- Gross, C. A.** 1996. Function and regulation of the heat shock proteins, p. 1382-1399. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Groth, A. C. and Calos, M. P.** 2004. Phage Integrases: Biology and Applications. *J. Mol. Biol.* **335**: 667-678.
- Grunberg-Manago, M.** 1996. Regulation of the expression of aminoacyl-tRNA synthetases and translation factors, p. 1432-1457. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Gopaul, D. N., Guo, F. and Van Duyne, G. D.** 1998. Structure of the Holliday junction intermediate in Cre-loxP site-specific recombination. *EMBO J.* **17**: 4175-4187.
- Guo, F., Gopaul, D. N. and Van Duyne, G. D.** 1997. Structure of Cre recombinase complexed with DNA in a site-specific recombination synapse. *Nature*. **389**: 40-46.
- Hagen, K. D. and Meeks, J. C.** 1999. Biochemical and genetic evidence for participation of DevR in a phosphorelay signal transduction pathway essential for heterocyst maturation in *Nostoc punctiforme* ATCC 29133. *J. Bacteriol.* **181**: 4430-4434.
- Hallet, B. and Sherratt, D. J.** 1997. Transposition and site-specific recombination: adapting DNA cut-and-paste mechanism to a variety of genetic rearrangements. *FEMS Microbiol. Rev.* **21**: 157-178.
- Han, Y. W., Gumpert, R. I. and Gardner, J. F.** 1994. Mapping the functional domains of bacteriophage lambda integrase protein. *J. Mol. Biol.* **235**: 908-925.
- Hanahan, D.** 1985. Studies on transformation of *E. coli* with plasmids. *J. Mol. Biol.* **166**: 557-580.
- Hanson, T. E., Forchhammer, K., Tandeau de Marsac, N. and Meeks, J. C.** 1998. Characterization of the *glnB* gene product of *Nostoc punctiforme* strain ATCC 29133: *glnB* or the PII protein may be essential. *Microbiology*. **144**: 1537-1547.
- Harrison, M. A., Keen, J. N., Findlay, J. B. and Allen, J. F.** 1990. Modification of a *glnB*-like gene product by photosynthetic electron transport in the cyanobacterium *Synechococcus* 6301. *FEBS Lett.* **264**: 25-28.
- Harrod, A. C., Yang, X., Junker, M. and Reitzer, L.** 2004. Evidence for a second interaction between the regulatory amino-terminal and central output domains of the response regulator NtrC (nitrogen regulator I) in *Escherichia coli*. *J Biol Chem.* **279**: 2350-2359.
- Haselkorn, R.** 1978. Heterocysts. *Ann. Rev. Plant Physiol.* **29**: 119-144.
- Haselkorn, R.** 1992. Developmentally regulated gene rearrangements in prokaryotes. *Ann. Rev. Genet.* **26**: 113-130.
- Haselkorn, R.** 1998. How cyanobacteria count to 10. *Science*. **282**: 891-892.

- Haselkorn, R. et al.** 1991. Nitrogen fixation in filamentous cyanobacteria, in *Nitrogen Fixation* (Polsinelli, M., Materassi, R. and Vincenzini, M., eds), pp. 359–365, Kluwer.
- Hayes, F. and Sherratt, D. J.** 1997. Recombinase binding specificity at the chromosome dimer resolution site *dif* of *Escherichia coli*. *J. Mol. Biol.* **266**: 525–537.
- Heinrich, A., Maheswaran, M., Ruppert, U., and Forchhammer, K.** 2004. The *Synechococcus elongatus* PII signal transduction protein controls arginine synthesis by complex formation with N-acetyl-glutamate kinase. *Mol Microbiol.* doi:10.1111/j.1365-2958.2004.04058.x
- Heller, R. A., Schena, M., Chai, A., Shalon, D., Bedilion, T., Gilmore, J., Woolley, D. E., and Davis, R. W.** 1997. Discovery and analysis of inflammatory disease-related genes using cDNA microarrays. *Proc. Natl. Acad. Sci. USA.* **94**: 2150–2155.
- Hengge-Aronis, R.** 1996. Regulation of gene expression during entry into stationary phase, p. 1497–1512. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Herrero, A.** 2004. New targets of the PII signal transduction protein identified in cyanobacteria. *Mol. Microbiol.* **52**: 1225–1228.
- Herrero, A., Flores, E. and Guerrero, M. G.** 1981. Regulation of nitrate of nitrate reductase levels in the *Anacystis nidulans*, *Anabaena* sp. strain 7119 and *Nostoc* sp strain 7119. *J. Bacteriol.* **145**: 175–180.
- Herrero, A., Muro-Pastor, A. M. and Flores, E.** 2001. Nitrogen control in cyanobacteria. *J Bacteriol.* **183**: 411–425.
- Hirasawa, M., Rubio, L. M., Griffin, J. L., Flores, E., Herrero, A., Li, J., Kim, S. -K., Hurley, J. K., Tollin, G. and Knaff, D. B.** 2004. Complex formation between ferredoxin and *Synechococcus* ferredoxin:nitrate oxidoreductase. *Biochim. Biophys. Acta.* **1068**: 155–162.
- Hickman, A. B., Waninger, S., Scoocca, J. J. and Dyda, F.** 1997. Molecular organization in site-specific recombination: the catalytic domain of bacteriophage HP1 integrase at 2.7 Å resolution. *Cell.* **89**: 227–237.
- Holstege, F. C., Jennings, E. G., Wyrick, J. J., Lee, T. I., Hengartner, C. J., Green, M. R., Golub, T. R., Lander, E. S. and Young, R. A.** 1998. Dissecting the regulatory circuitry of a eukaryotic genome. *Cell.* **95**: 717–728.
- Haykinson, M. J., Johnson, L. M., Soong, J. and Johnson, R. C.** 1996. The Hin dimer interface is critical for Fis-mediated activation of the catalytic steps of site-specific DNA inversion. *Curr. Biol.* **6**: 163–177.
- Jack R., de Zamaroczy M. and Merrick M.** 1999. The signal transduction protein GlnK is required for NifL-dependent nitrogen control of *nif* gene expression in *Klebsiella pneumoniae*. *J. Bacteriol.* **181**: 1156–1162.
- Jepson, B. J. N., Anderson, L. J., Rubio, L. M., Taylor, C. J., Butler, C. S., Flores, E., Herrero, A., Butt, J. N. and Richardson, D. J.** 2004. Tuning a nitrate reductase for function. The first spectropotentiometric characterization of a bacterial assimilatory nitrate reductase reveals novel redox properties. *J. Biol. Chem.* **279**: 32212–32218.
- Jessop, L., Bankhead, T., Wong, D. and Segall A. M.** 2000. The amino terminus of bacteriophage λ integrase is involved in protein-protein interactions during recombination. *J. Bacteriol.* **182**: 1024–1034.
- Jiang, F., Mannervik, B. and Bergman, B.** 1997. Evidence for redox regulation of the transcription factor NtcA, acting both as an activator and a repressor in the cyanobacterium *Anabaena* PCC 7120. *Biochem. J.* **327**: 513–517.

- Jiang, P., Peliska, J. A. and Ninfa, A. J.** 1998. Enzymological characterization of the signal-transducing uridylyltransferase/uridylyl-removing enzyme (EC 2.7.7.59) of *Escherichia coli* and its interaction with the PII protein. *Biochemistry*. **37**: 12782–12794.
- Jo, K. and Topal, M. D.** 1995. DNA topoisomerase and recombinase activities in Nae I restriction endonuclease. *Science*. **267**: 1817–1820.
- Jones, K. M., Buikema, W. J. and Haselkorn, R.** 2003. Heterocyst-specific expression of *patB*, a gene required for nitrogen fixation in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **185**: 2306–2314.
- Karunakaran R.** 2001. Mechanism of excision of *nifD* element of heterocystous cyanobacteria *Anabaena* sp. strain PCC 7120 in *E. coli*.
- Keener, J., and Nomura, M.** 1996. Regulation of ribosome synthesis, p. 1417–1431. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Kellerman, O. K. and Ferenci, T.** 1982. Maltose-binding protein from *Escherichia coli*. *Methods in Enzymology*. **90 Pt E**: 459–63.
- Khudyakov, I and Golden, J. W.** 2001 Identification and inactivation of the three group 2 sigma factor genes in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **183**: 6667–6675.
- Khudyakov, I. and Wolk, C. P.** 1997. *hetC*, a gene coding for a protein similar to bacterial ABC protein exporters, is involved in early regulation of heterocyst differentiation in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **179**: 6971–6978.
- Kim, S., Moitoso de Vargas, L., Nunes-Duby, S.E. and Landy, A.** 1990. Mapping of a higher order protein-DNA complex: two kinds of long-range interactions in *l attL*. *Cell*. **63**: 773–781.
- Knaff, D. B.** 1996. in *Oxygenic Photosynthesis* (Ort, D.R. and Yocum, C.F., eds.), pp. 333–361, Kluwer Scientific Publications, Dordrecht, The Netherlands.
- Koksharova, O. and Wolk, C. P.** 2002. Novel DNA-binding proteins in the cyanobacterium *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **184**: 3931–3940.
- Kumagai T., Fuji. Y. and Takahashi. H.,** 1968. Ammonia as an important nitrogen source for the photosynthetic growth of *Rhodospirillum rubrum*. *Plant Cell Physiology*. **9**: 13–22.
- Kurihara S, Oda S, Kumagai, H. and Suzuki H.** 2006. Gamma-glutamyl-gamma-aminobutyrate hydrolase in the putrescine utilization pathway of *Escherichia coli* K-12. *FEMS Microbiol. Lett.* **256**: 318–23.
- Kwon, H. J., Tirumalai, R., Landy, A. and Ellenberger, T.** 1997. Flexibility in DNA recombination: structure of the lambda integrase catalytic core. *Science*. **276**: 126–131.
- Laemmli U. K.** 1970. Cleavage of structural protein during the assembly of the head of bacteriophage T4. *Nature*. **227**: 680–685.
- Lammers, P. J., Golden, J. W. and Haselkorn, R.** 1986. Identification and sequence of a gene required for a developmentally regulated DNA excision in *Anabaena*. *Cell*. **44**: 905–911.
- Landy, A.** 1989. Dynamic, structural, and regulatory aspects of lambda sitespecific recombination. *Annu. Rev. Biochem.* **58**: 913–949.

- Lashkari, D. A., DeRisi, J. L., McCusker, J. H., Namath, A. F., Gentile, C., Hwang, S. Y., Brown, P. O. and R. W. Davis. 1997. Yeast microarrays for genome wide parallel genetic and gene expression analysis. *Proc. Natl. Acad. Sci. USA*. **94**: 13057–13062.
- Lazaro, S., Fernandez-Pinas, F., Fernandez-Valiente, E., Blanco-Rivero, A. and Leganes, F. 2001. *pbpB*, a gene coding for a putative penicillin-binding protein, is required for aerobic nitrogen fixation in the cyanobacterium *Anabaena* sp. strain PCC7120. *J. Bacteriol.* **183**: 628–636.
- Lee, H. -M., Flores, E., Forchhammer, K., Herrero, A. and Tandeau de Marsac, N. 2000. Phosphorylation of the signal transducer PII protein and an additional effector are required for the PII-mediated regulation of nitrate and nitrite uptake in the Cyanobacterium *Synechococcus* sp. PCC 7942. *Eur. J. Biochem.* **267**: 591–600.
- Lee, H. -M., Flores, E., Herrero, A., Houmard, J. and Tandeau de Marsac, N. 1998. A role for the signal transduction protein PII in the control of nitrate/nitrite uptake in a cyanobacterium. *FEBS Lett.* **427**: 291–295.
- Lee, H. S., Berger, D. K. and Kustu, S. 1994. Activity of purified NifA, a transcriptional activator of nitrogen fixation genes. *Proc. Natl. Acad. Sci. USA*. **90**: 2266–2270.
- Lee, M. H. and Hatfull, G. F. 1993. Mycobacteriophage L5 integrase-mediated site-specific integration in vitro. *J. Bacteriol.*, **175**: 6836–6841.
- Lee, J., Whang, I. and Jayaram, M. 1996. Assembly and orientation of Flp recombinase active sites on two-, three- and four-armed DNA substrates: implications for a recombination mechanism. *J. Mol. Biol.* **245**: 219–227.
- Leveque, F., Gazeau, M., Fromant, M., Blanquet, S. and Plateau, P. 1991. Control of *Escherichia coli* lysyl-tRNA synthetase expression by anaerobiosis. *J. Bacteriol.* **173**:7903–10.
- Li, B., Huang, X. and Zhao, J. 2002. Expression of *hetN* during heterocyst differentiation and its inhibition of *hetR* up-regulation in the cyanobacterium *Anabaena* sp. PCC 7120. *FEBS Lett.* **517**: 87–91.
- Li, J. H., Laurent, S., Konde, V., Bedu, S. and Zang, C. C. 2003. An increase in level of 2 oxoglutarate promotes heterocyst development in the cyanobacterium *Anabaena* sp. Strain PCC 7120. *Microbiology.* **149**: 3257–3268.
- Liang, J., Scappino, L. and Haselkorn, R. 1993. The *patB* gene product, required for growth of the cyanobacterium *Anabaena* sp. strain PCC 7120 under nitrogen-limiting conditions, contains ferredoxin and helix-turn-helix domains. *J. Bacteriol.* **175**: 1697–1704.
- Lindell, D., Padan, E. and Post, A. F. 1998. Regulation of *ntcA* expression and nitrite uptake in the marine *Synechococcus* sp. strain WH 7803. *J. Bacteriol.* **180**: 1878–1886.
- Liu, D. and Golden, J. W. 2002. *hetL* overexpression stimulates heterocyst formation in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **184**: 6873–6881.
- Lim, H. M. 1994. Analysis of subunit interaction by introducing disulfide bonds at the dimerization domain of Hin recombinase. *J. Biol. Chem.* **269**: 31134–31142.
- Luque, I., Flores, E. and Herrero, A. 1993. Nitrite reductase gene from *Synechococcus* sp. PCC 7942: homology between cyanobacterial and higher-plant nitrite reductases. *Plant Mol. Biol.* **21**: 1201–1205.
- Luque, I., Flores, E. and Herrero, A. 1994. *Biochim. Biophys. Acta.* **1184**: 296–298.
- Luque, I., Flores, E. and Herrero, A. 1994. Molecular mechanism for the operation of nitrogen control in cyanobacteria. *EMBO J.* **13**, 2862–2869.

- Luque, I., Vazquez-Berudez, M. F., Paz-Yepes, J., Flores, E. and Herrero, A. 2004. In vivo activity of nitrogen control transcription factor NtcA is subjected to metabolic regulation in *Synechococcus* sp. strain PCC 7942. *FEMS Microbiol. Lett.* **236**: 47–52.
- Lynch, A. S., and Lin, E. C. C. 1996. Responses to molecular oxygen, p.1526–1538. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Lynn, M. E., Bantle, J. A. and Ownby, J. D. 1986. Estimation of gene expression in heterocysts of *Anabaena variabilis* by using DNA-RNA hybridisation. *J. Bacteriol.* **167**: 940–946
- Lyons, E. M. and Thiel, T. 1995. Characterization of *nifB*, *nifS*, and *nifU* genes in the cyanobacterium *Anabaena variabilis*: NifB is required for the vanadium-dependent nitrogenase. *J. Bacteriol.* **177**: 1570–1575.
- Magasanik, B. 1996. Regulation of nitrogen utilization, p. 1344–1356. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Maheswaran, M. and Forchhammer, K. 2003. Carbon-source-dependent nitrogen regulation in *Escherichia coli* is mediated through glutamine-dependent GlnB signaling. *Microbiology.* **149**: 2163–72.
- Martín-Figueroa, E., Navarro, F. and Florencio, F. J. 2000. The GS-GOGAT pathway is not operated in the heterocysts. Cloning and expression of *glsF* gene from the cyanobacterium *Anabaena* sp. strain PCC 7120. *FEBS Lett.* **476**: 282–286.
- Martin, D., Hurek, T. and Reinhold-Hurek, B. 2000. Occurrence of three PII-like signal transmitter proteins in the diazotroph *Azoarcus* sp. BH72. *Mol. Microbiol.* **38**: 276–288.
- Marton, M. J., J. L. DeRisi, H. A. Bennett, V. R. Iyer, M. R. Meyer, C. J. Roberts, R. Stoughton, J. Burchard, D. Slade, H. Dai, D. E. Bassett, Jr., L. H. Hartwell, P. O. Brown, and Friend, S. H. 1998. Drug target validation and identification of secondary drug target effects using DNA microarrays. *Nat. Med.* **4**: 1293–1301.
- Masepohl, B. Gorlitz, K., Monnerjahn, U., Mosler, B. and Bohme, H. 1997a. The ferredoxin-encoding *fdxN* gene of the filamentous cyanobacterium *Anabaena variabilis* ATCC 29413 is not essential for nitrogen fixation. *New Phytol.* **136**: 419–423.
- Masepohl, B. Scholisch, K., Gorlitz, K., Kutzki, C. and Bohme, H. 1997b. The heterocyst-specific *fdxH* gene product of the cyanobacterium *Anabaena* sp. PCC 7120 is important but not essential for nitrogen fixation. *Mol. Gen. Genet.* **253**: 770–776.
- Matveyev, A.V. Rutgers, E., Soderback, E. and Bergman, B. 1994. A novel genome rearrangement involved in heterocyst differentiation of the cyanobacterium *Anabaena* sp. PCC 7120. *FEMS Microbiol. Lett.* **116**: 201–208.
- McClain, M. S., Blomfield, I. C. and Eisenstein, B. I. 1991. Roles of *fimB* and *fimE* in site-specific DNA inversion associated with phase variation of type 1 fimbriae in *Escherichia coli*. *J. Bacteriol.* **173**: 5308–5314.
- Meeks, J. C. and Elhai, J. 2002. Regulation of cellular differentiation in filamentous cyanobacteria in free-living and plant associated symbiotic growth states. *Microbiol Mol. Biol. Rev.* **66**: 94–121.
- Merrick, M. J. and Edwards, R. A. 1995. Nitrogen control in bacteria. *Microbiol. Rev.* **59**: 604–622.

- Merrick, M. J.** 1983. Nitrogen control of the *nif* regulon of *Klebsiella pneumoniae* : involvement of the *ntrA* gene and analogies between *ntrC* and *nifA*. *EMBO. J.* 2: 39-44.
- Miller, J.** 1992. In A short course in bacterial Genetics and Handbook of *E. coli* and related bacteria. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA, pp72-74.
- Mizuuchi, K.** 1997. Polynucleotidyl transfer reactions in site-specific DNA recombination. *Genes Cells.* 2: 1-12.
- Montesinos, M. L., Muro-Pastor, A. M., Herrero, A. and Flores, E.** 1998. Ammonium/ methylammonium permeases of a cyanobacterium. Identification and analysis of three nitrogen-regulated *amt* genes in *Synechocystis* sp. PCC 6803. *J. Biol. Chem.* 273: 31463-31470.
- Moorhead, G. B. G. and Smith, C. S.** 2003. Interpreting the plastic carbon, nitrogen and energy status. A role for PII. *Plant Physiol.* 133: 492-498.
- Muller, T., Walter, B., Wirtz, A. and Burkovski, A.** 2006. Ammonium toxicity in bacteria. *Curr. Microbiol.* 52: 400-6. Epub 2006 Apr 6.
- Mulligan, M. E. and Haselkorn, R.** 1989. Nitrogen-fixation (*nif*) genes of the cyanobacterium *Anabaena* sp. strain PCC 7120: the *nifB-fdxN-nifS-nifU* operon. *J. Biol. Chem.* 264 : 19200-19207.
- Muro-Pastor, A. M., Valladares, A., Flores, E. and Herrero, A.** 2002. Mutual dependence of the expression of the cell differentiation regulatory protein HetR and the global nitrogen regulator NtcA during heterocyst development. *Mol. Microbiol.* 44: 1377-1385.
- Muro-Pastor, A.M., Valladares, A., Flores, E. and Herrero, A.** 1999. The *hetC* gene is a direct target of the NtcA transcriptional regulator in cyanobacterial heterocyst development. *J. Bacteriol.* 181: 6664-6669.
- Muro-Pastor, M. A., Herrero, A. and Flores, E.** 2001a. Nitrogen-regulated group 2 sigma factor from *Synechocystis* sp. strain PCC 6803 involved in survival under nitrogen stress. *J. Bacteriol.* 183: 1090-1095.
- Muro-Pastor, M. I., Reyes, J. C. and Florencio, F. J.** 2001b. Cyanobacteria perceive nitrogen status by sensing intracellular 2-oxoglutarate levels. *J. Biol. Chem.* 276: 38320-38328.
- Muro-Pastor, A. M., Olmedo-Verd, E. and Flores, E.** 2006. All4312, an NtcA-regulated two component response regulator in *Anabaena* sp strain PCC 7120. *FEMS Microbiol. Lett.* 356: 171-177.
- Nash, H. A.** 1996. The HU and IHF proteins: accessory factors for complex protein- The HU and IHF proteins: accessory factors for complex protein- DNA assemblies. In Neidhardt, F. D.(ed.), *Escherichia coli* and *Salmonella*. Cellular and Molecular Biology, 2nd Edn. American Society for Microbiology, Washington, DC, pp. 2363-2376.
- Neijssel, O. M., DeMattos, M. J. T. and Tempest, D. W.** 1996. Growth yield and energy distribution, p. 1683-1692. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Newman, B. J. and Grindley, N. D.** 1984. Mutants of the $\gamma\delta$ resolvase: a genetic analysis of the recombination function. *Cell.* 38: 463-469.
- Newman, E. B., Lin, R. T. and D'Ari, R.** 1996. The leucine/LRP regulon, p. 1513-1525. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.

- Ninfa, A. J. and Atkinson, M. R. 2000. PII signal transduction proteins. *Trends Microbiol.* **8**:172–179.
- Ninfa, A. J., Atkinson, M. R., Kamberov, E. S., Feng, J. and Ninfa, E. G. 1995. In: Two-Component Signal (Hoch, J.A. and Silhavy, T.J., Eds.), pp. 67–88, American Society for Microbiology, Washington, D.C.
- Ning, D. and Xu, X. 2004. *alr0117*, a two-component histidine kinase gene, is involved in heterocyst development in *Anabaena* sp. PCC 7120. *Microbiol.* **150**: 447-453.
- Nunes-Duby, S.E., Kwon, H.J., Tirumalai, R.S., Ellenberger, T. and Landy, A. 1998. Similarities and differences among 105 members of the Int family of site-specific recombinases. *Nucleic. Acids Res.* **26**: 391-406.
- Olmedo-Verd E., Flores E., Herrero, A. and Muro-Pastor A. M. 2005. HetR-dependent and -independent expression of heterocyst-related genes in an *Anabaena* strain overproducing the NtcA transcription factor. *J. Bacteriol.* **187**: 1985-1991.
- Olmedo-Verd E., Muro-Pastor A. M., Flores, E., and Herrero, A. 2006. Localised induction of the *ntcA* regulatory gene in developing heterocysts of *Anabaena* sp strain PCC 7120. *J. Bacteriol.* **188**: 6694-6699.
- Omata, T., Andriesse, X and Hirano, A. 1993. Identification and characterization of a gene cluster involved in nitrate transport in the cyanobacterium *Synechococcus* sp. PCC7942. *Mol. Gen. Genet.* **236**:193-202.
- Overton, T. W., Griffiths, L., Patel, M. D., Hobman, J. L., Penn, C. W., Cole, J. A., Constantinidou, C. 2006. Microarray analysis of gene regulation by oxygen, nitrate, nitrite, FNR, NarL and NarP during anaerobic growth of *Escherichia coli*: new insights into microbial physiology. *Biochem. Soc. Trans.* **34**: 104-107.
- Parsons, R. L., Prasad, P. V., Harshey, R. M. and Jayaram, M. 1988. Step-arrest mutants of FLP recombinase: implications for the catalytic mechanism of DNA recombination. *Mol. Cell. Biol.* **8**: 3303-3310.
- Pargellis, C. A., Nunes-Duby, S. E., Moitoso de Vargas, L. and Landy, A. 1988. Suicide recombination substrates yield covalent lambda integrase-DNA complexes and lead to identification of the active site tyrosine. *J. Biol. Chem.* **263**: 7678–7685.
- Paul, B. D., Ramesh, V. and Nagaraja, V. 1997. An artificial regulatory circuit for stable expression of DNA-binding proteins in a T7 expression system. *Gene.* **190**: 11-15.
- Paz-Yepes, J., Flores, E. and Herrero, A. 2003. Transcriptional effects of the signal transduction protein PII (*glnB* gene product) on NtcA-dependent genes in *Synechococcus* sp. PCC 7942. *FEBS Lett.* **543**: 42–46.
- Picossi, S., Valladares, A., Flores, E. and Herrero, A. 2004. Nitrogen-regulated genes for the metabolism of cyanophycin, a bacterial nitrogen reserve polymer: expression and mutational analysis of two cyanophycin synthetase and cyanophycinase gene clusters in heterocyst-forming cyanobacterium *Anabaena* sp. PCC 7120. *J. Biol. Chem.* **279**: 11582–11592.
- Pinkel, D., Segraves, R., Sudar, D., Clark, S., Poole, I., Kowbel, D., Collins, C., Kuo, W. L., Chen, C., Zhai, Y., Dairkee, S. H., Ljung, B. M., Gray, J. W. and Albertson, D. G. 1998. High resolution analysis of DNA copy number variation using comparative genomic hybridization to microarrays. *Nat. Genet.* **20**: 207–211.
- Popham, D. L. and Stragier, P. 1992. Binding of the *Bacillus subtilis* spoIVCA product to the recombination sites of the element interrupting the sigma K-encoding gene. *Proc. Natl. Acad. Sci. USA.* **89**: 5991–5995.
- Potts, M. Angeloni, S. V., Ebel, R. E. and Bassam, D. 1992. Myoglobin in a cyanobacterium. *Science* **256**:1690–1692.

- Quintero, M. J., Montesinos, M. L., Herrero, A. and Flores, E. 2001. Identification of genes encoding amino acid permeases by inactivation of selected ORFs from the *Synechocystis* genomic sequence. *Genome Res.* **11**: 2034–2040.
- Quintero, M.J., Muro-Pastor, A.M., Herrero, A. and Flores, E. 2000. Arginine catabolism in the cyanobacterium *Synechocystis* sp. Strain PCC 6803 involves the urea cycle and arginase pathway. *J. Bacteriol.* **182**: 1008–1015.
- Ramasubramanian, T. S., Wei, T. F. and Golden, J. W. 1994. Two *Anabaena* sp. strain PCC 7120 specific DNA-binding factors interact with vegetative cells and heterocyst specific genes. *J. Bacteriol.*, **176**: 1214–1223.
- Ramasubramanian, T. S., Wei, T. F., Oldham, A. K., and Golden, J. W. 1996. Transcription of the *Anabaena* sp. strain PCC 7120 *ntcA* gene: multiple transcripts and NtcA binding. *J. Bacteriol.* **178**: 922–926.
- Ramaswamy, K. S. Endley, S. and Golden, J. W. 1996. Nitrate reductase activity and heterocyst suppression on nitrate in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **178**: 3893–3898.
- Ramaswamy, K. S. Carrasco, C. D., Fatma, T. and Golden, J. W. 1997. Cell-type specificity of the *Anabaena fdxN* element rearrangement requires *xisH* and *xisI*. *Mol. Microbiol.* **23**: 1241–1249.
- Ramesh, V., De, A. and Nagaraja. V. 1994. Overproduction and purification of C protein, the late gene transcription activator from phage Mu. *Prot. Exp. Purif.* **5**: 379–384.
- Razquin, P., Schimtz, S., Fillat, M. F., Paleato, M. L. and Bohme, H. 1994. Transcriptional and translational analysis of ferredoxin and flavodoxin under iron and nitrogen stress in the *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **176**: 7409–7411.
- Rice, D., Mazur, B. J. and Haselkorn, R. 1982. Isolation and physical mapping of nitrogen fixation genes from the cyanobacterium *Anabaena* 7120. *J. Biol. Chem.* **257**: 13157–13163.
- Richmond, C. S., Isner, J. D., Mau, R., Jin, H. and Blattner, F. R. 1999. Genome wide expression profiling in *Escherichia coli* K12. *Nucleic Acids Res.* **27**: 3821–3835.
- Richet, E., Abcarian, P. and Nash. H. A. 1988. Synapsis of attachment sites during lambda integrative recombination involves capture of a naked DNA by a protein-DNA complex. *Cell.* **52**: 9–17.
- Riggs, P. D. 1990. Expression and purification of maltose-binding protein fusions. Unit 16.6, Supplement 19, in *Current Protocols in Molecular Biology* (Ausubel, F. M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G., Smith, J. A., and K. Struhl, eds.), Wiley and Sons, New York.)
- Robert, A., Kazmierczak, Brian, M., Swalla, Alex, B., Burgin, Richard, I., Gumport and Gardner, J. F. 2002. Regulation of site-specific recombination by the C-terminus of λ integrase. *Nucleic Acids Research.* **30**: 5193–5204.
- Ross, W. and Landy, A. 1982. Bacteriophage λ int protein recognizes two classes of sequence in the phage *att* site: characterization of arm-type sites. *Proc. Natl. Acad. Sci. USA* **79**: 7724–7728.
- Rubio, L. M., Herrero, A. and Flores, E. 1996. A cyanobacterial *narB* gene encodes a ferredoxin-dependent nitrate reductase. *Plant Mol. Biol.* **30**: 845–850.
- Rubio, L. M., Flores, E. and Herrero, A. 1998. The *nara* locus of *Synechococcus* sp. strain PCC 7942 consists of a cluster of molybdopterin biosynthesis genes. *J. Bacteriol.* **180**: 1200–1206.

- Rubio, L. M., Flores, E. and Herrero, A. 1999. Molybdopterin guanine dinucleotide cofactor in *Synechococcus* sp. nitrate reductase: identification of *mobA* and isolation of a putative *moeB* gene. *FEBS Lett.* **462**: 358–362.
- Rubio, L. M., Flores, E. and Herrero, A. 2002. Purification, cofactor analysis, and site-directed mutagenesis of *Synechococcus* ferredoxin-nitrate reductase. *Photosynthesis Res.* **72**: 13–26.
- Rudnick P., Kunz, C., Gunatilaka, M. K., Hines, E. R. and Kennedy C. 2002. Role of GlnK in NifL-mediated regulation of NifA activity in *Azotobacter venelandii*. *J. Bacteriol.* **184**: 812–820.
- Sadowski, P. D., Beatty, L. G., Clary, D. and Ollerhead, S. 1987. In McMacken, R. and Kelly, T. (eds), *DNA replication and recombination*. Alan R. Liss, Inc., New York, pp. 691–701.
- Saier, M. H., Ramseier, T. M. and Reizer, J. 1996. Regulation of carbon utilization, p. 1325–1343. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Sakamoto, T., Inoue-Sakamoto, K. and Bryant, D. A. 1999. A novel nitrate/nitrite permease in the marine Cyanobacterium *Synechococcus* sp. strain PCC 7002. *J. Bacteriol.* **181**: 7363–7372.
- Sambrook, J., Fritsch, E. T. and Maniatis, T. 1989. Molecular Cloning: A laboratory manual. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA
- Schaechter, E., Maaloe, O. and Kjeldgaard, N. O. 1958. Dependence on medium and temperature of cell size and chemical composition during balanced growth of *Salmonella typhimurium*. *J. Gen. Microbiol.* **19**: 592–606.
- Schena, M., Shalon, D., Davis, R. W. and Brown, P. O. 1995. Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science.* **270**: 467–470.
- Schiefer, W., Schutz, K., Hachtel, W. and Happe, T. 2002 Molecular cloning and characterization of *hetR* genes from filamentous cyanobacteria. *Biochim. Biophys. Acta.* **1577**: 139–143.
- Schrautemeier, B., Neveling, U. and Schmitz, S. 1995. Distinct and differently regulated Mo-dependent nitrogen-fixing systems evolved for heterocysts and vegetative cells of *Anabaena variabilis* ATCC 29413: characterization of the *fdxH1/2* gene regions as part of the *nifH1/2* gene clusters, *Mol. Microbiol.* **18**: 357–369.
- Segall, A. M. 1998. Analysis of higher-order intermediates and synapsis in the bent-L pathway of bacteriophage λ site-specific recombination. *J. Biol. Chem.* **273**: 24258–24265.
- Segall, A. M., and Nash, H. A. 1993. Synaptic intermediates in bacteriophage lambda site-specific recombination: integrase can align pairs of attachment sites. *EMBO J.* **12**: 4567–4576.
- Slonczewski, J. L., and Foster, J. W. 1996. pH-regulated genes and survival at extreme pH, p. 1539–1549. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Smith, C. S., Morrice, N. A. and Moorhead, G. B. 2004. Lack of evidence for phosphorylation of *Arabidopsis thaliana* PII: implications for plastid carbon and nitrogen signaling. *Biochim. Biophys. Acta.* **1699**: 145–54.
- Smith, C. S., Weljie, A. M. and Moorhead, G. B. 2003. Molecular properties of the putative nitrogen sensor PII from *Arabidopsis thaliana*. *Plant J.* **33**: 353–360.

- Smith, M. W., and Neidhardt, F. C. 1983b. Proteins induced by anaerobiosis in *Escherichia coli*. *J. Bacteriol.* **154**: 336–343.
- Smith, M. W., and Neidhardt, F. C. 1983a. Proteins induced by aerobiosis in *Escherichia coli*. *J. Bacteriol.* **154**: 344–350.
- Smith, M. C. M. and Thorpe, H. 2002. Diversity in the serine recombinases. *Mol. Microbiol.* **44**: 299–307.
- Sophie, L., Forchhammer, K., Gonzalez, L., Heulin, T., Zhang C. –C. and Bedu S. 2004. Cell-type specific modification of PII is involved in the regulation of nitrogen metabolism in the cyanobacterium *Anabaena* PCC 7120. *FEBS Letters.* **576**: 261–265.
- Spellman, P. T., Sherlock, G., Zhang, M. Q., Iyer, V. R., Anders, K., Eisen, M. B., Brown, P. O., Botstein, D. and Futcher, B. 1998. Comprehensive identification of cell cycle-regulated genes of the yeast *Saccharomyces cerevisiae* by microarray hybridization. *Mol. Biol. Cell.* **9**: 3273–3297.
- Stewart, W. D. P. 1980. Some aspects of structure and function of N₂-fixing cyanobacteria. *Ann. Rev. Microbiol.* **34** : 497–536.
- Stricker, O. Mosepohl, B., Klipp, W. and Bohme, H. 1997. Identification and characterization of the *nifV-nifZnifT*-gene region from the filamentous cyanobacterium *Anabaena* sp. PCC 7120, *J. Bacteriol.* **179**: 2930–2937.
- Studier, F. W. and Moffatt, B. A. 1986. Use of bacteriophage T7 RNA polymerase to direct selective high level expression of cloned genes. *J. Mol. Biol.* **189**: 113–130.
- Suzuki, I., Horie, N., Sugiyama, T. and Omata, T. 1995. Identification and characterization of two nitrogen-regulated genes of the cyanobacterium *Synechococcus* sp. strain PCC 7942 required for maximum efficiency of nitrogen assimilation. *J. Bacteriol.* **177**: 290–296.
- Subramanya, H. S., Arciszewska, L. K., Baker, R. A., Bird, L. E., Sherratt, D. J. and Wigley, D. B. 1997. Crystal structure of the site-specific recombinase, XerD. *EMBO J.* **16**: 5178–5187.
- Tabor, S. and Richardson, C. C. 1985. A bacteriophage T7 RNA polymerase promoter system for controlled exclusive expression of specific genes. *Proc. Natl. Acad. Sci. USA.* **82**: 1074–1078.
- Tanigawa, R., Shirokane, M., Maeda, S.-I., Omata, T., Tanaka, K. and Takahashi, H. 2002. Transcriptional activation of NtcA-dependent promoters of *Synechococcus* sp. strain PCC 7942 by 2-oxoglutarate *in vitro*. *Proc. Natl. Acad. Sci. U.S.A.* **99**: 4251–4255.
- Tao, H., Bausch, C., Richmond, C., Blattner, F. R. and Conway, T. 1999. Functional genomics: expression analysis of *Escherichia coli* growing on minimal and rich media. *J. Bacteriol.* **181**: 6425–40.
- Thiel, T. 1993. Characterization of genes for an alternative nitrogenase in the cyanobacterium *Anabaena variabilis*. *J. Bacteriol.* **175**: 6276–6286.
- Thiel, T. 1996. Isolation and characterization of the *nifEN* genes of the cyanobacterium *Anabaena variabilis*, *J. Bacteriol.* **178**: 4493–4499.
- Thiel, T., Lyons, E. M., Erker, J. C. and Ernst, A. 1995. A second nitrogenase in vegetative cells of a heterocyst forming cyanobacterium, *Proc. Natl. Acad. Sci. U. S. A.* **92**: 9358–9362.
- Thiel, T., Lyons, E. M. and Erker, J. C. 1997. Characterization of genes for a second Mo-dependent nitrogenase in the cyanobacterium *Anabaena variabilis*, *J. Bacteriol.* **179**: 5222–5225.

- Tirumalai, R. S., Pargellis, C. A. and Landy, A.** 1996. Identification and characterization of the N-ethylmaleimide-sensitive site in λ integrase. *J. Biol. Chem.* **271**: 29599–29604.
- Tirumalai, R. S., Healey, E. and Landy, A.** 1997. The catalytic domain of λ site-specific recombinase. *Proc. Natl Acad. Sci. USA.* **94**: 6104–6109.
- Tirumalai, R. S., Kwon, H. J., Cardente, E. H., Ellenberger, T. and Landy, A.** 1998. Recognition of core-type DNA sites by λ integrase. *J. Mol. Biol.* **279**: 513–527.
- Torrecill, I., Leganes, F., Bonilla, I. and Fernandez-Pinas, F.** 2004. A calcium signal is involved in heterocyst differentiation in the cyanobacterium *Anabaena* sp. PCC 7120. *Microbiol.* **150**: 3731–3739.
- Tsinoremas, N. F., Castets, A. M., Harrison, M. A., Allen, J. F. and Tandeau de Marsac, N.** 1991. Photosynthetic electron transport controls nitrogen assimilation in cyanobacteria by means of posttranslational modification of the *glnB* gene product. *Proc. Natl. Acad. Sci. USA.* **88**: 4565–4569.
- Tumer, N. E., Robinson S. J., and Haselkorn, R.** 1983. Different promoters for the *Anabaena* glutamine synthetase gene during growth using molecular or fixed nitrogen. *Nature* **306**: 337–342.
- Vazquez-Bermudez, M. F., Paz-Yepes, J., Herrero, A. and Flores, E.** 2002. The NtcA-activated *amt1* gene encodes a permease required for uptake of low concentrations of ammonium in the cyanobacterium *Synechococcus* sp. PCC 7942. *Microbiology.* **148**: 861–869.
- Valladares, A., Herrero, A., Pils, D., Schmetterer, G. and Flores, E.** 2003. Cytochrome c oxidase genes required for nitrogenase activity and diazotrophic growth in *Anabaena* sp. PCC 7120. *Mol. Microbiol.* **47**: 1239–1249.
- Valladares, A., Montesinos, M. L., Herrero, A. and Flores, E.** 2002. An ABC-type, high-affinity urea permease identified in cyanobacteria. *Mol Microbiol.* **43**: 703–715.
- Valladares, A., Muro-Pastor, A.M., Fillat, M.F., Herrero, A. and Flores, E.** 1999. Constitutive and nitrogen-regulated promoters of the *pethH* gene encoding ferredoxin:NADP⁺ reductase in the heterocyst-forming cyanobacterium *Anabaena* sp. *FEBS Lett.* **449**: 159–164.
- Van Heeswijk, W. C., Stegeman, B., Hoving, S., Molenaar, D., Kahn, D. and Westerhoff, H. V.** 1995. An additional PII in *Escherichia coli*: a new regulatory protein in the glutamine synthetase cascade. *FEMS Microbiol. Lett.* **132**: 153–157.
- Van Heeswijk, W. C., Hoving, S., Molenaar, D., Stegeman, B., Kahn, D. and Westerhoff, H. V.** 1996. An alternative PII protein in the regulation of glutamine synthetase in *Escherichia coli*. *Mol. Microbiol.* **21**:133–146.
- Vazquez-Bermudez, M. F., Herrero, A. and Flores, E.** 2002b. 2-Oxoglutarate increases the binding affinity of the NtcA (nitrogen control) transcription factor for the *Synechococcus glnA* promoter. *FEBS Lett.* **512**: 71–74.
- Vazquez-Bermudez, M. F., Herrero, A. and Flores, E.** 2000. Uptake of 2-oxoglutarate in *Synechococcus* strains transformed with the *Escherichia coli kgtP* gene. *J. Bacteriol.* **182**: 11–15.
- Vazquez-Bermudez, M.F., Herrero, A. and Flores, E.** 2003. Carbon supply and 2-oxoglutarate effects on expression of nitrate reductase and nitrogen-regulated genes in *Synechococcus* sp. strain PCC 7942. *FEMS Microbiol. Lett.* **221**, 155–159.
- Vega-Palas, M.A., Flores, E. and Herrero, A.** 1992. NtcA, a global nitrogen regulator from the cyanobacterium *Synechococcus* that belongs to the Crp family of bacterial regulators. *Mol. Microbiol.* **6**: 1853–1859.

- Vega-Palas, M.A., Madueno, F., Herrero, A. and Flores, E.** 1990. Identification and cloning of regulatory gene for nitrogen assimilation in the cyanobacterium *Synechococcus* sp. Strain PCC 7942. *J. Bacteriol.* **172**, 643–647.
- Waldman, A. S., Fitzmaurice, W. P. and Scoeca, J. J.** 1986. Integration of the bacteriophage HP1c1 genome into the *Haemophilus influenzae* Rd chromosome in the lysogenic state. *J. J. Bacteriol.*, **165**, 297–300.
- Walker, G. C.** 1996. The SOS response of *Escherichia coli*, p. 1400–1416. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Wanner, B. L.** 1996. Phosphorous assimilation and control of the phosphate regulon, p. 1357–1381. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, . C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Wei, T. F., Ramasubramanian, T. S. and Golden, J. W.** 1994. *Anabaena* sp. strain PCC 7120 *ntcA* gene required for growth on nitrate and heterocyst development. *J. Bacteriol.* **176**: 4473–4482.
- Wei, T. -F., Ramasubramanian, T., Pu, F. and Golden, J.** 1993. *Anabaena* sp. strain PCC 7120 *bifA* gene encoding a sequence-specific DNA-binding protein cloned by in vivo transcriptional interference selection. *J. Bacteriol.* **175**: 025–4035.
- Weisberg, R. A. and Landy, A.** 1983. n Hendrix, R. W., Roberts, J. W., Stahl, F. W. and Weisberg, R. A. (eds), *Lambda II*. Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, pp. 211–250. **265**: 30–39.
- Welford, S. M., Gregg, J., Chen, E., Garrison, D., Sorensen, P. H., Denny, C. T. and Nelson, S. F.** 1998. Detection of differentially expressed genes in primary tumor tissues using representational differences analysis coupled to microarray hybridization. *Nucleic Acids Res.* **26**: 3059–3065.
- Wisen, S., Bergman, B. and Mannervik, B.** 2004. Mutagenesis of cysteine residues in the transcription factor NtcA from *Anabaena* PCC 7120 and its effects on DNA binding *in vitro*. *Biochim. Biophys. Acta.* **1679**: 156–163.
- Wolk P. C., Ernst, A. and Elhai J.** 1994. Heterocyst metabolism and development. In: Bryant DA. (ed) *The molecular biology of cyanobacteria*. Amsterdam: Kluwer Academic, p p 769–823
- Wolk, C. P.** 2000. Heterocyst formation in *Anabaena* in prokaryotic development. Edited by Shimkets L. J. Washington DC: American Society for Microbiology; pp.83-104.
- Wolk, C. P., Ernst, A. and Elhai, J.** 1994. Heterocyst metabolism and development, in *The Molecular Biology of Cyanobacteria* (Bryant, D.A., ed.), pp. 769–823, Kluwer
- Wolk, C. P., Ernst, A. and Elhai, J.** 1994. in *The Molecular Biology of Cyanobacteria* (Bryant, D.A., ed.), pp. 769–823, Kluwer Scientific Publications, Dordrecht, The Netherlands.
- Wong, F. C. and Meeks, J. C.** 2001. The *hetF* gene product is essential to heterocyst differentiation and affects HetR function in the cyanobacterium *Nostoc punctiforme*. *J Bacteriol.* **183**: 2654-2661.
- Xu, X. and Wolk, C. P.** 2001. Role for *hetC* in the transition to a non dividing state during heterocyst differentiation in *Anabaena* sp. *J Bacteriol.* **183**: 393-396.
- Yang, J. and Pittard, J.** 1987. Molecular analysis of the regulatory region of the *E. coli* K-12 *tyrB* gene. *J. Bacteriol.* **169**: 4710-4715.

- Yanishch-Perron, C., Vierra, J. and Messing, J.**, 1985. Improved M13 phage vectors and host strains: Nucleotide sequence of the M13mp18 and pUC19 vectors. *Gene*. **33**: 103-119.
- Yoon, H. S. and Golden, J. W.** 1998. Heterocyst pattern formation controlled by a diffusible peptide. *Science*. **282**: 935-938.
- Yoon, H. S. and Golden, J. W.** 2001. PatS and products of nitrogen fixation control heterocyst pattern. *J. Bacteriol.* **183**: 2605-2613.
- Yu, A., Bertani, L. E. and Haggard-Ljungquist, E.** 1989. Control of prophage integration and excision in bacteriophage P2: nucleotide sequences of the *int* gene and *att* sites. *Gene*. **80**: 1-12.
- Zhang, Y., Pohlmann, E. L., Ludden, P. W. and Roberts, G.** 2001. Functional characterization of three GlnB homologs in the photosynthetic bacterium *Rhodospirillum rubrum*: roles insensing ammonium and energy status. *J. Bacteriol.* **183**: 6159-6168.
- Zhou R, Cao Z, and Zhao J.** 1998b. Characterization of HetR protein turnover in *Anabaena* sp. PCC 7120. *Arch. Microbiol.* **169**: 417-426.
- Zhou, R. and Wolk, C. P.** 2003. A two-component system mediates developmental regulation of biosynthesis of a heterocyst polysaccharide. *J. Biol. Chem.* **278**: 19939-19946.
- Zhou, R., Wei, X., Jiang, N., Li, H., Dong, Y., His, K. -L. and Zhao, J.** 1998a. Evidence that HetR protein is an unusual serine-type protease. *Proc. Natl. Acad. Sci. USA*. **95**: 4959-963.
- Zhu, J., Jager, K., Black, T., Zarka, K., Koksharova, O. and Wolk, C. P.** 2001. HcwA, an autolysin, is required for heterocyst maturation in *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* **183**: 6841-6851.
- Zhu, J., Kong, R. and Wolk, C. P.** 1998. Regulation of *hepA* of *Anabaena* sp. strain PCC 7120 by elements 5' from the gene and by *hepK*. *J. Bacteriol.* **180**: 4233-4242.