

## REFERENCES

- AGRAWAL, S. K. and PANDYA, M.K. (1966). Habo Beds Near Ler (Kutch).  
Pt.1 Succession In the Central Dome. The Univ. of Raj. Studies in  
Geol.
- ALLAHABADI, B.B. and PATEL, M.P. (1986). Origin of miliolite rocks of  
Kutch. Nat. Workshop on Quat. Carbonates and miliolite problems  
of Gujarat. P.R.L. Ahmedabad. pp. 52-56.
- BALGOPAL, A. T. (1973). Classification of Pachchham and Chhari  
limestones in Jhura and Habo Domes, Kachchh, Gujarat State, with  
a note on " golden oolites" . Quart. Jour. Geol. Met. Min. Soc. Ind.  
Vol. 44, No. 2, p. 78-81.
- BASKARAN, M. and SOMAYAJULU, B.L.K. (1990). Clay mineral distribution  
in dated miliolites of the late Quaternary from Saurashtra and  
Kutch. J. Geol. Soc. India. Vol. 35, pp.471-479.
- BESSE, J., COURTILLOT, V., POZZI, J.P., WESTPHAL, M. and ZHOU, Y.X.  
(1984). Palaeomagnetic estimates of crustal shortening in the  
Himalayan thrusts and Zango suture , Nature, Vol. 311, pp. 621-  
626.
- BESSE, J. and COURTILLOT, V. (1988). Palaeogeographic map of  
continents boardening the Indian ocean since the early Jurassic,  
J.Geophys. Res., vol. 93, pp.11791-11808.
- BISWAS, S. K. and DESPANDE, S. V. (1968). Basement of the Mesozoic  
sediments of Kutch, Western India, Bull. Geol. Min. Met. Soc. Ind.  
vol. 40, pp.1-7.

- BISWAS, S.K. (1970) Geological and tectonic maps of Kutch. Bull. O.N.G.C., vol.7(2) pp.115-123.
- BISWAS, S.K. (1971) The miliolite rocks of Kutch and Kathiawar. Sedimentary Geology, v.5, pp. 147-164.
- BISWAS, S.K. (1973). A note on the mode of eruption of the Deccan Trap lavas with special reference to Kutch. J. Geol. Soc. India, vol. 14(2), pp 134-141.
- BISWAS,S.K. and DESPANDE,S.V. (1973). Mode of eruption of Deccan trap lavas with special reference to Kutch. Jour. Geol. Soc. India. v.14, pp.134-141.
- BISWAS,S.K. and RAJU,D.S.N. (1973). The Rock-stratigraphic classification of the Tertiary sediments of Kutch. Bull. O.N.G.C. vol. 10 No. 1-2, (June-Dec. 1973), pp. 37-45.
- BISWAS,S.K. (1974). Landscape of Kutch- A Morphotectonic Analysis. Ind. Jour. Earth. Sci. v1(2). pp. 177-190.
- BISWAS, S.K. (1977). Mesozoic rock stratigraphy of Kutch. Quart. Jour. Geol. Min. Met. Soc. India, vol. 49, (3 and 4) pp. 1-52.
- BISWAS,S.K. (1980). Structure of Kutch-Kathiawar Region, W.India. Proc. 3rd Ind. Geol. Congr. Poona, pp. 255-272.
- BISWAS,S.K. (1980). Mesozoic Rock-stratigraphy of Kutch, Gujarat, Quat. Jour.Geol. Min. Met. Soc. India, v0l.49, Nos. 3 & 4.
- BISWAS, S.K. (1981). Basin framework, palaeo-environment and depositional history of the Mesozoic sediments of Kutch basin, Western India. Quat. Jour. Geol. Min. Met. Soc. India. Vol. 53, No. 1&2, pp. 56 - 85.

- BISWAS,S.K. (1982). Rift Basins in Western margin of India and their hydrocarbon prospects with special reference to Kutch Basin. Amer. Assoc. Pet. Geol. Bull. vol.66, No.10 pp. 1497 - 1513.
- BISWAS,S.K. (1987). Regional tectonic framework, structure and evolution of the western marginal basins of India. Tectonophysics, v. 135, pp. 302 - 327.
- BISWAS,S.K. (1987a). Hydrocarbon exploration in Western Offshore Basins of India, Proc. Seminar on Recent Studies in Arabian Sea, G.S.I. Manglore.
- BISWAS,S.K. (1988). Structure of the Western Continental Margin of India and Related Igneous Activity. G.S.I.
- BISWAS, S.K.(1988). Stratigraphy and Sedimentary Evolution of the Mesozoic Basin of Kutch, Western India. Sedimentary basins of India: Tectonic concept (Eds. S.K.Tandon, C.C.Pant and S.M.Casshyap), Gyanodaya Prakashan, Nainital, pp. 74-103.
- BLOOM, A.L. (1978). Geomorphology, Prentice - Hall, Engle wood Cliffs, N.J. 510p.
- BULL, W.B. (1973). Local baselevel process in arid fluvial systems. Geol. Soc. Am. Abstr. Prog. 5 : p 562.
- BULL, W.B. (1984). Tectonic geomorphology. J.Geol. Educ.,vol. 32: pp. 310-324.
- BULL, W.B. and KNUEPFER, P.L.K. (1987). Adjustment by the Charwell river , New Zealand, to uplift and climatic changes. Geomorphology, vol. 1, pp.15-32.

- BULL, W.B. and McFADDEN, L.D. (1977). Tectonic geomorphology north and south of the Garlock Fault, California, in Geomorphology in Arid regions: Annual Binghamton Conference, D.O. Doebring, ed., State University of New York at Binghamton, pp. 115-136.
- BURKE, K. AND DEWEY, J.F. (1973). Plume generated triple junctions: key indicators in applying plate tectonics to old rocks. *J. Geol.* Vol. 81, pp.406-433.
- CHAKRABORTY, A., SOMAYAJULU, B.L.K., BASKARAN, M. AND KUMAR, B. (1993) . Quaternary miliolites of Kutch and Saurashtra, western India: depositional environments in the light of physical sedimentary structures, biogenic structures and geochronological setting of the rocks. *Sencken. Mari.* , v. 23, pp. 7-28.
- CONDIE, K.C. (1989). Plate tectonics and crustal evolution. Pergamon Press Publication, England.
- COWARD, M.P., BUTLER, R.W.H., CHAMBERS, A.F., GRAHAM, A.H., ISA, C.N., KHAN, M.A., KMPE, R.J., PRIOR, D.J., TRELOAR, P.J. and WILHAM, M.P. (1988). Folding and imbrication of the Himalayan crust during Himalaya Collision. *Philos. Trans. R. Soc. London, Ser. A.* 326, pp.377-391.
- DAS, B. and PATEL, N. P.(1984). Nature of Narmada Son lineamnet. *J. Geol. Soc. India*, vol. 25, pp.267-276.
- DEWEY, J.F., SHACKLETON, R.M., CHENGFA, C. and YIYIN, S. (1988). The tectonic evolution of the Tibetan plateau. *Philos. Trans. R. Soc. London, Ser. A.* 327, pp 379-413.

FRIEND,P.F. and SINHA ( 1988). Braiding and meandering parameters.

pp.106-110.

GHOSH, R.N. (1979) Neotectonism and strastigraphy of the little Rann of Kutch, Gujarat. Proc. II Ntn. Sem. , Quat. Env. Western India, Baroda, pp.8-9.

GHOSH, R.N. (1981). Quaternary events and environments in the Little Rann of Kutch, Gujarat, India. From regional conference of Geol. Min. And Energy Res. Of SE Asia. Manila.

GHOSH, R.N. (1982). Quaternary events and environments in the Little Rann of Kutch, Gujarat, India. Proc. Fourth Reg. Conf. Geol. Min. Energy. SE Asia (Manila), pp.111-126.

GOPALA RAO, D.(1990). Magnetic studies of basement of the coast of Bombay ,west od India. Tectonophysics, vol. 175, pp. 317-334.

GUPTA, M.L. (1970) Terrestrial heat flow and tectonics of Cambay basin, Gujarat.Tectonophysics, vol. 9, pp. 147-163.

HACK, J.T.. (1973). Stream profile analysis and stream gradient index. J. Res. U.S.Geol. Sur. , vol. 1, pp. 421-429.

HARDAS, M.G. (1968). Geology of the area to the south and southwest of Bhuj, Dist. Kutch, Gujarat with special reference to stratigraphy, sedimentation and structure. Unpublished Ph.D. Thesis M.S.Uni. Baroda.

HORTON, R.E. (1945). Erosional development of streams and their drainage basins: Hydrophysical approach to quantitative morphology. Geol. Soc. Am. Bull., vol.56, pp.275-370.

JOHNSTON, A.C.and KANTER, L.R. (1990). Earthquakes in Stable Continental Crust. Sci. Am. pp. 68-75.

- KAR, A. (1993 ). Neotectonic influences on morphological variations along coastline of Kachchh, India: Geomorphology, vol.8 pp. 199-219.
- KELLER, E.A. (1986). Investigation of active tectonics: Use of surficial earth process. In: Active tectonics. National Academy Press, Washington D.C. , pp.136-147.
- KELLER, E.A. and Rockwell, T.K. (1981). Tectonic geomorphology , Quaternary chronology and palaeoseismicity. Development and application of geomorphology (ed. Coata, I .F. And P.I. Ieisher) Springer-Verlag, Berlin, Heidelberg.
- KLOOTWIJK, C.T. (1979). A review of palaeomagnetic data from Indo-Pakistan fragment of Gondwanaland: In A Farah and K.A. De Jong, Ed., Geodynamics of Pakistan, Geol. Surv. Pak., Quetta.
- KOSAL, V.N. (1984). Differentiation of Rhaetic sediments in the subsurface of Kutch based on palenofossils. Pet. Asia J. Vol. 7, pp.102-105.
- LEOPOLD, L.B., BAGNOLD, R.A., WOLMAN, M.G. and BRUSH, L.M. (1960). Flow resistance in sinuous or irregular channels.- U.S.Geol. Surv. Profess. Paper 282 D, 133(p).
- LEOPOLD, L.B. and LANGBEIN, W.B. (1966): River meanders.-Sci. Amer. Vol. 214(6), pp. 60-70.
- LEOPOLD, L.B. and WOOLMAN, M.G. (1957). River channel patterns: Braided meandering and Straight.- U.S.Geol. Surv. Prof. Paper, vol. 282B, pp.39-84.
- LIFTON,N.A, and CHASE,C.G. (1992). Tectonic, climatic and lithologic influences on landscape fractal dimension and hypsometry: implications for landscape evolution in the San Gabriel Mountains,

- California. Geomorphology. 5 (1992) Elsevier Publishers B.V.,  
Amsterdam. pp.77 - 1114.
- MAYER, L. (1985). Tectonic geomorphology of escarpments and mountain  
fronts. In : R.E.Wallace (Editor), Active tectonics. Natl. Res. Counc.,  
Washington D.C. pp. 125-135.
- MAYER, L. (1985). Tectonic Geomorphology of escarpments and mountain  
fronts. Active tectonics, Natn. Res. , Washington D.C.
- MELTON, M.A. (1958). Correlation structure of morphometric properties of  
drainage systems and their controlling agents. Jour. Geol. Vol. 66,  
pp. 442-460.
- MERH,S.S. and PATEL, P. P. (1988). Quaternary Geology and  
geomorphology of the Rann of Kutch. Proc. National Seminar on  
Recent Quaternary Studies in India. Eds. M.P.Patel & N.D.desai. pp.  
377 - 391.
- MERRITTS, D. and VINCENT, K.R. (1989). Geomorphic reponse of coastal  
streams to low, intermediate and high rates of uplift, Mendocino  
triple juction region, Norhtern California. Geol. Soc. Am. Bull., vol.  
101, pp. 1373-1388.
- MULLER, J.E. (1968). An introduction to the Hydraulic and the topographic  
sinuosity indexes.-Annals Ass. Am. Geog. **58:** 371-385.
- NORTON, I.O. and SCLATER, J.G. (1977). A model for the evolution of the  
Indian ocean and the breakup of Gondwana land. J. Geophys.  
Res.6830p.
- OUCHI, S. (1985). Response of alluvial rivers to slow active tectonic  
movement. Geol. Soc. Am. Bull., vol. 96, pp. 504-515.

- PATEL, P. K. (1978). Laterisation and Bentonisation of basalt in Kutch, Gujarat state, India, Sed. Geol. Vol. 53, pp. 327-346.
- PATRIAT, P. and ACHACHE, J. (1984). Indo-Eurasia collision, Chronological implications for crustal shortening and driving mechanism. Nature, Vol. 311, pp. 615-621.
- POWELL , C. Mc A. (1979). A speculative tectonic history of Pakistan and surrounding s; some constraints from the Indian Ocean, In : Farah, A. and Dejaung, K.A. (eds) Geodynamics of Pakistan: Pakistan Geological Survey , pp. 5-24.
- RADHAKRISHNAN, B.P. (1993) Neogene uplift and geomorphic rejuvenation of the Indian peninsula . Curr. Sci. Vol.64, pp. 787-793.
- RAJNATH. (1932). A contribution to the stratigraphy of Kutch. Quart. Jour. Geol. Min.Met. Soc. India vol. 4 , pp. 161 - 164.
- RAJNATH (1942) The Jurassic rocks of Kutch and their bearing on some problems of Indian Geology. Pres. Add. Geol. Geog. Section, Proc. 29th Ind. Sci. Cong. pt.II.
- RHEA, S. (1993). Geomorphic observations of rivers in the Oregon Coast Range from a regional reconnaissance perspective. Geomorphology, 6 Elsevier Science Publishers B.V; Amsterdam, pp. 135 - 150.
- RICHTER-BERNBERG, G. and Schott, W. (1963). Jurassic and Cretaceous at the western border of the Gondwana shild in Indian etc. Proc. 2 nd Symp. Dev. Petrol, Res. ECAFE, No. 18, Vol. 1.
- RODAY. P.R. and SINGH, A.K. (1982). Great boundary fault: age, kinematic development model and rejuvenative episodes. Abstr.

- Seminar on Indian lithosphere: structure and evolution, Pune University, Puna, pp.22-23.
- SAHNI, M. R. And PRASAD, K. N. (1987). On a new species of Astarte from Umia beds, Ghuneri, Kachchh, W. India and remarks on the age of the Trigonia beds. Rec. Geol. Surv. of India, Vol. 84 pt. 4, pp. 431-438.
- SAHNI,M.R. (1956). Evolution of drainage basins and slopes in badlands at Perth Ambay. New Jersey. Bull. Geol. Soc. Amer. Vol. 67, pp. 597 - 646.
- SCHUMM,S.A. (1977). The fluvial system. New York. John Wiley & Sons Ltd.
- SENGUPTA, B.K.(1964). Tertiary biostratigraphy of a part of north western Kutch. J. Geol. Soc. India, vol.5, pp.133-158.
- SHARMA, V., (1991) Geomorphic evolution of Kutch coastline with special reference to erosional and depositional processes. Unpubl. Ph.D. Thesis, Uni. of Delhi, Delhi.
- SRIVASTAVA,P.K. (1971). Recent Sediments of the Ranns of Kutch. Geol. Soc. Ind. Vol. 12, No.4 . pp.392 - 395.
- SRIVASTAVA, P.K. (1964). Geological report of the Tertiary rocks of western and southern Kutch : field season-1963-1964. Unpub. ONGC report.
- STRAHLER, A. N. (1952). Hypsometric (Area-Altitude) analysis of erosional topography. Geol. Soc. A. Bull., vol. 63, pp. 1117-1142.
- VALDIYA, K.S. (1976). Himalayan transverse fault and their parallelism with subsurface structures of north Indian plains. Tectonophysics, vol. 32, pp. 353-386.

- VALDIYA, K.S. (1998). Late Quaternary movements and landscape Rejuvenation in Southeastern Karnataka and adjoining Tamil naidu in Southern Indian shield. vol. 51, pp. 139-166.
- WAAGEN, W. (1875). Jurassic fauna of Cutch. Pal. Jour. Ind. (G.S.I.) Ser. 9, Vol. 1.
- WALLACE, R.E. (1977). Profiles and ages of young fault scarps in north central Nevada, Geol. Soc. Am. Bull. 88, 107-172.
- WYNNE, A.B. (1872). Memoir on the geology of Kutch. Mem. Geol. Surv. India, 9(2), pp. 289.
- WYNNE, A.B. and FEDDEN, F. (1872). The geology of Kutch. Mem of G.S.I., vol. IX , pt.1.