

BIBLIOGRAPHY

- Abraham, W., Wertz, P.W., Downing, D.T. 1984. Linoleate rich acyl-glucosylceramides of pig epidermis : Structure determination by proton magnetic resonance. J. Lipid Res. 26 : 761-765.
- Anton-Lamprecht, I., Schnyder, W.W. 1974. Ultrastructure of inborn errors of keratinization. Arch. Dermatol. Forsch. 250 : 207-227.
- Arnn, J., Stachelin, L. 1979. In vivo and in vitro studies of desmosome arch, texture, composition and formation (abstract). J. Cell. Biol. 83 : 88a.
- Baden, H.P., Lee, L.D. 1978. Fibrous protein of human epidermis. J. Invest. Dermatol. 71 : 148-151.
- Baden, H.P., McGilvary, N., Cheng, C.K., Lee, L.D., Kubilus, J. 1978. The keratin polypeptides of psoriatic epidermis. J. Invest. Dermatol. 70 : 294-297.
- Bagi, A.S. 1974. Buffalo skin - study of histological structure of the skin of Surti buffalo. B.V.Sc. Thesis, B.A. College of Agriculture, Anand.
- Bahr, G.F. 1954. Osmium tetroxide and ruthenium tetroxide and their reactions with biologically important substances. Electron Stains III. Exp. Cell Res. 7 : 457-479.

- Bartel, R.L., Marcelo, C.L., Voorhees, J.J. 1987. Partial characterization of phospholipase C activity in normal, psoriatic uninvolved and lesional epidermis. *J. Invest. Dermatol.* **88** : 447.
- Batt, M.D., Fairhurst, E. 1986. Hydration of the stratum corneum. *Int. J. Cosmet. Sci.* **8** : 253-264.
- Batt, M.D., Davis, W.B., Fairhurst, E., Gerrard, W.A., Ridge, B.D. 1988. Changes in the physical properties of stratum corneum following treatment with glycerol. *J. Soc. Cosmet. Chem.* **39** : 367-381.
- Baumberger, J.P. 1942. Methods for the separation of dermis and some physiological and chemical properties of isolated epidermis. *J. Nat. Cancer Inst.* **2** : 413-423.
- Bernard, A., Ackerman, M.D. 1978. Skin : Structure and Function. Histologic diagnosis of inflammatory skin diseases. A method by pattern analysis. Published in Great Britain by Henry Kimpton Publishers, London.
- Bernard, B.A., Robinson, S.M., Vandaele, S., Mansbridge, J.N., Darmon, M. 1985. Abnormal maturation pathways of keratinocytes in psoriatic skin. *Br. J. Dermatol.* **112** : 647-653.
- Bisett, D.L., McBride, J.F. 1983. The use of the domestic pig as an animal model of human dry skin and for comparison of dry and normal skin properties. *J. Soc. Cosmet. Chem.* **34** : 317-326.

- Bisett, D.L., McBride, J.F. 1984. Skin conditioning with glycerol. J. Soc. Cosmet. Chem. 35 : 345-350.
- Bladon, P.T., Cooper, N.F., Wood, E.J., Cunliffe, W.J. 1986. Biochemical markers in the mouse tail model of psoriasis. In Skin models : Model to study function and disease of skin. Ed. Ronald Marks and Gerd Plewig. Springer-Verlag. Berlin Heidelberg, New York, Tokyo, 172-182.
- Blank, I.H. 1952. Factors which influence the water content of the stratum corneum. J. Invest. Dermatol. 18 : 433-440.
- Blank, I.H., Shappirio, E.B. 1955. The water content of the stratum corneum. III. Effect of previous contact with aqueous solution of soaps and detergents. J. Invest. Dermatol. 25 : 391-401.
- Bowden, P.E., Wood, E.J., Cunliffe, W.J. 1983. Composition of prekeratin and keratin polypeptides in normal and psoriatic human epidermis. Biochem. Biophys. Acta. 743 : 172-179.
- Bowser, P.A., White, R.J. 1985. Isolation, barrier properties and liquid analysis of stratum compactum, a discrete region of stratum corneum. Br. J. Dermatol. 112 : 1-14.
- Brody, I. 1962. The ultrastructure of the epidermis in psoriasis vulgaris as revealed by electron microscopy. 4. Stratum corneum in parakeratosis without keratohyalin. J. Ultrastructure Res. 6 : 354-367.

Buxman, M.M., Goodkin, P.E., Fahrenbach, W.H., Dimond, R.L. 1979.
Harlequin ichth^hysis with epidermal lipid abnormality. Arch. Dermatol.
115 : 189-193.

★ Carafoli, E., Penniston, J.T. 1985. The Calcium Signal. Scientific American.

Chapman, S.J., Walsh, A. 1989. Membrane-coating granules are acidic
organelles which possess proton pumps. J. Invest. Dermatol. 93 :
466-470.

Chapman, S.J., Walsh, A. 1990. Desmosomes corneosomes and desquamation.
An ultrastructural study of adult pig epidermis. Arch. Dermatol. Res.
282 : 304-310.

Cheung, W.Y. 1984. Calmodulin : its potential role in cell proliferation and
heavy metal toxicity. Federation Proc. 43 : 2995-2999.

Cotton, S.W., Lindholm, J.S., Abraham, W., Downing, D.T. 1986. Choles-
terol and wax esters probably serve as antiwetting agents in the skin
lipids of the mink. Comp. Biochem. Physiol. 84B : 369-371.

Cox, P., Squier, C.A. 1986. Variations in lipids in different layers of
porcine epidermis. J. Invest. Dermatol. 87 : 741-744.

Culling, C.F.A. 1974. In : Handbook of histophysiological and histochemical
techniques (forwarded by Dunn, W.L.), Butterworth and Co., London.

- Dale, B.A., Stern, I.B. 1975. Sodium dodecyl sulfatepolyacrylamide gel electrophoresis of protein of new born rat skin. II. Keratohyalin and stratum corneum proteins. J. Invest. Dermatol. 65 : 223-227.
- Downing, D.T., Stewart, M.E., Wertz, P.W., Cotton, S.W., Abraham, W., Strauss, J.S. 1987. Skin lipids : an update. J. Invest. Dermatol. 88 : 2S-3S.
- Elias, P.M., Friend, D.S. 1975. The permeability barrier in mammalian epidermis. J. Cell Biol. 65 : 180-191.
- Elias, P.M., Brown, B.E., Ziboh, V.A. 1980. The permeability barrier in essential fatty acid deficiency : Evidence for a direct role for linoleic acid in barrier function. J. Invest. Dermatol. 74(4) : 230-233.
- Elias, P.M. 1981. Lipids and the epidermal permeability barrier. Arch. Dermatol. Res. 270 : 95-117.
- Elias, P.M. 1983. Epidermal lipids, barrier function and desquamation. J. Invest. Dermatol. 80 (Suppl.) : 44S-49S.
- Elias, P.M., Lampe, M.A., Chung, J.C., Williams, M.L. 1983. Diaza-cholesterol-induced ichthyosis in the hairless mouse. I. Morphologic, histochemical and lipid biochemical characterization of a new animal model. Lab. Invest. 49(5) : 565-576.

- Elias, P.M., McNutt, N.S., Friend, D. 1977. Membrane alterations during cornification of mammalian squamous epithelia : a freeze-fracture, tracer and thin section study. *Anat. Rec.* **189** : 577-593.
- Elias, P.M., Menon, G.K., Grayson, S., Brown, B.E., Rehfeld, S.J. 1987. Avian sebokeratinocytes and marine mammal lipokeratinocytes : structural lipid biochemical and functional considerations. *Am. J. Anat.* **180** : 161-177.
- Elias, P.M., Menon, G.K., Grayson, S., Brown, B.E. 1988. Membrane structural alterations in murine stratum corneum : Relationship to the localization of polar lipids and phospholipases. *J. Invest. Dermatol.* **91** : 3-10.
- Elias, P.M. 1991. Epidermal barrier function : Intercellular lamellar lipid structures, origin, composition and metabolism. *J. Controlled Release*, **15** : 199-208.
- Epstein, E.H., Williams, M.L., Elias, P.M. 1981. Steroid sulfatase, X-linked ichthyosis and stratum corneum cell cohesion. *Arch. Dermatol.* **117** : 761-763.
- Epstein, E.H., Williams, M.L., Elias, P.M. 1984. The epidermal cholesterol sulfate cycle. *J. Amer. Acad. Dermatol.* **10** : 866-868.
- Fairley, J.A. 1988. Calcium and the skin. *Arch. Dermatol.* **124** : 443-444.

Feingold, K.R., Brown, B.E., Lear, S.R., Moser, A.H., Elias, P.M. 1983.
Localization of de novo sterologenesis in mammalian skin. J. Invest.
Dermatol. **81** : 365-369.

*Forster, S., Ilderton, E., Norris, J.F.B., Summerly, R., Yardley, H.J.
1985. Br. J. Dermatol. **112** : 135-147.

Freinkel, R.K., Traczyk, T.N. 1985. Lipid composition and acid hydrolase
content of lamellar granules of fetal rat epidermis. J. Invest. Dermatol.
85 : 295-298.

Friberg, S.E., Kayali, I. 1989. Water evaporation rates from a model of
the stratum corneum lipids. J. Pharm. Sci. **78** : 639-643.

Friberg, S.E., Kayali, I., Beckerman, W., Rhein, L.D., Simion, A. 1990.
Water permeation of reaggregated stratum corneum with model lipids. J.
Invest. Dermatol. **94** : 377-380.

Fuchs, E., Green, H. 1979. Multiple keratins of cultured human epidermal
cells are translated from different mRNA molecules. Cell, **17** : 537-582.

Fuchs, E.V., Green, H. 1980. Changes in keratin gene expression during
terminal differentiation of the keratinocyte. Cell, **19** : 617-625.

Fuchs, E., Hanokoglu, I. 1986. In: Biology of the integument II. Vertebrates
edited by Bereiter-Hahn, J., Matoltsy, A.G., Sylvia Richards K.,
Springer-Verlag, Berlin Heidelberg, New York, Tokyo.

- Gentleman, S., Martensen, T.M., Digiovanna, J.J., Chader, G.J. 1984. Proteintyrosine kinase and protein phosphotyrosine phosphatase in normal and psoriatic skin. *Biochem. Biophys. Acta.* **798** : 53.
- Geraci, J.R., St.Aubin, D.J., Hicks, B.D. 1986. The epidermis of odontocetes : A view from within. Part I. *Anat. & Physiol.* In: Res. on Dolphins. M.M.Bryden and R.Harrison, Eds., Oxford Univ. Press, pp.400.
- Golden, G.M., Guzek, D.B., Kennedy, A.H., McKie, J.E., Potts, R.O. 1987. Stratum corneum lipid phase transitions and water barrier properties. *Biochem.* **26** : 2382-2388.
- Golden, G.M., McKie, J.E., Potts, R.O. 1987. Role of stratum corneum lipid fluidity in transdermal drug flux. *J. Pharm. Sci.* **76(1)** : 25-28.
- Grayson, S., Elias, P.M. 1982. Isolation and lipid biochemical characterization of stratum corneum membrane complexes : Implications for the cutaneous permeability barrier. *J. Invest. Dermatol.* **78** : 128-135.
- Grayson, S., Johnson-Winegar, A.G., Wintroub, B.W., Isseroff, R.R., Epstein, E.H., Elias, P.M. 1985. Lamellar body-enriched fractions from neonatal mice : preparative techniques and partial characterization. *J. Invest. Dermatol.* **85** : 289-294.
- Greenspan, P., Fowler, S.D. 1985. Biological application of the fluorescent lipid probe Nile Red. *Kodak Lab. Chemicals Bulletin*, **56(3)** : 1-4.

- Greenspan, P., Fowler, S.D. 1985. Spectrofluorometric studies of lipid probe, Nile red. J. Lipid Res. 26 : 781-789.
- Greenspan, P., Mayer, E.P., Fowler, S.D. 1985. Nile red : A selective fluorescent stain for intracellular lipid droplets. J. Cell Biol. 100 : 965-973,
- Griffiths, W.A.D., Dutz, W. 1975. Repeated tissue sampling with a dental broach. Br. J. Dermatol. 93 : 43.
- Hadley, N.F. 1980. Surface waxes and integumentary permeability. Am. Sci. 68 : 546-553.
- Hadley, N.F. 1989. Lipids water barriers in biological systems. Prog. Lipid Res. 28 : 1-33.
- Hafez, E.S.E., Badreldin, A.L., Shefei, M.M. 1955. Skin structures of Egyptian buffaloes and cattle with particular reference to sweat glands. J. Agric. Sci. (Camp.). 46 : 19-30.
- Hammarstrom, S., Hamberg, M., Samuelson, B., Duell, E.A., Stawiski, M., Voorhees, J.J. 1975. Increased concentration of free arachidonic acid, PGE_2 , PGF_2 and of 12-L-hydroxy - 5,8,10,14-eicosatetraenoic acid (HETE) in epidermis of psoriasis : Evidence for perturbed regulation of arachidonic acid levels in psoriasis. Proc. Natl. Acad. Sci. USA, 72 : 5130-5134.

- Harper, I.S., Williams, K., Lochner, A. 1990. Lanthanum probing of cell membrane permeability in the rat heart : Pathological versus artefactual alterations. *J. Electron Microsc. Tech.* **14** 357-366.
- Hashimoto, K. 1971. Cementosome, a new interpretation of the membrane coating granule. *Arch. Derm. Forsch.* **240** : 349-364.
- Hayward, A.F., Hackemann, M. 1973. Electron microscopy of membrane coating granules and a cell-surface coat in keratinized and non-keratinized human oral epithelium. *J. Ultrastruct. Res.* **43** : 205-219.
- Hayward, A.F. 1979. Membrane-coating granules. *Int. Rev. Cytol.* **59** : 97-127.
- Hemmings, H., Holbrook, K.A. 1983. Calcium regulation of cell - cell contact and differentiation of epidermal cells in culture : an ultrastructural study. *Exp. Cell Res.* **143** : 127-142.
- Hemmings, H., Michael, D., Cheng, C. 1980. Calcium regulation of growth and differentiation of mouse epidermal cells in culture. *Cell*, **19** : 245-254.
- Hesketh, T.R., Moore, J.P., Morris, J.D. 1985. A common sequence of calcium and pH signals in the mitogenic stimulation of eukaryotic cells. *Nature*, **313** : 481-484.

- Holbrook, K.A., Hoff, M.S. 1984. Structure of the developing human embryonic and fetal skin. *Seminars in Dermatology*. 3(3).
- Hou , E.S.Y., Menon, G.K., Elias, P.M. 1989. Abnormalities in lamellar body and stratum corneum lamellae in essential fatty acid deficiency visualized by a modified ruthenium staining protocol. *J. Invest. Dermatol.* 92 : 448 (Abstract).
- Huang, R.T.C. 1978. Cell adhesion mediated by glycolipids. *Nature*, 276.
- Idson, B. 1978. In vivo measurement of transepidermal water loss. *J. Soc. Cosmet. Chem.* 29 : 273-280.
- Imokawa, G., Michihiro, H. 1985. A possible function of structural lipid in the water holding properties of stratum corneum. *J. Invest. Dermatol.* 84 : 282-284.
- Imokawa, G., Akasaki, S., Hattori, M., Yoshizuka, N. 1986. Selective recovery of deranged water holding properties by stratum corneum lipids. *J. Invest. Dermatol.* 87 : 758-761.
- Imokawa, G., Akasaki, S., Kawamata, A., Yanao, S., Takaishi, N. 1989. Water retaining function in the stratum corneum and its recovery properties by synthetic pseudo-ceramides. *J. Soc. Cosmet. Chem.* 40 : 273-285.

- Imokawa, G., Akasaki, S., Minematsu, Y., Kawai, M. 1989. Importance of intercellular lipids in water retention properties of the stratum corneum: induction and recovery study of surfactant dry skin. Arch. Dermatol. Res. **281** : 45-51.
- Imokawa, G., Kuno, H., Kawai, M. 1991. Stratum corneum lipids serve as a bound-water modulator. J. Invest. Dermatol. **96** : 845-851.
- Jarrett, A., Spearman, R.I.C. 1964. Histochemistry of the skin psoriasis. English University Press, London.
- Kerkhof, P.C.M., van de, van Erp, P.E.J. 1983. Calmodulin levels are grossly elevated in the psoriatic lesion. Br. J. Dermatol. **108** : 217.
- Kischer, C.W., Furlong, N.B. 1967. DNA polymerase activity in extracts of the developing chick skin and down feather organ. Proc. Soc. Exp. Biol. Med. **124** : 1188-1190.
- Kitson, N., van Lennep, E.W. 1984. Intercellular junctions and the permeability barrier in human sebaceous glands. Br. J. Dermatol. **10** : 601-606.
- Kligman, A.M. 1964. The biology of the stratum corneum, in the epidermis Edited by W.Montagna, W.C.Lobitz Jr., New York, Academic Press, 387-433.

Knutson, K., Potts, R.O., Guzek, D., Golden, G.M., Lambert, W.J., McKie, J.M., Higuchi, W.I. 1985. J. Controlled Release, 2 : 67-87.

Krueger, C.G., Jorgensen, C.M. 1990. Experimental models for psoriasis. J. Invest. Dermatol. 95 : 565-585.

Lachyankar, M.B. 1987. Use of animal models and applications of lipase or skin conditioners towards alleviation of certain skin disorders. M.Sc. dissertation submitted to the Dept. of Microbiology, M.S.University, Baroda.

Lampe, M.A., Burlingame, A.L., Whitney, J., Williams, M.L., Brown, B.E., Roitman, E., Elias, P.M. 1983. Human stratum corneum lipids : Characterization and regional variations. J. Lipid Res. 24 : 120-130.

Lampe, M.A., Williams, M.L., Elias, P.M. 1983. Human epidermal lipids: characterization and modulation during differentiation. J. Lipid Res. 24: 131-140.

Landmann, L. 1980. Lamellar granules in mammalian, avian and reptilian epidermis. J. Ultrastruc. Res. 72 : 245-263.

Landmann, L., Stolinski, C., Martin, B. 1981. The permeability barrier in the epidermis of the grass snake during the resting stage of the sloughing cycle. Cell & Tissue Res. 215 : 369-382.

- Landmann, L. 1984. The epidermal permeability barrier. Comparison between in vivo and in vitro lipid structures. Eur. Jr. Cell Biol. 33 : 258-264.
- Landmann, L. 1986. Epidermal permeability barrier : Transformation of lamellar granule disks into intercellular sheets by a membrane-fusion process, a freeze fracture study. J. Invest. Dermatol. 87 : 202-209.
- Landmann, L. 1988. The epidermal permeability barrier. Anat. Embryol. 178 : 1-13.
- Lavker, R.M., Matoltzy, A.G. 1970. Formation of horny cells : The fate of cell organelles and differentiation products in ruminal epithelium. J. Cell Biol. 44 : 501-512.
- Lavker, R.M., Matoltzy, A.G. 1971. Substructure of keratohyalin granules of the epidermis as revealed by high resolution electron microscopy. J. Ultrastruc. Res. 35 : 575-581.
- Lavker, R.M. 1976. Membrane-coating granules : The fate of discharged lamellae. J. Ultrastruc. Res. 55 : 79-86.
- Lindholm, J.S., Dowing, D.T. 1980. The skin lipids of the otter are rich in squalene which is known to be an excellent water repellent. Lipids, 15 : 1062-1063.

- Lampe, M.A., Williams, M.L., Elias, P.M. 1983. Human epidermal lipids : Characterization and modulation during differentiation. *J. Lipid Res.* **24** : 131-140.
- Long, S.A., Wertz, P.W., Strauss, J.S. 1985. Human stratum corneum polar lipids and desquamation. *Arch. Dermatol. Res.* **277** : 284-287.
- Loth, H. 1991. Invited review on vehicular influence on transdermal drug penetration. *Int. J. Pharmaceutics*, **68** : 1-10.
- Mackenzie, I.C. 1975. Ordered structure of the epidermis. *J. Invest. Dermatol.* **65** : 45-51.
- Martinez, R.I., Peters, A. 1971. Membrane-coating granules and membrane modifications in keratinizing epithelia. *Am. J. Anat.* **130** : 93-120.
- Matoltsy, A.G. 1976. Keratinization. *J. Invest. Dermatol.* **67** : 20-25.
- Matoltsy, A.G., Matolsty, M.N., Cliffler, P.J. 1983. Characterization of keratin polypeptides of normal and psoriatic horny cells. *J. Invest. Dermatol.* **85** : 185-188.
- Matoltsy, A.G., Parakkal, P.F. 1965. Membrane-coating granules of keratinizing epithelia. *J. Cell Biol.* **24** : 297-307.
- Mchoughlin, C.B. 1963. Mesenchymal influences on epithelial differentiation. In : Cell Differentiation, G.E.Fogg, Ed., Symp. Soc. Exp. Biol. **17** : 359-388, London : Cambridge.

Menon, G.K. 1984. Glandular functions of avian integument : An overview.
J. Yamashina Inst. Ornith. **16** : 1-12.

★ Menon, G.K. 1986. Fine structural basis of permeability barrier in nesting
zebra finches. Ibis.

Menon, G.K., Grayson, S., Elias, P.M. 1985. Ionic calcium reservoirs in
mammalian epidermis : Ultrastructural localization by ion-capture
cytochemistry. J. Invest. Dermatol. **84** : 508-512.

Menon, G.K., Brown, B.E., Elias, P.M. 1986. Avian epidermal differen-
tiation : Role of lipids in permeability barrier formation. Tissue and
Cell, **18(1)** : 71-82.

Menon, G.K., Grayson, S., Brown, B.E., Elias, P.M. 1986. Lipokeratino-
cytes of the epidermis of a catecean (Phocena phocena). Histochemistry,
ultrastructure and lipid composition. Cell Tissue Res. **244** : 385-394.

Menon, G.K., Elias, P.M. 1990. Ultrastructural localization of calcium in
psoriatic and normal human epidermis. Arch. Dermatol. **125** : 365-372.

Menton, D.N., Eisen, Z. 1971. Structural organization of the human stratum
corneum in certain scaling disorders. J. Invest. Dermatol. **57** : 296-307.

Mehregan, A.H., Pinkus, H. 1966. Artifacts in dermal histopathology.
Arch. Dermatol. **94** : 218.

- Micheal, A.S., Chandrasekaran, S.E., Shaw, J.E. 1975. Drug permeation through human skin. Theory and in experimental measurement. Am. Inst. Chem. Exp. J. 22 : 585-596.
- Middleton, J.D. 1968. The mechanism of water binding in stratum corneum. Brit. J. Derm. 80 : 437.
- Miler, P.D., van de Kerkhof, P.C.M. 1987. Phospholipid metabolism in psoriasis. Proceedings of the XVII World Congress of Dermatology, Berlin, Springer-Verlag, 629-631.
- Montagna, W., Parakkal, P.F. 1974. The structure and function of skin. Academic Press, London, New York, pp 31-36.
- Moon, K.C., Wilhelm, K.P., Maibach, H.I. 1989. Sequential tape stripping of human stratum corneum : Influence on pH, water content and adherence comparison of young and aged. J. Invest. Dermatol. 92 : 484.
- Nanney, L.B., Stoscheck, Ch.M., Magid, M., King, L.E.(Jr.) 1986. Altered (125I) epidermal growth factor binding and receptor distribution in psoriasis. J. Invest. Dermatol. 86 : 260.
- Nemanic, M.K., Elias, P.M. 1980. In situ precipitation : A novel cytochemical technique for visualization of permeability pathways in mammalian stratum corneum. J. Histochem. Cytochem. 28(6) : 573-578.
- Nicolaides, N. 1974. Skin lipids : Their biochemical uniqueness. Science, 86 : 19-26.

Nicollier, M., Messengo, T., J.P.R., Laurent, R., Adessi, G.L. 1986.
Free fatty acids and fatty acids of triacylglycerols in normal and
hyperkeratotic human stratum corneum. J. Invest. Dermatol. **87** : 68-71.

Odland, G.F. 1960. A submicroscopic granular component in human epidermis.
J. Invest. Dermatol. **34** : 11.

Odland, G.F., Holbrook, K. 1981. The lamellar granules of epidermis.
Curr. Probl. Dermatol. **9** : 29-49.

★ Pelttari, A. 1979. Histochem. J. **11** : 599.

Penneys, N.S., Fulton, F.E., Weinstein, G.D., Frost, P. 1970. Location of
proliferating cells in human epidermis. Arch. Dermatol. **101** : 323-327.

Pinkus, H. 1977. Skin biopsy : A field of interaction between clinician and
pathologist. Cutis, **20** : 609.

Pinkus, H., Mehregan, A.H. 1981. A guide to dermatohistopathology -
Third Edition. Appleton-Century Crofts, Prentice-Hall, Inc. U.S.A.

Prottey, C. 1976. Essential fatty acids and the skin. Br. J. Dermatol.
94 : 579-587.

Ricardo-Martinez, I., Peters, A. 1971. Membrane coating granules and
membrane modifications in keratinizing epithelia. Am. J. Anat. **130** : 93-
120.

Roberts, J.B. 1986. Use of squamate epidermis in percutaneous absorption studies : A review. J. Toxicol. Cut. and Occular Toxicol. 5(4) : 319-324.

Ronald, M., Gerd, P. 1986. Skin models. Models to study function and disease of skin. Springer-Verlag, Berlin Heidelberg, New York, Tokyo, 172-182.

* Roth, S., Mcquire, E.J., Roseman, S.J. 1971. J. Cell Biol. 51 : 536-547.

Rougier, A. 1987. Correlations between horny layer concentration and percutaneous absorption. Vol. of Abstracts, 17th World Dermatology Congress.

Sacks, P.G., Parnes, S.M., Price, J.C., Rosenberg, H., Goldstein, J.C., Marko, M., Parsons, D.F. 1985. In vitro modulation of differentiation by calcium in organ cultures of human and murine epithelial tissue. In vitro Cellular and Devel. Biol. 21(2) : 99-107.

Saint-Leger, D., Francois, A.M., Leveque, J.L., Stoudemayes, T.J., Kligman, A.M., Grove, G. 1989. Stratum corneum lipids in skin xerosis. Dermatologica. 178 : 151-155.

Schafer-Korting, M., Korting, H.C. 1989. Liposome preparations : A step forward in topical drug therapy for skin disease ? A review. J. Am. Acad. Dermatol. 21 : 1271-1275.

- Schering Corporation, U.S.A. Atlas of Chronic Dermatoses. 1985. 20-21.
- Scheuplein, R.J., Blank, I.II. 1971. Permeability of the skin. *Physiol. Rev.* **51** : 702-747.
- Schweizer, J., Marks, F. 1977. A developmental study of the distribution and frequency of langerhans cells in relation to formation of patterning in mouse tail epidermis. *J. Invest. Dermatol.* **69** : 198-204.
- Scott, R.C., Corrigan, M.A., Smith, F., Mason, H. 1991. The influence of skin structure on permeability. An intersite and interspecies comparison with hydrophilic penetrants. *J. Invest. Dermatol.* **96** : 921-925.
- Sharata, H.H., Burnette, R.R. (unpublished). Percutaneous absorption of electron-dense ions across normal and chemically perturbed skin.
- Simson, J.A.V., Dom, R.M. 1983. The use of lead as an ionic tracer for investigating routes of passive fluid transfer. *Jr. Histochem. Cytochem.* **31(5)** : 675-683
- Skerrow, D., Hunter, I. 1978. Protein modification during the keratinization of normal and psoriatic human epidermis. *Biochem. Biophys.* **537** : 474-484.
- Skerrow, D., Skerrow, C.J. 1983. Tonofilament differentiation in human epidermis : isolation and polypeptide chain composition of keratinocyte subpopulation. *Exp. Cell Res.* **43** : 27-35.

Skerrow, C.J., Clelland, D., Skerrow, D. 1988. Abnormal retention of desmosomes in psoriatic scale. Br. J. Dermatol. **118** : 283-284.

Skerrow, C.J., Skerrow, D. 1990. Abnormal changes of desmosomes in lesional and non-lesional psoriatic epidermis : A quantitative immunoelectron microscopy study. J. Invest. Dermatol.

Smith, J.L. 1907. On the simultaneous staining of neutral fat and fatty acids by oxazine dyes. J. Pathol. Bacteriol. **12** : 1-4.

Smith, J.L. 1910. The staining of fat by Nile blue sulphate. J. Pathol. Bacteriol. **15** : 53-55.

Smith, W.P., Christensen, M.S., Necht, S., Gans, E.H. 1982. Effect of lipids on the aggregation and permeability of human stratum corneum. J. Invest. Dermatol. **78** : 7-11.

Spearman, R.I.C., Hardy, J.A. 1977. Ultrastructure of contrasting types of keratinization seen in the tail epidermis of the laboratory mouse (Mus musculus). Arch. Derm. Res. **258** : 33-40.

Spearman, R.I.C. 1980. The avian skin in regulation to surface ecology. Proc. of Royal Soc. of Edinburgh, **79B** : 57-74.

Spearman, R.I.C. 1986. Intrinsic and extrinsic factors in epidermal modulation. The skin of vertebrates 9 : Ed. by R.I.C. Spearman and P.A.Riley, Academic Press, London.

- Spurr, A.R. 1969. A low viscosity epoxy resin embedding medium for electron microscopy. J. Ultrastruc. Res. **26** : 31.
- Steinert, P.M., Idler, W.W., Zimmerman, S.B. 1976. Self-assembly of bovine epidermal keratin filaments in vitro. J. Mol. Biol. **108** : 547-567.
- Stokes, G.D. 1981. Permeability characteristics and possible pore structure of reptilian and artificial keratin membranes. Ph.D. Thesis, Penn. State University, University Park.
- Summerly, R., Ilderton, E., Gray, G.M. 1978. Possible defects in triacylglycerol and phosphatidylcholine metabolism in psoriatic epidermis. Br. J. Dermatol. **99** : 279-288.
- Tagami, H., Knamaru, Y., Inoue, K., Suehisa, S., Inoue, F., Iwatsuki, K., Yoshikuni, K., Yamada, M. 1982. Water sorption-desorption test of the skin in vitro for functional assessment of stratum corneum. J. Invest. Dermatol. **78** : 425-428.
- Tanaka, T., Ogura, R., Hidaka, T., Sugiyama, M. 1989. Changes of electron spin resonance membrane fluidity in hexadecane-induced hyperproliferative epidermis. J. Invest. Dermatol. **93** : 682-686.
- Tercofs, R.R., Schoffeniels, E. 1965. Phenomenes de permeatite au niveau de la peau des reptiles. Ann. Soc. Roy. Zool. Belg. Brux. **96** : 9-22.

- Tucker, W.F.G., MacNeil, S., Bleehen, S.S., Tomlinson, S. 1985. Biologically active calmodulin levels are elevated in both involved and uninvolved epidermis in psoriasis. *J. Invest. Dermatol.* **85** : 450.
- Vermeer, B.J. 1987. New drug delivery systems : Introduction. Vol. of Abstracts, 17th World Dermatology Congress.
- Voorhees, J.J., Duell, E.A. 1971. Psoriasis as a possible defect of the adenylcyclase-cyclic AMP cascade. A defective chalone mechanism. *Arch. Dermatol.* **104** : 352.
- Voorhees, J.J., Stawiski, M.A., Duell, E.A. 1973. Increased cyclic GMP and decreased cAMP levels in the hyperplastic, abnormally differentiated epidermis of psoriasis. *Life Sci.* **13** : 639.
- Watt, F.M., Matthey, D.L., Garrod, D.R. 1984. Calcium induced recognition of desmosomal components in cultured human keratinocytes. *J. Cell Biol.* **99** : 2211-2215.
- Weinstein, G.D., Ross, P., McCullough, J.L., Colton, A. 1983. Proliferative defects in psoriasis. In : Psoriasis : Cell Proliferation, Wright, N.A., Camplejohn, R.S. eds., New York, NY : Churchill Livingstone Inc. 189-208.
- Weinstein, G.D., McCullough, J.L., Rose, P. 1984. Cell proliferation in normal epidermis. *J. Invest. Dermatol.* **82** : 623-628.

- Weihe, E., Hartschuh, W., Metz, J., Bruhl, U. 1977. The use of ionic lanthan^{an}_x as a diffusion tracer and as a marker of calcium binding sites. Cell Tissue Res. 178 : 285-302.
- Wertz, P.W., Cho, E.S., Downing, D.T. 1983. Effect of essential fatty acid deficiency on the epidermal sphingolipids of the rat. Biochem. Biophys. Acta. 753 : 350-355.
- Wertz, P.W., Downing, D.T. 1982. Glycolipids in mammalian epidermis : Structure and function in the water barrier. Science, 217 : 1261.
- Wertz, P.W. 1985. Lipids of keratinizing tissues. Skin Lipids, 815-822.
- Werner, Y., Lindberg, M., Forslind, B. 1987. Membrane coating granules in 'dry' non-eczematous skin in patients with atopic dermatitis. A quantitative electron microscopic study. Acta. Derm. Venereol. (Stockh) 67 : 385-390.
- Wilhelm, K.P., Surber, C., Maibach, H.I. 1991. Effect of sodium lauryl sulfate - induced skin irritation on in vitro percutaneous absorption of four drugs. J. Invest. Dermatol. 96 : 963-967.
- Williams, M.L., Elias, P.M. 1981. Stratum corneum lipids in disorders of cornification. I. Increased cholesterol sulfate content of stratum corneum in X-linked ichthyoses. Jr. Clin. Invest. 68 : 104.

- Williams, M.L., Elias, P.M. 1982. N-alkanes in normal and pathological human scale. *Biochem. Biophys. Res. Comm.* **107(1)** : 322-328.
- Williams, M.L. 1983. The ichthyoses - pathogenesis and prenatal diagnosis: A review of recent advances. *Ped. Dermatol.* **1(1)** : 1-24.
- Wolff-Schreiner, E.C. 1977. Ultrastructural cytochemistry of the epidermis. *Int. J. Dermatol.* **16** : 77-102.
- Wrench, R., Britten, A.Z. 1975. Evaluation of coal tar fractions for use in psoriasiform diseases using the mouse tail test (I). High and low temperature tars and their constituents. *Br. J. Dermatol.* **92** : 569-574.
- Wrench, R., Britten, A.Z. 1975b. Evaluation of coal tar fractions for uses in psoriasiform disease using the mouse tail test (II). Tar oil acids. *Br. J. Dermatol.* **82** : 575-579.
- Wrench, R., Britten, A.Z. 1975c. Evaluation of coal tar fractions for use in psoriasiform disease using the mouse tail test (III). High boiling tar acids. *Br. J. Dermatol.* **93** : 67-74.
- WuMaw-Sheng, Yee, D.J., Sullivan, M.E. 1983. Effect of a skin moisturizer on the water distribution in human stratum corneum. *J. Invest. Dermatol.* **81** : 446-448.

Yamane, J., Ono, Y. 1936. Anatomical investigations on the structure of the skin of the buffalo, Zebu formosa cattle and the dutch friesland, with reference to the problem of tropical adaptation. Animal Breeding, 7 (Abstr.) : 1939.

Yardley, H.J., Summerly, R. 1981. Lipid composition and metabolism in normal and diseased epidermis. Pharmacol. Ther. 13 : 357-383.

* Originals not referred