

## BIBLIOGRAPHY

- Asano, Y., Liberman, U.A. and Edelman, I. S. 1976. Thyroid thermogenesis relationships between  $\text{Na}^+$ -dependent respiration and  $\text{Na}^+ - \text{K}^+$ -adenosine triphosphatase activity in skeletal muscle.  
J. Clin. Invest., 57 : 368-379.
- Bahlman, J., Oehwadt, B., and Schroder, E. 1965. Über den glucose-und lactat-stoff wechsel vom isoleirten hundenieren.  
Arch. Gesamte. Physiol. Mens. Tiere. (Pfluegers) 286: 207-219
- Baily, C., Teboul, M. J., Chabarder, D., Hus-chharel, A., Motegut, M., Clique, A. and Morel, F. 1980. The distal nephron of rat kidney : A target site for glucagon.  
Proc. Natl. Acad. Sci., 77 : 3422-3424.
- Barajas, L. 1978. Innervation of renal cortex.  
Fedr. Proc., 37 : 1192-1201.
- Bates, R. W. and Garrison, M. M. 1967. Quantitative study of the diabetogenic action of ACTH and growth hormone in partially pancreatectomized rats. Endocrinology, 81: 527.
- Bell, D. J. 1971. Plasma glucose. In :"Physiology and Biochemistry of the Domestic Fowl". Bell, D. J. and Freeman, B. M. (Eds) pp. 913-920, Academic Press, London.

- Bell-Ruess, E., Colindres, R. E., Pastoriza-Munaz, E.,  
K  
Mueller, R. A. and Gotschalk, C. W. 1975. Effects of acute unilateral renal denervation in the rat. J. Clin. Invest., 56 : 208-217.
- Bennett, T. and Malmfors, T. 1969. Adrenergic and cholinergic innervation of the renal portal valve in the domestic fowl. J. Anat., 104 : 241-252.
- Benoy, M. P. and Elliot, K. A. 1937. The metabolism of lactic and pyruvic acid in normal and tumor tissues. V. Synthesis of carbohydrate. Biochem. J., 31 : 1268-1275.
- Bergmeyer, H. U. and Bernet, E. 1965. Transaminases. In:"Methods in enzymatic analysis", Bergmeyer, H. U. (ed.),pp.837-853, Academic Press, New York.
- Beenwkes, R., Ichikawa, I. and Brenner, B. The renal circulations. In B. Brenner and J. Rector (eds.) The kidney, Vol.1., 2nd Edn, Saunders, Philadelphia, 1981,pp.249-288.
- Blair, J. B., Cook, D. E. and Lardy, H. A. 1973. Influence of glucagon on the metabolism of xylitol and dihydroxy acetone in the isolated perfused rat liver. J. Biol. Chem., 248 : 3601-3607.
- Boulet, P., Vidal, J., Joyeuse, R. and Mirouze, J. 1954. Hypoglycaemic spontane quorison apres vagptomie. Montpellier Med., 46 : 40-45.

- Braun, E. J. and Dantzler, W. H. 1972. Function of mammalian type and reptilian type nephrons in kidney of desert quail. Am. J. Physiol. 226 : 1-8.
- Brown, J. W., Lad, P. J. and Skelly, H. 1983. Expression of differential function by hepatocytes in primary culture: variable effects of glucagon and insulin on gluconeogenesis during cell growth. Differentiation, 25 : 176-184.
- Burstone, M. S. 1962. Enzyme histochemistry and its applications in the study of Neoplasm . P. 164 Academic Press, New York.
- Cahill, G. F. Jr., Ashmore, J., Zottu, S. and Hastings, A. B. 1957. Studies on carbohydrate metabolism in rat liver sliced. IX. Ionic and hormonal effects on phosphorylase and glycogen. J. Biol. Chem., 224: 237-250.
- Cahill, G. F.Jr., 1971. Banting Memorial Lecture. 1971. Physiology of insulin in man. Diabetes 20: 785-799.
- Chamberlain, M. J. and Stimmller, L. 1967. The renal handling of insulin. J. Clin. Invest. 46 : 911.
- Chan, T. M. and Exton, J. H. 1978. Studies on  $\alpha$ -adrenergic activation of hepatic glucose output. Studies on C-adrenergic inhibition of hepatic pyruvate kinase and activation of gluconeogenesis. J. Biol. Chem., 253 6393-6400.

- Chapman, B. J., Horn, N. M., Robertson, M. J. 19 . Renal blood flow changes during renal nerve stimulation in rats treated with  $\alpha$ -dopaminergic blockers. J. Physiol., 325 : 67-78.
- Chiseko, N., Nakamura, T., Ichihara, A. 1983.  $\alpha$ -adrenergic regulation of enzymes of amino acid metabolism in primary cultures of adult rat hepatocytes. Br. Med. J., 286 : 598-602.
- Chopra, I. J. 1977. Study on extra thyroidal conversion of thyroxine to 3,5,3'-T<sub>3</sub> in vitro. Endocrinology, 101 : 453.
- Clark, M. G., Bloxham, D. P., Holland, P. C. and Lardy, H. A. 1974. Estimation of the fructose 1,6-Diphosphatase phosphofructokinase substrate cycle and its relationship to gluconeogenesis in rat liver in vitro. J. Biol. Chem., 249 : 279-290.
- Claus, T. H. and Pilkis, S. J. 1981. Hormonal control of hepatic gluconeogenesis. In : "Biochemical Actions of Hormones". Vol.VIII Ed. Gerald Litwack. Academic Press, New York, London.
- Cori, C. F., Cori, G. T., and Green, A. 1943. Crystalline muscle phosphorylase, III. Kinetics. J. Biol. Chem., 151:39-55.

Coote, J. H., Johns, E. J., Macleod, V. H. and Singer, B. 1972.  
Effect of renal nerve stimulation, renal blood flow and  
adrenergic blockade on plasma renin activity in the cat.  
J. Physiol., 226 : 15-36.

Czech, M. P. 1977. Molecular basis of insulin action. Annu. Rev. Biochem., 46 : 359-384.

Davis, J. O. and Freeman, R. H. 1976. Mechanisms regulating renin release. Physiol. Rev., 56 : 1-56.

Dibona, G. F. 1978. Neural control of renal function. Fedr. Proc. 37 : 1191.

Dibona, G. F. and Sawin, L. L. 1983. Renal nerves in renal adaptation to sodium restriction. Am. J. Physiol., 245 : F-322-F-328.

Dickson, A. J. and Langslow, D. R. 1978. Hepatic gluconeogenesis in chickens. Mol. Cell. Biochem., 22 : 167-181.

Eigenbrodt, E. and Schoniger, W. 1977. Purification and properties of pyruvate kinase isoenzymes type L and M<sub>2</sub> from chicken liver. Hopp-Seyler's Z. Physiol. Chem., 358 : 1033-1046.

Exton, J. H. 1979. Gluconeogenesis. Metab. Clin. Exp., 21:945-990

Exton, H. H., Friedmann, N., Wong, E. H., Brineaus, J. B.,  
Corbin, J. D. <sup>and</sup> Park, C. R. 1972. Interaction of glucocorticoid, with glucagon and epinephrine in the control of gluconeogenesis glycogenolysis on liver and lipolysis in adipose tissue. J. Biol. Chem., 247 : 3579-3588.

Exton, J. H. and Park, C. R. 1965. Control of gluconeogenesis in the perfused liver of normal and adrenalectomized rats. J. Biol. Chem., 240 : pc 955-pc 957.

Exton, J. H. and Park, C. R. 1968. Control of gluconeogenesis in liver. II Effects of glucagon, catecholamines, and adenosine 3'-5'-monophosphate on gluconeogenesis in the perfused rat liver. J. Biol. Chem., 243 : 4189-4196.

Exton, J. H., Mallette, L. E., Jefferson, L. S., Wong, E., Friedmann, N., Miller, T. B. Jr. and Park, C. R. 1970. Cited by Claus, T. H. and Pilkis, S. J.

Fajans, S. S., Christensen, H. N., Floyd, J. C. Jr. and Pek, S. 1974. Stimulation of insulin and glucagon release in the dog by a nonmetabolizable arginine analog. Endocrinology, 94 : 230-233.

Felici, J. E., Hue, L. and Hers, H. G. 1976. Hormonal control of pyruvate kinase activity and gluconeogenesis in isolated hepatocytes. Proc. Natl. Acad. Sci., 73 : 2762-2766.

Fink, G. D. and Brody, M. J. 1978. Neurogenic control of the renal circulation in hypertension. Fed. Proc., 37 : 1202-1207.

Fiske, C. H. and Subbarao, Y. 1925. The colorimetric determination of phosphorus. J. Biol. Chem., 66 : 375-400.

- Fister, P., Eigenbrodt, E. and Schoner, W. 1982. Inactivation of phosphofructokinase in chicken hepatocytes by epinephrine. Mole. Cell. Endocr., 26 : 19-30.
- Fister, P., Eigenbrodt, E. and Schoner, W. 1983. Glucagon induced inactivation of phosphofructokinase and its counteraction by insulin in isolated hepatocytes from the domestic fowl (Gallus Domesticus). Comp. Biochem. Physiol., 75B:341-345.
- Flemming, W. W. and Kenny, A. D. 1964. The effect of fasting on hyperglycaemic responses to catecholamines in rats. Br. J. Pharmacol., 22 : 267-274.
- Folch, J. Lees, M. and Sloantanley, G. H. 1957. A simple method for the isolation and purification of total lipids from animal tissues. J. Biol. Chem., 226 : 497-509.
- Folin, O. and Malmros, H. 1929. Micromethod for glucose estimation in blood, J. Biol. Chem., 83 : 115.
- Foster, J. L. and Blair, J. 1978. Acute hormonal control of pyruvate kinase and lactate formation in the isolated rat hepatocytes. Arch. Biochem. Biophys., 189 : 263-276.
- Freeman, B. M. 1966. The effects of cold, noradrenaline and adrenaline upon the oxygen consumption and carbohydrate metabolism of the young fowl (Gallus domesticus). Comp. Biochem. Physiol., 18 : 369-382.

- Funder, J. W., Feldman, D. and Edelman, I. S. 1973. Glucocorticoid receptors in the rat kidney: The binding of tritiated DXM. Endocrinology, 92 : 1005-1013.
- Garrison, J. C. and Haynes, R. C. Jr. 1973. Hormonal control of glycogenolysis and gluconeogenesis in isolated rat liver cells. J. Biol. Chem., 248 : 5333-5343.
- Gilbert, A. B. 1969. Innervation of the ovary of the domestic fowl. J. Anat., 54 : 404-411.
- Goodchild, W. M. 1956. Biological aspects of the urinary system of Gallus Domesticus with particular reference to the anatomy of the ureter. M. Sc. Thesis, University of Bristol.
- Guder, W. G. and Wirthenjohn, G. 1979. Metabolism of isolated kidney tubules, interactions between lactate, glutamine and oleate metabolism. Eur. J. Biochem., 99: 559-576.
- Guenther, V. and Klaus, S. 1970. Red cell and plasma cholinesterase activities in microsamples of human and animal blood determined simultaneously by a modified acetylcholine/DTNB procedure. Toxicology, Appl. Pharmacol., 16 : 764-772.
- Guthrie, S. D. and Murphy, Q. R. 1975. Hepatic potassium movements induced by sympathomimetic amines before and after adrenergic blockade. Proc. Soc. Exp. Biol. Med., 149 : 554-558.

- Harper, A. E. 1963. Glucose-6-phosphatase. In: "Methods of enzymic analysis", Bergmeyer Hans-Ulrich (ed) pp.788-792. Academic Press, New York, and London.
- Heald, P. J. 1966. In: "Physiology of the Domestic Fowl". (G. Horthon-Smith and E. C. Amoroso, eds.) pp.113-124. Oliver and Boyd, Edinburgh and London.
- Hems, D. A. and Whitton, P. D. 1973. Stimulation by vasopressin of glycogen breakdown and gluconeogenesis in perfused rat liver. Biochem. J., 136 : 705-709.
- Henning, H. V., Stumpf, B., Ohly, B. and Seubert, W. 1966. On the mechanism of gluconeogenesis and its regulation III. The glucogenic capacity and the activities of pyruvate carboxylase and PEP-carboxylase of rat kidney and rat liver after cortisol treatment and starvation. Biochem. Z., 344 : 274-288.
- Herman, T. S., Fimognari, G. M. and Edelman, J. S. 1968. Studies of renal aldosterone binding proteins. J. Biol. Chem., 243 : 3849.
- Hers, H. G. 1983. The control of glycolysis and gluconeogenesis by protein phosphorylation. Phil. Trans. R. Soc. Lond., B 302 : 27-32.
- Hers, H. G. and Jue, L. 1983. Gluconeogenesis and related aspects glycolysis. Ann. Rev. Biochem., 52 : 617-653.

- Hers, H. G. and Vanschaftingen, E. 1982. Fructose-2,6-biphosphate two years after its discovery. Biochem. J. 206:1-12.
- Himms-Hagen, J. 1967. Sympathetic regulation of metabolism. Pharmacol. Rev., 19 : 367-461.
- Holmes, E. W. Jr. and Discala, V. A. 1970. Studies on the Exaggerated natriuretic response to a saline infusion in the hypothyroid rat. J. Clin. Invest., 49:1224-1236.
- Hornbrook, K. R. 1970. Adrenergic receptors for metabolic responses in the liver. Federation Proc., 29 : 1381-1385.
- Hue, L., Feliu, J. E. and Vanschaftingon, E. 1981. Hormonal regulation of gluconeogenesis. In : "Short-term regulation of liver metabolism". Hue, L. and Van de werve G. (eds.) Elsevier, North-Holland Biomedical press, Amsterdam, pp. 141-158.
- Ingle, D. J. 1952. The role of the adrenal cortex in homeostasis. J. Endocrinol. 8 : 23-27.
- Inui, Y., and Ishioka, H. 1983a. Effects of Insulin and Glucagon on the incorporation of carbon-14-labelled glycine into the protein of the liver and opercular muscle of the eel (Anguilla gapanica) in vitro. Gen. Comp. Endocrinol., 51 : 208-212.

Inui, Y. and Ishioka, H. 1983b. Effects of insulin and glucagon on amino acid transport in the liver and opercular muscle of the eel (*Anguilla japonica*) in vitro. Gen. Comp. Endocrinol., 51 : 213-218.

Ismail-Beigi, F. and Edelman, I. S. 1970. Mechanism of thyroid calorigenesis : Role of active sodium transport. Proc. Natl. Acad. Sci. 67 : 1071-1078.

Ismail-Beigi, F. and Edelman, I. S. 1971. Mechanism of the calorigenic action of thyroid hormone stimulation of  $\text{Na}^+ - \text{K}^+$ -activated adenosine triphosphatase activity. J. Gen. Physiol., 57: 710-722.

Iyedjian, P. B., Kioussis, D., Garcia-Ruiz, J. P. and Hanson, R. W. 1978. In : Regulatory mechanisms of carbohydrate metabolism. Vol.42 FEBS Symposium (Esmann, V. Ed). pp.83-92. Pergamon Press, Oxford-New York.

Jefferson, L. S., Exton, J. H., Butcher, R. W., Sutherland, E. W. and Park, C. R. 1968. Role of adenosine 3',5'-monophosphate in the effect of insulin and anti-insulin on liver metabolism. J. Biol. Chem., 243: 1031-1038.

Jefferson, L. S., Robertson, J. W. and Tolman, E. L. (1973). Effects of hypophysectomy on lactate metabolism in the perfused liver. J. Biol. Chem., 248: 4561-4567.

Johnson, D. W. 1979. Urinary organs In: Formmand function in birds, Vol.1. A. S. King and Mclelland J. (eds) Academic Press, London, pp. 183-235.

Johnson, M. E. and Hallman, H. 19<sup>9</sup>. Effects of morphine on the 6-OHDA induced changes of the postnatal development of central noradrenaline neurons. Med. Biol. (Helsinki) 60 : 191-198.

Johnson, M. E., Das, N. M., Butcher, F. R. and Fain, J. N. 1972. The regulation of gluconeogenesis in isolated rat liver cells by glucagon, insulin dibutyryl cyclic adenosine monophosphate and fatty acids. J. Biol. Chem., 247 : 3229-3235.

Jolin, T. Gonzalez, C. and Herrera, E. 1983. Effects of stratosotocindabetes on L-thyroxine treatment on TSH and GH and circulating glucose and glycerol in thyroidectomized rats. Comp. Biochem. Physiol., 76 A : 265-269.

Joseph, S. K. and McGivan, J. D. 1978. The effect of ammonium chloride and glucagon on the metabolism of glutamine in isolated liver cells from starved rats. Biochem. Biophys. Acta. 543 : 16-29.

Kamm, D. E. and Levinsky, N.G. 1965. The mechanism of denervation natriuresis. J. Clin. Invest., 44 : 93-102.

Kaplan, M. M., Utiger, R. D. 1978. Iodothyronine metabolism in rat liver homogenated. J. Clin. Invest., 61 : 459.

Karnovsky, K. J. and Roots, L. 1964. The direct colouring thiocoline method for cholinesterases. J. Histochem. Cytochem., 12 : 219-221.

Katz, A. I. and Linheimer, M. D. 1973. Renal sodium and potassium activated adenosine triphosphatase and sodium reabsortion in the hypothyroid rats. J. Clin. Invest., 52 : 796-804.

Katz, A. I., Emmanuel, D. S. and Lindheimer, M. D. 1975. Nephron, 15 : 223-249. Cited by Lo et al., 1976.

Kida, K., Nakajo, S., Famiya, F. Toyama, Y. Nakagawa, H. 1978. Renal net glucose release in vivo and its contribution to blood glucose in rats. J. Clin. Invest., 62 : 721-726.

Kida, K., Nishio, T., Yokozawa, T., Nagai, K., Matsuda, H. and Nakagawa, H. 1982. Glucconeogenesis in the kidney in vivo in fed rats. Circadian change and substrate specificity. J. Biochem., Tokyo, 91: 755-760.

King, D. L. 1971. Possible parasympathetic control of insulin release from the endocrine pancreas of the domestic fowl. M. S. Thesis. University of Houston, Houston, Texas.

Kiyoshi, H. and Ichikawa, K. 1982. Localization of 3,5,3-L  $T_3$  receptors in rat kidney mitochondria membrane. Biochem. Biophys. Res. Commun. 106: 920-926.

- Kneer, N. M. and Lardy, H. A. 1983. Regulation of gluconeogenesis by norepinephrine, vasopressin and angiotensin II : A comparative study in the absence and presence of extracellular  $\text{Ca}^{++}$ . Arch. Biochem. Biophys., 225 : 187-195.
- Kneer, N. M., Bosch, A. L., Clark, M. G., Lardy, H. A. 1974. Glucose inhibition of epinephrine stimulation of hepatic gluconeogenesis by blockade of  $\alpha$ -receptor function. Proc. Natl. Acad. Sci., U.S.A. 71 : 4523-4527.
- Kneer, N. M., Wagner, M. J. and Lardy, H. A. 1979. Regulation by calcium of hormonal effects on gluconeogenesis. J. Biol. Chem., 254 : 1260-1268.
- Kostrezewa, R. M. and Jacobowitz, D. M. 1974. pharmacological actions of 6-hydroxydopamine. Pharmacol. Rev., 26 : 199-288.
- Kraus-Friedman, N. 1984. Hormonal regulation of hepatic gluconeogenesis. Physiological Reviews, 64 : 170-259.
- Krebs, H. A. 1963. Renal gluconeogenesis In:"Advances in enzyme regulation", Weber, G. (ed.)7: 273-290, Pergamon Press, Oxford.
- Krebs, H. A. 1964. Gluconeogenesis. Proc. Roy. Soc., B159: 545-564.

- Krebs, H. A. and Yoshida, T. 1963. Renal gluconeogenesis  
2. The gluconeogenic capacity of the kidney cortex of  
various species. Biochem. J., 89: 398-400.
- Krebs, H. A., Bennett, D. A., Gascoyne, T. and Yoshida, T.  
1963. The effect of diet in the gluconeogenic activity  
of rat kidney cortex slices. Biochem. J., 86: 22-27.
- Krut'ko, B. T. 1983. Examination of catecholamine regulation of  
ATPase activity in the mouse liver and kidneys. Prob.  
Endocrinol. 28 : 73-78.
- Kurokawa, K. and Lerner, R. L. 1980. Binding and degradation of  
insulin by isolated renal cortical tubules. Endocrinol.  
106 : 65.
- Landala, B. R. 1960. J. Biol. Chem., 251: 786-7 . Cited by  
Lo et al., 1976.
- LaCuret, F. and Mialhe, P. 1978. Effect of free fatty acid  
and amino acid on glucagon and insulin secretions in  
normal and diabetic chicks. Diabetologia, 15: 313-321.
- Lautt, W. W. 1983. Afferent and efferent neural roles in  
liver function. Progress in neurobiology, 21:323-348.
- Lautt, W. W. and Cote, M. G. 1976. Evaluation of 6-hydroxy-  
dopamine induced sympathectomy in the liver of the cat.  
J. Pharmacol. Exp. Ther., 198 :562-567.

Lautt, W. W., and Cote, M. G. 1977. The effect of 6-OHDA induced hepatic sympathectomy on the early hyperglycaemic response to surgical trauma under anesthesia.

J. Trauma, 17 : 270.

Lautt, W. W. and Wong, C. 1978a. Hepatic parasympathetic neural effects on glucose balance in the intact liver. Can. J. Physiol. Pharmacol., 56 : 679-682.

Lautt, W. W. and Wong, C. 1978b. Hepatic glucose balance in response to direct stimulation of sympathetic nerves in the intact liver of cats. Can. J. Physiol. Pharmacol., 56 : 1022-1028.

Ljungstrom, B., Hjelmquist, G., and Engstrom, L. 1974. Phosphorylation of purified rat liver pyruvate kinase by cyclic 3, 5'-AMP-stimulated protein kinase. Biochem. Biophys. Acta., 358 : 289-298.

Lo, C. S. and Lo, T. N. 1981.  $T_3$  augments the number of membrane bound  $Na^+-K^+$ -ATPase unit, but does not affect the sedimentation properties of plasma components. Endocrinology, 109 : 1473-1478.

Lo, C. S., Todd, R., Liberman, U. A., Edelman, I. S. 1976. Dependence of renal  $Na^+-K^+$ -ATPase activity on thyroid status. J. Biol. Chem. 252 : 7826-7833.

- Lowry, D. H., Rosenbrough, N. J., Farr, A. and Randall, J. 1951. Protein measurement with the folin phenol reagent. J. Biol. Chem., 193 : 265-275.
- MacDonald, M. J., Bentli, AL. A. and Lardy, H. A. 1978. P-enolpyruvate carboxykinase ferroactivator. Distribution and the influence of diabetes and starvation. J. Biol. Chem., 253 : 116-124.
- Malbon, C. C. and Campbell, R. 1982. Thyroid hormone and administration in vivo regulates the activity of hepatic glycogen phosphorylase phosphatase. Endocrinology, 111: 1771-1776.
- Mauger, H. M. 1941. The autonomic innervation of the female genitalia in the domestic fowl and its correlation with the aortic branchings. Am. J. Vet. Res., 2 : 447-452.
- McKenna, O. C. and Angelakos, E. T. 1968. Acetylcholinesterase containing nerve fibres in the canine kidney. Cir. Res., 23 : 645-651.
- McNabb, F. M. anne 1969a. Comparative study of water balance in three species of quail.I. Water turnover in the absence of temperature stress. Comp. Biochem. Physiol., 28 : 1045-1058.
- McNabb, F. M. Anne, 1969b. A comparative study of water balance in three species of quail.II. Utilization of saline drinking solutions. Comp. Biochem. Physiol., 28 : 1059-1074.

Mehan, S. P. 1985. Neuroendocrine control of transport of glucose across membrane of liver cells of pigeon. A Ph. D. Thesis submitted to M. S. University of Baroda, Baroda, India.

Menahan, L. A., Ross, B. D. and Wieland, O. 1968. Acetyl C A level in perfused rat liver during gluconeogenesis and ketogenesis. Biochem. Biophys. Res. Commu., 30: 38-44.

Mcnabb, L. A. and Wieland, O. 1969. Eur J. Biochem., 10: 188-196. Cited by Claus, T. H. and Pilkis, S. J. 1981.

Michael, W. F., Berenberg, R. L., Chaves, R., Vaamonde, C. A. and Papper, S. 1972. Renal handling of sodium and water in the hypothyroid rats. Clearance and micropuncture studies. J. Clin. Invest., 51 : 1405-1412.

Moffat, D. B. 1975. "The mammalian kidney". Cambridge University Press, Cambridge, New York, Melbourne.

Mondon, C. B. and Burton, S. D. 1971. Factors modifying carbohydrate metabolism and effect of insulin in perfused rat liver. Amer. J. Physiol., 220: 724-734.

Muller, M. J. and Seitz, H. J. 1980. Rapid and direct stimulation of hepatic gluconeogenesis by L-triiodothyronine ( $T_3$ ) in the isolated perfused rat liver. Life Sci., 27: 877.

Muller, M. J. and Seitz, H. J. 1981. Dose dependent stimulation of hepatic oxygen consumption and alanine conversion to  $\text{CO}_2$  and glucose by 3,5,3'-triiodo-L-thyronine ( $T_3$ ) in the isolated liver of hypothyroid rats. Life Sci., 28 : 2243.

Muller, M. J., Paschen, U. and Seitz, H. J. 1983. Thyroid hormone regulation of glucose homeostasis in the miniature pig. Endocrinology, 112 : 2025-2031.

Muller, M. J., Thomsen, A., Sibrowski, W., Seitz, H. J. 1982.  $3,5,3'$ - $T_3$  induced synthesis of rat liver PEPCK. Endocrinology, 111 : 1469-1475.

Nagai, K., Inoue, S., Nakagawa, H. 1982. Reciprocal changes in gluconeogenic enzyme activity in liver and kidney by VMH lesion. Amer. J. Physiol., 245 : E14 - E18.

Nashat, F. S. 1974. Topics in renal physiology. In:"Recent advances in physiology", Vol.9, pp. 191-258. Linden, R. J. (ed.), Churchill Livingstone, Edinburgh, London.

Nielson, J. M. 1926. Vagotomy and hypoglycaemic reaction. J. Nervous Mental Disease, 63 : 456-463.

Nishit Sutsuji-Uwo, J. M., Rose, B. D. and Krebs, H. A. 1967. Metabolic activities of the isolated perfused rat kidney. Biochem. J., 103 : 852-862.

- O'Brien, J. P. and Sharpe, A. R. Jr. 1965. Abnormal carbohydrate metabolism in renal failure. Metabolism, 14: 1294.
- Ogata, K., Watford, M., Brady, L. J. and Hanson, R. W. 1982. Mitochondrial phosphoenol pyruvate carboxykinase (GTP) on the regulation of gluconeogenesis and ketogenesis in avian liver. J. Biol. Chem., 257 : 5385-5391.
- Ohmart, R. D. and Smith, E. L. 1970. Use of sodium chloride solutions by the Brewer's sparrow and tree sparrow, Auk, 87 : 329-341.
- Oppenheimer, J. H., Schwartz, H. L. and Surk, M. I. 1974. Tissue differences in the concentration of  $T_3$  nuclear binding sites in the rat : liver, kidney, heart, brain, spleen and testis. Endocrinology, 95 : 897-903.
- Parilla, R., Goodman, M. N. and Toews, C. J. 1974. Effect of glucagon : insulin ratios in hepatic metabolism. Diabetes, 23 : 725-731.
- Patel, P. V. 1978. Studies on certain aspects of metabolism and its regulation in the liver of growing and adult pigeons. A Ph. D. Thesis submitted to M. S. University of Baroda, Baroda, India.
- Pearce, J. 1977. Some differences between avian and mammalian Biochemistry. Int. J. Biochem., 8 : 269-275.

Pearse, A. G. E. 1968. Histochemistry Theoretical and Applied.  
J. A. Churchill Ltd. London.

Pilkis, S. J., Riou, J. P. and Claus, T. H. 1976. Hormonal control of ( $^{14}\text{C}$ ) Glucose synthesis from (4- $^{14}\text{C}$ ) dihydroxyacetone and glycerol in isolated rat hepatocytes.  
J. Biol. Chem., 251 : 7841-7852.

Pilo, B. 1969. Histochemical observation on cholinesterase activity in the liver of a migratory starling (*Sturnus roseus*) and of some non-migratory birds. J. Anim. Morpho. Physiol., 16 : 106-114.

Pilo, B. and Patel, P. V. 1978. Influence of insulin and acetylcholine on transport of glucose and glycogen deposition in liver slices of pigeon and rat. Indian J. Exptl. Biol., 16 : 929-932.

Pilo, B., Patel, P. V. and Verma, R. J. 1983. Effect of bilateral vagotomy on the mechanism concerning with uptake of metabolites in the kidney of domestic pigeons. Pavo, 21 : 19-25.

Pilo, B., Shah, R. V., Asnani, M. V. and Yadav, P. L. 1973a. Comparative histochemical studies on avian liver. 4. Relationship of dietary preference of various representatives birds with the fat and glycogen contents and distribution pattern of histochemically demonstrable lipids in their liver, Pavo, 11 : 12-20.

- Pilo, B., Yadav, P. L., Asnani, M. V. and Shah, R. V. 1973b.  
Comparative histochemical studies on avian liver 5.
- Relationship of dietary preferences with distribution patterns of lipase, esterase and B-hydroxy utyrate dehydrogenase in the liver of various representative birds. Pavo, 11 : 61-70.
- Pilo, B., Viswanathan, M., George, J. C. and Etches, R. J. 1985.  
Effects of vagotomy on circulating levels of corticosterone and catecholamines in the pigeon. (Communicated).
- Pilkis, S. J., El-maghrabi, M., McGrane, M., Pilkis, J., Fox, E. and Claus, T. H. 1982. Fructose-2,6-bisphosphate: a mediator of hormone action at the fructose 6-phosphate/fructose 1,6-bisphosphate substrate cycle. Molec. Cell. Endocrinol., 25 : 245-266.
- Portis, S. A. and Zitmin, I. H. 1943. A mechanism of fatigue in neuro-psychiatric patients. J. Amer. Med. Assoc., 121 : 569-573.
- Rabinovitch, A. and Dupre, J. 1974. Effects of the gastric inhibitory polypeptide present in impure pancreozymin-cholysystokinin on plasma insulin and glucagon in the rat. Endocrinology, 94 : 1139-1144.
- Radu, C. 1975. Les Fosses Renales des oiseaux domestiques (*Gallus domesticus*) *meleagris gallopavo*, *Anser domesticus* et *Anas platyrhynchos*). Anat. Histol. Embryol., 4 : 10-23.

- Raheja, K. L., Linscheer, W. G., Coulson, R., Wentworth, S. and Fineberg, S. E. 1980. Elevated insulin/glucagon ratios and decreased cyclic AMP levels accompany the glycogen and triglyceride storage syndrome in the hypothyroid chick. Hormone Metab. Res., 12 : 51-55.
- Rinard, G. A., Okuno, G. and Haynes, R. C. Jr. 1969. Stimulation of gluconeogenesis in rat liver slices by epinephrine and glucocorticoids. Endocrinology, 84 : 622-631.
- Rintamaki, H. and Nikula, A. 1982. Circadian variation of temperature regulation in the sympathectomized pigeon. J. Therm. Biol., 7 : 69-73.
- Rognstad, R. 1976. Int. J. Biochem., 7 : 403-408. Cited by Claus, T. H. and Pilkis, S. J. 1981.
- Ross, B. D., Hems, R. and Krebs, H. A. 1967. The rates of gluconeogenesis from various precursors in the perfused rat liver. Biochem. J., 102 : 942-951.
- Soakyan, Zh. D. and Oganesyan, V. S. 1982. Participation of different modulators in the regulation of rat kidney mitochondrial glutaminase activity and role of thyroid hormones in this process. Biol. Zh. Arm., 35 : 264-271.
- Samols, E., Tyler, J. M., Marks, V. and Mialhe, P. 1969. The physiological role of glucagon in different species. Proceedings of the 3rd international congress on endocrinology, pp. 206-219. Excerpta Medica, Mexico.

- Scrutton, M. C. and Utter, M. F. 1968. Annu. Rev. Biochem.  
37 : 249-302. Cited by Claus, T. H. and Pilkis, S.J.  
1981.
- Segal, J. and Ingber, S. H. 1980. Stimulation of 2-Deoxy-D-Glucose uptake in rat thymocytes in vitro by physiological concentration of  $T_3$ , insulin and epinephrine. Endocrinology, 107 : 1357.
- Seifter, K. T. and Maw, T. T. 1978. The effect of fasting on glucose-6-phosphatase in mouse liver and kidney. Enzyme (Basel) 23 : 70-72.
- Sestoft, L. and Heding, L. G. 1981. Hypersecretion of proinsulin in thyrotoxicosis. Diabetologia, 21 : 103.
- Shah, R. V., Pilo, B., Asnani, M. V. and Yadav, P. L. 1972a. Comparative histochemical studies on avian liver.1. Relationship of dietary peculiarities with the distribution pattern of histochemically demonstrable alkaline and acid phosphatase in liver of representative birds. Pavo, 10 : 58-70.
- Shah, R. V., Pilo, B., Asnani, M. V. and Yadav P. L. 1972b. Comparative histochemically studies on avian liver.2. Pattern of distribution of hepatic cholinesterase in the birds with various dietary preferences. Pavo, 10: 71-79.

- Shah, R. V., Asnani, M. V., Yadav, P. L. and Pilo, B. 1975.  
Comparative histochemical studies on liver. 3..  
Relationship of dietary preferences of various representative birds with the distribution of Adenosine Triphosphatase in their livers. J. Anim. Morphol. Physiol., 22 : 60-64.
- Shah, R. V., Patel, S. T., and Pilo, B. 1976. Adaptive changes in the activities of acid and alkaline phosphatase in the liver and kidney of migratory birds, wagtail (Motacilla alba) and Rosy pastor (Sturnus roseus). J. Anim. Morph. Physiol., 23 : 90-100.
- Shainberg, A., Brik, H. Barshavit, R. and Sampson, S. R. 1984.  
Inhibition of acetylcholine receptor synthesis by thyroid hormones. J. Endocrinol., 101 : 141-147.
- Shen, C. S. and Mistry, S. P. 1979. Development of gluconeogenic, glycolytic and pentose-shunt enzymes in the chicken kidney Poult. Sci., 58 : 663-667.
- Shimazu, T. 1983. Reciprocal innervation of liver: It's significance in metabolic control. In: Advances in metabolic disorders, Vol.10. Academic Press, pp.355-384.
- Sibrowski, W., Mueller, M. J., Thomsen, A. and Seitz, H. J. 1982. Renal phosphoenol pyruvate carboxykinase (E.C.4.1.1.3.2.) turnover in hypothyroid and hyperthyroid rat in vivo. Biochim. Biophys. Acta. 717 : 20-25.

Sigma Technical Bulletin No.104. Sigma Chemical Co.,3500,  
Dekalb St.Louis 18, MO, U.S.A.

Singh, S. P. and Synder, A. K. 1978. Effect of thyrotoxicosis  
on gluconeogenesis from alanine in the perfused rat  
liver. Endocrinology, 102 : 182-187.

Sinha, S. K., Rodriguez, H. J., Hogan, W. C. and Klahr, S. 1981.  
Mechanisms of activation of renal  $\text{Na}^+ - \text{K}^+$ -ATPase in the  
rat effect of acute and chronic administration of DXM.  
Biochim. Biophys. Acta., 641 : 20-30.

Sitbon, G. and Mialhe, P. 1978. Pancreatic hormones and plasma  
glucose : Regulation mechanisms in the goose under physi-  
ological conditions.I. Pancreatectomy and replacement  
therapy. Hormone metab. Res., 10 : 12-16.

Sivaramakrishnan, S. and Ramasarma, T. 1983. Norepinephrine  
stimulates SDH through B-adrenergic receptors. Ind. J.  
Biochem. Biophys., 20 : 16-22.

Skadhauge, 1974a. Renal concentrating ability in selected west  
Australian birds. J. Expt. Biol., 61: 269-276.

Stanstny, F. 1971. Hydrocortison as a possible inducer of  
 $\text{Na}^+ - \text{K}^+$ -ATPase in the chick embryo cerebral hemisphere.  
Brain Res., 25 : 397-410.

- Stella, A. and Zanchetti, A. 1977. Effects of renal denervation on renin release in response to tilting and/or furosemide. Amer. J. Physiol., 232 : H500-H507.
- Sutherland, S. D. 1964. An evaluation of cholinesterase techniques in the study of the intrinsic innervation of the liver. J. Anat. (London), 98 : 321-326.
- Svedmyr, N. 1966. Studies on the relationship between some metabolic effects of thyroid hormones and catecholamines in animals and man. Acta. Physiol. Scand. (Suppl. 274) 68 : 1.
- Swaneck, G. E., Chu-H, L. L. and Edelman, I. S. 1970. Stereospecific binding of aldosterone to renal chromatin. J. Biol. Chem., 245 : 5382.
- Szepesi, B., Avery, E. H. and Freedland, R. A. 1970. Role of kidney in gluconeogenesis and amino acids catabolism. Amer. J. Physiol., 216 : 1627-1631.
- Tata, J. R., Ernster, L., Lindberg, O., Arhenius, E., Pedersen, S. and Hedman, R. 1962. Biochem. J. 86 : 408. Cited by Oppenheimer et al., 1974.
- Tapbergenov, S. D. 1982. Catecholamine metabolism and mitochondrial enzyme activity. Vopr. Med. Khim., 26 : 52-58.

Tapbergenov, S. O. 1982. Thyroid hormones and mitochondrial cytochrome 'C'-reductase activity. Probl. Endocrinol. 28 : 49-53.

Thurau, K. W. C. 1967. Renal circulation, In: "The physiological basis of medical practice", Best, C. H. and Taylor, N.B. (Eds.) pp. 868-882. Indian Edition, Scientific Book Agency. Calcutta.

Tibbling, G., Gederquist, E. and Lundquist, A. 1969. Plasma glycerol and glycerol turnover during treatment of hyperthyroidism. Clin. Chim. Acta., 25 : 189.

Tolman, E. L., Schworer, C. M. and Jefferson, C. S. 1973. Effects of hypophysectomy on amino acids metabolism and gluconeogenesis in the perfused rat liver. J. Biol. Chem., 248 : 4552-4560.

Trutnove and Thoenen 1967. Pharmacol. Rev., 26 : 199-288.  
Cited by Kostrezewa, R. M. and Jacobowitz, D. M. 1974.

Trutnov, E. I. 1970. The nervous regulation of hormone formation in the adrenal cortex. VCH. ZAP. Kazan. Vet. Inst. 103: 59-84.

Tsukasa, S., Shiota, M., Khona, H. and Shimada, M. 1982. Stimulation of gluconeogenesis by glucagon and norepinephrine in perfused chicken liver. J. Biochem. (Tokyo), 92 : 111-120.

Ui, M., Exton, J. H. and Park, C. R. 1973. Effects of glucagon on glutamate metabolism in the perfused rat liver. J. Biol. Chem., 248 : 5350-5359.

Unger, R. H. 1971. Pancreatic glucagon in health and disease. Adv. Int. Med., 17 : 265-288.

Vanlan, V., Yamaguchi, N., Garcia, M. J., Ramly, E. R. and Penhos, J. C. 1974. Effect of hypophysectomy and adrenalectomy on glucagon and insulin concentration. Endocrinology, 94 : 671-675.

Varley, H. 1975. Caolometric method. In "Practical clinical biochemistry", By Varley, H., published by Arnold-Heinemann publishers (India) Private Ltd. Indian Edition, 1975.

Veneziale, C. M. 1971. Biochemistry, 10 : 3443-3447. Cited by Her and Hue 1983.

Veneziale, C. M. 1972. Biochemistry, 11 : 3286-3289. Cited by Her and Hue 1983.

Verma, R. J., Patel, P. V. and Pilø, B. 1984. Alterations of renal gluconeogenesis in bilaterally vagotomized pigeons. Pavo, 22 : (in press).

Veverbrants, E., Olsan, W., Arky, R. A. 1969. Role of gastro-intestinal factors in reactive hypoglycaemis. Metabolism, 18 : 911-916.

Yip, B. P. and Lardy, H. A. 1981. The role of calcium in the stimulation of gluconeogenesis by catecholamines. Arch. Biochem. Biophys., 217 : 370-377.

Yuli, I., Incerpi, S., Luly, P. and Shintzky, M. 1982. Insulin stimulation of glucose and amino acid transport in mouse fibroblasts with elevated microviscosity. Experientia, 38 : 1114-1115.

Yun, J. C. H., Kelly, G. D. and Barter, F. C. 1977. Effect of propranolol on renin release in the dog. Can. J. Physiol. Pharmacol., 55 : 747-754.

Wahren, J., Wennlund, A., Son Nilsson, L. H. Felig, P. 1981. Influence of hyperthyroidism on splanchnic exchange of glucose and gluconeogenic precursors. J. Clin. Invest., 67 : 1056.

Ward, J. M., McNabb, R. A. and McNabb, F. M. Anne 1975a. The effects of changes in dietary protein and water availability on urinary nitrogen compounds in the rooster, Gallus domesticus. I. Urine flow and the excretion of uric acid and ammonia. Comp. Biochem. Physiol., 51A: 165-169.

Ward, J. M., McNabb, R. A. and McNabb, F. M. Anne 1975b. The effects of changes in dietary protein and water availability on urinary nitrogen compounds in the rooster, Gallus domesticus-II Diurnal patterns in urine flow rates, and urinary uric acid and ammonia concentrations. Comp. Biochem. Physiol., 51A : 171-174.

- Watford, M. 1985. Gluconeogenesis in the chicken : Regulation of PEPCK gene expression. Fed. Proc., 44 : 2469-2474.
- Watford, M., Hod, Y., Chiaoy, B., Utter, M. F. and Hanson, R. W. 1981. The unique role of the kidney in gluconeogenesis in the chicken. The significance of a cytosolic form of phosphoenolpyruvate carboxykinase. J. Biol. Chem., 256 : 10023-10027.
- Weaver, L. C., Fry, H. K. and Meckler, R. L. 1984. Differential renal and splenic nerve responses to vagal and spinal afferent inputs. Amer. J. Physiol., 246 : R78-R87.
- Whitton, P. D., Rodrigues, L. M. and Hems, D. A. 1978. Stimulation of vasopressin, Angiotensin and Oxytocin of gluconeogenesis in hepatocytes suspensions. Biochem. J., 176 : 893-898.
- Wilbrandt, W. 1975. Energetics of sugar transport. In: "Comparative physiology-functional aspect of structural materials". Bolis, L. Maddrell, H. P., Schmidt-Nielson, K.(eds.), North Holland Publishing Company, Amsterdam.
- Williamson, J. R., Browning, E. T., Thurman, R. G., and Scholz, R. 1969. Inhibition of glucagon effects in perfused rat liver. by (+) Decanolcarnitine. J. Biol. Chem., 244 : 5055-5064.