LIST OF FIGURES

.

.

•

•

Fig.	1: Anatomical structures of the eye	5
Fig.	2: Schematic diagram showing diposition of drugs instilled into the eye	B
Fig.	3: Chromatogram showing separation of (1) Ciprofloxacin ethylenediamine analog (Analog-A) and (2) Ciprofloxacin	3
Fig.	 4: Chromatogram showing separation of (1) Analog-A, (2) Ciprofloxacin and (3) Dexamethasone	в
Fig.	5a: Infra-red spectrum of Ciprofloxacin hydrochloride USP	4
Fig.	5b: Infra-red spectrum of Ciprofloxacin hydrochloride USP sterilized by ethylene oxide 10	5
Fig.	6a: Chromatogram of (1) Ciprofloxacin HCl USP and (2) Ciprofloxacin HCl USP sterilized by ethylene oxide	8
Fig.	7a: Infra-red spectrum of Dexamethasone IP 10	9
Fig.	7b: Infra-red spectrum of Dexamethasone IP sterilized by heating at 140°C in hot air oven 11	0
Fig.	7c: Infra-red spectrum of Dexamethasone IP sterilized by heating at 140°C <i>in vacuo</i> 11	1
Fig.	8: Chromatograms of (a) Dexamethasone IP, (b) Dexamethasone IP sterilized by heating at 140°C in hot air oven and (c) Dexamethasone IP sterilized by heating at 140°C in vacuo	2
Fig.	9: DSC scan of (1) Dexamethasone IP, (2) Dexamethasone IP sterilized by heating at 140°C in hot air oven and (3) Dexamethasone IP sterilized by heating at 140°C <i>in vacuo</i> 113	3
Fig.	10: In vitro release profile of ciprofloxacin from gels prepared with different concentrations of Pluronic F-127	7
Fig.	11: Photographs of the rabbit eyes: (a) normal eye (b) infected eye treated with normal saline, (c) infected eye treated with ciprofloxacin alone and (d) infected eye treated with ciprofloxacin and dexamethasone 170	8

Fig.	12:	Aqueous humour concentration - time profile of ciprofloxacin following instillation of a single dose of the prepared conventional solution and Ciplox ^R	183
Fig.	13:	Aqueous humour concentration - time profile of ciprofloxacin following instillation of multiple doses of the prepared conventional solution and ciprofloxacin long acting gel	183
Fig.	14:	Aqueous humour concentration - time profile of ciprofloxacin following instillation of multiple doses of the prepared conventional solution and ciprofloxacin ointment	185