LIST OF TABLES

Table No.		Page
1	Endogenous excretion in adults	4
2	Endogenous excretion in different species	6
3	End products of protein and purine metabolism in different organisms correlated with the occurrence of enzymes.	7
4	Creatinine excretion of adults on protein free or low protein diet.	10
5	Proportion of skeletal muscle in the bodies of various animals.	12
6	Creatinine excretion in different species on protein free diet.	13
7	The influence of body size on the metabolism of energy and protein.	15
8	Creatine kinetics in children and adults.	24
9	Changes in creatinine excretion during prolonged starvation.	49
10	Changes in creatinine excretion in starvation and semi-starvation studies.	50
11	Changes in creatinine excretion during prolonged semi-starvation.	52
12	Details of the studies on adult men and women.	61
13	Details of the studies on children and adolescents.	62
14	Parameters measured in different groups.	63
15	The application of criteria used for ascertaining the reliability of urine collections to data on selected subjects.	64
16	Day to day variations in nitrogenous constituents of urine in an adult male.	69
17	Comparative data on creatinine excretion in	70

•	-: 2 :	
Table N	<u>o •</u>	Page
18	The composition of the diets	75
19	Reagents and standards used for various estimations.	81
20	Composition of diets consumed by post- graduate students.	91
21	Analysed values for nutrient content as compared to calculated values.	92
22	Energy and protein intakes of men students	93
23	Energy and protein intakes of women students	94
24	Energy intakes of adult men and women as compared to basal metabolic requirements.	95
25	Urinary excretion of nitrogen in relation to estimates of food nitrogen in men and women.	97
26	Reported values for urinary nitrogenous constituents $_{\zeta}^{in}$ adult men (Indian studies).	98
27	Reported values for creatinine excretion in adultmen and women (Indian studies).	100
28	Reported values for creatinine excretion in the west (men).	101
29	Reported values for creatinine excretion in the West (women).	103
30	Studies on creatinine excretion in malnourished and obese women.	104
31	Consistency of the values for basal metabolism in men.	106
32	Consistency of the values for basal metabolism in women.	108
33	Basal metabolic rates in adult men	110.
34	Basal metabolic rates in adult women	111
35 /	Comparative data on variation in different urinary nitrogenous constituents in men and women.	113

Table No.		Page
36	Day to day and diurnal variation in creatinine excretion in men.	114
37	Day to day and diurnal variation in creatinine excretion in women.	115
38	Protein and energy intakes of military personnel.	117
39	Urinary excretion of creatinine and nitrogen in military personmel.	120
40	Urinary excretion of nitrogenous constituents in military personmel.	122
41	Data on variation in different urinary nitrogenous constituents in military personmel.	125
42	Individual data on urinary excretion of nitrogenous constituents in men belonging to the low income group.	126
43	Individual data on urinary excretion of creatinine and total nitrogen in young and elderly men.	128
44	Urinary excretion of nitrogenous constituents in young and elderly men.	130
4 5	Comparative data on urinary excretion of nitrogen and creatinine in adult men.	133
46	Comparative data on urinary excretion of nitrogenous constituents in adult men.	137
46a	The comparative data of table 46 expressed as percentages of those for postgraduates.	138
47	Contribution of various urinary nitrogenous constituents to total nitrogen in adult men.	139
48	Energy and protein intakes in the elderly as compared to estimates of BMR.	140
49	Contribution of urinary nitrogenous constituents to total nitrogen in adult men (Indian studies).	143

•

ţ

-: 4 :		
Table No.		Page
50	Values reported for the urinary excretion of nitrogenous constituents in other countries in men.	145
51	Contribution of urinary nitrogenous constituents to total nitrogen in other countries in men.	147
52	Comparative data on the urinary excretion of nitrogen and creatinine in different groups of women.	154
5 2 a	Individual values for the data of Table 52.	156
5 3	Creatinine excretion in poor and upper class men and women in Baroda.	161
5 4	Urinary excretion of nitrogen and creatinine during pregnancy and lactation.	162
55	Comparative data on urinary excretion of nitrogen and creatinine in pregnant and parturient women in Kerala.	163
55 a	Individual values for the data of Table 55	164
56	Values reported for creatinine excretion in pregnant, parturient and lactating women.	167
57 57	Comparative data on the urinary excretion of nitrogenous constituents in women in Baroda.	168
57a	Individual values for the data of Table 57	170
58	Calorie and protein intakes during pregnancy and lactation.	176
59	Frequency distribution for the urinary excretion of nitrogen in different groups in Baroda.	177
60	Frequency distribution for the urinary excretion of creatinine in different groups in Baroda.	178
61	The nutritional stress of reproduction in rat and women.	180

,

•

Table No.	-	Page
62	Urinary excretion of nitrogenous constituents in pregnant and parturient women in Kerala.	181
62a	Individual values for the data of Table 62	183
63	Urinary excretion of nitrogenous constituents in poor pregnant women in Baroda.	186
63a	Individual values for the data of Table 63	188
64	Weights and heights of boys and girls in the low and high income group.	190
65	Dietary intakes of school boys and adolescents.	192
66	Nutrient provided by the diets of school boys and adolescents.	193
67	Urinary excretion of nitrogen and creatinine in boys in relation to socio-economic status.	194
68	Urinary excretion of nitrogen and creatinine in girls in relation to socio-economic status.	196
68a	Significance of differences between means of groups in Table 67 and 68 (boys vs girls and LIG vs HIG).	198
68 b	Significance of differences between means of different age groups in Tables 67 and 68.	199
69	Individual values for the data of Table 67	200
70	Individual values for the data of Table 68	207
71	The values for boys and girls as percent of adult values.	218
71 a	Values for creatinine in boys and girls in the low Income Group as per cent those in the High Income Groups.	219
71 b	Values for creatinine in Low and High Income Group girls as percent those in the boys.	220

Table No.		Page
72	Values reported for creatinine excretion for boys of different age in the West.	222
73	Values reported for creatinine excretion in different age groups.	223
74	Urinary excretion of various nitrogenous constituents in boys in relation to socio-economic status.	225
75	Urinary excretion of various nitrogenous constituents in girls in relation to socio-economic status.	227
75a	Significance of differences between means of groups in Tables 74 and 75 (boys vs girls).	229
75b	Significance of differences between means of groups in Tables 74 and 75 (LIG vs HIG).	230
7 50	Significance of differences between means of different age groups in Table 74.	231
7 5d	Significance of differences between means of different age groups in Table 75.	232
76	Individual values for the data of Table 74	233
76a	Individual values for the data of Table 75.	240
77	Contribution of various nitrogenous constituents to total nitrogen in boys in relation to socio-economic status.	251
78	Contribution of various nitrogenous constituents in girls in relation to socio-economic status.	253
7 9	Urinary excretion of creatinine in mal- nourished children before and after dietary rehabilitation.	257 ,
80	Urinary excretion of various nitrogemus constituents in malnourished children before and after dietary rehabilitation.	258
81	Urinary excretion of various nitrogerous constituents in malnourished children	260

Table No.		Page
81a	Individual values for the data of Table 81	261
82	Contribution of various nitrogenous constituents to total nitrogen in malnourished children before and after dietary rehabilitation.	266
83	Contributions of various nitrogenous constituents to total nitrogen reported by other investigators.	267
84	Weight gains of malnourished children subjected to dietary rehabilitation as comparêd to expected gains.	268
85	Nitrogen metabolism in nutritional deficiency	270
85 a	Individual values for the data of Table 85	271
86	Estimated calories available for basal metabolism in undernourished and control rats.	2 7 9
87	Creatinine excretion in rats during protein deficiency and undernutrition.	280
8 7a	Individual values for the data of Table 87	281
88	Creatinine in relation to body composition in protein deficiency and undernutrition.	287
88a	Individual values for the data of Table 88	288
89	Urinary excretion of creatinine and creatinine in protein deficiency in rats.	291
89a	Individual values for the data of Table 89	292
90	Reported values for creatinine excretion in rats with variation in dietary protein.	294
91	Composition of carcass of protein deficient and undernourished rats.	296
9 1 a	Individual values for the data of Table 91	29 7
92	Composition of carcass of protein deficient and undernourished rats.	300

Table No.		Page
93	Nitrogenous constituents in urine in protein deficient and undernourished rats.	303
93a	Individual values for the data of Table 93	304
94	Contribution of various nitrogenous constituents to total nitrogen in urine in protein deficient and undernourished rats.	308
95	Weight loss during eight days of starvation	311
96	Urinary excretion of nitrogenous constituents during starvation.	313
97	Comparative data on nitrogenous metabolites in urine during starvation.	314
98	Thermogenesis following a standard breakfast in men.	318
99	Thermogenesis following a standard breakfast in women.	320
100	Increase in heat production following lunch	324
101	Thermogenesis during 4 hours following a standard breakfast in men.	325

•

•

.

LIST OF FIGURES

Figure_No	<u>.</u>	Page
1	Formation, metabolism and excretion of creating and creatinine.	8
2	Effect of protein deficiency on food intake in the rat.	277
3	Effect of protein deficiency or food restriction on growth of rats.	278