

B
I
B
L
I
O

B **I** B L I O G R A P H Y

R
A
P
H
Y

BIBLIOGRAPHY

- Abdel-Latif, A.A. (1976). In : Function and Metabolism of Phospholipids in the Central and Peripheral Nervous Systems (Porcellati, G., Amaducci, L. and Galli, C. eds.) pp. 227-256. Plenum Press, New York.
- Abdel-Latif, A.A. (1983). Metabolism of phosphoinositides, In : Handbook of Neurochemistry. Vol. 3, 2nd edn. (Lajtha, A. ed.) pp. 91-131. Plenum Press, New York.
- Abdel-Latif, A.A., Akhtar, R.A. and Hawthorne, J.N. (1977). Acetylcholine increases the breakdown of triphosphoinositide in rabbit iris muscle prelabelled with (^{32}P -) phosphate. Biochem. J., 162, 61-73.
- Abdel-Latif, A.A., Akhtar, R.A. and Smith, J.P. (1978b). Studies on the role of triphosphoinositide in cholinergic muscarinic and α -adrenergic receptor function of iris smooth muscle. In : Cyclitols and Phosphoinositides. (Wells, W.W. and Eisenberg-Jr, F. eds.) pp. 121-143. Academic Press. New York.
- Abdel-Latif, A.A., Green, K., Smith, J.P., McPherson, J.C. and Matheny, J.L. (1978a). Norepinephrine-stimulated breakdown of triphosphoinositide of rabbit iris smooth muscle : Effects of surgical sympathetic denervation and in vivo electrical stimulation of the sympathetic nerve of the eye. J. Neurochem., 30, 517-525.

- Abdel-Latif, A.A., Yau, S.J. and Smith, J.P. (1974). Effect of neurotransmitters on phospholipid metabolism in rat cerebral cortex slices - cellular and subcellular distribution. *J. Neurochem.*, 22, 383-393.
- Agrawal, H.C., Banik, N.L., Bone, A.H., Davison, A.N., Mitchell, R.F. and Spohn, M. (1970). The identity of a myelin-like fraction isolated from developing brain. *Biochem. J.*, 120, 635-642.
- Agrawal, H.C., Fishman, M.A. and Prensky, A.L. (1971). A possible block in the intermediary metabolism of glucose into proteins and lipids in the brains of undernourished rats. *Lipids*, 6, 431-433.
- Akhtar, R.A. and Abdel-Latif, A.A. (1978). Studies on the properties of triphosphoinositide phosphomonoesterase and phosphodiesterase of rabbit iris smooth muscle. *Biochim. Biophys. Acta.*, 527, 159-170.
- Akhtar, R.A. and Abdel-Latif, A.A. (1980). Requirement for calcium ions in acetylcholine-stimulated phosphodiesteratic cleavage of phosphatidyl-myo-inositol 4,5-bisphosphate in rabbit iris smooth muscle. *Biochem.J.*, 192, 783-791.
- Akhtar, R.A. and Abdel-Latif, A.A. (1982). Effects of Na^+ , Ca^{2+} and acetylcholine on phosphoinositide and ATP-phosphate turnover in ^{32}P -labelled rabbit iris smooth muscle. *J. Neurochem.*, 39, 1374-1380.

- Alberghina, M., Karlsson, J.O. and Giuffrida, A.M. (1982).
Rapid migration of inositol phospholipids with axonally
transported substances in the rabbit optic pathway.
J. Neurochem., 39, 223-227.
- Allan, D. and Michell, R.H. (1975). Accumulation of 1,2-dia-
cylglycerol in the plasma membrane may lead to echinocyte
transformation of erythrocytes. *Nature (Lond.)*, 258,
348-349.
- Allan, D. and Michell, R.H. (1978). A calcium-activated
polyphosphoinositide phosphodiesterase in the plasma
membrane of human and rabbit erythrocytes. *Biochim.*
Biophys. Acta., 508, 277-286.
- Allison, J.H. (1978). Lithium and brain myo-inositol
metabolism. In : *Cyclitols and Phosphoinositides*
(Wells, W.W. and Eisenberg-Jr, F. eds) pp. 507-519.
Academic Press, New York.
- Allison, J.H., Boshans, R.L., Hallcher, L.M., Packman, P.M.
and Sherman, W.R. (1980). The effects of lithium on
myo-inositol levels in layers of frontal cerebral cortex,
in cerebellum and in corpus callosum of the rat.
J. Neurochem., 34, 456-458.

- Anderson, D.B. and Holub, B.J. (1976). The influence of dietary inositol on glyceride composition and synthesis in livers of rats fed different fats. *J. Nutr.*, 106, 529-536.
- Anderson, D.B. and Holub, B.J. (1980a). Myo-inositol responsive liver lipid accumulation in the rat. *J. Nutr.*, 110, 488-492.
- Anderson, D.B. and Holub, B.J. (1980b). The relative response of hepatic lipids in the rat to graded levels of dietary myo-inositol and other lipotropes. *J. Nutr.*, 110, 496-502.
- Armitage, I.M., Shapiro, D.L., Furthmayr, H. and Marchesi, V.T. (1977). ^{31}P Nuclear magnetic resonance evidence for polyphosphoinositide associated with the hydrophobic segment of glycophorin A. *Biochemistry*, 16, 1317-1320.
- Arockiadoss, S. (1982). Studies on rat intestinal lipids with special reference to nutritional deficiencies. Ph.D. Thesis. M.S. University of Baroda, Baroda, India.
- Asada, K., Tanaka, K. and Kasai, Z. (1969). Formation of phytic acid in cereal grains. *Ann. N.Y. Acad. Sci.*, 165, 801-814.
- Atherton, R.S. and Hawthorne, J.N. (1968). The phosphoinositide inositol phosphohydrolase of guinea-pig intestinal mucosa. *Europ. J. Biochem.*, 4, 68-75.

- Atherton, R.S., Kemp, P. and Hawthorne, J.N. (1966). Phospho-
inositide inositol phosphohydrolase of guinea-pig
intestinal mucosa. *Biochim. Biophys. Acta.*, 125, 409-412.
- Baricos, W.H., Hurst, M.W. and Huggins, C.G. (1979). The
effect of cyclic nucleotides and some related agents on
 $^{32}\text{P}_i$ labeling of renal polyphosphoinositides in vitro.
Arch. Biochem. Biophys., 196, 227-232.
- Barkai, A.I. (1981). Myo-inositol turnover in the intact rat
brain : Increased production after d-amphetamine.
J. Neurochem., 36, 1485-1491.
- Barnes, D. and Altman, J. (1973). Effects of different
schedules of early undernutrition on the pre-weaning
growth of the rat cerebellum. *Exp. Neurol.*, 38, 406-419.
- Bartlett, G.R. (1959). Phosphorus assay in column chromato-
graphy. *J. Biol. Chem.*, 234, 466-468.
- Bass, N.H., Netsky, M.G. and Young, E. (1970). Effect of
neonatal malnutrition on developing cerebrum : II
Microchemical and histologic study of myelin formation
in the rat. *Arch. Neurol.*, 23, 303-313.
- Bell, R.L., Baenziger, N.L. and Majerus, P.W. (1980).
Bradykinin-stimulated release of arachidonate from
phosphatidylinositol in mouse fibrosarcoma cells.
Prostaglandins, 20, 269-274.

- Bell, M.E., Peterson, R.G. and Eichberg, J. (1982). Metabolism of phospholipids in peripheral nerve from rats with chronic streptozotocin-induced diabetes : Increased turnover of phosphatidylinositol-4,5-bisphosphate. *J. Neurochem.*, 39, 192-200.
- Benabe, J.E., Spry, L.A. and Morrison, A.R. (1982). Effects of angiotensin II on phosphatidylinositol and polyphosphoinositide turnover in rat kidney. Mechanism of prostaglandin release. *J. Biol. Chem.*, 257, 7430-7434.
- Benamins, J.A. and Agranoff, B.W. (1969). Distribution and properties of CDP-diglyceride : Inositol transferase from brain. *J. Neurochem.*, 16, 513-527.
- Benamins, J.A. and Mckhann, G.M. (1981). Development, regeneration and aging of the brain. In : *Basic Neurochemistry*. 3rd edn. (Siegel, G.J., Albers, R.W., Agranoff, B.W. and Katzmann, R. eds.) pp. 445-470. Little Brown and Company. Boston.
- Benton, J.W., Moser, H.W., Dodge, R.R. and Carr, S. (1966). Modification of the schedule of myelination in the rat by early nutritional deprivation. *Pediatrics*, 38, 801-807.
- Berridge, M.J. (1983). Rapid accumulation of inositol trisphosphate reveals that agonists hydrolyse polyphosphoinositides instead of phosphatidylinositol. *Biochem. J.*, 212, 849-858.

- Berridge, M.J. (1984). Inositol trisphosphate and calcium mobilization. Abstr. Chilton Conference, on "Inositol and Phosphoinositides." Dallas. Texas.
- Berridge, M.J., Dawson, R.M.C., Downes, C.P., Heslop, J.P. and Irvine, R.F. (1983). Changes in the levels of inositol phosphates after agonist-dependent hydrolysis of membrane phosphoinositides. *Biochem. J.*, 212, 473-482.
- Bhandari, S.D., Chandrasekhar, R. and Rawal, S. (1980). Polyphosphoinositide metabolism in intestine of neonatally undernourished rats. *Nutr. Rep. Int.*, 21, 551-556.
- Bidot-Lopez, P., Farese, R.V. and Sabir, M.A. (1981). Parathyroid hormone and adenosine-3'-5'-monophosphate acutely increase phospholipids of the phosphatidate-polyphosphoinositide pathway in rabbit kidney cortex tubules in vitro by a cycloheximide-sensitive process. *Endocrinology*, 108, 2078-2081.
- Birnberger, A.C. and Eliasson, S.G. (1970). Experimental ischemia and polyphosphoinositide metabolism. *Neurology*, 20, 356-360.

- Bishop, H.H. and Strickland, K.P. (1976). Studies on the formation by rat brain preparations of CDP-diglyceride from CTP and phosphatidic acids of varying fatty acid composition. *Can. J. Biochem.*, 54, 249-260.
- Bloom, F.E. (1980). Neurohumoral transmission and the central nervous system. In : The pharmacological basis of therapeutics. 6th edn. (Gilman, A.G., Goodman, L. and Gilman, A. eds.) pp. 235-257, Macmillan, New York.
- Blyatt, H.J. and Kim, K.H. (1982). Phosphoinositide inhibition of acetyl-CoA carboxylase from rat liver. *Arch. Biochem. Biophys.*, 213, 523-529.
- Booher, L.E., Behan, I. and McMeans, E. (1951). Biological utilization of unmodified and modified food starches. *J. Nutr.*, 45, 75-95.
- Borgese, T.A. and Nagel, R.L. (1977). of : Holub, B.J. The Nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : Advances in Nutritional Research. Vol. 4 (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York.
- Bostwick, J.R. and Eichberg, J. (1981). Detergent solubilization and hydrophobic chromatography of rat brain phosphatidylinositol kinase. *Neurochem. Res.*, 6, 1053-1065.
- Brockhoff, H. and Ballou, C.E. (1962). Phosphate incorporation in brain phosphoinositides. *J. Biol. Chem.*, 237, 49-52.

- Brophy, P.J. and Aitken, J.W. (1979). Phosphatidylinositol transfer activity in rat cerebral hemispheres during development. *J. Neurochem.*, 33, 355-356.
- Brown, R.A. and Sturtevant, M. (1949). Vitamin requirement of the growing rats. *Vitamins and Hormones*, 7, 171-199.
- Buchanan, A.R. and Roberts, J.E. (1948). Relative lack of myelin in optic tracts as result of underfeeding in the young albino rat. *Proc. Soc. Exp. Biol. Med.*, 69, 101-104.
- Buckley, J.T. (1978). Coisolation of glycophorin A and polyphosphoinositides from human erythrocyte membranes. *Can. J. Biochem.*, 56, 349-351.
- Burns, E.M., Richards, J.G. and Kahn, H. (1975). An ultrastructural investigation of the effect of perinatal malnutrition on E-PTA stained synaptic junctions. *Experientia*, 32, 1451-1452.
- Burton, L.E. and Wells, W.W. (1976). Myo-inositol metabolism during lactation and development in the rat. Prevention of lactation-induced fatty liver by dietary myo-inositol. *J. Nutr.*, 106, 1617-1628.

- Burton, L.E. and Wells, W.W. (1977). Characterization of the lactation-dependent fatty liver in myo-inositol deficient rats. *J. Nutr.*, 107, 1871-1883.
- Burton, L.E., Ray, R.E., Bradford, J.R., Orr, J.P., Nickerson, J.A. and Wells, W.W. (1976). Myo-inositol metabolism in the neonatal and developing rat fed a myo-inositol free diet. *J. Nutr.*, 106, 1610-1616.
- Cabot, M.C. and Gatt, S. (1976). Hydrolysis of neutral glycerides by lipases of rat brain microsomes. *Biochim. Biophys. Acta.*, 431, 105-115.
- Cabot, M.C. and Gatt, S. (1977). Hydrolysis of endogenous diacylglycerols and monoacylglycerols by lipases in rat brain. *Biochemistry*, 16, 2330-2334.
- Cabot, M.C. and Gatt, S. (1978). The hydrolysis of tri-acylglycerol and diacylglycerol by rat brain microsome lipase with acidic pH optimum. *Biochim. Biophys. Acta.*, 530, 508-512.
- Caspary, W.F. and Crane, R.K. (1970). Active transport of myo-inositol and its relation to sugar transport system in hamster small intestine. *Biochim. Biophys. Acta.*, 203, 308-316.
- Chao, S.W. and Rumsby, M.G. (1981). Cerebroside synthesis in rat brain oligodendrocytes during myelination. *Abstr. p. 155. 8th Meeting, Internat. Soc. Neurochem. Nottingham, U.K.*

Charalampous, F.C. (1971). Metabolic functions of myo-inositol.

VIII. Role of inositol in $\text{Na}^+ - \text{K}^+$ transport and in Na^+ - and K^+ - activated adenosine triphosphatase of KB cells.

J. Biol. Chem., 246, 455-460.

Chase, H.P., Canosa, C.A., Dabiere, C.S., Welch, N.N. and

O'Brien, D. (1974). Postnatal undernutrition and human brain development. J. Ment. Defic. Res., 18, 355-366.

Chase, H.P., Rodgerson, D.O., Lindsley, Jr, W., Thorne, T. and

Cheung, G. (1976). Brain glucose utilization in under-nourished rats. Pediat. Res., 10, 102-107.

Cho, T.M., Cho, J.S. and Loh, H.H. (1978). Alteration of the

physicochemical properties of triphosphoinositide by

nicotinic ligands. Proc. Natl. Acad. Sci. U.S.A., 75, 784-788.

Clements-Jr, R.S. (1979). cf : Holub, B.J. The Nutritional

significance, metabolism and function of myo-inositol and

phosphatidylinositol in health and disease. In : Advances

in Nutritional Research. Vol. 4 (Draper, H.H. ed.)

pp. 107-141. Plenum Press. New York and London. 1982.

Clements-Jr, R.S. and Diethelm, A.G. (1979). cf : Holub, B.J.

The Nutritional significance, metabolism and function of

myo-inositol and phosphatidylinositol in health and

disease. In : Advances in Nutritional Research. Vol. 4

(Draper, H.H. ed.) pp. 107-141. Plenum Press. New York

and London. 1982.

- Clements-Jr, R.S. and Stockard, C.R. (1980). Abnormal sciatic nerve myo-inositol metabolism in the streptozotocin-diabetic rat : Effect of insulin treatment. *Diabetes*, 29, 227-235.
- Clements-Jr, R.S., De Jesus-Jr, P.V., Winegrad, A.I. (1973). of : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutritional Research*. Vol. 4 (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.
- Clements-Jr, R.S., Evans, M.H. and Pace, C.S. (1981). Substrate requirements for the phosphoinositide response in rat pancreatic islets. *Biochim. Biophys. Acta.*, 674, 1-9.
- Clos, J., Favre, E., Selme-Matrat, M. and Legrand, J. (1977). Effects of undernutrition on cell formation in the rat brain and specially on cellular composition of the cerebellum. *Brain. Res.*, 123, 13-26.
- Clos, J., Rebiere, A. and Legrand, J. (1973). Differential effects of hypothyroidism and undernutrition on the development of glia in the rat cerebellum. *Brain Res.*, 63, 445-449.
- Coburn, R.F., Cunningham, M. and Strauss, J.F. (1981). Effect of incubation of guinea-pig taenia coli in potassium-free media on arachidonate release and lipid metabolism. *Biochim. Biophys. Acta.*, 664, 188-199.

Cockcroft, S., Bennett, J.P. and Gomperts, B.D. (1980).

Stimulus-secretion coupling in rabbit neutrophils is not mediated by phosphatidylinositol breakdown. *Nature (Lond.)*, 288, 275-277.

Cohen, P., Brockman, M.J., Verkley, A., Lisman, J.W.W. and Derksen, A. (1971). Quantification of human platelet inositides and the influence of ionic environment on their incorporation of orthophosphate-³²P. *J. Clin. Invest.*, 50, 762-772.

Cooper, P.H. and Hawthorne, J.N. (1975). Phosphomonoesterase hydrolysis of polyphosphoinositides in rat kidney. Properties and subcellular localization of the enzyme system. *Biochem.J.*, 150, 537-551.

Cordero, M.E., Diaz, G. and Araya, J. (1976). Neocortex development during severe malnutrition in the rat. *Am. J. Clin. Nutr.*, 29, 358-365.

Cragg, B.G. (1972). The development of cortical synapses during starvation in the rat. *Brain*, 95, 143-150.

Creba, J.A., Downes, C.P., Hawkins, P.T., Brewster, G., Michell, R.H. and Kirk, C.J. (1983). Rapid breakdown of phosphatidylinositol 4-phosphate and phosphatidylinositol 4,5-bisphosphate in rat hepatocytes stimulated by vaso-pressin and other Ca²⁺-mobilizing hormones. *Biochem. J.*, 212, 733-747.

- Crnic, L.S. and Chase, H.P. (1980). Models of infantile undernutrition in rats : Effects on brain lipids. *Dev. Neurosci.*, 3, 49-58.
- Culley, W.J. and Lineberger, R.O. (1968). Effect of under-nutrition on the size and composition of the rat brain. *J. Nutr.*, 96, 378-381.
- Dawson, R.M.C. (1959). Studies on the enzymic hydrolysis of monophosphoinositide by phospholipase preparations from *P. notatum* and ox pancreas. *Biochim. Biophys. Acta.*, 33, 68-77.
- Dawson, R.M.C. and Clarke, N. (1972). D-myo-inositol 1:2-cyclic phosphate-2-phosphohydrolase. *Biochem. J.*, 127, 113-118.
- Dawson, R.M.C. and Eichberg, J. (1965). Diphosphoinositide and triphosphoinositide in animal tissues. Extraction, estimation and changes post-mortem. *Biochem. J.*, 96, 634-643.
- Dawson, R.M.C. and Frenkel, N. (1961). The distribution of free mesoinositol in mammalian tissues, including some observations on the lactating rat. *Biochem. J.*, 78, 606-610.
- Dawson, R.M.C. and Hauser, H. (1970). In : Calcium and cellular function. (Cuthbert, A.W. ed.) pp. 17-41, Macmillan. London.

- Dawson, R.M.C. and Hemington, N. (1977). A phosphodiesterase in rat kidney cortex that hydrolyses glycerylphosphoryl inositol. *Biochem. J.*, 162, 241-245.
- Dawson, R.M.C. and Thompson, W. (1964). The triphospho-inositide phosphomonoesterase of brain tissue. *Biochem. J.*, 91, 244-250.
- Dawson, R.M.C., Frienkel, N., Jungalwala, F.B. and Clarke, N. (1971). The enzymic formation of myo-inositol 1:2-cyclic phosphate from phosphatidylinositol. *Biochem. J.*, 122, 605-607.
- Dawson, R.M.C., Hemington, N., Richards, D.E. and Irvine, R.F. (1979). α -Glycero(3)phosphoinositol glycerophosphohydrolase. A new phosphodiesterase in rat tissues. *Biochem. J.*, 182, 39-45.
- Dawson, R.M.C., Irvine, R.F., Hirasawa, K. and Hemington, N. (1982). Hydrolysis of phosphatidylinositol by pancreas and pancreatic secretion. *Biochim. Biophys. Acta.*, 710, 212-220.
- Delaney, A.J., Semarajski, T., Fuller, G.N. and Wiggins, R.C. (1981). A morphometric comparison of central and peripheral hypomyelination induced by postnatal under-nourishment of rats. *J. Nutr.*, 111, 746-754.

- Der, O.M. and Sun, G.Y. (1981). Degradation of arachidonoyl-labelled phosphatidylinositols by brain synaptosomes. - J. Neurochem., 36, 355-362.
- DeRobertis, E., Fiszer de Plazas, S., Pasquini, J. and Soto, E.F. (1980). Absence of triphosphoinositide in the chloroform-methanol extract of cerebral cortex containing the cholinergic proteolipid. Neurochem. Res., 5, 217-221.
- Deshmukh, D.S., Bear, W.D. and Brockerhoff, H. (1978). Polyphosphoinositide biosynthesis in three subfractions of rat brain myelin. J. Neurochem., 30, 1191-1193.
- Deshmukh, D.S., Kuizon, S., Bear, W.D. and Brockerhoff, H. (1980). Distribution of phosphoinositides among subfractions of rat brain myelin. Lipids, 15, 14-18.
- Deshmukh, D.S., Kuizon, S., Bear, W.D. and Brockerhoff, H. (1981). Rapid incorporation in vivo of intracerebrally injected $^{32}\text{P}_i$ into polyphosphoinositides of three subfractions of rat brain myelin. J. Neurochem., 36, 594-601.
- Deshmukh, D.S., Kuizon, S., Bear, W.D. and Brockerhoff, H. (1982). Polyphosphoinositide mono- and diphosphoesterases of three subfractions of rat brain myelin. Neurochem. Res., 7, 617-626.
- Deshmukh, D.S., Kuizon, S. and Brockerhoff, H. (1983). Solubilization and activation of phosphoinositide kinases and basic protein kinase of myelin with different detergents. J. Neurochem., 41 (Suppl), 5-130C.

- Deshmukh, D.S., Kuizon, S. and Brockerhoff, H. (1984).
Reciprocal stimulation of phosphatidylinositol-4-phosphate
and myelin basic protein phosphorylation by the kinases
solubilized from myelin. Abstr. Chilton Conference on
"Inositol and Phosphoinositides". Dallas, Texas.
- De Souza, B.N. and Horrocks, L.A. (1979). Development of rat
spinal cord. II. Comparison of lipid composition with
cerebrum. *Devl. Neurosci.*, 2, 122-128.
- Dickerson, J.W.T. and Jarvis, J. (1970). The Effects of under-
nutrition and rehabilitation on the growth and chemical
composition of the cerebellum, brain stem and forebrain
of the rat. *Proc. Nutr. Soc.*, 27, 4A-5A.
- Dickerson, J.W.T. and Walmsley, A.L. (1967). The effect of
undernutrition and subsequent rehabilitation on the growth
and chemical composition of the central nervous system of
the rat. *Brain*, 90, 897.
- Dickerson, J.W.T., Hughes, P.C.R. and McAnulty, P.A. (1972).
The growth and development of rats given a low protein
diet. *Brit. J. Nutr.*, 27, 527-536.
- Diringer, H. (1978). Tissue culture studies on the metabolism
of myo-inositol. In : *Cyclitols and Phosphoinositides*
(Wells, W.W. and Eisenberg-Jr, F. eds.) pp. 569-583.
Academic Press. New York.

- Dittmer, J.C. and Douglas, M.G. (1969). Quantitative determination of phosphoinositides. *Ann. N.Y. Acad. Sci.*, 165, 515-525.
- Dobbing, J. (1964). The influence of early nutrition on the development and myelination of the brain. *Proc. Roy. Soc. B.*, 159, 503-509.
- Dobbing, J. (1968). Effects of experimental undernutrition on development of the nervous system. In : *Malnutrition, Learning and Behavior*. (Scrimshaw, N.S. and Gordon, J.E. eds.) pp. 181-202. M.I.T. Press. Boston.
- Dobbing, J. and Widdowson, E.M. (1965). The effect of undernutrition and subsequent rehabilitation on myelination of rat brain as measured by its composition. *Brain*, 88, 357-366.
- Downes, C.P. (1982). Receptor-stimulated inositol phospholipid metabolism in the central nervous system. *Cell Calcium*, 3, 413-428.
- Downes, C.P. (1983). Inositol phospholipids and neurotransmitter receptor signalling mechanisms. *Trends. Neurochem. Sci.*, 6, 313-316.
- Downes, C.P. and Michell, R.H. (1980). A simple assay for the polyphosphoinositide phosphodiesterase of the human erythrocyte membrane. *Biochem. Soc. Trans.*, 8, 127.

- Downes, C.P. and Michell, R.H. (1981). The polyphospho-
inositide phosphodiesterase of erythrocyte membranes.
Biochem. J., 198, 133-140.
- Downes, C.P. and Michell, R.H. (1982). Phosphatidylinositol
-4-phosphate and phosphatidylinositol 4,5-bisphosphate:
lipids in search of a function. Cell Calcium, 3, 467-502.
- Durell, J., Garland, J.T. and Friedel, R.O. (1969). Acetyl-
choline actions : biochemical aspects. Science, 165,
862-886.
- Eagle, H., Oyama, V.I., Levy, M. and Freeman, A.E. (1957).
Myo-inositol as an essential growth factor for normal
and malignant human cells in tissue culture. J. Biol.
Chem., 266, 191-205.
- Eayrs, J.T. and Horn, G. (1955). The development of cerebral
cortex in hypothyroid and starved rats. Anat. Rec., 121,
53-61.
- Edalji, R., Benesch, R.E. and Benesch, R. (1976). Binding of
inositol hexaphosphate to deoxyhemoglobin. J. Biol. Chem.,
251, 7720-7721.
- Edwards, C. (1982). The selectivity of ion channels in nerve
and muscle. Neuroscience, 7, 1335-1366.

- Eichberg, J. and Dawson, R.M.C. (1965). Polyphosphoinositides in myelin. *Biochem. J.*, 96, 644-650.
- Eichberg, J. and Ghalayini, A. (1981). Partial purification and properties of CDP-diacylglycerol : inositol phosphatidyl transferase from rat brain. Abstr. 8th Meeting. Internat. Soc. Neurochem. Birmingham, London.
- Eichberg, J. and Hauser, G. (1967). Concentrations and disappearance post mortem of polyphosphoinositides in developing rat brain. *Biochim. Biophys. Acta.*, 144, 415-422.
- Eichberg, J. and Hauser, G. (1969). Polyphosphoinositide biosynthesis in developing rat brain homogenates. *Ann. N.Y. Acad. Sci.*, 165, 784-789.
- Eichberg, J. and Hauser, G. (1973). The subcellular distribution of polyphosphoinositides in myelinated and unmyelinated rat brain. *Biochim. Biophys. Acta.*, 326, 210-223.
- Eichberg, J., Berti-Mattera, L. and Bell, M.E. (1984). Changes in peripheral nerve polyphosphoinositide metabolism in experimental diabetes : Nature and significance. Abstr. Chilton Conference on "Inositol and Phosphoinositides". Dallas, Texas.
- Eichberg, J., Hauser, G. and Shein, H.M. (1971). Polyphosphoinositides in normal and neoplastic rodent astrocytes. *Biochem. Biophys. Res. Commun.*, 45, 43-50.

Eichberg, J., Killion, J. and Guerrant, G. (1978). Modification of phosphatidylinositol metabolism by propranolol and local anesthetics. In : Cyclitols and Phosphoinositides (Wells, W.W. and Eisenberg-Jr, F. eds.) pp. 183-199. Academic Press. New York.

Eichberg, J., Zetusky, W.J., Bell, M.E. and Cavanagh, E. (1981). Effects of polyamines on calcium-dependent rat brain phosphatidylinositol-phosphodiesterase. J. Neurochem., 36, 1868-1871.

Eisenberg-Jr, F. (1967). D-myo-inositol-1-phosphate as product of cyclization of glucose-6-phosphate and substrate for a specific phosphatase in rat testis. J. Biol. Chem., 242, 1375-1382.

Eisenberg-Jr, F. and Bolden, A.H. (1964). Reproductive tract as site of synthesis and secretion of inositol in the male rat. Nature (London), 202, 599-600.

Eisenberg-Jr, F. and Maeda, T. (1984). The mechanism of isomerization of glucose-6-phosphate to L-myo-inositol-1-phosphate. Abstr. Chilton Conference on "Inositol and Phosphoinositides". Dallas, Texas.

Eliasson, S.G., Scarpellini, J.D. and Fox, R.R. (1967). Inositide metabolism in rabbit hereditary ataxia. Arch. Neurol., 17, 661-665.

- Eliasson, S.G., Scarpellini, J.D. and Fox, R.R. (1972).
Metabolism of cytidine diphosphate diglyceride in ataxic
rabbit brain. *Arch. Neurol.*, 27, 535-539.
- Envonwu, O.C. and Glover, V. (1973). Alteration in cerebral
protein metabolism in the progeny of protein calorie
deficient rats. *J. Nutr.*, 103, 61-73.
- Fahn, S. and Cote, L.J. (1976). Stability of enzymes in
post-mortem rat brain. *J. Neurochem.*, 26, 1039-1042.
- Fain, J.N. and Berridge, M.J. (1979). Relationship between
phosphatidylinositol synthesis and recovery of 5-hydroxy-
tryptamine-responsive Ca^{2+} flux in blowfly salivary
glands. *Biochem. J.*, 180, 655-661.
- Farese, R.V. (1983). The phosphatidate-phosphoinositide
cycle : an intracellular messenger system in the action
of hormones and neurotransmitters. *Metabolism*, 32,
628-641.
- Farese, R.V., Bidot-Lopez, P., Sabir, M.A. and Larson, R.E.
(1981). The phosphatidate-polyphosphoinositide cycle :
activation by parathyroid hormone and dibutyryl-AMP in
rabbit kidney cortex. *Ann. N.Y. Acad. Sci.*, 372, 539-551.
- Farese, R.V., Larson, R.E. and Sabir, M.A. (1982). Ca^{2+} -
dependent and Ca^{2+} -independent effects of pancreatic
secretagogues on phosphatidylinositol metabolism.
Biochim. Biophys. Acta., 710, 391-399.

- Farese, R.V., Sabir, M.A. and Larson, R.E. (1980). On the mechanism whereby ACTH and cyclic AMP increase adrenal polyphosphoinositides. Rapid stimulation of the synthesis of phosphatidic acid and derivatives of CDP-diacylglycerol. *J. Biol. Chem.*, 255, 7232-7237.
- Farese, R.V., Sabir, A.M. and Sandor, L.V. (1979). Adrenocorticotropin acutely increases adrenal polyphosphoinositide. *J. Biol. Chem.*, 254, 6842-6844.
- Fish, I. and Winick, M. (1969). Cellular growth in various regions of the developing rat brain. *Pediat. Res.*, 3, 407-412.
- Fisher, S.K. and Agranoff, B.W. (1981). Enhancement of the muscarinic synaptosomal phospholipid labeling effect by the ionophore A23187. *J. Neurochem.*, 37, 968-977.
- Fishman, M.A., Madaystha, P. and Prensky, A.L. (1971). The effect of undernutrition on the development of myelin in the rat central nervous system. *Lipids*, 6, 458-465.
- Fishman, M.A., Prensky, A.L. and Dodge, P.R. (1969). Low content of cerebral lipids in infants suffering from malnutrition. *Nature (Lond.)*, 221, 552-553.
- Folch, J. (1949). Complete fractionation of brain cephalin : Isolation from it of phosphatidylserine, phosphatidylethanolamine and diphosphoinositide. *J. Biol. Chem.*, 177, 497-504.

- Folch and Woolley, (1942). of : Abdel-Latif, A.A.
Metabolism of phosphoinositides. In : Handbook of
Neurochemistry, Vol. 3, 2nd edn. (Lajtha, A. ed.)
pp. 91-131. Plenum Press. New York. 1983.
- Fox, J.H., Fishman, M.A., Dodge, P.R. and Prenskey, A.L.
(1972). The effect of malnutrition on human central
nervous system myelin. Neurology, 22, 1213-1216.
- Freysz, L., Bieth, R. and Mandel, P. (1969). Kinetics of the
biosynthesis of phospholipids in neurons and glial cells
isolated from rat brain cortex. J. Neurochem., 16,
1417-1424.
- Friede, R. and Van Houten, W. (1961). Relations between
post-mortem alterations and glycolytic metabolism in the
brain. Exp. Neurol., 4, 197-204.
- Friedel, R.O. and Schanberg, S.M. (1971). Incorporation
in vivo of intracisternally injected $^{33}\text{P}_i$ into phospho-
lipids of rat brain. J. Neurochem., 18, 2191-2200.
- Fuller, G.N., Johnston, D.A. and Wiggins, R.C. (1984).
The relationship between nutritional adequacy and brain
myelin accumulation : a comparison of varying degrees of
well fed and undernourished rats. Brain Res., 290,
195-198.

- Gambetti, P., Gambetti, A.L., Gonatas, N., Shafer, B. and Stieber, A. (1972). Synapses and malnutrition : morphological and biochemical study of synaptosomal fractions from rat cerebral cortex. *Brain Res.*, 47, 477-484.
- Gambetti, P., Gambetti, A.L., Rizzuto, N., Shafer, B. and Pfaff, L. (1974). Synapses and malnutrition : Quantitative ultrastructural study of rat cerebral cortex. *Exp. Neurol.*, 43, 464-473.
- Garrett, R.J.B. and Redman, C.M. (1975). Localization of enzymes involved in polyphosphoinositide metabolism on the cytoplasmic surface of the human erythrocyte membrane. *Biochim. Biophys. Acta.*, 382, 58-64.
- Garrett, N.E., Garrett, R.J.B., Talwalkar, R.T. and Lester, R.L. (1976). Rapid breakdown of diphosphoinositide and triphosphoinositide in erythrocyte membranes. *J. Cellul. Physiol.*, 87, 63-70.
- Gavin, G. and McHenry, E.W. (1941). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutrition Research*. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.
- Geison, R.L. and Waisman, H.A. (1970). Effects of nutritional status on rat brain maturation as measured by lipid composition. *J. Nutr.*, 100, 315-324.

- Gerson, T. (1974). A comparison of the effects of dietary protein and lipid deprivation on lipid composition of liver membranes in rats. *J. Nutr.*, 104, 701-709.
- Ghafoorunissa, A. (1976). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutrition Research*. Vol. 4. (DrapC'er, H.H. ed.). pp. 107-141. Plenum Press, New York and London. 1982.
- Ghittoni, N.E. and De Raveglia, I.F. (1972). Influence of neonatal undernutrition on the lipid composition of cerebral cortex and cerebellum of the rat. *Neurobiology*, 2, 41-48.
- Gibson, A. and Brammer, M.J. (1981). The influence of divalent cations and substrate concentration on the incorporation of myo-inositol into phospholipids of isolated bovine oligodendrocytes. *J. Neurochem.*, 36, 868-874.
- Gilman, A.G. and Nirenberg, M. (1971). Effect of catechola- mines on the adenosine 3'-5'-cyclic monophosphate concentrations of clonal satellite cells of neurons. *Proc. Natl. Acad. Sci. U.S.A.*, 68, 2165-2168.
- Gispen, W.H. (1983). The role of phosphoinositides in neuro- peptide action on the brain. Abstr. 9th meeting. Internat. Soc. Neurochem., Harrison Hot Springs. B.C. Canada.

- Gonzalez-Sastre, F. and Folch-Pi, J. (1968). Thin layer chromatography of the phosphoinositides. *J. Lipid Res.*, 9, 532-533.
- Gonzalez-Sastre, F., Eichberg, J. and Hauser, G. (1971). Metabolic pools of polyphosphoinositides in rat brain. *Biochim. Biophys. Acta.*, 248, 96-104.
- Gray, N.C. and Strickland, K.P. (1982). On the specificity of a phospholipase A₂ purified from the 106,000 x G pellet of bovine brain. *Lipids*, 17, 91-96.
- Greene, D.A. and Lattimer, S.A. (1983). Impaired rat sciatic nerve sodium-potassium adenosine triphosphatase in acute streptozotocin diabetes and its correction by dietary myo-inositol supplementation. *J. Clin. Invest.*, 72, 1058-1063.
- Greene, D.A., De Jesus-Jr, P.V. and Winegrad, A.I. (1975). Effects of insulin and dietary myo-inositol on impaired peripheral motor nerve conduction velocity in acute streptozotocin diabetes. *J. Clin. Invest.*, 55, 1326-1336.
- Griffin, H.D. and Hawthorne, J.N. (1978). Calcium-activated hydrolysis of phosphatidyl myo-inositol-4-phosphate and phosphatidyl myo-inositol 4,5-bisphosphate in guinea pig synaptosomes. *Biochem. J.*, 176, 541-552.
- Griffin, H.D., Sykes, M. and Hawthorne, J.N. (1980). Effects of neomycin on calcium and polyphosphoinositide metabolism of guinea pig synaptosomes. *J. Neurochem.*, 34, 750-752.

- Guthrie, H.A. and Brown, M.L. (1968). Effect of severe undernutrition in early life on growth, brain size and composition in adult rats. *J. Nutr.*, 94, 419-426.
- Hall, S.M. and Zeman, F.J. (1968). Kidney function of the progeny of rats fed a low protein diet. *J. Nutr.*, 95, 49-54.
- Hallcher, L.M. and Sherman, W.R. (1980). The effects of lithium ion and other agents on the activity of myo-inositol phosphatase from bovine brain. *J. Biol. Chem.*, 255, 10896-10901.
- Haltia, M. (1970). Postnatal development of spinal anterior horn neurons in normal and undernourished rats - A quantitative cytochemical study. *Acta. Physiol. Scand.* (Suppl.), 352, 1.
- Harwood, J.L. and Hawthorne, J.N. (1969a). The properties and subcellular distribution of phosphatidylinositol kinase in mammalian tissues. *Biochim. Biophys. Acta.*, 171, 75-88.
- Harwood, J.L. and Hawthorne, J.N. (1969b). Metabolism of the phosphoinositides in guinea-pig brain synaptosomes. *J. Neurochem.*, 16, 1377-1387.
- Hammer-Jr, R.P. (1981). The influence of pre- and postnatal undernutrition on the developing brain stem reticular core, a quantitative Golgi study. *Dev. Brain Res.*, 227, 191-201.

- Handler, P. (1948). Dietary factors in the regulation of liver lipid concentration. *J. Biol. Chem.*, 162, 77-85.
- Hasan, S.H., Kotaki, A. and Yagi, K. (1970). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutritional Research*. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York. and London. 1982.
- Hauser, G. (1969a). Myo-inositol transport in slices of rat kidney cortex. I. Effect of incubation conditions and inhibitors. *Biochim. Biophys. Acta.*, 173, 257-266.
- Hauser, G. (1969b). Myo-inositol transport in slices of rat kidney cortex. II. Effect of the ionic composition of the medium. *Biochim. Biophys. Acta.*, 173, 267-276.
- Hauser, G. and Ananth, U. (1983). Polyphosphoinositide pools in brain areas of undernourished and rehabilitated rats. *J. Neurochem.*, 41 (Suppl.), S-133D.
- Hauser, H. and Dawson, R.M.C. (1967). The binding of calcium at lipid-water surfaces. *Eur. J. Biochem.*, 1, 61-69.

- Hauser, H. and Dawson, R.M.C. (1968). The displacement of calcium ions from phospholipid monolayers by pharmacologically active and other organic bases. *Biochem. J.*, 109, 909-916.
- Hauser, G. and Eichberg, J. (1973). Improved conditions for the preservation and extraction of polyphosphoinositides. *Biochim. Biophys. Acta.*, 326, 201-209.
- Hauser, G. and Finelli, V.N. (1963). The biosynthesis of free and phosphatide myo-inositol from glucose by mammalian tissue slices. *J. Biol. Chem.*, 238, 3224-3228.
- Hauser, G. and Swaminathan, U. (1982). Polyphosphoinositide pools in brain areas of protein deprived weanling rats. *Trans. Am. Soc. Neurochem.*, 13, 150.
- Hauser, G., Eichberg, J. and Gonzalez-Sastre, F. (1971a). Regional distribution of polyphosphoinositides in rat brain. *Biochim. Biophys. Acta.*, 248, 87-95.
- Hauser, G., Eichberg, J. and Jacobs, S. (1971b). Polyphosphoinositide levels and biosynthesis in quacking mouse brain. *Biochem. Biophys. Res. Commun.*, 43, 1072-1080.
- Hawk, P.B., Oser, B.L. and Summerson, W.H. (1954). *Practical physiological chemistry*. 13th edn. Blackiston Company. New York. pp. 1375.

- Hawthorne, J.N. (1982). Is phosphatidylinositol now out of the calcium gate? *Nature (Lond.)*, 295, 281-282.
- Hawthorne, J.N. and Bleasdale, J.E. (1975). cf : Abdel-Latif, A.A. Metabolism of phosphoinositides. In : *Handbook of Neurochemistry* (Lajtha, A. ed.). pp. 91-131. Plenum Press. New York. 1983.
- Hawthorne, J.N. and Kai, M. (1970). Metabolism of phosphoinositides. In : *Handbook of Neurochemistry*. (Lajtha, A. ed.) pp. 491-508. Plenum Press. New York.
- Hawthorne, J.N. and Pickard, M.R. (1979). Phospholipids in synaptic function. *J. Neurochem.*, 32, 5-14.
- Hawthorne, J.N. and White, D.A. (1975). Myo-inositol lipids. In : *Vitamins and Hormones*. (Munson, P.L., Glover, J., Diczfalusy, E. and Olson, R.E. eds.) Vol. 33, pp. 529-573. Academic Press. New York.
- Hawthorne, J.N., Smith, E.M., Gillon, K.R.W. and Millar, F.A. (1984). Inositol, sorbitol and diabetic neuropathy. *Abstr. Chilton Conference on "Inositol and Phosphoinositides"*. Dallas. Texas.

- Hawthorne, J.N., Stokes, C.E. and Gillon, K.R.W. (1983).
Free myo-inositol concentration decreases with age in
human brain, *J. Neurochem.*, 41 (Suppl.), S-21C.
- Hayashi, E., Maeda, T. and Tomita, T. (1974a). The effect of
myo-inositol deficiency on lipid metabolism in rats.
I. The alteration of lipid metabolism in myo-inositol
deficient rats. *Biochim. Biophys. Acta.*, 360, 134-145.
- Hayashi, E., Maeda, T. and Tomita, T. (1974b). The effect of
myo-inositol deficiency on lipid metabolism in rats.
II. The mechanism of triacylglycerol accumulation in the
liver of myo-inositol deficient rats. *Biochim. Biophys.*
Acta., 360, 146-155.
- Hebdon, G.M., Levine, H.D., Sahyoun, N.E., Schmitges, C.J.
and Cuatrecasas, P. (1981). Specific phospholipids are
required to reconstitute adenylate cyclase solubilized
from rat brain. *Proc. Natl. Acad. Sci. U.S.A.*, 78,
120-123.
- Hegsted, D.M., Gallagher, A. and Hanford, H. (1974). Inositol
requirement of the gerbil. *J. Nutr.*, 104, 588-592.
- Hegsted, D.M., Hayes, K.C., Gallagher, A. and Hanford, H.
(1973). Inositol deficiency : An intestinal lipodystrophy
in the gerbil. *J. Nutr.*, 103, 302-307.

- Hellen, C. (1957). cf : Sherman, W.R., Stewart, M.A., Kurien, M.M. and Goodwin, S.L. (1968). The metabolism of myo-inositol, myo-inosose-2 and scyllo-inositol in mammalian tissues. *Biochim. Biophys. Acta.*, 158, 197-205.
- Hendrickson, H.S. (1969). Physical properties and interactions of phosphoinositides. *Ann. N.Y. Acad. Sci.*, 165, 668-676.
- Hendrickson, H.S. and Ballou, C.E. (1964). Ion exchange chromatography of intact brain phosphoinositides on DEAE cellulose by gradient salt elution in a mixed solvent system. *J. Biol. Chem.*, 239, 1369-1373.
- Hendrickson, H.S. and Fullington, J.G. (1965). Stabilities of metal complexes of phospholipids : Ca(II), Mg(II), and Ni(II) complexes of phosphatidylserine and triphosphoinositide. *Biochemistry*, 4, 1599-1605.
- Hendrickson, H.S. and Reinertsen, J.L. (1969). Comparison of metal-binding properties of trans-1,2-cyclohexanediol diphosphate and deacylated phosphoinositides. *Biochemistry*, 8, 4855-4858.
- Hendrickson, H.S. and Reinertsen, J.L. (1971). Phosphoinositide interconversion : A model for control of Na⁺ and K⁺ permeability in the nerve axon membrane. *Biochem. Biophys. Res. Commun.*, 44, 1258-1264.
- Henn, F.A., Haljamae, H. and Hamberger, A. (1972). Glial cell function. Active control of extracellular K⁺ concentration. *Brain Res.*, 43, 437-443.

- Hill, D.E., Myers, R.E., Holt, A.B., Scott, R.E. and Cheek, D.B. (1971). Fetal growth retardation produced by experimental placental insufficiency in the rhesus monkey. II. Chemical composition of the brain, liver, muscle and carcass. Biol. Neonate., 19, 68-82.
- Hillman, D.E. and Chen, S. (1981a). Vulnerability of cerebellar development in malnutrition. I. Quantitation of layer volume and neuron numbers. Neuroscience, 6, 1249-1262.
- Hillman, D.E. and Chen, S. (1981b). Vulnerability of cerebellar development in malnutrition. II. Intrinsic determination of total synaptic area on purkinje cell spines. Neuroscience, 6, 1263-1275.
- Hipps, P.P. and Sherman, W.R. (1976). Studies on the biosynthesis of scyllo-inositol in mammalian brain. Trans. Am. Soc. Neurochem., 7, 168.
- Hirasawa, K., Irvine, R.F. and Dawson, R.M.C. (1982a). Heterogeneity of the calcium-dependent phosphatidyl-inositol phosphodiesterase in rat brain. Biochem. J., 205, 437-442.
- Hirasawa, K., Irvine, R.F. and Dawson, R.M.C. (1982b). Proteolytic activation can produce a phosphatidyl inositol phosphodiesterase highly sensitive to Ca^{2+} . Biochem. J., 206, 675-678.

- Hitzemann, R. (1981). Developmental changes in the fatty acids of synaptic membrane phospholipids : Effect of protein malnutrition. *Neurochem. Res.*, 6, 935-946.
- Hokin, L.E. and Hokin, M.R. (1955). Effects of acetylcholine on phosphate turnover in phospholipids of brain cortex in vitro. *Biochim. Biophys. Acta.*, 16, 229-237.
- Hokin, L.E. and Hokin, M.R. (1958). Phosphoinositides and protein secretion in pancreas slices. *J. Biol. Chem.*, 233, 805-810.
- Holub, B.J. (1974). The Mn^{2+} -activated incorporation of inositol into molecular species of phosphatidylinositol in rat liver. *Biochim. Biophys. Acta.*, 369, 111-122.
- Holub, B.J., Kuksis, A. and Thompson, W. (1970). Molecular species of mono-, di- and triphosphoinositides of bovine brain. *J. Lipid. Res.*, 11, 558-564.
- Holzbawn, M. and Sherman, D.F. (1972). The distribution of catecholamines in vertebrates. In : *Handbook of Experimental Pharmacology*. (Blaschke, H. and Muscholl, E. eds.) Vol. 33, pp. 110-185. Springer-Verlag, Berlin, Heidelberg, New York.
- Hostetler, K.Y. and Matsuzawa, Y. (1981). Studies on the mechanism of drug induced lipidoses. Cationic amphiphilic drug inhibition of lysosomal phospholipase A and C. *Biochem. Pharmacol.*, 30, 1121-1126.

- Howard, C.F. and Anderson, L. (1967). Metabolism of myo-
inositol in animals. II. Complete catabolism of myo-
inositol-¹⁴C by rat kidney slices. Arch. Biochem.
Biophys., 118, 332-339.
- Hruska, K.A., Mills, S.C., Khalifa, S., Hammerman, M.R.
(1983). Phosphorylation of renal brush-border membrane
vesicles. Effect on calcium uptake and membrane content
of polyphosphoinositides. J. Biol. Chem., 258, 2501-2507.
- Hubscher, G. and Hawthorne, J.N. (1957). The isolation of
inositol monophosphate from liver. Biochem. J., 67,
523-527.
- Huggins, C.G. and Cohn, D.V. (1959). Studies concerning the
composition, distribution and turnover of phosphorus in a
phosphatidopeptide fraction of mammalian tissues.
J. Biol. Chem., 234, 257-261.
- Huggins, C.G., Hurst, M.W., Tou, J-S. and Lee, T-C. (1969).
The metabolism of the polyphosphoinositides in kidney :
Studies on the phosphatidylinositol kinase.
Ann. N.Y. Acad. Sci., 165, 790-800.
- Hwan, J.C., Kuizon, S., Brockerhoff, H. and Deshmukh, D.S.
(1981). Purification of myelin-bound polyphosphoinositide
phosphoesterases. Trans. Am. Soc. Neurochem., 12, 254.
- Iacobelli, S. (1969). The biosynthesis of triphosphoinositide
by purified myelin of peripheral nerve. J. Neurochem.,
16, 909-911.

- Ide, H. and Nakazawa, Y. (1980). Effect of chlorpromazine on the cytoplasmic phosphatidate phosphohydrolase in rat liver. *Biochem. Pharmacol.*, 29, 789-793.
- Irvine, R.F. and Dawson, R.M.C. (1978). The distribution of calcium-dependent phosphatidylinositol specific phosphodiesterase in rat brain. *J. Neurochem.*, 31, 1427-1434.
- Irvine, R.F., Hemington, N.H. and Dawson, R.M.C. (1978). The hydrolysis of phosphatidylinositol by lysosomal enzymes of rat liver and brain. *Biochem. J.*, 176, 475-484.
- Irvine, R.F., Hemington, N.H. and Dawson, R.M.C. (1979a). The calcium-dependent phosphatidylinositol-phosphodiesterase of rat brain : Mechanisms of suppression and stimulation. *Eur. J. Biochem.*, 99, 525-530.
- Irvine, R.F., Letcher, A.J. and Dawson, R.M.C. (1979b). Fatty acid stimulation of membrane phosphatidylinositol hydrolysis by brain phosphatidylinositol phosphodiesterase. *Biochem. J.*, 178, 497-500.
- Issacks, R., Harkness, D., Sampsell, R., Adler, J., Roth, S., Kim, C. and Goldman, P. (1977). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutrition Research*. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.

IUPAC-IUB Commission on Biochemical Nomenclature, (1978).

Nomenclature of phosphorus-containing compounds of biochemical importance. Biochem. J., 171, 1-19.

Jafferrji, S.S. and Michell, R.H. (1976). Effects of calcium-antagonistic drugs on the stimulation by carbamoylcholine and histamine of phosphatidylinositol turnover in longitudinal smooth muscle of guinea-pig ileum. Biochem. J., 160, 163-169.

Jailkhani, R. and Subrahmanyam, D. (1977). Effects of neonatal undernutrition on the composition and metabolism of brain lipids in rats. Baroda J. Nutr., 4, 35-40.

Johnson, L.F. and Tate, M.E. (1969). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : Advances in Nutritional Research. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.

Jolles, J., Wirtz, K.W.A., Schotman, P. and Gispen, W.H. (1979). Pituitary hormones influence polyphospho-inositide metabolism in rat brain. FEBS. Lett., 105, 110-114.

- Jones, L.M. and Michell, R.H. (1976). Cholinergically stimulated phosphatidylinositol breakdown in parotid gland fragments is independent of the ionic environment. *Biochem. J.*, 158, 505-507.
- Jungalwala, F.B., Freinkel, N. and Dawson, R.M.C. (1971). The metabolism of phosphatidylinositol in the thyroid gland of the pig. *Biochem. J.*, 123, 19-33.
- Jungalwala, F.B., Hayes, L., McCluer, R.H. (1977). Determination of less than a nanomol of cerebrosides by high performance liquid chromatography with gradient elution analysis. *J. Lipid Res.*, 18, 285-292.
- Kai, M. and Hawthorne, J.N. (1966). Incorporation of injected (^{32}P) phosphate into the phosphoinositides of subcellular fractions from young rat brain. *Biochem. J.*, 98, 62-67.
- Kai, M. and Hawthorne, J.N. (1969). Physiological significance of polyphosphoinositides in brain. *Ann. N.Y. Acad. Sci.*, 165, 761-773.
- Kai, M., Salway, J.G. and Hawthorne, J.N. (1968). The diphosphoinositide kinase of rat brain. *Biochem. J.*, 106, 791-801.
- Kai, M., Salway, J.G., Michell, R.H. and Hawthorne, J.N. (1966b). The biosynthesis of triphosphoinositide by rat brain in vitro. *Biochem. Biophys. Res. Commun.*, 22, 370-375.

- Kai, M., White, G.L. and Hawthorne, J.N. (1966a). The phosphatidylinositol kinase of rat brain. *Biochem. J.*, 101, 328-336.
- Kanoh, H., Kondoh, H. and Ono, T. (1983). Diacylglycerol kinase from pig brain. Purification and phospholipid dependencies. *J. Biol. Chem.*, 258, 1767-1774.
- Karlsson, I. and Svennerholm, L. (1978). Biochemical development of rat forebrains in severe protein and essential fatty acid deficiencies. *J. Neurochem.*, 31, 657-662.
- Kasarskis, E.J., Karpiak, S.E., Rapport, M.W., Yu, R.K. and Bass, N.H. (1981). Abnormal maturation of cerebral cortex and behavioral deficit in adult rats after neonatal administration of antibodies to ganglioside. *Dev. Brain. Res.*, 1, 25-35.
- Kemp, P., Hubscher, G. and Hawthorne, J.N. (1961). Enzymic hydrolysis of inositol-containing phospholipids. *Biochem. J.*, 79, 193-200.
- Keough, K.M.W. and Thompson, W. (1970). Triphosphoinositide phosphodiesterase in developing brain of the rat and in subcellular fractions of the rat brain. *J. Neurochem.*, 17, 1-11.

- Keough, K.M.W. and Thompson, W. (1972). Soluble and particulate forms of phosphoinositide phosphodiesterase in ox brain. *Biochim. Biophys. Acta.*, 270, 324-336.
- Kerr, S.E., Kfoury, G.A. and Haddad, F.S. (1964). A comparison of the polyphosphoinositide in human and ox brain. *Biochim. Biophys. Acta.*, 84, 461-463.
- Khanna, A. and Reddy, T.S. (1983). Effect of under-nutrition and vitamin A deficiency on the phospholipid composition of rat tissues at 21 days of age. I. Liver, Spleen and Kidney. *Internat. J. Vit. Nutr. Res.*, 53, 3-8.
- Kirasov, E.P. and Lagnado, J.R. (1977). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutritional Research*. Vol. 4, (Draper, H.H. ed.) pp. 107-141. Plenum Press, New York and London. 1982.
- Koch, M.A. and Diringer, H. (1974). Isolation of cyclic inositol-1,2-phosphate from mammalian cells and a probable function of phosphatidylinositol turnover. *Biochem. Biophys. Res. Commun.*, 56, 361-367.

- Krause, R.F., and Beamer, K.C. (1974). Lipid content and phospholipid metabolism of subcellular fractions from testes of control and retinol-deficient rats. *J. Nutr.*, 104, 629-637.
- Krigman, M.R. and Hogan, E.L. (1976). Undernutrition in the developing rat : Effect upon myelination. *Brain Res.*, 107, 239-255.
- Kroes, J.F., Hegsted, D.M. and Hayes, K.C. (1973). Inositol deficiency in gerbils : Dietary effects on the intestinal lipodystrophy. *J. Nutr.*, 103, 1448-1453.
- Kumar, A., Ghai, O.P., Singh, N. and Singh, R. (1977). Delayed nerve conduction velocities in children with protein-calorie malnutrition. *J. Pediat.*, 90, 149-153.
- Kumara-Siri, M.H. and Gould, R.M. (1980). Enzymes of phospholipid synthesis : Axonal versus schwann cell distribution. *Brain Res.*, 186, 315-330.
- Kusama, H. and Stewart, M.A. (1970). Levels of myo-inositol in normal and degenerating peripheral nerve. *J. Neurochem.*, 17, 317-323.
- Lai, M. and Lewis, P.D. (1980). Effects of undernutrition on myelination in rat corpus callosum. *J. Comp. Neurol.*, 193, 973-982.

- Lai, M., Lewis, P.D. and Patel, A.J. (1980). Effects of undernutrition on gliogenesis and glial maturation in rat corpus callosum. *J. Comp. Neurol.*, 193, 965-972.
- Lapetina, E.G. and Hawthorne, J.N. (1971). The diglyceride kinase of rat cerebral cortex. *Biochem. J.*, 122, 171-179.
- Lapetina, E.G. and Michell, R.H. (1973). A membrane-bound activity catalysing phosphatidylinositol breakdown to 1,2-diacylglycerol, D-myoinositol 1:2-cyclic phosphate and D-myo-inositol 1-phosphate. Properties and subcellular distribution in rat cerebral cortex. *Biochem. J.*, 131, 433-442.
- Lapetina, E.G., Sequin, E.B. and Agranoff, B.W. (1975). Preparation of ^{32}P -labeled inositides and their degradation by soluble kidney enzymes. *Biochim. Biophys. Acta.*, 398, 118-124.
- Lee, T-C. and Huggins, C.G. (1968a). Triphosphoinositide phosphomonoesterase in rat kidney cortex. I. General properties and subcellular localization. *Arach. Biochem. Biophys.*, 126, 206-213.

- Lee, T-C. and Huggins, C.G. (1968b). Triphosphoinositide phosphomonoesterase in rat kidney cortex. II. Purification and characterization. *Arch. Biochem. Biophys.*, 126, 214-220.
- Leu, V.T.S. and Sun, G.Y. (1983). Regional and subcellular distribution of PI-specific phospholipase C in rat brain. *J. Neurochem.*, 41 (Suppl.), S-155A.
- Lewin, E. and Hess, H.H. (1965). Intralaminar distribution of cerebrosides in human frontal cortex. *J. Neurochem.*, 12, 213-220.
- Lewin, L.M., Szeinberg, A. and Lepkiffer, E. (1973). Gas chromatographic measurement of myo-inositol in human blood, CSF and seminal fluid. *Clin. Chim. Acta.*, 45, 361-370.
- Lewin, L.M., Yannai, Y., Sulimovici, S. and Kraicer, P.F. (1976). Studies on the metabolic role of myo-inositol. Distribution of radioactive myo-inositol in the male rat. *Biochem. J.*, 156, 375-380.
- Liveson, J.A., Gardner, J. and Bornstein, M.B. (1977).
cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutritional Research*. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.

- Lloyd, T. (1979). The effects of phosphatidylinositol on tyrosine hydroxylase. Stimulation and inactivation. J. Biol. Chem., 254, 7247-7254.
- Low, M.G. and Zilversmit, D.B. (1980). Role of phosphatidylinositol in attachment of alkaline phosphatase to membranes. Biochemistry, 19, 3913-3918.
- Maeda, T. and Eisenberg, Jr, F. (1980). Purification, structure, and catalytic properties of L-myo-inositol-1-phosphate synthase from rat testis. J. Biol. Chem., 255, 8458-8464.
- Majumdar, R. and Balasubramanian, A.S. (1982). Essential and non-essential phosphatidylinositol residues in acetylcholinesterase and arylacylamidase of sheep basal ganglia. FEBS. Lett., 146, 335-338.
- Mandel, P. and Nussbaum, J.L. (1966). Incorporation of ^{32}P into the phosphatides of myelin sheaths and of intracellular membranes. J. Neurochem., 13, 629-642.
- Mandersloot, J.G., Roelofsen, B. and DeGier, J. (1978). Phosphatidylinositol as the endogenous activator of the $(\text{Na}^+ + \text{K}^+)$ -ATPase in microsomes of rabbit kidney. Biochim. Biophys. Acta., 508, 478-485.
- Margolis, R.U., Press, R., Altszuler, N. and Stewart, M.A. (1971). Inositol production by the brain in normal and alloxan-diabetic dogs. Brain Res., 28, 535-539.

- Mark, J., Godin, Y. and Mandel, P. (1968). Glucose and lactic acid content of the rat brain. *J. Neurochem.*, 15, 141-143.
- Marshall, P.J., Boatman, D.E. and Hokin, L.E. (1981). Direct demonstration of the formation of prostaglandin E_2 due to phosphatidylinositol breakdown associated with stimulation of enzyme secretion in the pancreas. *J. Biol. Chem.*, 256, 844-847.
- Marshall, P.J., Dixon, J.F. and Hokin, L.E. (1980). Evidence for a role in stimulus-secretion coupling of prostaglandins derived from release of arachidonoyl residues as a result of phosphatidylinositol breakdown. *Proc. Natl. Acad. Sci. U.S.A.*, 77, 3292-3296.
- Martinez, M. (1982). Myelin lipids in the developing cerebrum, cerebellum, and brain stem of normal and undernourished children. *J. Neurochem.*, 39, 1684-1692.
- Matsuzawa, Y. and Hostetler, K.Y. (1980). Inhibition of lysosomal phospholipase A and phospholipase C by chloroquine and 4,4-Bis(diethylaminoethoxy) α, β -diethyl diphenylethane. *J. Biol. Chem.*, 255, 5190-5194.
- McConnell, P. and Berry, M. (1978). The effects of undernutrition on purkinje cell dendritic growth in the rat. *J. Comp. Neurol.*, 177, 159-172.
- Medzihradsky, F., Sellinger, O.Z., Nandhasri, P.S. and Santiago, J.C. (1972). ATPase activity in glial cells and in

- neuronal perikarya of rat cerebral cortex during early postnatal development. *J. Neurochem.*, 19, 543-545.
- Michell, R.H. (1975). Inositol phospholipids and cell surface receptor function. *Biochim. Biophys. Acta.*, 415, 81-147.
- Michell, R.H. (1979). Inositol phospholipids in membrane function. *Trend. Biochem. Sci.*, 3, 128-131.
- Michell, R.H. (1982). Is phosphatidylinositol really out of the calcium gate? *Nature (Lond.)*, 296, 492-493.
- Michell, R.H. (1983a). Polyphosphoinositide breakdown as the initiating reaction in receptor-stimulated inositol phospholipid metabolism. *Life Sci.*, 32, 2083-2085.
- Michell, R.H. (1983b). Ca^{2+} and protein kinase C : two synergistic cellular signals. *Trends. Biochem. Sci.*, 8, 263-265.
- Mitchell, H.H. (1964). Comparative nutrition of man and domestic animals. Vol. II. pp. 117-280. Academic Press. New York.
- Muller, T.W. and Kirshner, N. (1975). ATPase and phosphatidyl inositol kinase activities of adrenal chromaffin vesicles. *J. Neurochem.*, 24, 1155-1161.

- Murphy, R.A., Oger, J., Saide, J.D., Blanchard, M.H., Arnason, B.G.W., Hogan, C., Patazis, N.J. and Young, M. (1977).
Secretion of nerve growth factor by central nervous system glioma cells in culture. *J. Cell. Biol.*, 72, 769-773.
- Nakhasi, H.L., Toews, A.D. and Horrocks, L.A. (1975). Effects of a postnatal protein deficiency on the content and composition of myelin from brains of weanling rats. *Brain Res.*, 83, 176-179.
- NAS-NRC (1962). Nutrient requirement of laboratory animals. No. 10. Publication 990. National Academy of Sciences, National Research Council, Washington, D.C.
- Natarajan, V., Dyck, P.J. and Schmid, H.H.O. (1981). Alterations of inositol lipid metabolism of sciatic nerve in streptozotocin-induced diabetes. *J. Neurochem.*, 36, 413-419.
- National Academy of Sciences (1972). Nutrient Requirements of domestic animals. No. 10. Nutrient requirements of laboratory animals. 2nd edn. National Academy of Sciences, Washington, D.C.
- Newburgh, R.W. and Rosenberg, R.N. (1972). Effect of norepinephrine on glucose metabolism in glioblastoma and neuroblastoma cells in cell culture. *Proc. Natl. Acad. Sci. U.S.A.*, 69, 1677-1680.

- Nijjar, M.S. and Hawthorne, J.N. (1977). Purification and properties of polyphosphoinositide phosphomonoesterase from rat brain. *Biochim. Biophys. Acta.*, 480, 390-402.
- Nishihara, M. and Keenan, R. (1983). Post-mortem changes in mouse brain lipids. Abstr. 9th meeting. Internat. Soc. Neurochem. Harrison Hot Springs, B.C. Canada.
- Nixon, D.A. (1959). Inositol concentration in the cerebrospinal and ocular fluids and tissues of the fetal and adult sheep. *Nature (Lond.)*, 184, 906-907.
- Norton, W.T. (1981). Formation, Structure and Biochemistry of myelin. In : *Basic Neurochemistry*. 3rd edn. (Siegel, G.J., Albers, R.W., Agranoff, B.W. and Katzmann, R. eds.). pp. 63-92. Little Brown and Company, Boston.
- Offner, H., Konat, G. and Clausen, J. (1974). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutritional Research*. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press, New York and London. 1982.
- Opdenkamp, J.A.F. (1979). cf : Abdel-Latif, A.A., Metabolism of phosphoinositides. In : *Handbook of Neurochemistry*, Vol 3, (Lajtha, A. ed.) pp. 91-131. Plenum Press. New York. 1983
- Palmer, F.B. St. C. (1973). Lipids of crithidia fasciculata. The occurrence and turnover of phosphoinositides. *Biochim. Biophys. Acta.*, 316, 296-304.

- Palmer, F.B. St. C. and Rossiter, R.J. (1965). A simple procedure for the study of inositol phosphatides in cat brain slices. *Can. J. Biochem.*, 43, 671-683.
- Palmano, K.P., Whiting, P.H. and Hawthorne, J.N. (1977). Free and lipid myo-inositol in tissues from rats with acute and less severe streptozotocin-induced diabetes. *Biochem.J.*, 167, 229-235.
- Papahadjopoulos, D. and Miller, N. (1967). Phospholipid model membranes. I. Structural characteristics of hydrated liquid crystals. *Biochim. Biophys. Acta.*, 135, 624-638.
- Papahadjopoulos, D., Poste, G., Schaeffer, B.E. and Vail, W.J. (1974). Membrane fusion and molecular segregation in phospholipid vesicles. *Biochim. Biophys. Acta.*, 352, 10-28.
- Pappu, A.S. and Hauser, G. (1981). Alterations of phospholipid metabolism in rat cerebral cortex mince induced by cationic amphiphilic drugs. *J. Neurochem.*, 37, 1006-1014.
- Pasquini, J.M., Bizzozero, O., Sato, C., Oteiza, P. and Soto, E.F. (1981). Abnormal myelinogenesis and changes in brain cell membranes in neonatal malnutrition in the rat. In : *New Trends in Nutrition, Lipid Research, and Cardiovascular diseases*. pp. 73-89. Alan R. Liss. Inc. New York.
- Patel, A.J., Balazs, R. and Johnson, A.L. (1973). Effect of undernutrition on cell formation in the rat brain. *J. Neurochem.*, 20, 1151-1165.

- Perles, R., Colar, M.C. and Blayo, M.O. (1960). cf : Hauser, G. 1969; Ann. N.Y. Acad. Sci., 165, 630-645.
- Peterson, S.C. and Kirschner, L.B. (1970). Di- and triphospho- inositide metabolism in intact swine erythrocytes. Biochim. Biophys. Acta., 202, 295-304.
- Petzold, G.L. and Agranoff, B.W. (1967). The biosynthesis of cytidene diphosphate diglyceride by embryonic chick brain. J. Biol. Chem., 242, 1187-1191.
- Pfeiffer, S.E., Betschart, B., Cook, J., Mancini, P. and Morris, R. (1977). Glial cell lines. In : Cell, tissue and organ culture in neurobiology. (Federoff, S. and Hertz, L. eds.) pp. 287-346. Academic Press. New York.
- Pickard, M.R. and Hawthorne, J.N. (1978). The labelling of nerve ending phospholipids in guinea-pig brain in vivo and the effect of electrical stimulation on phosphatidyl- inositol metabolism in prelabelled synaptosomes. J. Neurochem., 30, 145-155.
- Pitkanen, E. (1976). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : Advances in Nutritional Research. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.

- Platt, B.S., Heard, C.R.C. and Stewart, R.J.C. (1964). In :
Mammalian Protein Metabolism. Vol. 2 (Munro, H.M. and
Allison, J.B. eds,) pp. 445-521. Academic Press. New York.
- Posternak, T., Schopfer, W.H., Kaufman-Boetsch, B. and Edward,
S. (1963). Recherches sur la biochemie des cyclitols.
VIII. sur la biosynthese du meso inositol et du seyllitol
chez le rat. Helv. Chim. Acta., 46, 2676-2685.
- Prescott, S.M. and Majerus, P.W. (1981). The fatty acid
composition of phosphatidylinositol from thrombin-
stimulated human platelets. J. Biol. Chem., 256, 579-582.
- Prpic, V., Blackmore, P.F. and Exton, J.H. (1982). Phosphatidyl-
inositol breakdown induced by vasopressin and epinephrine
in hepatocytes is calcium-dependent. J. Biol. Chem.,
257, 11323-11331.
- Pysh, J.J. and Perkins, R.E. (1975). Undernutrition and
Purkinje cell development. Neurosci. Abstr., 1, 756.
- Pysh, J.J., Perkins, R.E. and Beck, L.S. (1979). The effect
of postnatal undernutrition on the development of mouse
Purkinje cell dendritic tree. Brain Res., 163, 165-170.
- Quinn, P.J. (1980). Membrane enzymes in their lipid
environment. Biochem. Soc. Transac., 8, 25-46.
- Rajalakshmi, R. and Nakhasi, H.L. (1974a). Effects of
prenatal and postnatal nutritional deficiency on brain
lipid composition in rats. Exp Neurol., 44, 103-112.

- Rajalakshmi, R. and Nakhasi, H.L. (1974b). Effects of post-weaning protein deficiency on lipid composition in different regions of the brain in rats. *Ind. J. Biochem. Biophys.*, 11, 307-308.
- Rajalakshmi, R., Kulkarni, A.B. and Ramakrishnan, C.V. (1974a). Effects of pre-weaning and post-weaning undernutrition on acetylcholine levels in rat brain. *J. Neurochem.*, 23, 119-121.
- Rajalakshmi, R., Nakhasi, H.L. and Ramakrishnan, C.V. (1974b). Effects of pre-weaning and post-weaning deficiencies on the composition of brain lipids in rats. *Ind. J. Biochem. Biophys.*, 11, 57-60.
- Rajalakshmi, R., Parameswaran, M., Telang, S.D. and Ramakrishnan, C.V. (1974c). Effect of undernutrition and protein deficiency on glutamate dehydrogenase and decarboxylase in rat brain. *J. Neurochem.*, 23, 129-133.
- Rao, P.S. (1979). Fatty acid composition of cerebrosides and phospholipids in brains of undernourished rats. *Nutr. Metab.*, 23, 136-144.
- Ratnam, S., Fraser, I.M. and Mookerjee, S. (1980). Effect of phosphatidylinositol and phosphatidylserine on membrane-bound galactosyltransferase. *Can. J. Biochem.*, 58, 58-66.
- Reddy, T.S. and Horrocks, L.A. (1982). Effects of neonatal undernutrition on the lipid composition of gray matter and white matter in rat brain. *J. Neurochem.*, 38, 601-605.

- Reddy, T.S. and Khanna, A. (1983). Effect of undernutrition and vitamin A deficiency on the phospholipid composition of rat tissues at 21 days of age - II. Lung, Heart and Testes. *Internat. J. Vit. Nutr. Res.*, 53, 9-12.
- Reddy, T.S. and Ramakrishnan, C.V. (1982). Effect of post-weaning protein deficiency on the content and lipid composition of gray and white matter in neonatally undernourished rat brain. *J. Biosci.*, 4, 463-467.
- Reddy, P.V. and Sastry, P.S. (1978). Effect of undernutrition on the metabolism of phospholipids and gangliosides in developing rat brain. *Brit. J. Nutr.*, 40, 403-410.
- Reddy, P.V. and Sastry, P.S. (1979). Studies on neurotransmitter stimulated phospholipid metabolism with cerebral tissue suspensions : A possible biochemical correlate of synaptogenesis in normal and undernourished rats. *Brain Res.*, 168, 287-298.
- Reddy, P.V., Das, A. and Sastry, P.S. (1979). Quantitative and compositional changes in myelin of undernourished and protein malnourished rat brain. *Brain. Res.*, 161, 227-235.
- Reddy, T.S., Rajalakshmi, R. and Ramakrishnan, C.V. (1982). Effects of nutritional rehabilitation on the content and lipid composition of brain gray and white matter of neonatally undernourished rats. *J. Neurochem.*, 39, 1297-1301.

- Reddy, T.S., Rajalakshmi, R. and Ramakrishnan, C.V. (1983).
Lipid composition of gray and white matter in developing
rat brain. *Ind. J. Dev. Neurol.*, 1, 65-74.
- Reed, J.R., Deacen, L.E., Farr, E. and Gouch, J.R. (1968).
cf : Holub, B.J. The nutritional significance, metabolism
and function of myo-inositol and phosphatidylinositol in
health and disease. In : *Advances in Nutritional Research*.
Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press,
New York and London. 1982.
- Richard, W.J. and Charles, W.C. (1967). The binding of
calcium in mixture of phospholipids. *Proc. Soc. Exptl.*
Biol. Med., 124, 1268-1272.
- Rittenhouse, H.G., Seguin, E.B., Fisher, S.K. and Agranoff,
B.W. (1981). Properties of a CDP-diglyceride hydrolase
from guinea pig brain. *J. Neurochem.*, 36, 991-999.
- Roach, P.D. and Palmer, F.B. St. C. (1981). Human erythrocyte
cytosol phosphatidyl-inositol-bisphosphate phosphatase.
Biochim. Biophys. Acta., 661, 323-333.
- Robain, O. and Ponsot, G. (1978). Effects of undernutrition
on glial maturation. *Brain Res.*, 149, 379-397.
- Robinson, R. and Fritz, I.B. (1979). Myo-inositol biosynthesis
by Sarotoli cells, and levels of myo-inositol biosynthetic
enzymes in testis and epididymis. *Can. J. Biochem.*, 57,
962-967.

- Rossiter, R.J. and Gardiner, R.J. (1966). In : Variations in Chemical Composition of the Nervous System. pp. 99 (Ansell, G.B. ed.) Pergamon Press. Oxford.
- Rouser, G., Siakotos, A.W. and Fleischer, S. (1966). Quantitative analysis of phospholipids by thin-layer chromatography and phosphorus analysis of spots. *Lipids*, 1, 85-86.
- Rubin, R.P., Sink, L.E. and Freer, R.J. (1981). Activation of (arachidonyl) phosphatidyl inositol turnover in rabbit neutrophils by the calcium ionophore A23187. *Biochem. J.*, 194, 497-505.
- Ruenwongsa, P., Singh, H. and Jungalwala, F.B. (1979). Protein catalyzed exchange of phosphatidyl inositol between rat brain microsomes and myelin. *J. Biol. Chem.*, 254, 9385-9393.
- Salas, M., Diaz, S. and Nieto, A. (1974). Effects of neonatal food deprivation on cortical spines and dendritic development of the rat. *Brain Res.*, 73, 139-144.
- Salway, J.G. and Hughes, I.E. (1972). An investigation of the possible role of phosphoinositides as regulators of action potentials by studying the effect of electrical stimulation, tetrodotoxin and cinchocaine on phosphoinositide labelling by ^{32}P in rabbit vagus. *J. Neurochem.*, 19, 1233-1240.

- Salway, J.G., Finnegan, J.A., Barnett, D., Whitehead, L., Karunanayaka, A. and Payne, R.B. (1978). Effect of myo-inositol on peripheral-nerve function in diabetes. *Lancet*, 2, 1282-1284.
- Salway, J.G., Harwood, J.L., Kai, M., White, G.L. and Hawthorne, J.N. (1968). Enzymes of phosphoinositide metabolism during rat brain development. *J. Neurochem.*, 15, 221-226.
- Salway, J.G., Kai, M. and Hawthorne, J.N. (1967). Triphosphoinositide phosphomonoesterase activity in nerve cell bodies, neuroglia and subcellular fractions from whole rat brain. *J. Neurochem.*, 14, 1013-1024.
- Santiago-Calvo, E., Mule, S., Redman, C.M., Hokin, M.R. and Hokin, L.E. (1964). The chromatographic separation of polyphosphoinositides and studies on their turnover in various tissues. *Biochim. Biophys. Acta.*, 84, 550-562.
- Schacht, J. and Agranoff, B.W. (1972). Effects of acetylcholine on labelling of phosphatidate and phosphoinositides by (^{32}P) orthophosphate in nerve ending fractions of guinea pig cortex. *J. Biol. Chem.*, 247, 771-777.
- Schrey, M.P. and Rubin, R.P. (1979). Characterization of a calcium-mediated activation of arachidonic acid turnover

- in adrenal phospholipids by corticotropin. J. Biol. Chem., 254, 11234-11241.
- Seamark, R.F., Tate, M.E. and Smeaton, T.C. (1968). The occurrence of scylloinositol and D-glycerol-1 (L-myo-inositol-1-hydrogen phosphate) in the male reproductive tract. J. Biol. Chem., 243, 2424-2428.
- Sebrell-Jr, W.H. and Harris, R.S. (1967). The Vitamins. Chemistry, Physiology, Pathology. Vol. III. Academic Press. New York.
- Seiler, N. and Deckardt, K. (1976). Association of spermidine, spermine and GABA with structural elements of brain cells. Neurochem. Res., 1, 469-499.
- Shaikh, N.A. and Palmer, F.B. St. C. (1976). Deposition of lipids in the developing central and peripheral nervous system of the chicken. J. Neurochem., 26, 597-603.
- Shaikh, N.A. and Palmer, F.B. St.C. (1977a). Phosphoinositide kinases in chick brain and sciatic nerve, a developmental study. J. Neurochem., 28, 395-402.
- Shaikh, N.A. and Palmer, F.B. St. C. (1977b). Hydrolysis of triphosphoinositides in developing central and peripheral nervous systems of the chicken. Brain Res., 137, 333-342.
- Sharma, M.B. (1979). Studies on the rat spinal cord. Ph.D. Thesis, M.S.University of Baroda, Baroda, India.

- Sharma, M., Uma, S. and Mira, A. (1980). Effects of neonatal protein undernutrition on rat brain phosphoinositides. *Ind. J. Biochem. Biophys.*, 1, 246-247.
- Shaw, G.G. (1979). The polyamines in the central nervous system. *Biochem. Pharmacol.*, 28, 1-6.
- Sheltawy, A. and Dawson, R.M.C. (1966). The polyphosphoinositides and other lipids of peripheral nerves. *Biochem. J.*, 100, 12-18.
- Sheltawy, A. and Dawson, R.M.C. (1969). The deposition and metabolism of polyphosphoinositides in rat and guinea-pig brain during development. *Biochem. J.*, 111, 147-155.
- Sheltawy, A., Brammer, M. and Borrill, D. (1972). The sub-cellular distribution of triphosphoinositide phosphomonoesterase in guinea-pig brain. *Biochem. J.*, 128, 579-586.
- Sherman, W.R., Leavitt, A.L., Honchar, M.P., Hallcher, L.M. and Phillips, B.E. (1981). Evidence that lithium alters phosphoinositide metabolism : Chronic administration elevates primarily D-myo-inositol-1-phosphate in cerebral cortex of the rat. *J. Neurochem.*, 36, 1947-1951.
- Sherman, W.R., Packman, P.M., Laird, M.H. and Boshans, R.L. (1977). Measurement of myo-inositol in single cells and defined areas of the nervous system by selected ion monitoring. *Anal. Biochem.*, 78, 119-131.

- Sherman, W.R., Stewart, M.A., Kurien, M.M. and Goodwin, S.L. (1968). The measurement of myo-inositol, myo-inosose-2 and scyllo-inositol in mammalian tissues. *Biochim. Biophys. Acta.*, 158, 197-205.
- Shoemaker, W.J. and Bloom, F.E. (1977). Effect of under-nutrition on brain morphology. In : *Nutrition and the Brain*. Vol. 2 (Wurtman, R.J. and Wurtman, J.J. eds.) pp. 147-192. Raven Press. New York.
- Shoemaker, W.J. and Wurtman, R.J. (1971). Perinatal under-nutrition : accumulation of catecholamines in rat brain. *Science*, 171, 1017-1019.
- Shrader, R.E. and Zeman, F.J. (1969). Effect of maternal protein deprivation on morphological and enzymatic development of neonatal rat tissue. *J. Nutr.*, 99, 401-421.
- Shum, T.Y.P., Gray, N.C.C. and Strickland, K.P. (1979). The deacylation of phosphatidylinositol by rat brain preparations. *Can. J. Biochem.*, 57, 1359-1367.
- Siassi, F. and Siassi, B. (1973). Differential effects of protein-calorie restriction and subsequent repletion on neuronal and non-neuronal components of cerebral cortex in newborn rats. *J. Nutr.*, 103, 1625-1633.
- Sikes, R.W., Fuller, G.N., Colbert, C., Chronister, R.B., DeFrance, J. and Wiggins, R.C. (1981). The relative numbers of oligodendroglia in different brain regions

- of normal and postnatally undernourished rats. *Brain Res. Bull.*, 6, 385-391.
- Sima, A. and Persson, L. (1975). The effects of pre- and postnatal undernutrition on the development of the rat cerebellar cortex. I. Morphological observations. *Neurobiology*, 5, 23-34.
- Simmons, D.A., Winegrad, A.I., Martin, D.B. (1982). Significance of myo-inositol concentrations in metabolic regulation. *Trans. Assoc. Am. Physicians.*, 95, 292-298.
- Simons, S.D. and Johnston, P.V. (1976). Prenatal and postnatal protein restriction in the rat : Effect on some parameters related to brain development, and prospects for rehabilitation. *J. Neurochem.*, 27, 63-69.
- Sloviter, R.S. and Connor, J.D. (1977). Post-mortem stability of norepinephrine, dopamine and serotonin in rat brain. *J. Neurochem.*, 28, 1129-1131.
- Smart, J.L., Dobbing, J., Adlard, B.P.F., Lynch, A. and Sands, J. (1973). Vulnerability of the developing brain : Relative effects of growth restriction during the fetal and suckling periods on behavior and brain composition of adult rats. *J. Nutr.*, 103, 1327-1338.
- Smith, M.E. and Eng, L.F. (1965). The turnover of the lipid components of myelin. *J. Am. Chem. Soc.*, 42, 1013-1017.

- Sobotka, T.J., Cook, M.P. and Brodie, R.E. (1974). Neonatal malnutrition : Neurochemical, hormonal and behavioral manifestations. *Brain Res.*, 65, 443-457.
- Soukup, J.F., Friedel, R.O. and Schanberg, S.M. (1978a). Microwave irradiation fixation for studies of polyphosphoinositide metabolism in brain. *J. Neurochem.*, 30, 635-637.
- Soukup, J.F., Friedel, R.O. and Schanberg, S.M. (1978b). Cholinergic stimulation of polyphosphoinositide metabolism in brain in vivo. *Biochem. Pharmacol.*, 27, 1239-1243.
- Spector, R. (1976a). The specificity and sulfhydryl sensitivity of the inositol transport system of the central nervous system. *J. Neurochem.*, 27, 229-236.
- Spector, R. (1976b). Inositol accumulation by brain slices in vitro. *J. Neurochem.*, 27, 1273-1276.
- Spector, R. (1978). The transport and metabolism of scyllo-inositol in central nervous system. *J. Neurochem.*, 31, 1113-1115.
- Spector, R. and Lorenzo, A.V. (1975a). Myo-inositol transport in the central nervous system. *Am. J. Physiol.*, 228, 1510-1518.
- Spector, R. and Lorenzo, A.V. (1975b). The origin of myo-inositol in brain, cerebrospinal fluid and choroid plexus. *J. Neurochem.*, 25, 353-354.

- Speziale, N.B., Speziale, E.H., Terragno, A. and Terragno, N.A. (1982). Phospholipase C activity in rat kidney. Effect of deoxycholate on phosphatidylinositol turnover. *Biochim. Biophys. Acta.*, 712, 65-70.
- Steiner, S. and Lester, R.L. (1972). Studies on the diversity of inositol-containing yeast phospholipids : incorporation of 2-deoxyglucose into lipid. *J. Bacteriol.*, 109, 81-88.
- Stewart, M.A., Kurien, M.M., Sherman, W.R. and Cotlier, E.V. (1968). Inositol changes in nerve and lens of galactose fed rats. *J. Neurochem.*, 15, 941-946.
- Stewart, M.A., Sherman, W.R. and Harris, J.T. (1969). Effects of galactose on levels of free myo-inositol in rat tissues. *Ann. N.Y. Acad. Sci.*, 165, 609-614.
- Streb, H., Irvine, R.F., Berridge, M.J. and Schulz, I. (1983). Release of Ca^{2+} from a mitochondrial intracellular store in pancreatic acinar cells by inositol-1,4,5-triphosphate. *Nature (Lond.)*, 306, 67-69.
- Strosznajder, J. (1983). The influence of hypoglycemia on the incorporation of myo-inositol into phospholipids of brain cortex synaptosomes and microsomes. Abstr. 9th meeting. Internat. Soc. Neurochem. Harrison Hot Springs. B.C. Canada.

- Sturrock, R.R., Smart, J.L. and Dobbing, J. (1976). Effect of undernutrition during the suckling period on growth of the anterior and posterior limbs of the mouse anterior commissures. *Neuropath. Appl. Neurobiol.*, 2, 411-419.
- Sturrock, R.R., Smart, J.L. and Dobbing, J. (1977). Effect of undernutrition during the suckling period on the indusium griseum and rostral part of the mouse anterior commissure. *Neuropath. Appl. Neurobiol.*, 3, 369-375.
- Sturton, R.G. and Brindley, D.N. (1977). Factors controlling the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyl transferase. The effects of chlorpromazine, dimethylimipramine, cinchocaine, norfenfluramine, mepyramine and magnesium ions. *Biochem. J.*, 162, 25-32.
- Subba Rao, K. (1982). Brain DNA, DNases and nutrition. *Baroda J. Nutr.*, 9, 263-270.
- Sugita, N. (1918). Comparative studies on the growth of the cerebral cortex. VII : On the influences of starvation at an early age upon the development of the cerebral cortex in albino rats. *J. Comp. Neurol.*, 29, 177-242.
- Sun, G.Y., Su, K.L. and Corbin, D.R. (1978). The arachidonoyl groups of phosphatidylinositols in brain synaptosomes. In : *Cyclitols and Phosphoinositides*. (Well, W.W. and Eisenberg-Jr, F. eds.) pp. 549-561. Academic Press, New York.

- Takenawa, T. and Egawa, K. (1980). cf : Abdel-Latif, A.A.
Metabolism of phosphoinositides. In : Handbook of
Neurochemistry. Vol. 3, 2nd edn. (Lajtha, A.A. ed.)
pp. 91-131. Plenum Press. New York. 1983.
- Takenawa, T., Wada, E. and Tsumita, T. (1977). Myo-inositol
binding and transport in brush border membranes of rat
kidney. Biochim. Biophys. Acta., 464, 108-117.
- Thompson, W. and Dawson, R.M.C. (1964). The triphospho-
inositide phosphodiesterase of brain tissue. Biochem.
J., 91, 237-243.
- Torda, C. (1972). A Depolarisation-Hyperpolarisation cycle,
A Molecular Model. pp. 1-100. Torda, 101 West, 12th, St.
New York.
- Torda, C. (1974). In : International Reviews of Neurobiology.
Vol. 16. (Pfeiffer, C. and Smuthies, J.R. eds.) pp. 1-66.
Academic Press, New York.
- Tou, J-S., Hurst, M.W., Baricos, W.H. and Huggins, C.G.
(1972). The metabolism of phosphoinositides in rat
kidney, in vivo. Arch. Biochem. Biophys., 149, 146-152.
- Tou, J-S., Hurst, M.W., Baricos, W.H. and Huggins, C.G.
(1973). The hydrolysis of triphosphoinositide by a
phosphodiesterase in rat kidney cortex. Arch. Biochem.
Biophys., 154, 593-600.

- Tou, J-S., Hurst, M.W., Huggins, C.G. and Foor, W.E. (1970).
Biosynthesis of triphosphoinositide in rat kidney cortex.
Arch. Biochem. Biophys., 140, 492-502.
- Tou, J-S., Hurst, M.W. and Huggins, C.G. (1969). Phosphatidyl-
inositol kinase in rat kidney cortex. Arch. Biochem.
Biophys., 131, 596-602.
- Tretjak, A.G., Limarenko, I.M., Kossova, G.V., Gulak, P.V.
and Kozlov, Yu. P. (1977). Interrelation of phospho-
inositide metabolism and ion transport in crab nerve
fibres. J. Neurochem., 28, 199-205.
- Trifaró, J.M. (1969). cf : Abdel-Latif, A.A. Metabolism of
phosphoinositides. In : Handbook of Neurochemistry. Vol.3, 2nd edn.
(Lajtha, A. ed.) pp. 91-131. Plenum Press. New York.
1983.
- Triggle, D.J. (1972). Effects of calcium on excitable
membranes and neurotransmitter action. Prog. Surf.
Memb. Sci., 5, 267-331.
- Uma, S. and Ramakrishnan, C.V. (1983a). Studies on poly-
phosphoinositides in developing rat brain. J. Neurochem.,
40, 914-916.
- Uma, S. and Ramakrishnan, C.V. (1983b). Effects of pre-weaning
undernutrition and continued post-weaning protein
deficiency or nutritional rehabilitation on polyphospho-
inositides in rat brain. J. Neurochem., 40, 1026-1029.

- Van Marthens, E., Harel, S. and Zamenhof, S. (1975). Experimental intrauterine growth retardation. *Biol. Neonate.*, 26, 221-231.
- Van Rooijen, L.A.A., Seguin, E.B. and Agranoff, B.W. (1983). Phosphodiesteratic breakdown of endogenous polyphosphoinositides in nerve ending membranes. *Biochem. Biophys. Res. Commun.*, 112, 919-926.
- Vrbaski, S.R. (1983). The effect of long-term low protein intake on lipids of rat brain during adulthood. *J. Nutr.*, 113, 899-904.
- Wagner, H., Holzl, J., Lissau, A. and Horhammer, L. (1963). Papierchromatographic von phosphatiden. III. Quantitative papierchromatographahischer Bestimmung Von Phosphatiden and Phosphatidsauren in Rattenorganen. *Biochem. Z.*, 339, 34-45.
- Wagner, H., Lissau, A., Holzl, J. and Horhammer, L. (1962). The incorporation of ^{32}P into the inositol phosphatides of rat brain. *J. Lipid Res.*, 3, 177-180.
- Warfield, A.S. and Segal, S. (1978). Myo-inositol and phosphatidylinositol metabolism in synaptosomes from galactose fed rats. *Proc. Natl. Acad. Sci. U.S.A.*, 75, 4568-4572.

- Warfield, A., Hwang, S.M. and Segal, S. (1978). On the uptake of inositol by rat brain synaptosomes. *J. Neurochem.*, 31, 957-960.
- Webb, S.J. (1963). Possible role for water and inositol in the structure of nucleoproteins. *Nature (Lond.)*, 198, 785-787.
- Wells, M.A. and Dittmer, J.C. (1967). A comprehensive study of the postnatal changes in the concentration of the lipids of developing rat brain. *Biochemistry*, 6, 3169-3174.
- Wells, W.W. and Eisenberg, Jr., F. (1978). *Cyclitols and phosphoinositides*. Academic Press. New York.
- Wells, H.J. and Wells, W.W. (1967). Galactose toxicity and myo-inositol metabolism in the developing rat brain. *Biochemistry*, 6, 1168-1173.
- Wells, W.W., McIntyre, J.P., Schlichter, D.J., Wacholtz, M.C., Spieker, S.E. (1969). Studies on myo-inositol metabolism in galactosemia. *Ann. N.Y. Acad. Sci.*, 165, 599-608.
- West, C.D. and Kemper, T.L. (1976). The effect of a low protein on the anatomical development of the rat brain. *Brain Res.*, 107, 221-237.
- White, D.A. (1973). The phospholipid composition of mammalian tissues. In : *Forms and Functions of phospholipids*. (Ansell, G.B., Hawthorne, J.N. and Dawson, R.M.C. eds.) pp. 441-482. Elsevier, Amsterdam.

- White, G.L. and Larrabee, M.G. (1973). Phosphoinositides and other phospholipids in sympathetic ganglia and nerve trunks of rats. Effects of neuronal activity and inositol analogs δ - and γ -hexachlorocyclohexane (Lindane) on (^{32}P)-labelling, synaptic transmission and axonal conduction. *J. Neurochem.*, 20, 783-798.
- Whiting, P.H., Bowley, M., Sturton, R.G., Pritchard, P.H., Brindley, D.N. and Hawthorne, J.N. (1977). The effect of chronic diabetes, induced by streptozotocin, on the activities of some enzymes of glycerolipid synthesis in rat liver. *Biochem. J.*, 168, 147-153.
- Whiting, P.H., Palmano, K.P. and Hawthorne, J.N. (1979). Enzymes of myo-inositol and inositol lipid metabolism in rats with streptozotocin-induced diabetes. *Biochem. J.*, 179, 549-553.
- Widdowson, E.M. and McCance, R.A. (1960). Some effects of accelerating growth. I. General somatic development. *Proc. Roy. Soc. B.*, 152, 188-206.
- Wiggins, R.C. (1979). A comparison of starvation models in studies of brain α myelination. *Neurochem. Res.*, 4, 827-830.
- Wiggins, R.C. (1982). Myelin development and nutritional insufficiency. *Brain Res. Rev.*, 4, 151-175.

- Wiggins, R.C. and Fuller, G.N. (1978). Early postnatal starvation causes lasting brain hypomyelination. *J. Neurochem.*, 30, 1231-1237.
- Wiggins, R.C. and Fuller, G.N. (1979). Relative synthesis of myelin in different brain regions of postnatally undernourished rats. *Brain. Res.*, 162, 103-112.
- Wiggins, R.C., Fuller, G.N. and Bell, M.E. (1979). Incorporation of leucine metabolites into brain and sciatic nerve myelin. *J. Neurochem.*, 32, 1579-1582.
- Wiggins, R.C., Miller, S.L., Benjamins, J.A., Krigman, M.R. and Morell, P. (1976). Myelin synthesis during postnatal nutritional deprivation and subsequent rehabilitation. *Brain Res.*, 107, 257-273.
- Williams, R.J., Eakin, R.E. and Snell, E.E. (1940). The relationship of inositol, thiamin, biotin, pantothenic acid and vitamin B₆ to the growth of ye^asts. *J. Am. Chem. Soc.*, 62, 1204-1207.
- Winick, M. and Noble, A. (1966). Cellular response in rat during malnutrition at various ages. *J. Nutr.*, 89, 300-306.
- Wirtz, K.W.A. (1974). Transfer of phospholipids between membranes. *Biochim. Biophys. Acta.*, 344, 95-117.

- Wirtz, K.W.A., Demel, R.A. and Somerharju, P. (1983). The protein-mediated transfer of phosphatidylinositol between membranes. Abstr. 9th meeting. Internat. Soc. Neurochem. Harrison Hot Springs, B.C., Canada.
- Wirtz, K.W.A., Jolles, J., Westerman, J. and Neys, F. (1976). Phospholipid exchange proteins in synaptosome and myelin fraction from rat brain. *Nature (Lond.)*, 260, 354-355.
- Woolley, D.W. (1941). cf : Holub, B.J. The nutritional significance, metabolism and function of myo-inositol and phosphatidylinositol in health and disease. In : *Advances in Nutritional Research*. Vol. 4. (Draper, H.H. ed.) pp. 107-141. Plenum Press. New York and London. 1982.
- Wu, Y.C., Cho, T.M. and Loh, H.H. (1977). Binding of dimethyltubocurarine to triphosphoinositide. *J. Neurochem.*, 29, 589-592.
- Yagihara, Y. and Hawthorne, J.N. (1972). Effects of acetylcholine on the incorporation of (^{32}P) orthophosphate in vitro into the phospholipids of nerve-ending particles from guinea pig brain. *J. Neurochem.*, 19, 355-367.
- Yagihara, Y., Bleasdale, J.E. and Hawthorne, J.N. (1973). Effects of acetylcholine on the incorporation of (^{32}P) orthophosphate in vitro into the phospholipids of sub-synaptosomal membranes from guinea-pig brain. *J. Neurochem.*, 21, 173-190.

- Yoshino, Y. and Elliott, K.A.C. (1970). Incorporation of carbon atoms from glucose into free amino acids in brain under normal and altered conditions. *Can. J. Biochem.*, 48, 228-235.
- Yu, M.C., Lee, J.C. and Bakay, L. (1974). The ultrastructure of the rat central nervous system in chronic under-nutrition. *Acta. Neuropathol.*, 30, 197-210.
- Yusuf, H.K.M., Haque, Z. and Mozaffar, Z. (1981). Effect of malnutrition and subsequent rehabilitation on the development of mouse brain myelin. *J. Neurochem.*, 36, 924-930.
- Zamenhof, S., Van Marthens, E. and Grauel, L. (1973). Prenatal nutritional factors affecting brain development. *Nutr. Rep. Int.*, 7, 371-382.
- Zamenhof, S., Van Marthens, E. and Margolis, F.L. (1968). DNA (cell number) and protein in neonatal brain. Alterations by maternal dietary protein restriction. *Science*, 160, 322-323.
- Zeman, F.J. (1968). Effects of maternal protein restriction on the kidney of the newborn young of rats. *J. Nutr.*, 94, 111-116.
- Zeman, F.J. and Stanbrough, E.C. (1969). Effect of maternal protein deficiency on cellular development in the fetal rat. *J. Nutr.*, 99, 274-282.

Zor, U., Lowe, I.P., Bloom, G. and Field, J.B. (1968). The role of calcium (Ca^{++}) in TSH and dibutyryl 3'5'-cyclic AMP stimulation of thyroid glucose oxidation and phospholipid synthesis. Biochem. Biophys. Res. Commun., 33, 649-658.

ADDENDUM TO BIBLIOGRAPHY

- Berridge, M.J. (1981). Phosphatidylinositol hydrolysis : a multifunctional transducing mechanism. *Mol. Cell. Endocrinol.*, 24, 115-140.
- Berridge, M.J. (1982). A novel cellular signaling system based on the integration of phospholipid and calcium metabolism. In : 'Calcium and Cell Function' (Cheung, W.Y. ed.) vol. 3, pp. 1-36, Academic Press, New York.
- Berridge, M.J. (1984). Inositol triphosphate and diacylglycerol as second messengers. *Biochem. J.*, 220, 345-360.
- Berridge, M.J. and Irvine, R.F. (1984). Inositol triphosphate, a novel second messenger in cellular signal transduction. *Nature.*, 312, 315-321.
- Agranoff, B.W. (1983). Biochemical mechanisms in the phosphatidylinositol effect. *Life Science.*, 32, 2047-2054.
- Brown, J.E., Rubin, L.J., Ghalayani, A.J., Tarver, A.P., Irvine, R.F., Berridge, M.J. and Anderson, R.E. (1984). Myo-inositol polyphosphate may be a messenger for visual excitation in *Limulus* photoreceptors. *Nature.*, 311, 160-162.
- Eisenberg, F. Jr. (1978). Intermediates in the myo-inositol -1-phosphate synthase reaction. In : 'Cyclitols and Phosphoinositides' (Wells, W.W. and Eisenberg, F.Jr. eds.) pp. 269-278, Academic Press, New York.

- Fein, A., Payne, R., Corson, D.W., Berridge, M.J. and Irvine, R.F. (1984). Photoreceptor excitation and adaptation by inositol 1,4,5-trisphosphate. *Nature.*, 311, 157-160.
- Hildenbrandt, G.R. and Bieber, L.L. (1972). Characterization of glycerophosphorylcholine, -ethanolamine, -serine, -inositol and glycerol hydrolytic activity in housefly larvae. *J. Lipid Res.*, 13, 348-355.
- Lapetina, E.G. (1983). Metabolism of inositides and the activation of platelets. *Life Sci.*, 32, 2069-2082.
- LeBaron, F.N. and Folch, J. (1956). The isolation from brain tissue of a trypsin-resistant protein fraction containing combined inositol, and its relation to neurokeratin. *J. Neurochem.*, 1, 101-108.
- Macara, I.G., Marinetti, G.V. and Balduzzi, P.C. (1984). Transforming protein of avian sarcoma virus UR2 is associated with phosphatidylinositol kinase activity : Possible role in tumorigenesis. *Proc. Natl. Acad. Sci. U.S.A.*, 81, 2728-2732.
- Prentki, M., Wollheim, C.B., Janjic, D., Biden, T.J. and Blondel, B. (1984). Regulation of Ca^{2+} transport by isolated organelles of rat insulinoma. Studies with endoplasmic reticulum and secretory granules. *J. Biol. Chem.*, 259, 10118-10123.

Rasmussen, H. and Barrett, P.Q. (1984). Calcium messenger system : an integrated view. *Physiol. Rev.*, 64, 938-984.

Sugimoto, Y., Whitman, M., Cantley, L.C. and Erikson, R.L. (1984); Evidence that the Rous sarcoma virus transforming gene product phosphorylates phosphatidylinositol and diacylglycerol. *Proc. Natl. Acad. Sci., U.S.A.*, 81, 2117-2121.

Takenawa, T. (1982). Inositol phospholipids in stimulated smooth muscles. *Cell Calcium.*, 3, 359-368.

All abstracts of the Chilton Conference are published. (1985).
In : Inositol and Phosphoinositides - Metabolism and Regulation (Bleasdale, J.E., Eichberg, J. and Hauser, G., eds.), Human Press, Clifton, New Jersey.